

Weiping Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5045450/publications.pdf>

Version: 2024-02-01

19
papers

278
citations

932766

10
h-index

940134

16
g-index

21
all docs

21
docs citations

21
times ranked

321
citing authors

#	ARTICLE	IF	CITATIONS
1	High triglyceride-glucose index is associated with adverse cardiovascular outcomes in patients with acute myocardial infarction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2351-2362.	1.1	46
2	Predictive effect of triglyceride-glucose index on clinical events in patients with type 2 diabetes mellitus and acute myocardial infarction: results from an observational cohort study in China. <i>Cardiovascular Diabetology</i> , 2021, 20, 43.	2.7	40
3	High Triglyceride-Glucose Index is Associated with Poor Cardiovascular Outcomes in Nondiabetic Patients with ACS with LDL-C below 1.8 mmol/L. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 268-281.	0.9	32
4	The Neutrophil Percentage to Albumin Ratio as a New Predictor of In-Hospital Mortality in Patients with ST-Segment Elevation Myocardial Infarction. <i>Medical Science Monitor</i> , 2019, 25, 7845-7852.	0.5	29
5	Pioglitazone prevents hyperglycemia induced decrease of AdipoR1 and AdipoR2 in coronary arteries and coronary VSMCs. <i>Molecular and Cellular Endocrinology</i> , 2012, 363, 27-35.	1.6	15
6	Advanced Glycation End Products Impair Voltage-Gated K ⁺ Channels-Mediated Coronary Vasodilation in Diabetic Rats. <i>PLoS ONE</i> , 2015, 10, e0142865.	1.1	12
7	Telmisartan ameliorates adipoR1 and adipoR2 expression via PPAR- γ activation in the coronary artery and VSMCs. <i>Biomedicine and Pharmacotherapy</i> , 2017, 95, 129-136.	2.5	12
8	Pioglitazone Attenuates Atherosclerosis in Diabetic Mice by Inhibition of Receptor for Advanced Glycation End-Product (RAGE) Signaling. <i>Medical Science Monitor</i> , 2017, 23, 6121-6131.	0.5	11
9	RhoA/rock signaling mediates peroxynitrite-induced functional impairment of Rat coronary vessels. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 193.	0.7	10
10	Pregnancy-Associated Plasma Protein A Induces Inflammatory Cytokine Expression by Activating IGF-1/PI3K/Akt Pathways. <i>Mediators of Inflammation</i> , 2019, 2019, 1-12.	1.4	10
11	Liraglutide inhibited AGEs induced coronary smooth muscle cell phenotypic transition through inhibiting the NF- κ B signal pathway. <i>Peptides</i> , 2019, 112, 125-132.	1.2	10
12	Real-world use of ACEI/ARB in diabetic hypertensive patients before the initial diagnosis of obstructive coronary artery disease: patient characteristics and long-term follow-up outcome. <i>Journal of Translational Medicine</i> , 2020, 18, 150.	1.8	10
13	AGEs impair Kv channel-mediated vasodilation of coronary arteries by activating the NF- κ B signaling pathway in ZDF rats. <i>Biomedicine and Pharmacotherapy</i> , 2019, 120, 109527.	2.5	9
14	Pioglitazone downregulates Twist-1 expression in the kidney and protects renal function of Zucker diabetic fatty rats. <i>Biomedicine and Pharmacotherapy</i> , 2019, 118, 109346.	2.5	9
15	CRP and TNF- α Induce PAPP-A Expression in Human Peripheral Blood Mononuclear Cells. <i>Mediators of Inflammation</i> , 2012, 2012, 1-9.	1.4	8
16	Protective role of activating PPAR- γ in advanced glycation end products-induced impairment of coronary artery vasodilation via inhibiting p38 phosphorylation and reactive oxygen species production. <i>Biomedicine and Pharmacotherapy</i> , 2022, 147, 112641.	2.5	8
17	Underweight Predicts Greater Risk of Cardiac Mortality Post Acute Myocardial Infarction. <i>International Heart Journal</i> , 2020, 61, 658-664.	0.5	6
18	Role of peroxisome proliferators-activated receptor-gamma in advanced glycation end product-mediated functional loss of voltage-gated potassium channel in rat coronary arteries. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 337.	0.7	1

#	ARTICLE	IF	CITATIONS
19	Association of Prior Statin Therapy With Cardiovascular Outcomes in Patients With Initial Diagnosis of OCAD and LDL-C Below 1.8Åmmol/L. <i>Angiology</i> , 2022, , 000331972210758.	0.8	0