

Haibo Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5045770/publications.pdf>

Version: 2024-02-01

65
papers

2,130
citations

279701

23
h-index

233338

45
g-index

65
all docs

65
docs citations

65
times ranked

2354
citing authors

#	ARTICLE	IF	CITATIONS
1	Curly-Packed Structure Polymers for High-Temperature Capacitive Energy Storage. <i>Chemistry of Materials</i> , 2022, 34, 2333-2341.	3.2	25
2	Influence of crosslink density on thermal, mechanical and dielectric properties of cross-linked fluorinated poly(aryl ether)s. <i>European Polymer Journal</i> , 2022, 172, 111244.	2.6	7
3	Enhanced interlayer strength in 3D printed poly (ether ether ketone) parts. <i>Additive Manufacturing</i> , 2022, 55, 102852.	1.7	3
4	Construction of OH-functionalized MWCNT/solid waste composites with tubular/spherical heterostructures for enhanced electromagnetic wave absorption property. <i>RSC Advances</i> , 2022, 12, 16003-16013.	1.7	4
5	High methanol resistant polyelectrolyte membrane based on semi-crystalline Poly(ether ketone) with densely sulfonated side chain for direct methanol fuel cell. <i>Journal of Power Sources</i> , 2021, 482, 228982.	4.0	25
6	Effect of molecular weight on mechanical properties and microstructure of 3D printed poly(ether ether ketone). <i>Polymer International</i> , 2021, 70, 1065-1072.	1.6	11
7	Reinforcement of poly(ether ketone) by introducing fluorene groups and their effect on thermal and mechanical properties. <i>Polymer International</i> , 2021, 70, 282-287.	1.6	6
8	The performances of modified single-walled carbon nanotubes/poly(ether ether ketone) composites prepared by solution blending and melt blending. <i>High Performance Polymers</i> , 2020, 32, 276-285.	0.8	5
9	A series of novel high-temperature-resistant multiwall carbon nanotubes dispersants: Polyphenylene sulfones with pyrene groups in main chain. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48379.	1.3	1
10	Polymeric Nano-Blue-Energy Generator Based on Anion-Selective Ionomers with 3D Pores and pH-Driving Gating. <i>Advanced Energy Materials</i> , 2020, 10, 2001552.	10.2	20
11	Preparation of a novel poly (ether ether ketone) nonwoven filter and its application in harsh conditions for dust removal. <i>Separation and Purification Technology</i> , 2020, 253, 117555.	3.9	26
12	Non-covalent modification of boron nitride nanoparticle-reinforced PEEK composite: Thermally conductive, interfacial, and mechanical properties. <i>Polymer</i> , 2020, 203, 122763.	1.8	57
13	Blue Energy: Polymeric Nano-Blue-Energy Generator Based on Anion-Selective Ionomers with 3D Pores and pH-Driving Gating (<i>Adv. Energy Mater.</i> 44/2020). <i>Advanced Energy Materials</i> , 2020, 10, 2070182.	10.2	0
14	Knockdown of Kif20a inhibits growth of tumors in soft tissue sarcoma in vitro and in vivo. <i>Journal of Cancer</i> , 2020, 11, 5088-5098.	1.2	7
15	A biodegradable core-sheath nanofibrous 3D hierarchy prepared by emulsion electrospinning for sustained drug release. <i>Journal of Materials Science</i> , 2020, 55, 16730-16743.	1.7	19
16	Self-cleaning and Oil/Water Separation of 3D Network Super-hydrophobic Bead-like Fluorinated Silica Pellets/Poly(aryl ether ketone) Composite Membrane Fabricated via a Facile One-step Electrospinning. <i>Chemical Research in Chinese Universities</i> , 2020, 36, 1320-1325.	1.3	8
17	Preparation and Properties of Novel Cross-Linked Fluorinated Poly(aryl ether) with Low Dielectric Constant and High Thermal Stability. <i>Macromolecular Rapid Communications</i> , 2020, 41, e2000100.	2.0	20
18	Cross-Linked Fluorinated Poly(Aryl Ether) (C-FPAE) Films: Preparation Strategy, Performance Study, and Low Dielectric Applications. <i>Macromolecular Materials and Engineering</i> , 2020, 305, 1900866.	1.7	11

#	ARTICLE	IF	CITATIONS
19	Three-Dimensional Coating of SF/PLGA Coaxial Nanofiber Membranes on Surfaces of Calcium Phosphate Cement for Enhanced Bone Regeneration. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 2970-2984.	2.6	25
20	Integrative Clustering Reveals a Novel Subtype of Soft Tissue Sarcoma With Poor Prognosis. <i>Frontiers in Genetics</i> , 2020, 11, 69.	1.1	10
21	Design and synthesis of poly(arylene ether sulfone)s with high glass transition temperature by introducing biphenylene groups. <i>Polymer International</i> , 2020, 69, 1267-1274.	1.6	9
22	3D network super-hydrophobic hexafluorobisphenol A poly(aryl ether ketone) membrane prepared by one-step electrospinning. <i>High Performance Polymers</i> , 2020, 32, 1094-1101.	0.8	4
23	Micro-block <i>versus</i> random quaternized poly(arylene ether sulfones) with highly dense quaternization units for anion exchange membranes. <i>Polymer Chemistry</i> , 2020, 11, 2399-2407.	1.9	18
24	Rational Design of Soluble Polyaramid for High Efficiency Energy Storage Dielectric Materials at Elevated Temperatures. <i>Macromolecular Materials and Engineering</i> , 2020, 305, 1900820.	1.7	38
25	New Type of Eco-Friendly Polymeric Dye by Covalently Bonding Anthraquinone into Polyphenylsulfone. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1800692.	1.7	5
26	A non-enzymatic glucose sensor based on electrospun 3-D copper oxide micro-nanofiber network films using carboxylic-functionalized poly(arylene ether ketone)s as templates. <i>RSC Advances</i> , 2019, 9, 6613-6619.	1.7	7
27	A Novel Graphene Nanoplatelets (GNPs) Dispersant: Polyaryletherketones with Pendant Pyrene Groups. <i>Macromolecular Chemistry and Physics</i> , 2019, 220, 1800553.	1.1	3
28	High Dimensional Stability and Alcohol Resistance Aromatic Poly(aryl ether ketone) Polyelectrolyte Membrane Synthesis and Characterization. <i>ACS Applied Energy Materials</i> , 2019, 2, 1646-1656.	2.5	31
29	Electrospun porous hybrid CuO/CdO nanofibers using carboxylic-functionalized poly(arylene ether) Tj ETQq1 1 0.784314 rgBT ₄ /Overlock	0.8	4
30	Effectively improving the performance of MWNT/PEEK composite by choosing PAK-Cz as the solubilizer. <i>High Performance Polymers</i> , 2019, 31, 875-884.	0.8	4
31	Resistive memory devices based on novel functionalized poly(aryl ether)s with pendant azobenzene. <i>High Performance Polymers</i> , 2019, 31, 273-281.	0.8	1
32	Novel soluble carbazole-based poly(aryl ethers): Preparation, properties, and application for dispersing multiwalled carbon nanotubes. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46250.	1.3	2
33	Highly proton conducting proton-exchange membranes based on fluorinated poly(arylene ether) Tj ETQq1 1 0.784314 rgBT ₂₂ /Overlock	2.5	22
34	Unique ion rectification in hypersaline environment: A high-performance and sustainable power generator system. <i>Science Advances</i> , 2018, 4, eaau1665.	4.7	195
35	Effects of biphenyl groups on the dry sliding behavior of poly (ether-ether-ketone-ketone) copolymers against stainless steel. <i>Materials and Design</i> , 2018, 158, 39-45.	3.3	5
36	Pyrene-functionalized PAEKs prepared from C-H borylation and Suzuki coupling reactions for the dispersion of single-walled carbon nanotubes. <i>Composites Science and Technology</i> , 2017, 143, 82-88.	3.8	15

#	ARTICLE	IF	CITATIONS
37	A Charge-Density-Tunable Three/Two-Dimensional Polymer/Graphene Oxide Heterogeneous Nanoporous Membrane for Ion Transport. <i>ACS Nano</i> , 2017, 11, 10816-10824.	7.3	99
38	Functionalization of multi-walled carbon nanotubes and their effect on the tribological properties of poly(ether ether ketone) composites. <i>Polymer International</i> , 2017, 66, 1897-1905.	1.6	5
39	New comb-shaped ionomers based on hydrophobic poly(aryl ether ketone) backbone bearing hydrophilic high concentration sulfonated micro-cluster. <i>Polymer</i> , 2016, 96, 188-197.	1.8	27
40	Novel photoactive poly(aryl ether)s containing bisazobenzene pendants for optical storage. <i>High Performance Polymers</i> , 2016, 28, 518-524.	0.8	6
41	A low onset voltage WORM type polymer memory based on functional PES. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	1
42	Influence of Layer Thickness and Raster Angle on the Mechanical Properties of 3D-Printed PEEK and a Comparative Mechanical Study between PEEK and ABS. <i>Materials</i> , 2015, 8, 5834-5846.	1.3	610
43	Graft octa-sulfonated poly(arylene ether) for high performance proton exchange membrane. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12698-12708.	5.2	29
44	Fabrication of fluorescent holographic micropatterns based on the rare earth complexes using azobenzene-containing poly(aryl ether)s as macromolecular ligands. <i>Journal of Polymer Science Part A</i> , 2015, 53, 936-943.	2.5	11
45	Poly(ether ether ketone)/wrapped graphite nanosheets with poly(ether sulfone) composites: Preparation, mechanical properties, and tribological behavior. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	5
46	Research on performance and preparation of graphene/epoxy high dielectric permittivity polymer composites. <i>High Performance Polymers</i> , 2015, 27, 911-917.	0.8	8
47	Synthesis and properties poly(arylene ether sulfone)s with pendant hyper-sulfonic acid. <i>RSC Advances</i> , 2015, 5, 38298-38307.	1.7	10
48	Investigations on the tribological properties of poly(arylene ether ketone) copolymer with 3-(trifluoromethyl) phenyl pendants and biphenyl units. <i>High Performance Polymers</i> , 2014, 26, 247-254.	0.8	7
49	Synthesis, characterization and photoresponsive behaviour of a series of azobenzene-containing poly(ether sulfone)s with high glass transition temperatures. <i>High Performance Polymers</i> , 2014, 26, 946-952.	0.8	4
50	Preparation and properties of novel boric acid modified poly(aryl ether sulfone) membranes. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	1
51	Poly(aryl ether ketone) containing flexible tetra-sulfonated side chains as proton exchange membranes. <i>Polymer Chemistry</i> , 2014, 5, 1477-1486.	1.9	58
52	Synthesis of crosslinkable fluorinated linear-hyperbranched copolyimides for optical waveguide devices. <i>Journal of Applied Polymer Science</i> , 2013, 127, 1834-1841.	1.3	11
53	Synthesis, characterization, and photoresponsive behavior of a series of azobenzene-containing side-chain poly(ether sulfone)s with various lengths of flexible spacers. <i>Dyes and Pigments</i> , 2013, 99, 1117-1123.	2.0	23
54	Effect of barium-containing glass filler reinforcement on shear bond strength of poly(ether ether) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	0.8	2

#	ARTICLE	IF	CITATIONS
55	Synthesis and photoresponsive behaviors of novel poly(arylene ether)s with di-azobenzene pendants. <i>Reactive and Functional Polymers</i> , 2011, 71, 553-560.	2.0	11
56	Synthesis and characterization of photoactive poly(arylene ether sulfone)s containing azobenzene moieties in their main chains. <i>Reactive and Functional Polymers</i> , 2010, 70, 616-621.	2.0	29
57	Novel soluble fluorinated poly(ether imide)s with different pendant groups: Synthesis, thermal, dielectric, and optical properties. <i>Journal of Polymer Science Part A</i> , 2010, 48, 3281-3289.	2.5	63
58	Synthesis of novel fluorinated hyperbranched polyimides with excellent optical properties. <i>Journal of Polymer Science Part A</i> , 2009, 47, 6269-6279.	2.5	31
59	Fabrication of Fluorescent Holographic Micropatterns Based on Azobenzene-Containing Host-Guest Complexes. <i>Langmuir</i> , 2009, 25, 10444-10446.	1.6	24
60	Synthesis and characterization of sulfonated poly(arylene ether)s with sulfoalkyl pendant groups for proton exchange membranes. <i>Journal of Membrane Science</i> , 2008, 318, 271-279.	4.1	59
61	Preparation and nonlinear optical studies of a novel thermal stable polymer containing azo chromophores in the side chain. <i>Dyes and Pigments</i> , 2008, 77, 223-228.	2.0	67
62	Novel Wholly Aromatic Sulfonated Poly(arylene ether) Copolymers Containing Sulfonic Acid Groups on the Pendants for Proton Exchange Membrane Materials. <i>Macromolecules</i> , 2007, 40, 9435-9442.	2.2	138
63	Synthesis and Characterization of Poly(ether ether ketone)s with (2,5-dihydroxy)phenyl Side Group. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2007, 44, 535-540.	1.2	4
64	Low Water Swelling and High Proton Conducting Sulfonated Poly(arylene ether) with Pendant Sulfoalkyl Groups for Proton Exchange Membranes. <i>Macromolecular Rapid Communications</i> , 2007, 28, 2332-2338.	2.0	64
65	Sulfonated poly(arylene ether nitrile ketone) and its composite with phosphotungstic acid as materials for proton exchange membranes. <i>Journal of Membrane Science</i> , 2005, 264, 56-64.	4.1	70