

David Agustn Len Navarro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5047945/david-agustin-leon-navarro-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

559
citations

14
h-index

22
g-index

39
ext. papers

612
ext. citations

4.4
avg, IF

3.44
L-index

#	Paper	IF	Citations
38	Hyperthermia-induced seizures during neonatal period alter the functionality of A and A receptors in the cerebellum and evoke fine motor impairment and gait disturbances in adult rats. <i>Physiology and Behavior</i> , 2021 , 240, 113543	3.5	0
37	Glutamatergic System is Affected in Brain from an Hyperthermia-Induced Seizures Rat Model. <i>Cellular and Molecular Neurobiology</i> , 2021 , 1	4.6	1
36	Hyperthermia-induced seizures produce long-term effects on the functionality of adenosine A receptor in rat cerebral cortex. <i>International Journal of Developmental Neuroscience</i> , 2020 , 80, 1-12	2.7	2
35	Oxidative stress in epileptogenesis: Febrile seizures, chemoconvulsant pilocarpine, and electrical stimulation 2020 , 81-94		
34	Functional Cross-Talk between Adenosine and Metabotropic Glutamate Receptors. <i>Current Neuropharmacology</i> , 2019 , 17, 422-437	7.6	12
33	Cerebellar oxidative stress and fine motor impairment in adolescent rats exposed to hyperthermia-induced seizures is prevented by maternal caffeine intake during gestation and lactation. <i>European Journal of Pharmacology</i> , 2018 , 822, 186-198	5.3	7
32	Gender-specific desensitization of group I metabotropic glutamate receptors after maternal l-glutamate intake during lactation. <i>International Journal of Developmental Neuroscience</i> , 2018 , 68, 10-16	2.7	1
31	Early-life hyperthermic seizures upregulate adenosine A receptors in the cortex and promote depressive-like behavior in adult rats. <i>Epilepsy and Behavior</i> , 2018 , 86, 173-178	3.2	12
30	Chronic oral administration of MPEP, an antagonist of mGlu receptor, during gestation and lactation alters mGlu and A receptors in maternal and neonatal brain. <i>Neuroscience</i> , 2017 , 344, 187-203	3.9	3
29	2-Methyl-6-(phenylethynyl)pyridine Hydrochloride Modulates Metabotropic Glutamate 5 Receptors Endogenously Expressed in Zebrafish Brain. <i>ACS Chemical Neuroscience</i> , 2016 , 7, 1690-1697	5.7	2
28	Hyperthermia-induced seizures alter adenosine A1 and A2A receptors and 5Znucleotidase activity in rat cerebral cortex. <i>Journal of Neurochemistry</i> , 2015 , 134, 395-404	6	19
27	Modulation of adenosine receptors by [60]fullerene hydrosoluble derivative in SK-N-MC cells. <i>ACS Chemical Neuroscience</i> , 2011 , 2, 363-9	5.7	4
26	Maternal glutamate intake during gestation and lactation regulates adenosine A ₁ and A _{2A} receptors in rat brain from mothers and neonates. <i>Neuroscience</i> , 2011 , 199, 133-42	3.9	7
25	Desensitization of adenosine A ₁ (1) receptors in rat immature cortical neurons. <i>European Journal of Pharmacology</i> , 2011 , 670, 365-71	5.3	11
24	Glutamate differently modulates excitatory and inhibitory adenosine receptors in neuronal and glial cells. <i>Neurochemistry International</i> , 2010 , 57, 33-42	4.4	6
23	Glutamate differently modulates metabotropic glutamate receptors in neuronal and glial cells. <i>Neurochemical Research</i> , 2010 , 35, 1050-63	4.6	7
22	Maternal caffeine intake during gestation and lactation down-regulates adenosine A ₁ receptor in rat brain from mothers and neonates. <i>Journal of Neuroscience Research</i> , 2010 , 88, 1252-61	4.4	27

21	Age-related expression of adenosine receptors in brain from the senescence-accelerated mouse. <i>Experimental Gerontology</i> , 2009 , 44, 453-61	4.5	25
20	Reduced expression and desensitization of adenosine A1 receptor/adenylyl cyclase pathway after chronic (-)N6-phenylisopropyladenosine intake during pregnancy. <i>Neuroscience</i> , 2009 , 163, 524-32	3.9	12
19	Axodendritic fibres of mouse cerebellar granule neurons exhibit a diversity of functional P2X receptors. <i>Neurochemistry International</i> , 2009 , 55, 671-82	4.4	10
18	Modulation of adenosine A1 and A2A receptors in C6 glioma cells during hypoxia: involvement of endogenous adenosine. <i>Journal of Neurochemistry</i> , 2008 , 105, 2315-29	6	24
17	Glutamate release and synapsin-I phosphorylation induced by P2X7 receptors activation in cerebellar granule neurons. <i>Neurochemistry International</i> , 2008 , 52, 1148-59	4.4	39
16	Synaptic terminals from mice midbrain exhibit functional P2X7 receptor. <i>Neuroscience</i> , 2008 , 151, 361-73	3.9	32
15	Effect of glutamate intake during gestation on adenosine A(1) receptor/adenylyl cyclase pathway in both maternal and fetal rat brain. <i>Journal of Neurochemistry</i> , 2008 , 104, 435-45	6	5
14	Effect of chronic gestational treatment with the adenosine A1 receptor agonist R-phenylisopropyladenosine on metabotropic glutamate receptors/phospholipase C pathway in maternal and fetal brain. <i>Journal of Neuroscience Research</i> , 2008 , 86, 3295-305	4.4	5
13	P2X agonist BzATP interferes with amplex-red-coupled fluorescence assays. <i>Analytical Biochemistry</i> , 2007 , 367, 140-2	3.1	7
12	Metabotropic glutamate receptor/phospholipase C system in female rat heart. <i>Brain Research</i> , 2007 , 1153, 1-11	3.7	8
11	Metabotropic glutamate receptor/phospholipase C pathway is increased in rat brain at the end of pregnancy. <i>Neurochemistry International</i> , 2007 , 50, 681-8	4.4	5
10	P2Y1 and P2X7 receptors induce calcium/calmodulin-dependent protein kinase II phosphorylation in cerebellar granule neurons. <i>European Journal of Neuroscience</i> , 2006 , 23, 2999-3013	3.5	41
9	Chronic intake of caffeine during gestation down regulates metabotropic glutamate receptors in maternal and fetal rat heart. <i>Amino Acids</i> , 2006 , 30, 257-66	3.5	16
8	Dinucleoside polyphosphates and their interaction with other nucleotide signaling pathways. <i>Pflügers Archiv European Journal of Physiology</i> , 2006 , 452, 563-72	4.6	47
7	Chronic caffeine or theophylline intake during pregnancy inhibits A1 receptor function in the rat brain. <i>Neuroscience</i> , 2005 , 131, 481-9	3.9	29
6	Effect of chronic gestational treatment with caffeine or theophylline on Group I metabotropic glutamate receptors in maternal and fetal brain. <i>Journal of Neurochemistry</i> , 2005 , 94, 440-51	6	21
5	Different modulation of inhibitory and stimulatory pathways mediated by adenosine after chronic in vivo agonist exposure. <i>Brain Research</i> , 2005 , 1031, 211-21	3.7	10
4	Effect of chronic glutamate administration to pregnant rats during gestation on metabotropic glutamate receptors from mothers and full-term fetuses brain. <i>Amino Acids</i> , 2005 , 28, 127-37	3.5	8

3	Down-regulation of rat brain adenosine A1 receptors at the end of pregnancy. <i>Journal of Neurochemistry</i> , 2004 , 88, 993-1002	6	17
2	Adenosine A1 receptor agonist treatment up-regulates rat brain metabotropic glutamate receptors. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2002 , 1593, 69-75	4-9	17
1	Adenosine A1 receptor down-regulation in mothers and fetal brain after caffeine and theophylline treatments to pregnant rats. <i>Journal of Neurochemistry</i> , 2002 , 82, 625-34	6	60