
Julio GÃ³mez-Soriano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5049100/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Shared muscle synergies in human walking and cycling. Journal of Neurophysiology, 2014, 112, 1984-1998.	0.9	119
2	Transcutaneous Spinal Cord Stimulation and Motor Rehabilitation in Spinal Cord Injury: A Systematic Review. Neurorehabilitation and Neural Repair, 2020, 34, 3-12.	1.4	79
3	The effects of Kinesio taping on muscle tone in healthy subjects: A double-blind, placebo-controlled crossover trial. Manual Therapy, 2014, 19, 131-136.	1.6	69
4	Deficient conditioned pain modulation after spinal cord injury correlates with clinical spontaneous pain measures. Pain, 2015, 156, 260-272.	2.0	56
5	Treatment of Rat Spinal Cord Injury with the Neurotrophic Factor Albumin-Oleic Acid: Translational Application for Paralysis, Spasticity and Pain. PLoS ONE, 2011, 6, e26107.	1.1	50
6	Impact of specific symptoms of spasticity on voluntary lower limb muscle function, gait and daily activities during subacute and chronic spinal cord injury. NeuroRehabilitation, 2013, 33, 531-543.	0.5	41
7	The role of Omega-3 and Omega-9 fatty acids for the treatment of neuropathic pain after neurotrauma. Biochimica Et Biophysica Acta - Biomembranes, 2017, 1859, 1629-1635.	1.4	37
8	Modular control of gait after incomplete spinal cord injury: differences between sides. Spinal Cord, 2017, 55, 79-86.	0.9	33
9	Peripheral Nerve Conduction Block by High-Frequency Alternating Currents: A Systematic Review. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 1131-1140.	2.7	31
10	Muscle Synergies in Cycling after Incomplete Spinal Cord Injury: Correlation with Clinical Measures of Motor Function and Spasticity. Frontiers in Human Neuroscience, 2015, 9, 706.	1.0	29
11	Oral administration of the p38α MAPK inhibitor, UR13870, inhibits affective pain behavior after spinal cord injury. Pain, 2014, 155, 2188-2198.	2.0	28
12	Extracorporeal shockwave therapy improves pain and function in subjects with knee osteoarthritis: A systematic review and meta-analysis of randomized clinical trials. International Journal of Surgery, 2020, 82, 64-75.	1.1	25
13	Combining transcranial direct-current stimulation with gait training in patients with neurological disorders: a systematic review. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 114.	2.4	23
14	Myotonometry as a measure to detect myofascial trigger points: an inter-rater reliability study. Physiological Measurement, 2018, 39, 115004.	1.2	22
15	Neuropathic Pain Intensity, Unpleasantness, Coping Strategies, and Psychosocial Factors after Spinal Cord Injury: An Exploratory Longitudinal Study During the First Year. Pain Medicine, 2012, 13, 1457-1468.	0.9	21
16	Oral 2â€hydroxyoleic acid inhibits reflex hypersensitivity and open–fieldâ€induced anxiety after spared nerve injury. European Journal of Pain, 2015, 19, 111-122.	1.4	21
17	Efficacy of high-intensity laser therapy in subacromial impingement syndrome: a three-month follow-up controlled clinical trial. Clinical Rehabilitation, 2019, 33, 894-903.	1.0	21
18	Voluntary ankle flexor activity and adaptive coactivation gain is decreased by spasticity during subacute spinal cord injury. Experimental Neurology, 2010, 224, 507-516.	2.0	19

#	Article	IF	CITATIONS
19	Tibialis Anterior muscle coherence during controlled voluntary activation in patients with spinal cord injury: diagnostic potential for muscle strength, gait and spasticity. Journal of NeuroEngineering and Rehabilitation, 2014, 11, 23.	2.4	19
20	Effect of Unmodulated 5-kHz Alternating Currents Versus Transcutaneous Electrical Nerve Stimulation on Mechanical and Thermal Pain, Tactile Threshold, and Peripheral Nerve Conduction: A Double-Blind, Placebo-Controlled Crossover Trial. Archives of Physical Medicine and Rehabilitation, 2017, 98, 888-895.	0.5	18
21	Effect of high-frequency alternating current transcutaneous stimulation over muscle strength: a controlled pilot study. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 103.	2.4	17
22	Deficient Inhibitory Endogenous Pain Modulation Correlates With Periaqueductal Gray Matter Metabolites During Chronic Whiplash Injury. Clinical Journal of Pain, 2019, 35, 668-677.	0.8	17
23	Modulation of thermal somatosensory thresholds within local and remote spinal dermatomes following cervical repetitive magnetic stimulation. Neuroscience Letters, 2013, 555, 237-242.	1.0	16
24	Intensity matters: Therapist-dependent dose of spinal transcutaneous electrical nerve stimulation. PLoS ONE, 2017, 12, e0189734.	1.1	16
25	Sensory function after cavernous haemangioma: a case report of thermal hypersensitivity at and below an incomplete spinal cord injury. Spinal Cord, 2012, 50, 711-715.	0.9	15
26	Similarity of muscle synergies in human walking and cycling: Preliminary results. , 2013, 2013, 6933-6.		15
27	Estimulación eléctrica nerviosa transcutánea como tratamiento de la espasticidad: una revisión sistemática. NeurologÃa, 2019, 34, 451-460.	0.3	15
28	Longitudinal estimation of intramuscular Tibialis Anterior coherence during subacute spinal cord injury: relationship with neurophysiological, functional and clinical outcome measures. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 58.	2.4	13
29	Early treatment with UR13870, a novel inhibitor of p38α mitogenous activated protein kinase, prevents hyperreflexia and anxiety behaviors, in the spared nerve injury model of neuropathic pain. Neuroscience Letters, 2015, 604, 69-74.	1.0	11
30	Transcutaneous Spinal Cord Stimulation Enhances Quadriceps Motor Evoked Potential in Healthy Participants: A Double-Blind Randomized Controlled Study. Journal of Clinical Medicine, 2020, 9, 3275.	1.0	11
31	Abnormal cutaneous flexor reflex activity during controlled isometric plantarflexion in human spinal cord injury spasticity syndrome. Spinal Cord, 2016, 54, 687-694.	0.9	10
32	Afferent electrical stimulation during cycling improves spinal processing of sensorimotor function after incomplete spinal cord injury. NeuroRehabilitation, 2017, 40, 429-437.	0.5	10
33	Spasticity therapy reacts to astrocyte GluA1 receptor upregulation following spinal cord injury. British Journal of Pharmacology, 2010, 161, 972-975.	2.7	8
34	20-kHz alternating current stimulation: effects on motor and somatosensory thresholds. Journal of NeuroEngineering and Rehabilitation, 2020, 17, 22.	2.4	8
35	Maintenance of cutaneomuscular neuronal excitability after leg-cycling predicts lower limb muscle strength after incomplete spinal cord injury. Clinical Neurophysiology, 2016, 127, 2402-2409.	0.7	7
36	Percutaneous Versus Transcutaneous Electrical Nerve Stimulation for the Treatment of Musculoskeletal Pain. A Systematic Review and Meta-Analysis. Pain Medicine, 2022, 23, 1387-1400.	0.9	7

Julio GÃ³mez-Soriano

#	Article	IF	CITATIONS
37	Soleus H-reflex modulation following transcutaneous high- and low-frequency spinal stimulation in healthy volunteers. Journal of Electromyography and Kinesiology, 2019, 46, 1-7.	0.7	6
38	Effectiveness of Unihemispheric Concurrent Dual-Site Stimulation over M1 and Dorsolateral Prefrontal Cortex Stimulation on Pain Processing: A Triple Blind Cross-Over Control Trial. Brain Sciences, 2021, 11, 188.	1.1	6
39	Botulinum toxin type a and myofascial pain syndrome: A retrospective study of 301 patients. Journal of Back and Musculoskeletal Rehabilitation, 2014, 27, 485-492.	0.4	5
40	Afferent stimulation inhibits abnormal cutaneous reflex activity in patients with spinal cord injury spasticity syndrome. NeuroRehabilitation, 2018, 43, 135-146.	0.5	5
41	Nonâ€invasive spinal direct current simulation for spasticity therapy following spinal cord injury: mechanistic insights contributing to longâ€term treatment effects. Journal of Physiology, 2019, 597, 2121-2122.	1.3	5
42	Effects of Dry Needling on Biomechanical Properties of the Myofascial Trigger Points Measured by Myotonometry: A Randomized Controlled Trial. Journal of Manipulative and Physiological Therapeutics, 2021, 44, 467-474.	0.4	4
43	Effect of posture and body weight loading on spinal posterior root reflex responses. European Journal of Neuroscience, 2021, 54, 6575-6586.	1.2	4
44	Effects of Deep Dry Needling on Tremor Severity and Functionality in Stroke: A Case Report. Healthcare (Switzerland), 2021, 9, 5.	1.0	4
45	Assessing sensorimotor excitability after spinal cord injury: a reflex testing method based on cycling with afferent stimulation. Medical and Biological Engineering and Computing, 2018, 56, 1425-1434.	1.6	3
46	Does Frequency Modulation of Transcutaneous Electrical Nerve Stimulation Affect Habituation and Mechanical Hypoalgesia? A Randomized, Double-Blind, Sham-Controlled Crossover Trial. Physical Therapy, 2019, 99, 924-932.	1.1	3
47	Can Transcranial Direct Current Stimulation Enhance Functionality in Older Adults? A Systematic Review. Journal of Clinical Medicine, 2021, 10, 2981.	1.0	3
48	The effect of dry needling of myofascial trigger points on muscle stiffness and motoneuron excitability in healthy subjects. Acupuncture in Medicine, 2021, , 096452842110275.	0.4	3
49	The effect on handgrip strength of lowâ€frequency percutaneous electric stimulation applied to the median and cubital nerves: A randomized, doubleâ€blind controlled trial. Anatomical Record, 2023, 306, 720-727.	0.8	3
50	Spinal cord compression injury in lysophosphatidic acid 1 receptorâ€null mice promotes maladaptive pronociceptive descending control. European Journal of Pain, 2016, 20, 176-185.	1.4	2
51	Spanish Version of the Whiplash Disability Questionnaire in Adults With Acute Whiplash-Associated Disorders. Journal of Manipulative and Physiological Therapeutics, 2019, 42, 276-283.	0.4	2
52	Test-retest reliability and responsiveness of a comprehensive protocol for the assessment of muscle tone of the ankle plantar flexors in healthy subjects. Isokinetics and Exercise Science, 2019, 27, 107-115.	0.2	2
53	Efficacy of Anodal Suboccipital Direct Current Stimulation for Endogenous Pain Modulation and Tonic Thermal Pain Control in Healthy Participants: A Randomized Controlled Clinical Trial. Pain Medicine, 2021, 22, 2908-2917.	0.9	2
54	Knee Muscle Fatigue Estimation during Isometric Artificially Elicited Contractions in Incomplete Spinal Cord Injured Subjects. Biosystems and Biorobotics, 2013, , 327-332.	0.2	2

#	Article	IF	CITATIONS
55	Effect of Percutaneous Electric Stimulation with High-Frequency Alternating Currents on the Sensory-Motor System of Healthy Volunteers: A Double-Blind Randomized Controlled Study. Journal of Clinical Medicine, 2022, 11, 1832.	1.0	2
56	Longitudinal Estimation of Intramuscular Tibialis Anterior Coherence during Subacute Spinal Cord Injury: Relationship with Neurophysiological, Clinical and Functional Measures. Biosystems and Biorobotics, 2014, , 295-302.	0.2	1
57	Tibialis Anterior electromyographic analysis during fast dorsiflexion: Relationship with recovery of gait, muscle strength and evoked potentials during subacute spinal cord injury. , 2015, , .		1
58	Long-term effect of high-intensity laser therapy for persistent shoulder pain: A case report. Journal of Back and Musculoskeletal Rehabilitation, 2020, 33, 947-951.	0.4	1
59	Cutaneomuscular Spinal Reflex Activity as a Biomarker of Motor Dysfunction and Neurorehabilitation After Incomplete Spinal Cord Injury. Biosystems and Biorobotics, 2017, , 1335-1339.	0.2	1
60	A reply letter on "A commentary on "Extracorporeal shockwave therapy improves pain and function in subjects with knee osteoarthritis: A systematic review and meta-analysis of randomized clinical trials" [Int. J. Surg. 2020; 82:64-75]― International Journal of Surgery, 2021, 96, 106177.	1.1	1
61	Cuantificación de la espasticidad autopercibida. Revisión de escalas y cuestionarios. Rehabilitacion, 2017, 51, 174-181.	0.2	0
62	The Good, the Bad and the Ugly of Spinal Cord Injury Spasticity: Towards a Better Diagnosis and Targeted Treatment Strategy. Biosystems and Biorobotics, 2013, , 1083-1086.	0.2	0
63	Targeting the Endogenous Pain Modulation System. Biosystems and Biorobotics, 2019, , 682-685.	0.2	0