
Chiara Gabellini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5049962/publications.pdf Version: 2024-02-01



CHIADA CABELLINI

#	Article	IF	CITATIONS
1	Exposure to the natural alkaloid Berberine affects cardiovascular system morphogenesis and functionality during zebrafish development. Scientific Reports, 2020, 10, 17358.	1.6	10
2	Inhibition of lysine acetyltransferases impairs tumor angiogenesis acting on both endothelial and tumor cells. Journal of Experimental and Clinical Cancer Research, 2020, 39, 103.	3.5	5
3	SETD5 Regulates Chromatin Methylation State and Preserves Global Transcriptional Fidelity during Brain Development and Neuronal Wiring. Neuron, 2019, 104, 271-289.e13.	3.8	75
4	Zebrafish modeling reveals that SPINT1 regulates the aggressiveness of skin cutaneous melanoma and its crosstalk with tumor immune microenvironment. Journal of Experimental and Clinical Cancer Research, 2019, 38, 405.	3.5	29
5	Interleukin 8 mediates bclâ€xLâ€induced enhancement of human melanoma cell dissemination and angiogenesis in a zebrafish xenograft model. International Journal of Cancer, 2018, 142, 584-596.	2.3	51
6	Non-canonical roles of Bcl-2 and Bcl-xL proteins: relevance of BH4 domain. Carcinogenesis, 2017, 38, 579-587.	1.3	39
7	BCL-XL overexpression promotes tumor progression-associated properties. Cell Death and Disease, 2017, 8, 3216.	2.7	76
8	Abstract 933: Bcl-xL overexpression promotes tumor aggressiveness. , 2017, , .		0
9	1,4-Dihydropyridines Active on the SIRT1/AMPK Pathway Ameliorate Skin Repair and Mitochondrial Function and Exhibit Inhibition of Proliferation in Cancer Cells. Journal of Medicinal Chemistry, 2016, 59, 1471-1491.	2.9	60
10	Histone acetyltransferase inhibitor CPTH6 preferentially targets lung cancer stem-like cells. Oncotarget, 2016, 7, 11332-11348.	0.8	49
11	Abstract 2324: The histone acetyltransferase inhibitor CPTH6 selectively targets lung cancer stem-like cells. , 2015, , .		0
12	Histone deacetylase inhibition synergistically enhances pemetrexed cytotoxicity through induction of apoptosis and autophagy in non-small cell lung cancer. Molecular Cancer, 2014, 13, 230.	7.9	51
13	Abstract 1684: Histone deacetylase inhibition enhances Pemetrexed cytotoxicity through induction of apoptosis and autophagy in non-small cell lung cancer models. , 2014, , .		Ο
14	Abstract 77: bcl-xL protein overexpression enhances tumor progression of human melanoma cells in zebrafish xenograft model: Involvement of CXCL8 chemokine. , 2014, , .		0
15	Removal of the BH4 Domain from Bcl-2 Protein Triggers an Autophagic Process that Impairs Tumor Growth. Neoplasia, 2013, 15, 315-IN37.	2.3	29
16	BH4 domain of bcl-2 protein is required for its proangiogenic function under hypoxic condition. Carcinogenesis, 2013, 34, 2558-2567.	1.3	23
17	The thiazole derivative CPTH6 impairs autophagy. Cell Death and Disease, 2013, 4, e524-e524.	2.7	28
18	CPTH6, a Thiazole Derivative, Induces Histone Hypoacetylation and Apoptosis in Human Leukemia Cells. Clinical Cancer Research, 2012, 18, 475-486.	3.2	47

CHIARA GABELLINI

#	Article	IF	CITATIONS
19	Scriptaid effects on breast cancer cell lines. Journal of Cellular Physiology, 2012, 227, 3426-3433.	2.0	26
20	Abstract LB-82: Modulation of autophagic flux by CPTH6, a Gcn5/pCAF histone acetyltransferase inhibitor with antitumoral activity. , 2012, , .		0
21	Involvement of BH4 domain of bcl-2 in the regulation of HIF-1-mediated VEGF expression in hypoxic tumor cells. Cell Death and Differentiation, 2011, 18, 1024-1035.	5.0	53
22	Abstract 16: Involvement of BH4 domain of bcl-2 in the regulation of HIF-1-mediated VEGF expression in hypoxic tumor cells. , 2011, , .		0
23	Bcl-2 Regulates HIF-1α Protein Stabilization in Hypoxic Melanoma Cells via the Molecular Chaperone HSP90. PLoS ONE, 2010, 5, e11772.	1.1	72
24	478 Bcl-2 regulates HIF-1a protein stabilization in hypoxic melanoma cells via the molecular chaperone HSP90b. European Journal of Cancer, Supplement, 2010, 8, 153.	2.2	2
25	Toll-like Receptor 3 Regulates Angiogenesis and Apoptosis in Prostate Cancer Cell Lines through Hypoxia-Inducible Factor 1α. Neoplasia, 2010, 12, 539-549.	2.3	85
26	Functional activity of CXCL8 receptors, CXCR1 and CXCR2, on human malignant melanoma progression. European Journal of Cancer, 2009, 45, 2618-2627.	1.3	121
27	Involvement of nuclear factorâ€kappa B in bclâ€xLâ€induced interleukin 8 expression in glioblastoma. Journal of Neurochemistry, 2008, 107, 871-882.	2.1	41
28	Modulation of bcl-xL in Tumor Cells Regulates Angiogenesis through CXCL8 Expression. Molecular Cancer Research, 2007, 5, 761-771.	1.5	41
29	Involvement of RB gene family in tumor angiogenesis. Oncogene, 2006, 25, 5326-5332.	2.6	47
30	p27kip1 overexpression promotes paclitaxel-induced apoptosis in pRb-defective SaOs-2 cells. Journal of Cellular Biochemistry, 2006, 98, 1645-1652.	1.2	5
31	The involvement of oxidative stress in bovine herpesvirus type 4-mediated apoptosis. Frontiers in Bioscience - Landmark, 2004, 9, 2106.	3.0	14
32	pRb2/p130 Decreases Sensitivity to Apoptosis Induced by Camptothecin and Doxorubicin but not by Taxol. Clinical Cancer Research, 2004, 10, 8085-8093.	3.2	11
33	?-tocopherol protects against cisplatin-induced toxicity without interfering with antitumor efficacy. International Journal of Cancer, 2003, 104, 243-250.	2.3	72
34	Telomere Dysfunction Increases Cisplatin and Ecteinascidin-743 Sensitivity of Melanoma Cells. Molecular Pharmacology, 2003, 63, 632-638.	1.0	27
35	Telomerase activity, apoptosis and cell cycle progression in ataxia telangiectasia lymphocytes expressing TCL1. British Journal of Cancer, 2003, 89, 1091-1095.	2.9	5
36	C-Myc Down-Regulation Increases Susceptibility to Cisplatin through Reactive Oxygen Species-Mediated Apoptosis in M14 Human Melanoma Cells. Molecular Pharmacology, 2001, 60, 174-182.	1.0	82

#	Article	IF	CITATIONS
37	A nanogenetic approach to genome editing. , 0, , .		Ο