Donna D Baird

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5050009/donna-d-baird-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 283
 18,550
 69
 130

 papers
 citations
 h-index
 g-index

 306
 20,873
 6
 6.49

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
283	Life Course Racism and Depressive Symptoms among Young Black Women <i>Journal of Urban Health</i> , 2022 , 99, 55	5.8	O
282	Correlates of plasma concentrations of per- and poly-fluoroalkyl substances among reproductive-aged Black women. <i>Environmental Research</i> , 2022 , 203, 111860	7.9	2
281	Correlates of non-persistent endocrine disrupting chemical mixtures among reproductive-aged Black women in Detroit, Michigan <i>Chemosphere</i> , 2022 , 134447	8.4	O
280	Depot Medroxyprogesterone Acetate Use and the Development and Progression of Uterine Leiomyoma <i>Obstetrics and Gynecology</i> , 2022 , 139, 797-807	4.9	О
279	Mycoplasma genitalium and Bacterial Vaginosis-Associated Bacteria in a Non-Clinic-Based Sample of African American Women. <i>Sexually Transmitted Diseases</i> , 2021 , 48, 118-122	2.4	O
278	Accounting for urinary dilution in peri-implantation samples: implications for creatinine adjustment and specimen pooling. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021 , 31, 356-365	6.7	2
277	Correlates of urinary concentrations of phthalate and phthalate alternative metabolites among reproductive-aged Black women from Detroit, Michigan. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021 , 31, 461-475	6.7	4
276	Disparities by Skin Color Among Young African-American Women. <i>Journal of Racial and Ethnic Health Disparities</i> , 2021 , 8, 1002-1011	3.5	2
275	Relugolix - new treatment for uterine fibroid-related heavy bleeding. <i>Nature Reviews Endocrinology</i> , 2021 , 17, 321-322	15.2	1
274	Early-life Farm Exposure and Ovarian Reserve in a US Cohort of Women. <i>Epidemiology</i> , 2021 , 32, 672-68	303.1	1
273	Reproductive Hormone Concentrations and Associated Anatomical Responses: Does Soy Formula Affect Minipuberty in Boys?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 2635-2645	5.6	1
272	Bacterial Vaginosis-Associated Bacteria and Uterine Fibroids: A Nested Case-Control Study. <i>Sexually Transmitted Diseases</i> , 2021 , 48, 844-850	2.4	O
271	Herpes Simplex Virus Type 2 Seroprevalence and Incidence and Growth of Ultrasound-Diagnosed Uterine Fibroids in a Large Population of Young African-American Women. <i>American Journal of Epidemiology</i> , 2021 , 190, 2158-2162	3.8	O
270	535 Associations between Multiple Stressors (Including Racism) and Sleep Health among Young African-American Women. <i>Sleep</i> , 2021 , 44, A211-A211	1.1	
269	590 Neighborhood Safety and Sleep During Childhood. <i>Sleep</i> , 2021 , 44, A232-A233	1.1	
268	Cadmium Exposure and Ovarian Reserve in Women Aged 35-49 Years: The Impact on Results From the Creatinine Adjustment Approach Used to Correct for Urinary Dilution. <i>American Journal of Epidemiology</i> , 2021 , 190, 116-124	3.8	4
267	Characterization of ovarian development in girls from birth to 9 months. <i>Paediatric and Perinatal Epidemiology</i> , 2021 , 35, 75-82	2.7	1

(2020-2021)

266	Intake of Lycopene and other Carotenoids and Incidence of Uterine Leiomyomata: A Prospective Ultrasound Study. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021 , 121, 92-104	3.9	1
265	Environmental Factors Involved in Maternal Morbidity and Mortality. <i>Journal of Womenks Health</i> , 2021 , 30, 245-252	3	6
264	Summary of the Proceedings of the Basic Science of Uterine Fibroids Meeting: New Developments February 28, 2020. <i>F&S Science</i> , 2021 , 2, 88-100	0.4	1
263	Brominated flame retardants and organochlorine pesticides and incidence of uterine leiomyomata: A prospective ultrasound study. <i>Environmental Epidemiology</i> , 2021 , 5, e127	0.2	О
262	Incidence of uterine leiomyoma in relation to urinary concentrations of phthalate and phthalate alternative biomarkers: A prospective ultrasound study. <i>Environment International</i> , 2021 , 147, 106218	12.9	9
261	Duration, recency, and type of hormonal contraceptive use and antimlerian hormone levels. <i>Fertility and Sterility</i> , 2021 , 116, 208-217	4.8	1
260	Urinary concentrations of phenols, parabens, and triclocarban in relation to uterine leiomyomata incidence and growth. <i>Fertility and Sterility</i> , 2021 , 116, 1590-1600	4.8	1
259	Prevalence of Hirsutism Among Reproductive-Aged African American Women. <i>Journal of Womenks Health</i> , 2021 , 30, 1580-1587	3	2
258	Correlates of Persistent Endocrine-Disrupting Chemical Mixtures among Reproductive-Aged Black Women. <i>Environmental Science & Environmental Science & </i>	10.3	2
257	A Prospective Ultrasound Study of Plasma Polychlorinated Biphenyl Concentrations and Incidence of Uterine Leiomyomata. <i>Epidemiology</i> , 2021 , 32, 259-267	3.1	Ο
256	Response to Oliveira and Comim Journal of Womenks Health, 2021, 30, 1825-1826	3	
255	Dietary Fat Intake and Risk of Uterine Leiomyomata: A Prospective Ultrasound Study. <i>American Journal of Epidemiology</i> , 2020 , 189, 1538-1546	3.8	7
254	Uterine fibroid incidence and growth in an ultrasound-based, prospective study of young African Americans. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 402.e1-402.e18	6.4	10
253	Correlates of plasma concentrations of brominated flame retardants in a cohort of U.S. Black women residing in the Detroit, Michigan metropolitan area. <i>Science of the Total Environment</i> , 2020 , 714, 136777	10.2	4
252	Correlates of organochlorine pesticide plasma concentrations among reproductive-aged black women. <i>Environmental Research</i> , 2020 , 184, 109352	7.9	3
251	Depot Medroxyprogesterone Acetate Use and Blood Lead Levels in a Cohort of Young Women. <i>Environmental Health Perspectives</i> , 2020 , 128, 117004	8.4	0
250	Reasons for hormonal contraceptive use in a cohort of African-American women living in the Detroit area. <i>Contraception</i> , 2020 , 102, 346-348	2.5	2
249	Hair Maintenance and Chemical Hair Product Usage as Barriers to Physical Activity in Childhood and Adulthood among African American Women. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1

248	Correlates of exposure to phenols, parabens, and triclocarban in the Study of Environment, Lifestyle and Fibroids. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020 , 30, 117-136	6.7	17
247	Chemical/straightening and other hair product usage during childhood, adolescence, and adulthood among African-American women: potential implications for health. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020 , 30, 86-96	6.7	14
246	Association of urinary concentrations of early pregnancy phthalate metabolites and bisphenol A with length of gestation. <i>Environmental Health</i> , 2019 , 18, 80	6	17
245	Predictors of plasma polychlorinated biphenyl concentrations among reproductive-aged black women. <i>International Journal of Hygiene and Environmental Health</i> , 2019 , 222, 1001-1010	6.9	5
244	Intrauterine, Infant, and Childhood Factors and Ovarian Reserve in Young African American Women. <i>Journal of Womenls Health</i> , 2019 , 28, 1711-1720	3	1
243	Accuracy of Self-reported Abnormal Pap Smears Among Reproductive-age African-American Women. <i>Epidemiology</i> , 2019 , 30, 274-277	3.1	3
242	Pre-conception 25-hydroxyvitamin D (25(OH)D) and fecundability. <i>Human Reproduction</i> , 2019 , 34, 2163-	-2 5 1 7 2	6
241	MON-199 Anti-M l lerian Hormone Levels in Reproductive-Aged African-American Women: Insights from an Underrepresented Population. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	1
240	Soy-based infant formula feeding and menstrual pain in a cohort of women aged 23-35 years. <i>Human Reproduction</i> , 2019 , 34, 148-154	5.7	8
239	Association of urinary concentrations of phthalate metabolites and bisphenol A with early pregnancy endpoints. <i>Environmental Research</i> , 2019 , 168, 254-260	7.9	22
238	25-Hydroxyvitamin D (25(OH)D) and biomarkers of ovarian reserve. <i>Menopause</i> , 2018 , 25, 811-816	2.5	9
237	Factors associated with low-lying intrauterine devices: a cross-sectional ultrasound study in a cohort of African-American women. <i>Contraception</i> , 2018 , 98, 25-29	2.5	1
236	Chlamydia trachomatis Seroprevalence and Ultrasound-Diagnosed Uterine Fibroids in a Large Population of Young African-American Women. <i>American Journal of Epidemiology</i> , 2018 , 187, 278-286	3.8	3
235	Serum 25-Hydroxyvitamin D and Risk of Self-Reported Bacterial Vaginosis in a Prospective Cohort Study of Young African American Women. <i>Journal of Womenls Health</i> , 2018 , 27, 1278-1284	3	4
234	Associations between Personal Care Product Use Patterns and Breast Cancer Risk among White and Black Women in the Sister Study. <i>Environmental Health Perspectives</i> , 2018 , 126, 027011	8.4	15
233	THE AUTHORS REPLY. American Journal of Epidemiology, 2018 , 187, 1133-1134	3.8	1
232	Associations among personal care product use patterns and exogenous hormone use in the NIEHS Sister Study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2017 , 27, 458-464	6.7	15
231	Gestational diabetes mellitus may be associated with increased risk of breast cancer. <i>British Journal of Cancer</i> , 2017 , 116, 960-963	8.7	16

(2015-2017)

230	Prospective Cohort Study of Uterine Fibroids and Miscarriage Risk. <i>American Journal of Epidemiology</i> , 2017 , 186, 1140-1148	3.8	17
229	Relationship between obesity and anti-Mllerian hormone in reproductive-aged African American women. <i>Obesity</i> , 2017 , 25, 229-235	8	29
228	Self-reported bacterial vaginosis and risk of ultrasound-diagnosed incident uterine fibroid cases in a prospective cohort study of young African American women. <i>Annals of Epidemiology</i> , 2017 , 27, 749-75	16.41	2
227	Association Between Biomarkers of Ovarian Reserve and Infertility Among Older Women of Reproductive Age. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 1367-1376	27.4	170
226	Long-term Recall of Pregnancy-related Events. <i>Epidemiology</i> , 2017 , 28, 575-579	3.1	19
225	Hormonal Contraception Use is Common Among Patients with Inflammatory Bowel Diseases and an Elevated Risk of Deep Vein Thrombosis. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1631-8	4.5	6
224	Antimlerian hormone infrelation to tobacco and marijuanaluse and sources of indoorfheating/cooking. <i>Fertility and Sterility</i> , 2016 , 106, 723-30	4.8	17
223	Herpes Simplex Virus Type 2 Seroprevalence and Ultrasound-Diagnosed Uterine Fibroids in a Large Population of Young African-American Women. <i>American Journal of Epidemiology</i> , 2016 , 183, 961-8	3.8	7
222	Novel correlates between antimlerian hormone and menstrual cycle characteristics in African-American women (23-35 Grears-old). Fertility and Sterility, 2016 , 106, 443-450.e2	4.8	11
221	Soy-Based Infant Formula Feeding and Ultrasound-Detected Uterine Fibroids among Young African-American Women with No Prior Clinical Diagnosis of Fibroids. <i>Environmental Health Perspectives</i> , 2016 , 124, 769-75	8.4	20
220	Urinary Concentrations of Phthalate Metabolites and Bisphenol A and Associations with Follicular-Phase Length, Luteal-Phase Length, Fecundability, and Early Pregnancy Loss. <i>Environmental Health Perspectives</i> , 2016 , 124, 321-8	8.4	73
219	Long-term Recall of Time to Pregnancy. <i>Epidemiology</i> , 2016 , 27, 705-11	3.1	13
218	Increasing serum 25-hydroxyvitamin D is associated with reduced odds of long menstrual cycles in a cross-sectional study of African American women. <i>Fertility and Sterility</i> , 2016 , 106, 172-179.e2	4.8	17
217	Soy-based Infant Formula Feeding and Heavy Menstrual Bleeding Among Young African American Women. <i>Epidemiology</i> , 2016 , 27, 716-25	3.1	16
216	Use of Estrogen-Containing Contraception Is Associated With Increased Concentrations of 25-Hydroxy Vitamin D. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 3370-7	5.6	25
215	Alcohol, cigarette smoking, and ovarian reserve in reproductive-age African-American women. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 758.e1-758.e9	6.4	18
214	Use of depot medroxyprogesterone acetate and prevalent leiomyoma in young African American women. <i>Human Reproduction</i> , 2015 , 30, 1499-504	5.7	14
213	Lower plasma 25-hydroxyvitamin D is associated with irregular menstrual cycles in a cross-sectional study. <i>Reproductive Biology and Endocrinology</i> , 2015 , 13, 20	5	22

212	Association between serum 25-hydroxyvitamin D and ovarian reserve in premenopausal women. <i>Menopause</i> , 2015 , 22, 312-6	2.5	26
211	A Prospective, Ultrasound-Based Study to Evaluate Risk Factors for Uterine Fibroid Incidence and Growth: Methods and Results of Recruitment. <i>Journal of Womenks Health</i> , 2015 , 24, 907-15	3	55
210	Self-Reported Reproductive Tract Infections and Ultrasound Diagnosed Uterine Fibroids in African-American Women. <i>Journal of Womenks Health</i> , 2015 , 24, 489-95	3	12
209	Estrogenic and anti-estrogenic activity of off-the-shelf hair and skin care products. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015 , 25, 271-7	6.7	22
208	Anti-Mllerian hormone and lifestyle, reproductive, and environmental factors among women in rural South Africa. <i>Epidemiology</i> , 2015 , 26, 429-35	3.1	29
207	A single baseline ultrasound assessment of fibroid presence and size is strongly predictive of future uterine procedure: 8-year follow-up of randomly sampled premenopausal women aged 35-49 years. <i>Human Reproduction</i> , 2015 , 30, 2936-44	5.7	11
206	Anti-Mllerian hormone concentrations in premenopausal women and breast cancer risk. <i>Cancer Prevention Research</i> , 2015 , 8, 528-34	3.2	21
205	Uterine leiomyomata and cesarean birth risk: a prospective cohort with standardized imaging. <i>Annals of Epidemiology</i> , 2014 , 24, 122-6	6.4	26
204	Cervical neoplasia-related factors and decreased prevalence of uterine fibroids among a cohort of African American women. <i>Fertility and Sterility</i> , 2014 , 101, 208-14	4.8	10
203	Intraobserver variability in fibroid size measurements: estimated effects on assessing fibroid growth. <i>Journal of Ultrasound in Medicine</i> , 2014 , 33, 1217-24	2.9	22
202	Examining the relationship between uterine fibroids and dyspareunia among premenopausal women in the United States. <i>Journal of Sexual Medicine</i> , 2014 , 11, 800-8	1.1	11
201	Female reproductive factors, menopausal hormone use, and Parkinson's disease. <i>Movement Disorders</i> , 2014 , 29, 889-96	7	32
200	Perfluoroalkyl substances during pregnancy and validated preeclampsia among nulliparous women in the Norwegian Mother and Child Cohort Study. <i>American Journal of Epidemiology</i> , 2014 , 179, 824-33	3.8	40
199	Perfluoroalkyl substances and lipid concentrations in plasma during pregnancy among women in the Norwegian Mother and Child Cohort Study. <i>Environment International</i> , 2014 , 62, 104-12	12.9	97
198	Length of human pregnancy and contributors to its natural variation. <i>Human Reproduction</i> , 2013 , 28, 2848-55	5.7	169
197	Self-reported family history of leiomyoma: not a reliable marker of high risk. <i>Annals of Epidemiology</i> , 2013 , 23, 286-90	6.4	3
196	Novel developmental analyses identify longitudinal patterns of early gut microbiota that affect infant growth. <i>PLoS Computational Biology</i> , 2013 , 9, e1003042	5	58
195	Prenatal and infant exposures and age at menarche. <i>Epidemiology</i> , 2013 , 24, 277-84	3.1	68

(2012-2013)

194	Risk of miscarriage among black women and white women in a U.S. Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2013 , 177, 1271-8	3.8	69
193	Vitamin d and the risk of uterine fibroids. <i>Epidemiology</i> , 2013 , 24, 447-53	3.1	124
192	Urinary follicle-stimulating hormone as a measure of natural fertility in a community cohort. <i>Reproductive Sciences</i> , 2013 , 20, 549-56	3	8
191	Association of age at menarche with increasing number of fibroids in a cohort of women who underwent standardized ultrasound assessment. <i>American Journal of Epidemiology</i> , 2013 , 178, 426-33	3.8	24
190	Authors' reply: cytokines and uterine leiomyoma a novel trustful pathway?. <i>American Journal of Reproductive Immunology</i> , 2013 , 70, 263	3.8	
189	Cytokine patterns differ seasonally between women with and without uterine leiomyomata. <i>American Journal of Reproductive Immunology</i> , 2013 , 70, 327-35	3.8	11
188	Tubal ligation in relation to menopausal symptoms and breast cancer risk. <i>British Journal of Cancer</i> , 2013 , 109, 1291-5	8.7	9
187	Keloids and ultrasound detected fibroids in young African American women. <i>PLoS ONE</i> , 2013 , 8, e8473	7 3.7	5
186	Women Fecundability and Factors Affecting It 2013 , 193-207		O
185	Gene expression in uterine leiomyoma from tumors likely to be growing (from black women over 35) and tumors likely to be non-growing (from white women over 35). <i>PLoS ONE</i> , 2013 , 8, e63909	3.7	19
184	Self-report versus ultrasound measurement of uterine fibroid status. <i>Journal of Womenks Health</i> , 2012 , 21, 285-93	3	43
183	A prospective study of the association between vigorous physical activity during pregnancy and length of gestation and birthweight. <i>Maternal and Child Health Journal</i> , 2012 , 16, 1031-44	2.4	43
182	Perfluorinated compounds in relation to birth weight in the Norwegian Mother and Child Cohort Study. <i>American Journal of Epidemiology</i> , 2012 , 175, 1209-16	3.8	82
181	Early-life exposures and early-onset uterine leiomyomata in black women in the Sister Study. <i>Environmental Health Perspectives</i> , 2012 , 120, 406-12	8.4	36
180	Anti-Mllerian hormone: a potential new tool in epidemiologic studies of female fecundability. <i>American Journal of Epidemiology</i> , 2012 , 175, 245-9	3.8	27
179	Perfluorinated compounds and subfecundity in pregnant women. <i>Epidemiology</i> , 2012 , 23, 257-63	3.1	101
178	Consumer product exposures associated with urinary phthalate levels in pregnant women. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012 , 22, 468-75	6.7	109
177	Re: "Invited Commentary: Natural Versus Unnatural Sex RatiosA Quandary of Modern Times". <i>American Journal of Epidemiology</i> , 2012 , 175, 732-732	3.8	78

176	Wilcox and Baird Reply. American Journal of Epidemiology, 2012, 175, 974-974	3.8	1
175	Uterine leiomyomata and fecundability in the Right from the Start study. <i>Human Reproduction</i> , 2012 , 27, 2991-7	5.7	16
174	Periconceptional over-the-counter nonsteroidal anti-inflammatory drug exposure and risk for spontaneous abortion. <i>Obstetrics and Gynecology</i> , 2012 , 120, 113-22	4.9	40
173	First-trimester bleeding characteristics associate with increased risk of preterm birth: data from a prospective pregnancy cohort. <i>Human Reproduction</i> , 2012 , 27, 54-60	5.7	14
172	Short-term change in growth of uterine leiomyoma: tumor growth spurts. <i>Fertility and Sterility</i> , 2011 , 95, 242-6	4.8	46
171	Anti-mllerian hormone (AMH) and repetitive oocyte donation. <i>Fertility and Sterility</i> , 2011 , 95, e5; author reply e6	4.8	15
170	Antimlerian hormone as a predictor of natural fecundability in women aged 30-42 years. <i>Obstetrics and Gynecology</i> , 2011 , 117, 798-804	4.9	110
169	Development of gut microbiota in infants not exposed to medical interventions. <i>Apmis</i> , 2011 , 119, 17-3	53.4	104
168	Genome-wide analysis of loss of heterozygosity and copy number amplification in uterine leiomyomas using the 100K single nucleotide polymorphism array. <i>Experimental and Molecular Pathology</i> , 2011 , 91, 434-9	4.4	4
167	Postpartum factors and natural fibroid regression. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 496.e1-6	6.4	46
166	Fecundability among women with type 1 and type 2 diabetes in the Norwegian Mother and Child Cohort Study. <i>Diabetologia</i> , 2011 , 54, 516-22	10.3	40
165	Self-Reported Daily Stress, Squelching of Anger and the Management of Daily Stress and the Prevalence of Uterine Leiomyomata: The Ultrasound Screening Study. <i>Stress and Health</i> , 2011 , 27, e188	-હે794	6
164	Invited commentary: Natural versus unnatural sex ratiosa quandary of modern times. <i>American Journal of Epidemiology</i> , 2011 , 174, 1332-4; discussion 1335	3.8	13
163	In utero exposure to maternal smoking and women's risk of fetal loss in the Norwegian Mother and Child Cohort (MoBa). <i>Human Reproduction</i> , 2011 , 26, 458-65	5.7	14
162	The association of maternal factors with delayed implantation and the initial rise of urinary human chorionic gonadotrophin. <i>Human Reproduction</i> , 2011 , 26, 920-6	5.7	23
161	Accuracy of reporting bleeding during pregnancy. <i>Paediatric and Perinatal Epidemiology</i> , 2010 , 24, 31-4	2.7	4
160	Within-person variability in urinary phthalate metabolite concentrations: measurements from specimens after long-term frozen storage. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2010 , 20, 169-75	6.7	47
159	Potential risk factors associated with subtypes of uterine leiomyomata. <i>Reproductive Sciences</i> , 2010 , 17, 1029-35	3	25

(2009-2010)

158	Association of intrauterine and early-life exposures with age at menopause in the Sister Study. American Journal of Epidemiology, 2010 , 172, 140-8	3.8	45
157	Uterine leiomyomata associated with self-reported stress urinary incontinence. <i>Journal of Womenks Health</i> , 2010 , 19, 245-50	3	13
156	Effects of early pregnancy loss on hormone levels in the subsequent menstrual cycle. <i>Gynecological Endocrinology</i> , 2010 , 26, 897-901	2.4	4
155	Association of intrauterine and early-life exposures with diagnosis of uterine leiomyomata by 35 years of age in the Sister Study. <i>Environmental Health Perspectives</i> , 2010 , 118, 375-81	8.4	74
154	In utero exposure to tobacco smoke and subsequent reduced fertility in females. <i>Human Reproduction</i> , 2010 , 25, 2901-6	5.7	48
153	New directions in the epidemiology of uterine fibroids. <i>Seminars in Reproductive Medicine</i> , 2010 , 28, 20	4-11.7	158
152	Pregnancy-related fibroid reduction. Fertility and Sterility, 2010, 94, 2421-3	4.8	63
151	Cellular senescence in usual type uterine leiomyoma. <i>Fertility and Sterility</i> , 2010 , 94, e43; author reply e44	4.8	
150	Patterns and predictors of vaginal bleeding in the first trimester of pregnancy. <i>Annals of Epidemiology</i> , 2010 , 20, 524-31	6.4	44
149	The impact of smoking on antimulerian hormone levels in women aged 38 to 50 years. <i>Menopause</i> , 2010 , 17, 571-6	2.5	98
148	Semiparametric Bayes hierarchical models with mean and variance constraints. <i>Computational Statistics and Data Analysis</i> , 2010 , 54, 2172-2186	1.6	38
147	The fibroid growth study: determinants of therapeutic intervention. <i>Journal of Womenks Health</i> , 2009 , 18, 725-32	3	20
146	. Cancer Epidemiology Biomarkers and Prevention, 2009 , 18, 2795-2795	4	
145	Pesticide exposure and hypertensive disorders during pregnancy. <i>Environmental Health Perspectives</i> , 2009 , 117, 1393-6	8.4	22
144	IGF-I and IGFBP-3 polymorphisms in relation to circulating levels among African American and Caucasian women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 954-66	4	33
143	The gestational timing of pregnancy loss: adaptive strategy?. <i>American Journal of Human Biology</i> , 2009 , 21, 725-7	2.7	15
142	A comparison of the occurrence and perceived stress of major life events in black and white women. <i>Women and Health</i> , 2009 , 49, 368-80	1.7	20
141	Within-person variability in urinary bisphenol A concentrations: measurements from specimens after long-term frozen storage. <i>Environmental Research</i> , 2009 , 109, 734-7	7.9	70

140	Prevalence of uterine leiomyomas in the first trimester of pregnancy: an ultrasound-screening study. <i>Obstetrics and Gynecology</i> , 2009 , 113, 630-635	4.9	190
139	Uterine leiomyomata in relation to insulin-like growth factor-I, insulin, and diabetes. <i>Epidemiology</i> , 2009 , 20, 604-10	3.1	41
138	Association between first-trimester vaginal bleeding and miscarriage. <i>Obstetrics and Gynecology</i> , 2009 , 114, 860-867	4.9	61
137	Stress of caring for children: the role of perceived racism. <i>Journal of the National Medical Association</i> , 2009 , 101, 156-60	2.3	7
136	Attenuation of oxidative stress after varicocelectomy in subfertile patients with varicocele. <i>Journal of Urology</i> , 2008 , 179, 639-42	2.5	89
135	Dichlorodiphenyldichloroethane and polychlorinated biphenyls: intraindividual changes, correlations, and predictors in healthy women from the southeastern United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2729-36	4	27
134	Growth of uterine leiomyomata among premenopausal black and white women. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 19887-92	11.5	233
133	Four decades of population health data: the integrated health interview series as an epidemiologic resource. <i>Epidemiology</i> , 2008 , 19, 872-5	3.1	28
132	Measuring menstrual discomfort: a comparison of interview and diary data. <i>Epidemiology</i> , 2008 , 19, 846	-50	7
131	Mother's menopausal age is associated with her daughter's early follicular phase urinary follicle-stimulating hormone level. <i>Menopause</i> , 2008 , 15, 940-4	2.5	12
130	Urinary hCG patterns during the week following implantation. <i>Human Reproduction</i> , 2008 , 23, 271-7	5.7	33
129	Accuracy of reporting of menstrual cycle length. American Journal of Epidemiology, 2008, 167, 25-33	3.8	80
128	Val153Met polymorphism of catechol-O-methyltransferase and prevalence of uterine leiomyomata. <i>Reproductive Sciences</i> , 2007 , 14, 117-20	3	17
127	Bleeding following pregnancy loss before 6 weeks' gestation. Human Reproduction, 2007, 22, 853-7	5.7	12
126	Men's body mass index and infertility. <i>Human Reproduction</i> , 2007 , 22, 2488-93	5.7	214
125	Obesity and insulin-like growth factor-I in African Americans and Whites. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1526; author reply 1526	4	
124	Association of physical activity with development of uterine leiomyoma. <i>American Journal of Epidemiology</i> , 2007 , 165, 157-63	3.8	57
123	Associations of abdominal fat with perceived racism and passive emotional responses to racism in African American women. <i>American Journal of Public Health</i> , 2007 , 97, 526-30	5.1	46

(2004-2007)

122	Can men provide accurate confounder data about their partners for Time-to-Pregnancy studies?. <i>Annals of Epidemiology</i> , 2007 , 17, 186-90	6.4	3
121	Pesticide exposure and self-reported gestational diabetes mellitus in the Agricultural Health Study. <i>Diabetes Care</i> , 2007 , 30, 529-34	14.6	122
120	Lifestyle and reproductive factors associated with follicular phase length. <i>Journal of Womenks Health</i> , 2007 , 16, 1340-7	3	44
119	Human Fertility Decline?. <i>Epidemiology</i> , 2006 , 17, 238-239	3.1	5
118	Fertility and exposure to solvents among families in the Agricultural Health Study. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 469-75	2.1	13
117	Luteinizing hormone in premenopausal women may stimulate uterine leiomyomata development. <i>Journal of the Society for Gynecologic Investigation</i> , 2006 , 13, 130-5		26
116	Pesticide use and Gestational Diabetes Mellitus Among Wives of Farmers in the Agricultural Health Study. <i>American Journal of Epidemiology</i> , 2006 , 163, S77-S77	3.8	
115	Reduced fertility among overweight and obese men. <i>Epidemiology</i> , 2006 , 17, 520-3	3.1	234
114	Social correlates of the chronic stress of perceived racism among Black women. <i>Ethnicity and Disease</i> , 2006 , 16, 101-7	1.8	37
113	Intact HCG, free HCG beta subunit and HCG beta core fragment: longitudinal patterns in urine during early pregnancy. <i>Human Reproduction</i> , 2005 , 20, 928-35	5.7	51
112	Accuracy of men's recall of their partner's time to pregnancy. <i>Epidemiology</i> , 2005 , 16, 694-8	3.1	6
111	Has human fertility declined over time?: why we may never know. <i>Epidemiology</i> , 2005 , 16, 494-9	3.1	51
110	Biomarkers of oxidative stress study II: are oxidation products of lipids, proteins, and DNA markers of CCl4 poisoning?. <i>Free Radical Biology and Medicine</i> , 2005 , 38, 698-710	7.8	537
109	Biomarkers of oxidative stress study III. Effects of the nonsteroidal anti-inflammatory agents indomethacin and meclofenamic acid on measurements of oxidative products of lipids in CCl4 poisoning. <i>Free Radical Biology and Medicine</i> , 2005 , 38, 711-8	7.8	138
108	Prenatal diethylstilbestrol (DES) exposure is associated with uterine leiomyoma development. <i>Reproductive Toxicology</i> , 2005 , 20, 81-4	3.4	87
107	A comparison of recalled date of last menstrual period with prospectively recorded dates. <i>Journal of Womenls Health</i> , 2005 , 14, 248-52	3	78
106	Invited commentary: uterine leiomyomata-we know so little but could learn so much. <i>American Journal of Epidemiology</i> , 2004 , 159, 124-6	3.8	29
105	Height and risk of severe pre-eclampsia. A study within the Danish National Birth Cohort. <i>International Journal of Epidemiology</i> , 2004 , 33, 858-63	7.8	27

104	Increased infertility with age in men and women. Obstetrics and Gynecology, 2004, 103, 51-6	4.9	325
103	On the frequency of intercourse around ovulation: evidence for biological influences. <i>Human Reproduction</i> , 2004 , 19, 1539-43	5.7	105
102	Uterine leiomyomata (fibroids): are bleeding symptoms more likely to be reported after diagnosis?. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 318-20	5.7	12
101	More than one fertile ovulation per cycle?. Fertility and Sterility, 2004, 81, 728-9	4.8	6
100	More than one fertile ovulation per cycle?. Fertility and Sterility, 2004, 81, 729	4.8	3
99	Oestrogen treatment to reduce the adult height of tall girls: long-term effects on fertility. <i>Lancet, The,</i> 2004 , 364, 1513-8	40	94
98	Subfecundity as a correlate of preeclampsia: a study within the Danish National Birth Cohort. <i>American Journal of Epidemiology</i> , 2003 , 157, 195-202	3.8	86
97	Vaginal bleeding in very early pregnancy. Human Reproduction, 2003, 18, 1944-7	5.7	39
96	Accuracy of fetal growth indicators as surrogate measures of steroid hormone levels during pregnancy. <i>American Journal of Epidemiology</i> , 2003 , 157, 258-66	3.8	44
95	Why is parity protective for uterine fibroids?. <i>Epidemiology</i> , 2003 , 14, 247-50	3.1	136
95 94	Why is parity protective for uterine fibroids?. <i>Epidemiology</i> , 2003 , 14, 247-50 Neurobehavioral performance and work experience in Florida farmworkers. <i>Environmental Health Perspectives</i> , 2003 , 111, 1765-72	3.1	136 67
	Neurobehavioral performance and work experience in Florida farmworkers. <i>Environmental Health</i>		
94	Neurobehavioral performance and work experience in Florida farmworkers. <i>Environmental Health Perspectives</i> , 2003 , 111, 1765-72 High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence.	8.4	67
94 93	Neurobehavioral performance and work experience in Florida farmworkers. <i>Environmental Health Perspectives</i> , 2003 , 111, 1765-72 High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 100-7 Self-reported heavy bleeding associated with uterine leiomyomata. <i>Obstetrics and Gynecology</i> ,	8.4	67
94 93 92	Neurobehavioral performance and work experience in Florida farmworkers. <i>Environmental Health Perspectives</i> , 2003 , 111, 1765-72 High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 100-7 Self-reported heavy bleeding associated with uterine leiomyomata. <i>Obstetrics and Gynecology</i> , 2003 , 101, 431-7 The relationship between eating behaviors and obesity in African American and Caucasian women.	8.4 6.4 4·9	67 1430 111
94 93 92 91	Neurobehavioral performance and work experience in Florida farmworkers. <i>Environmental Health Perspectives</i> , 2003 , 111, 1765-72 High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 100-7 Self-reported heavy bleeding associated with uterine leiomyomata. <i>Obstetrics and Gynecology</i> , 2003 , 101, 431-7 The relationship between eating behaviors and obesity in African American and Caucasian women. <i>Eating Behaviors</i> , 2003 , 4, 159-71 Infertility and preterm delivery, birthweight, and Caesarean section: a study within the Danish	8.4 6.4 4·9	67 1430 111
94 93 92 91 90	Neurobehavioral performance and work experience in Florida farmworkers. <i>Environmental Health Perspectives</i> , 2003 , 111, 1765-72 High cumulative incidence of uterine leiomyoma in black and white women: ultrasound evidence. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 100-7 Self-reported heavy bleeding associated with uterine leiomyomata. <i>Obstetrics and Gynecology</i> , 2003 , 101, 431-7 The relationship between eating behaviors and obesity in African American and Caucasian women. <i>Eating Behaviors</i> , 2003 , 4, 159-71 Infertility and preterm delivery, birthweight, and Caesarean section: a study within the Danish National Birth Cohort. <i>Human Reproduction</i> , 2003 , 18, 2478-84	8.4 6.4 4·9 3	67 1430 111 12 194

86	A proportional hazards model for incidence and induced remission of disease. <i>Biometrics</i> , 2002 , 58, 71-8	1.8	9
85	Bayesian modeling of incidence and progression of disease from cross-sectional data. <i>Biometrics</i> , 2002 , 58, 813-22	1.8	9
84	Changes with age in the level and duration of fertility in the menstrual cycle. <i>Human Reproduction</i> , 2002 , 17, 1399-403	5.7	378
83	Influence of medical conditions and lifestyle factors on the menstrual cycle. <i>Epidemiology</i> , 2002 , 13, 668	3 <i>-3</i> . 4	159
82	Epidemiologic studies of human semen quality: considerations for study design. <i>American Journal of Epidemiology</i> , 2002 , 155, 664-71	3.8	41
81	A prospective study of the onset of symptoms of pregnancy. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 676-80	5.7	16
80	Natural limits of pregnancy testing in relation to the expected menstrual period. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 1759-61	27.4	71
79	Assessing human fertility using several markers of ovulation. <i>Statistics in Medicine</i> , 2001 , 20, 965-78	2.3	53
78	A flexible parametric model for combining current status and age at first diagnosis data. <i>Biometrics</i> , 2001 , 57, 396-403	1.8	7
77	No evidence for lipid peroxidation in severe preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 572-8	6.4	77
76	Measures of menopausal status in relation to demographic, reproductive, and behavioral characteristics in a population-based study of women aged 35-49 years. <i>American Journal of Epidemiology</i> , 2001 , 153, 1159-65	3.8	62
75	Protective effect of pregnancy for development of uterine leiomyoma. <i>Carcinogenesis</i> , 2001 , 22, 2049-5	5 2 4.6	44
74	Likelihood of conception with a single act of intercourse: providing benchmark rates for assessment of post-coital contraceptives. <i>Contraception</i> , 2001 , 63, 211-5	2.5	262
73	THE GREAT DOUCHING DEBATE. Obstetrics and Gynecology, 2000, 95, 473	4.9	3
72	Biomarkers of oxidative stress study: are plasma antioxidants markers of CCl(4) poisoning?. <i>Free Radical Biology and Medicine</i> , 2000 , 28, 838-45	7.8	123
71	The associations of adolescent cigarette smoking, alcoholic beverage consumption, environmental tobacco smoke, and ionizing radiation with subsequent breast cancer risk (United States). <i>Cancer Causes and Control</i> , 2000 , 11, 271-8	2.8	53
70	Urinary oestrogen patterns in long follicular phases. Human Reproduction, 2000, 15, 11-6	5.7	43
69	Age at menopause and childbearing patterns in relation to mortality. <i>American Journal of Epidemiology</i> , 2000 , 151, 620-3	3.8	48

68	The timing of the "fertile window" in the menstrual cycle: day specific estimates from a prospective study. <i>BMJ: British Medical Journal</i> , 2000 , 321, 1259-62		272
67	Epidemiologic Contributions to Understanding the Etiology of Uterine Leiomyomata. Environmental Health Perspectives, 2000 , 108, 821	8.4	10
66	Epidemiologic contributions to understanding the etiology of uterine leiomyomata. <i>Environmental Health Perspectives</i> , 2000 , 108 Suppl 5, 821-7	8.4	117
65	Day-specific probabilities of clinical pregnancy based on two studies with imperfect measures of ovulation. <i>Human Reproduction</i> , 1999 , 14, 1835-9	5.7	173
64	Physical activity at age 12 and adult breast cancer risk (United States). <i>Cancer Causes and Control</i> , 1999 , 10, 293-302	2.8	37
63	Variability of lipid hydroperoxides in pregnant and nonpregnant women. <i>Reproductive Toxicology</i> , 1999 , 13, 41-4	3.4	18
62	Why might infertile couples have problem pregnancies?. Lancet, The, 1999, 353, 1724-5	40	29
61	Preimplantation urinary hormone profiles and the probability of conception in healthy women. <i>Fertility and Sterility</i> , 1999 , 71, 40-9	4.8	76
60	Time of implantation of the conceptus and loss of pregnancy. <i>New England Journal of Medicine</i> , 1999 , 340, 1796-9	59.2	752
59	Menstrual and Reproductive Risk Factors for Ischemic Heart Disease. <i>Epidemiology</i> , 1999 , 10, 255-259	3.1	93
58	Adolescent reproductive events and subsequent breast cancer risk. <i>American Journal of Public Health</i> , 1999 , 89, 1244-7	5.1	23
57	Exposure to oxidized nitrogen: lipid peroxidation and neonatal health risk. <i>Archives of Environmental Health</i> , 1998 , 53, 214-21		37
56	Post-ovulatory ageing of the human oocyte and embryo failure. <i>Human Reproduction</i> , 1998 , 13, 394-7	5.7	167
55	Preimplantation hormonal differences between the conception and non-conception menstrual cycles of 32 normal women. <i>Human Reproduction</i> , 1997 , 12, 2607-13	5.7	62
54	Time to pregnancy and preterm delivery. Obstetrics and Gynecology, 1997, 89, 594-9	4.9	109
53	Assessment of reproductive disorders and birth defects in communities near hazardous chemical sites. II. Female reproductive disorders. <i>Reproductive Toxicology</i> , 1997 , 11, 231-42	3.4	7
52	Re: "Effects of caffeine consumption on delayed conception". <i>American Journal of Epidemiology</i> , 1996 , 144, 799; author reply 801	3.8	4
51	Pregnancy and the timing of intercourse. <i>New England Journal of Medicine</i> , 1996 , 334, 1266; author reply 1267-8	59.2	O

50	Self-reported allergy, infection, and autoimmune diseases among men and women exposed in utero to diethylstilbestrol. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 263-6	5.7	25
49	Ethylene oxide exposure may increase the risk of spontaneous abortion, preterm birth, and postterm birth. <i>Epidemiology</i> , 1996 , 7, 363-8	3.1	52
48	Vaginal douching and reduced fertility. American Journal of Public Health, 1996, 86, 844-50	5.1	60
47	A Random-Effects Model for Cycle Viability in Fertility Studies. <i>Journal of the American Statistical Association</i> , 1996 , 91, 1413-1422	2.8	34
46	Application of a method for estimating day of ovulation using urinary estrogen and progesterone metabolites. <i>Epidemiology</i> , 1995 , 6, 547-50	3.1	109
45	Fertility in men exposed prenatally to diethylstilbestrol. <i>New England Journal of Medicine</i> , 1995 , 332, 1411-6	59.2	233
44	Follicle-stimulating hormone concentrations in relation to active and passive smoking. <i>Obstetrics and Gynecology</i> , 1995 , 85, 407-11	4.9	76
43	Timing of sexual intercourse in relation to ovulation. Effects on the probability of conception, survival of the pregnancy, and sex of the baby. <i>New England Journal of Medicine</i> , 1995 , 333, 1517-21	59.2	790
42	Dietary intervention study to assess estrogenicity of dietary soy among postmenopausal women. Journal of Clinical Endocrinology and Metabolism, 1995 , 80, 1685-1690	5.6	168
41	The use of questionnaire data to classify peri- and premenopausal status. <i>Epidemiology</i> , 1995 , 6, 625-8	3.1	15
40	A study of milk and calcium supplement intake and subsequent preeclampsia in a cohort of pregnant women. <i>American Journal of Epidemiology</i> , 1995 , 141, 667-73	3.8	19
39	Nitrous oxide and spontaneous abortion in female dental assistants. <i>American Journal of Epidemiology</i> , 1995 , 141, 531-8	3.8	183
38	The sex of the baby may be related to the length of the follicular phase in the conception cycle. <i>Human Reproduction</i> , 1995 , 10, 304-7	5.7	48
37	The effect of occupational exposure to mercury vapour on the fertility of female dental assistants. <i>Occupational and Environmental Medicine</i> , 1994 , 51, 28-34	2.1	90
36	Sources of bias in studies of time to pregnancy. Statistics in Medicine, 1994, 13, 671-81	2.3	171
35	Selection bias associated with contraceptive practice in time-to-pregnancy studies. <i>Annals of the New York Academy of Sciences</i> , 1994 , 709, 156-64	6.5	24
34	Bias in retrospective studies of spontaneous abortion based on the outcome of the most recent pregnancy. <i>Annals of the New York Academy of Sciences</i> , 1994 , 709, 280-6	6.5	14
33	Placental arsenic and cadmium in relation to lipid peroxides and glutathione levels in maternal-infant pairs from a copper smelter area. <i>Placenta</i> , 1994 , 15, 873-81	3.4	54

32	Galactose consumption, metabolism, and follicle-stimulating hormone concentrations in women of late reproductive age**Supported by the American Institute for Cancer Research (91B10), Washington, D.C.; Reproductive Hazards in the Workplace, Home, Community, and Environment	4.8	19
31	Research Grant (15-FY92-0032 and 15-FY93-0671), March of Dimes Birth Defects Foundation, White Cancer and noncancer risk to women in agriculture and pest control: the Agricultural Health Study. **Journal of Occupational and Environmental Medicine*, 1994, 36/1247-50 terility, 1994, 62, 1168-1175	2	27
30	Nitrous oxide and fertility. New England Journal of Medicine, 1993, 328, 284-5	59.2	6
29	Pitfalls inherent in retrospective time-to-event studies: the example of time to pregnancy. <i>Statistics in Medicine</i> , 1993 , 12, 867-79	2.3	41
28	Efficiency and bias in studies of early pregnancy loss. <i>Epidemiology</i> , 1992 , 3, 17-22	3.1	27
27	Reduced fertility among women employed as dental assistants exposed to high levels of nitrous oxide. <i>New England Journal of Medicine</i> , 1992 , 327, 993-7	59.2	275
26	Reporting errors in time-to-pregnancy data collected with a short questionnaire. Impact on power and estimation of fecundability ratios. <i>American Journal of Epidemiology</i> , 1991 , 133, 1282-90	3.8	94
25	Using the ratio of urinary oestrogen and progesterone metabolites to estimate day of ovulation. <i>Statistics in Medicine</i> , 1991 , 10, 255-66	2.3	134
24	Hormonal profiles of natural conception cycles ending in early, unrecognized pregnancy loss. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1991 , 72, 793-800	5.6	59
23	Risk factors for early pregnancy loss. <i>Epidemiology</i> , 1990 , 1, 382-5	3.1	75
22	Increased risk of preterm birth for women with inflammatory bowel disease. <i>Gastroenterology</i> , 1990 , 99, 987-94	13.3	187
21	Do women with childhood exposure to cigarette smoking have increased fecundability?. <i>American Journal of Epidemiology</i> , 1989 , 129, 1079-83	3.8	16
20	Subclinical embryonic loss. Fertility and Sterility, 1989, 51, 907-8	4.8	5
19	Reduced fecundability in women with prenatal exposure to cigarette smoking. <i>American Journal of Epidemiology</i> , 1989 , 129, 1072-8	3.8	185
18	Incidence of early loss of pregnancy. New England Journal of Medicine, 1988, 319, 189-94	59.2	1778
17	Caffeinated beverages and decreased fertility. <i>Lancet, The</i> , 1988 , 2, 1453-6	40	132
16	Using time-to-pregnancy data to study occupational exposures: methodology. <i>Reproductive Toxicology</i> , 1988 , 2, 205-7	3.4	13
15	The use of biochemical assays in epidemiologic studies of reproduction. <i>Environmental Health Perspectives</i> , 1987 , 75, 29-35	8.4	36

LIST OF PUBLICATIONS

14	Future fertility after prenatal exposure to cigarette smoke. Fertility and Sterility, 1986, 46, 368-372	4.8	38
13	Use of time to pregnancy to study environmental exposures. <i>American Journal of Epidemiology</i> , 1986 , 124, 470-80	3.8	260
12	Menopausal change in serum cholesterol. Black/white differences in Evans County, Georgia. <i>American Journal of Epidemiology</i> , 1985 , 122, 982-93	3.8	27
11	Why Do Some Mammals Polyovulate to Produce a Litter of Two?. <i>American Naturalist</i> , 1985 , 126, 136-1	49 .7	22
10	Occupational exposure to heat or noise and reduced fertility. <i>JAMA - Journal of the American Medical Association</i> , 1985 , 253, 2643-4	27.4	2
9	Bilateral distribution of implantation sites in small mammals of 22 North American species. <i>Reproduction</i> , 1985 , 75, 381-92	3.8	7
8	Cigarette smoking associated with delayed conception. <i>JAMA - Journal of the American Medical Association</i> , 1985 , 253, 2979-2983	27.4	163
7	Reproduction in the Arctic Shrew, Sorex arcticus. <i>Journal of Mammalogy</i> , 1983 , 64, 298-301	1.8	1
6	The Impact of Sociobiology on Political Science. American Behavioral Scientist, 1982, 25, 335-360	1.8	8
5	Pattern of Colonization in Microtus pennsylvanicus. <i>Journal of Mammalogy</i> , 1982 , 63, 290-293	1.8	5
4	Characteristics of Dispersing Meadow Voles Microtus pennsylvanicus. <i>American Midland Naturalist</i> , 1982 , 107, 262	0.7	16
3	Importance of Vegetative Cover to Cycles of Microtus Populations. <i>Ecology</i> , 1976 , 57, 1043-1051	4.6	114
2	Eye Lens Proteins as Criteria of Age in Cotton Rats. <i>Journal of Wildlife Management</i> , 1975 , 39, 718	1.9	7
1	A Random-Effects Model for Cycle Viability in Fertility Studies		7