

Li Tao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/505092/li-tao-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

4,421
citations

28
h-index

66
g-index

82
ext. papers

5,163
ext. citations

8.7
avg, IF

5.49
L-index

#	Paper	IF	Citations
73	Bismuthene 2022 , 173-196		
72	Integration paths for Xenex 2022 , 405-438		
71	Morphology Optimization of Bi ₂ Se ₃ Thin Films for Enhanced Thermoelectric Performance. <i>Crystal Growth and Design</i> , 2021 , 21, 6737-6743	3.5	0
70	Flexible and Wearable Hybrid RF and Solar Energy Harvesting System. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	5
69	Thermosensitive hydrogel-functionalized gold nanorod/mesoporous MnO nanoparticles for tumor cell-triggered drug delivery. <i>Materials Science and Engineering C</i> , 2021 , 131, 112504	8.3	1
68	Vis-NIR photodetector with microsecond response enabled by 2D bismuth/Si(111) heterojunction. <i>2D Materials</i> , 2021 , 8, 035002	5.9	12
67	Conductive Porous MXene for Bionic, Wearable, and Precise Gesture Motion Sensors. <i>Research</i> , 2021 , 2021, 9861467	7.8	4
66	Effects of the thickness and laser irradiation on the electrical properties of e-beam evaporated 2D bismuth. <i>Nanoscale</i> , 2021 , 13, 2648-2657	7.7	4
65	Thermoelectric effect and devices on IVA and VA Xenex. <i>Informa Materially</i> , 2021 , 3, 271-292	23.1	4
64	Intrinsic memristive mechanisms in 2D layered materials for high-performance memory. <i>Journal of Applied Physics</i> , 2021 , 129, 050902	2.5	8
63	Efficient Full-Color Boron Nitride Quantum Dots for Thermostable Flexible Displays. <i>ACS Nano</i> , 2021 , 15, 14610-14617	16.7	9
62	Contactless tracking of humans using non-contact triboelectric sensing technology: Enabling new assistive applications for the elderly and the visually impaired. <i>Nano Energy</i> , 2021 , 90, 106486	17.1	9
61	Electrospun Mg/poly(lactic-co-glycolic acid) composite scaffold for urethral reconstruction. <i>Journal of Materials Science</i> , 2020 , 55, 13216-13231	4.3	1
60	Prospects and challenges in low-dimensional materials and devices for Internet of things 2020 , 291-327		1
59	Anisotropic thermoelectric effect and field-effect devices in epitaxial bismuthene on Si (111). <i>Nanotechnology</i> , 2020 , 31, 475202	3.4	6
58	Physical vapor deposited 2D bismuth for CMOS technology. <i>Journal of Semiconductors</i> , 2020 , 41, 0810012.3		2
57	Disassembling Silicene from Native Substrate and Transferring onto an Arbitrary Target Substrate. <i>Advanced Functional Materials</i> , 2020 , 30, 2004546	15.6	10

56	Two-Dimensional Pnictogen for Field-Effect Transistors. <i>Research</i> , 2019 , 2019, 1046329	7.8	21
55	Transparent Nanoscale Polyimide Gate Dielectric for Highly Flexible Electronics. <i>Advanced Electronic Materials</i> , 2018 , 4, 1700043	6.4	17
54	Silicene, silicene derivatives, and their device applications. <i>Chemical Society Reviews</i> , 2018 , 47, 6370-6387	38.5	155
53	Enhanced fully-biodegradable Mg/PLA composite rod: Effect of surface modification of Mg-2Zn wire on the interfacial bonding. <i>Surface and Coatings Technology</i> , 2018 , 350, 722-731	4.4	13
52	Self-reinforced biodegradable Mg-2Zn alloy wires/polylactic acid composite for orthopedic implants. <i>Composites Science and Technology</i> , 2018 , 162, 198-205	8.6	15
51	Atomristor: Nonvolatile Resistance Switching in Atomic Sheets of Transition Metal Dichalcogenides. <i>Nano Letters</i> , 2018 , 18, 434-441	11.5	226
50	Encapsulated Silicene Field-Effect Transistors. <i>Nanoscience and Technology</i> , 2018 , 235-254	0.6	0
49	Mechanical and Biological Properties of a Biodegradable Mg-Zn-Ca Porous Alloy. <i>Orthopaedic Surgery</i> , 2018 , 10, 160-168	2.5	12
48	Direct Observation of Poly(Methyl Methacrylate) Removal from a Graphene Surface. <i>Chemistry of Materials</i> , 2017 , 29, 2033-2039	9.6	30
47	Silicon Nanosheets: Crossover between Multilayer Silicene and Diamond-like Growth Regime. <i>ACS Nano</i> , 2017 , 11, 3376-3382	16.7	38
46	Exceptional texture evolution induced by multi-pass cold drawing of magnesium alloy. <i>Materials and Design</i> , 2017 , 135, 267-274	8.1	21
45	Graphene Electronic Tattoo Sensors. <i>ACS Nano</i> , 2017 , 11, 7634-7641	16.7	304
44	Large-Area Dry Transfer of Single-Crystalline Epitaxial Bismuth Thin Films. <i>Nano Letters</i> , 2016 , 16, 6931-6938	6.3	66
43	Clean graphene interfaces by selective dry transfer for large area silicon integration. <i>Nanoscale</i> , 2016 , 8, 7523-33	7.7	32
42	Mixed-mode traction-separation relations between graphene and copper by blister tests. <i>International Journal of Solids and Structures</i> , 2016 , 84, 147-159	3.1	30
41	Support-Free Transfer of Ultrasoother Graphene Films Facilitated by Self-Assembled Monolayers for Electronic Devices and Patterns. <i>ACS Nano</i> , 2016 , 10, 1404-10	16.7	52
40	Chemical-sensitive graphene modulator with a memory effect for internet-of-things applications. <i>Microsystems and Nanoengineering</i> , 2016 , 2, 16018	7.7	28
39	Enhanced sensitivity of graphene ammonia gas sensors using molecular doping. <i>Applied Physics Letters</i> , 2016 , 108, 033106	3.4	48

38	Flexible black phosphorus ambipolar transistors, circuits and AM demodulator. <i>Nano Letters</i> , 2015 , 15, 1883-90	11.5	341
37	Toward air-stable multilayer phosphorene thin-films and transistors. <i>Scientific Reports</i> , 2015 , 5, 8989	4.9	308
36	Mixed-Mode Interactions Between Graphene and Substrates by Blister Tests. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2015 , 82,	2.7	22
35	Large-Area Graphene Electrodes: Using CVD to facilitate applications in commercial touchscreens, flexible nanoelectronics, and neural interfaces.. <i>IEEE Nanotechnology Magazine</i> , 2015 , 9, 6-14	1.7	30
34	(Invited) silicene and phosphorene: Progress on the intriguing case of buckled atomic sheets 2015 ,		1
33	Efficient trust chain model based on turing machine. <i>Security and Communication Networks</i> , 2015 , 8, 2-12	1.9	1
32	Towards the Realization of Graphene Based Flexible Radio Frequency Receiver. <i>Electronics (Switzerland)</i> , 2015 , 4, 933-946	2.6	8
31	Suppression of copper thin film loss during graphene synthesis. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 1527-32	9.5	7
30	Silicene field-effect transistors operating at room temperature. <i>Nature Nanotechnology</i> , 2015 , 10, 227-31	18.7	1161
29	Selective mechanical transfer of graphene from seed copper foil using rate effects. <i>ACS Nano</i> , 2015 , 9, 1325-35	16.7	88
28	Towards the design and fabrication of graphene based flexible GHz radio receiver systems 2014 ,		8
27	Toward 300 mm wafer-scalable high-performance polycrystalline chemical vapor deposited graphene transistors. <i>ACS Nano</i> , 2014 , 8, 10471-9	16.7	68
26	INVERSION OF THE ELECTRICAL AND OPTICAL PROPERTIES OF PARTIALLY OXIDIZED HEXAGONAL BORON NITRIDE. <i>Nano</i> , 2014 , 09, 1450002	1.1	6
25	A blister test for interfacial adhesion of large-scale transferred graphene. <i>Carbon</i> , 2014 , 69, 390-400	10.4	70
24	Improvement of graphene field-effect transistors by hexamethyldisilazane surface treatment. <i>Applied Physics Letters</i> , 2014 , 105, 033117	3.4	16
23	Direct delamination of graphene for high-performance plastic electronics. <i>Small</i> , 2014 , 10, 694-8	11	46
22	Graphene synthesis via magnetic inductive heating of copper substrates. <i>ACS Nano</i> , 2013 , 7, 7495-9	16.7	62
21	Inductively heated synthesized graphene with record transistor mobility on oxidized silicon substrates at room temperature. <i>Applied Physics Letters</i> , 2013 , 103, 183115	3.4	19

20	High-Performance Current Saturating Graphene Field-Effect Transistor With Hexagonal Boron Nitride Dielectric on Flexible Polymeric Substrates. <i>IEEE Electron Device Letters</i> , 2013 , 34, 172-174	4.4	48
19	High-performance, highly bendable MoS ₂ transistors with high-k dielectrics for flexible low-power systems. <i>ACS Nano</i> , 2013 , 7, 5446-52	16.7	386
18	State-of-the-art graphene transistors on hexagonal boron nitride, high-k, and polymeric films for GHz flexible analog nanoelectronics 2012 ,		4
17	Graphene frequency doubler with record 3GHz bandwidth and the maximum conversion gain prospects 2012 ,		4
16	Multi-finger flexible graphene field effect transistors with high bendability. <i>Applied Physics Letters</i> , 2012 , 101, 252109	3.4	32
15	Uniform Wafer-Scale Chemical Vapor Deposition of Graphene on Evaporated Cu (111) Film with Quality Comparable to Exfoliated Monolayer. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 24068-24074	3.8	58
14	Synthesis of high quality monolayer graphene at reduced temperature on hydrogen-enriched evaporated copper (111) films. <i>ACS Nano</i> , 2012 , 6, 2319-25	16.7	143
13	Embedded-gate graphene transistors for high-mobility detachable flexible nanoelectronics. <i>Applied Physics Letters</i> , 2012 , 100, 152104	3.4	57
12	Graphene Raman imaging and spectroscopy processing: characterization of graphene growth 2012 ,		1
11	Shape-specific polymeric nanomedicine: emerging opportunities and challenges. <i>Experimental Biology and Medicine</i> , 2011 , 236, 20-9	3.7	119
10	Nanofabrication down to 10 nm on a plastic substrate. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2011 , 29, 06FG07	1.3	10
9	Lithographically defined uniform worm-shaped polymeric nanoparticles. <i>Nanotechnology</i> , 2010 , 21, 095304	3.4	34
8	Physical characterization of nanoimprinted polymer nanostructures using visible light angular scatterometry. <i>Journal of Micro/Nanolithography, MEMS, and MOEMS</i> , 2008 , 7, 013008	0.7	3
7	Durable diamond-like carbon templates for UV nanoimprint lithography. <i>Nanotechnology</i> , 2008 , 19, 105302	3.4	13
6	Interfacial adhesion studies for step and flash imprint lithography 2008 ,		2
5	Surface energy induced patterning of polymer nanostructures for cancer diagnosis and therapy 2007 ,		1
4	Characterizing nanoimprint profile shape and polymer flow behavior using visible light angular scatterometry. <i>Journal of Vacuum Science & Technology B</i> , 2007 , 25, 2396		23
3	Surface energy induced patterning of organic and inorganic materials on heterogeneous Si surfaces. <i>Journal of Vacuum Science & Technology B</i> , 2007 , 25, 1993		6

2 Visible light angular scatterometry for nanolithography **2007**,

1

1 Deposition and patterning of diamondlike carbon as antiwear nanoimprint templates. *Journal of Vacuum Science & Technology B*, **2006**, 24, 2993

30