

Haining Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5050946/haining-zhang-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

3,041
citations

25
h-index

53
g-index

100
ext. papers

3,602
ext. citations

6.2
avg, IF

5.43
L-index

#	Paper	IF	Citations
97	Growth of branched heterostructure of nickel and iron phosphides on carbon cloth as electrode for hydrogen evolution reaction under wide pH ranges. <i>Journal of Solid State Electrochemistry</i> , 2022 , 26, 875	2.6	0
96	One-step synthesis of heterostructured cobalt-iron selenide as bifunctional catalyst for overall water splitting. <i>Materials Chemistry and Physics</i> , 2022 , 275, 125201	4.4	2
95	Self-Assembly-Cooperating in Situ Construction of MXene TeO_2 as Hybrid Membrane Coating for Durable and High-Performance Proton Exchange Membrane Fuel Cell. <i>ACS Sustainable Chemistry and Engineering</i> , 2022 , 10, 4269-4278	8.3	3
94	The design of single iron atoms dispersed with nitrogen coordination environment electrocatalyst for zinc-air battery. <i>Journal of Power Sources</i> , 2022 , 529, 231174	8.9	2
93	Alkali-free quaternized polybenzimidazole membranes with high phosphoric acid retention ability for high temperature proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2022 , 650, 120442	9.6	3
92	Optimizing porous structure of carbon electrodes for temperature-independent capacitance at sub-zero temperatures. <i>Chemical Engineering Journal</i> , 2022 , 441, 136053	14.7	1
91	Incorporation of Poly(Ionic Liquid) with PVDF-HFP-Based Polymer Electrolyte for All-Solid-State Lithium-Ion Batteries. <i>Polymers</i> , 2022 , 14, 1950	4.5	0
90	Effect of Outer Carbon Layer Thickness of Carbon-covered N-doped Hollow Carbon Nanospheres on Its Electrocatalytic Performance. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2021 , 36, 166-173	1	0
89	Protic ionic liquid-grafted polybenzimidazole as proton conducting catalyst binder for high-temperature proton exchange membrane fuel cells. <i>Polymer Testing</i> , 2021 , 96, 107066	4.5	5
88	Porous structural effect of carbon electrode formed through one-pot strategy on performance of ionic liquid-based supercapacitors. <i>Chemical Engineering Journal</i> , 2021 , 411, 128573	14.7	12
87	Surface-Grafted Poly(ionic liquid) that Lubricates in Both Non-polar and Polar Solvents. <i>ACS Macro Letters</i> , 2021 , 10, 907-913	6.6	0
86	Highly Reduced Graphene Assembly Film as Current Collector for Lithium Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 8635-8641	8.3	4
85	Magnetic aligned sulfonated carbon nanotube/Nafion composite membranes with anisotropic mechanical and proton conductive properties. <i>Journal of Materials Science</i> , 2021 , 56, 6764-6779	4.3	2
84	Three dimension Ni/Co-decorated N-doped hierarchically porous carbon derived from metal-organic frameworks as trifunctional catalysts for Zn-air battery and microbial fuel cells. <i>Electrochimica Acta</i> , 2021 , 395, 139074	6.7	1
83	Carbon-Covered Hollow Nitrogen-Doped Carbon Nanoparticles and Nitrogen-Doped Carbon-Covered Hollow Carbon Nanoparticles for Oxygen Reduction. <i>ACS Applied Nano Materials</i> , 2020 , 3, 3487-3493	5.6	11
82	Nitrogen-doped porous carbon with interconnected tubular structure for supercapacitors operating at sub-ambient temperatures. <i>Chemical Engineering Journal</i> , 2020 , 401, 126083	14.7	17
81	Trace Iron-Decorated Nitrogen/Sulfur Co-Doped Hierarchically Porous Carbon for Oxygen Reduction and Lithium Sulfur Batteries. <i>ACS Applied Energy Materials</i> , 2020 , 3, 2719-2726	6.1	8

80	Poly(ionic liquid)-Modified Metal Organic Framework for Carbon Dioxide Adsorption. <i>Polymers</i> , 2020 , 12,	4.5	5
79	Solvent-Free cycloaddition of carbon dioxide and epichlorohydrin catalyzed by surface-attached imidazolium-type poly(ionic liquid) monolayers. <i>Journal of CO2 Utilization</i> , 2020 , 38, 168-176	7.6	20
78	Self-Templating Synthesis of Hollow CoO Nanoparticles Embedded in N,S-Dual-Doped Reduced Graphene Oxide for Lithium Ion Batteries. <i>ACS Nano</i> , 2020 , 14, 5780-5787	16.7	82
77	Platinum nanoparticles on defect-rich nitrogen-doped hollow carbon as an efficient electrocatalyst for hydrogen evolution reactions.. <i>RSC Advances</i> , 2020 , 10, 930-937	3.7	4
76	Crosslinked poly(ethylene oxide)-based membrane electrolyte consisting of polyhedral oligomeric silsesquioxane nanocages for all-solid-state lithium ion batteries. <i>Journal of Power Sources</i> , 2020 , 449, 227541	8.9	15
75	Differentiation of Chemisorption and Physisorption of Carbon Dioxide on Imidazolium-type Poly(ionic liquid) Brushes. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2020 , 35, 750-757	1	1
74	Zeolitic-imidazolate-framework-derived Co@Co3O4 embedded into iron, nitrogen, sulfur Co-doped reduced graphene oxide as efficient electrocatalysts for overall water splitting and zinc-air batteries. <i>Electrochimica Acta</i> , 2019 , 323, 134821	6.7	22
73	Improving Oxygen Reduction Performance by Using Protic Poly(Ionic Liquid) as Proton Conductors. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 6111-6117	9.5	18
72	Fabrication of nitrogen-doped hollow carbon nanospheres with variable nitrogen contents using mixed polymer brushes as precursors. <i>Journal of Materials Science</i> , 2019 , 54, 8121-8132	4.3	5
71	Circularly polarized light modulated supramolecular self-assembly for an azobenzene-based chiral gel.. <i>RSC Advances</i> , 2019 , 9, 10360-10363	3.7	6
70	UV-induced semi-interpenetrating polymer electrolyte membrane for elevated-temperature all-solid-state lithium-ion batteries. <i>Materials Chemistry and Physics</i> , 2019 , 236, 121781	4.4	13
69	The Counterion Effect of Imidazolium-Type Poly(ionic liquid) Brushes on Carbon Dioxide Adsorption. <i>ChemPlusChem</i> , 2019 , 84, 281-288	2.8	10
68	Polymer network-derived nitrogen/sulphur co-doped three-dimensionally interconnected hierarchically porous carbon for oxygen reduction, lithium-ion battery, and supercapacitor.. <i>RSC Advances</i> , 2019 , 9, 36570-36577	3.7	3
67	In situ growth of Co3O4 on nitrogen-doped hollow carbon nanospheres as air electrode for lithium-air batteries. <i>Journal of Alloys and Compounds</i> , 2019 , 777, 944-953	5.7	20
66	Enhancement in Proton Conductivity and Thermal Stability in Nafion Membranes Induced by Incorporation of Sulfonated Carbon Nanotubes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 14026-14035	9.5	75
65	Phase Separation and Development of Proton Transport Pathways in Metal Oxide Nanoparticle/Nafion Composite Membranes during Water Uptake. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 9710-9717	3.8	31
64	Visible-light induced photocatalysis of AgCl@Ag/titanate nanotubes/nitrogen-doped reduced graphite oxide composites. <i>Applied Surface Science</i> , 2018 , 442, 547-555	6.7	17
63	Thermal annealing on free volumes, crystallinity and proton conductivity of Nafion membranes. <i>Journal of Physics and Chemistry of Solids</i> , 2018 , 120, 71-78	3.9	27

62	MoO ₃ - by plasma etching with improved capacity and stabilized structure for lithium storage. <i>Nano Energy</i> , 2018 , 49, 555-563	17.1	86
61	Nitrogen and Sulfur CoDoped Hollow Carbon Nanospheres Derived from Surface-Attached Polyelectrolyte Monolayers. <i>ChemistrySelect</i> , 2018 , 3, 3006-3013	1.8	1
60	Nitrogen-doped porous carbon derived from imidazole-functionalized polyhedral oligomeric silsesquioxane. <i>Journal of Materials Science</i> , 2018 , 53, 456-465	4.3	5
59	Surface attachment of protonated polyimidazolium monolayer on titanate nanotubes as a novel proton conductor. <i>Journal of Materials Science</i> , 2018 , 53, 15784-15794	4.3	3
58	From 3D ZIF Nanocrystals to CoNx/C Nanorod Array Electrocatalysts for ORR, OER, and ZnAir Batteries. <i>Advanced Functional Materials</i> , 2018 , 28, 1704638	15.6	541
57	Degradation of Silicone Rubbers in Fenton Reagents. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2018 , 33, 793-796	1	1
56	Unpredictable adsorption and visible light induced decolorization of nano rutile for the treatment of crystal violet. <i>Solid State Sciences</i> , 2017 , 66, 1-6	3.4	3
55	Amine-functionalized poly(ionic liquid) brushes for carbon dioxide adsorption. <i>Chemical Engineering Journal</i> , 2017 , 316, 903-910	14.7	41
54	Cobalt doped titanate nanotubes: Synthesis and properties. <i>Wuhan University Journal of Natural Sciences</i> , 2017 , 22, 201-206	0.4	2
53	Positron annihilation characteristics, water uptake and proton conductivity of composite Nafion membranes. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 15953-15961	3.6	38
52	Titanate nanotube array membranes filled with polyelectrolyte brushes for proton conduction. <i>European Polymer Journal</i> , 2017 , 88, 183-190	5.2	3
51	Protic ionic liquid modified electrocatalyst enables robust anode under cell reversal condition. <i>Journal of Power Sources</i> , 2017 , 351, 138-144	8.9	21
50	Multifunctional MoN/C@MoS ₂ Electrocatalysts for HER, OER, ORR, and ZnAir Batteries. <i>Advanced Functional Materials</i> , 2017 , 27, 1702300	15.6	519
49	Nitrogen-doped porous carbon derived from surface-attached polymer layers for oxygen reduction reaction under acidic conditions. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2017 , 32, 1287-1292	1	
48	Self-Organized 3D Porous Graphene Dual-Doped with Biomass-Sponsored Nitrogen and Sulfur for Oxygen Reduction and Evolution. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 29408-29418	9.5	127
47	Polyelectrolyte-Brush-Derived Nitrogen-Doped Porous Carbon. <i>ChemNanoMat</i> , 2016 , 2, 1028-1032	3.5	8
46	Adsorption of poly(L-lysine) on surface-attached poly(methacrylic acid) monolayers. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2016 , 31, 1298-1301	1	1
45	Temperature and humidity effect on aging of silicone rubbers as sealing materials for proton exchange membrane fuel cell applications. <i>Applied Thermal Engineering</i> , 2016 , 104, 472-478	5.8	30

44	Octa(aminophenyl)silsesquioxane derived nitrogen-doped well-defined nanoporous carbon materials: Synthesis and application for supercapacitors. <i>Electrochimica Acta</i> , 2016 , 194, 143-150	6.7	19
43	Facile Synthesis of Fe C@Graphene Hybrid Nanorods as an Efficient and Robust Catalyst for Oxygen Reduction Reaction. <i>ChemPlusChem</i> , 2016 , 81, 646-651	2.8	9
42	Operation characteristics and carbon corrosion of PEMFC (Proton exchange membrane fuel cell) with dead-ended anode for high hydrogen utilization. <i>Energy</i> , 2015 , 91, 799-806	7.9	46
41	Immobilization of imidazole moieties in polymer electrolyte composite membrane for elevated temperature fuel cells. <i>Journal of Power Sources</i> , 2015 , 298, 68-73	8.9	4
40	Moisture dehumidification and its application to a 3kW proton exchange membrane fuel cell stack. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 1137-1144	6.7	21
39	EX SITU DEGRADATION OF SILICONE RUBBERS WITH DIFFERENT HARDNESS IN A CATHODE OUTLET SOLUTION OF PEMFC. <i>Rubber Chemistry and Technology</i> , 2015 , 88, 475-481	1.7	3
38	Binding of streptavidin to surface-attached biotin with different spacer thicknesses. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2015 , 30, 1304-1309	1	7
37	Toward Anhydrous Proton Conductivity Based on Imidazole Functionalized Mesoporous Silica/Nafion Composite Membranes. <i>Electrochimica Acta</i> , 2015 , 160, 185-194	6.7	44
36	Grafting distance and molecular weight dependent proton conduction of polymer electrolyte brushes. <i>European Polymer Journal</i> , 2015 , 64, 93-100	5.2	6
35	Proton conduction of polyAMPS brushes on titanate nanotubes. <i>Scientific Reports</i> , 2014 , 4, 6225	4.9	8
34	Approaching high temperature performance for proton exchange membrane fuel cells with 3D ordered silica/Cs ₂ .5H ₀ .5PW electrolytes. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 753-760	13	25
33	Hydrogen permeation across super-thin membrane and the burning limitation in low-temperature proton exchange membrane fuel cell. <i>International Journal of Energy Research</i> , 2014 , 38, 1181-1191	4.5	15
32	Decorating titanate nanotubes with protonated 1,2,4-triazole moieties for anhydrous proton conduction. <i>Journal of Colloid and Interface Science</i> , 2014 , 432, 26-30	9.3	5
31	Degradation of silicone rubbers with different hardness in various aqueous solutions. <i>Polymer Degradation and Stability</i> , 2014 , 109, 122-128	4.7	25
30	In situ temperature measurement in a 5kW-class Proton Exchange Membrane Fuel Cell stack with pure oxygen as the oxidant. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 75, 231-234	4.9	15
29	Controllable synthesis and characterization of poly(aniline-co-pyrrole) using anionic spherical polyelectrolyte brushes as dopant and template. <i>Polymer Composites</i> , 2014 , 35, 1858-1863	3	15
28	Anhydrous proton conducting materials based on sulfonated dimethylphenethylchlorosilane grafted mesoporous silica/ionic liquid composite. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 11535-11543	9.5	19
27	Evaluation of 5 kW proton exchange membrane fuel cell stack operated at 95 °C under ambient pressure. <i>Journal of Power Sources</i> , 2013 , 222, 277-281	8.9	82

26	In situ measurement of temperature distribution in proton exchange membrane fuel cell I a hydrogen/air stack. <i>Journal of Power Sources</i> , 2013 , 227, 72-79	8.9	46
25	Impregnation of imidazole functionalized polyhedral oligomeric silsesquioxane in polymer electrolyte membrane for elevated temperature fuel cells. <i>RSC Advances</i> , 2013 , 3, 5438	3.7	20
24	Immobilization of imidazole in polymer electrolyte membranes for elevated temperature anhydrous applications. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 382-387	2.9	5
23	Preparation of W- and Mo-doped VO ₂ (M) by ethanol reduction of peroxovanadium complexes and their phase transition and optical switching properties. <i>Journal of Alloys and Compounds</i> , 2012 , 544, 30-38	5.7	50
22	Impregnation of amine-tailored titanate nanotubes in polymer electrolyte membranes. <i>Journal of Membrane Science</i> , 2012 , 423-424, 284-292	9.6	23
21	Effects of casting solvent on microstructure and ionic conductivity of anhydrous sulfonated poly(ether ether ketone)-ionic liquid composite membranes. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 748-754	6.7	28
20	Polymer electrolyte membranes containing titanate nanotubes for elevated temperature fuel cells under low relative humidity. <i>Journal of Power Sources</i> , 2011 , 196, 8250-8256	8.9	23
19	Comparison of degradation behaviors for open-ended and closed proton exchange membrane fuel cells during startup and shutdown cycles. <i>Journal of Power Sources</i> , 2011 , 196, 5077-5083	8.9	45
18	Nafion [®] /titanate nanocomposite proton exchange membranes. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 1186-1192	2.9	20
17	Anhydrous elevated-temperature polymer electrolyte membranes based on ionic liquids. <i>Journal of Membrane Science</i> , 2011 , 366, 349-355	9.6	59
16	2-Substituted imidazole derivatives doped Nafion membrane for high temperature anhydrous application and their performance. <i>Scientia Sinica Chimica</i> , 2011 , 41, 1840-1847	1.6	2
15	Enhanced proton conductivity of polymer electrolyte membrane doped with titanate nanotubes. <i>Colloid and Polymer Science</i> , 2010 , 288, 1369-1374	2.4	16
14	Nafion [®] /zirconia nanocomposite membranes formed via in situ sol-gel process. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 2796-2801	6.7	73
13	Self-assembled Nafion [®] /metal oxide nanoparticles hybrid proton exchange membranes. <i>Journal of Membrane Science</i> , 2010 , 347, 26-31	9.6	79
12	Zeta potential of Nafion molecules in isopropanol-water mixture solvent. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 3306-3309	2.9	28
11	Self-assembly of Nafion molecules onto silica nanoparticles formed in situ through sol-gel process. <i>Journal of Colloid and Interface Science</i> , 2008 , 326, 55-60	9.3	23
10	Cell adhesion and growth to Peptide-patterned supported lipid membranes. <i>Langmuir</i> , 2007 , 23, 3849-56	9.4	59
9	Self-Affine Surfaces of Polymer Brushes. <i>Macromolecules</i> , 2007 , 40, 6361-6369	5.5	10

8	Swelling of Poly(methacrylic acid) Brushes: Influence of Monovalent Salts in the Environment. <i>Macromolecules</i> , 2005 , 38, 4855-4860	5.5	86
7	Weak Polyelectrolyte Brushes: Complex Formation and Multilayer Build-up with Oppositely Charged Polyelectrolytes 2005 , 249-272		
6	Weak Polyelectrolyte Brushes as Substrates for the Formation of Surface-Attached Polyelectrolyte Polyelectrolyte Complexes and Polyelectrolyte Multilayers. <i>Macromolecules</i> , 2005 , 38, 10743-10749	5.5	21
5	Surface fluctuations of polymer brushes probed by diffuse X-ray scattering. <i>Polymer</i> , 2005 , 46, 2331-2337	3.9	5
4	Interaction of Strong Polyelectrolytes with Surface-Attached Polyelectrolyte Brushes Polymer Brushes as Substrates for the Layer-by-Layer Deposition of Polyelectrolytes. <i>Macromolecules</i> , 2003 , 36, 6593-6598	5.5	55
3	Polyelectrolyte Multilayers on Weak Polyelectrolyte Brushes. <i>Macromolecular Rapid Communications</i> , 2003 , 24, 576-579	4.8	13
2	Polymer substrates as a medium for motion of nano objects 2003 ,		2
1	Hollow-Co ₃ O ₄ @CoP/NS-RGO Heterojunction Structure Derived from ZIF-67 Promotes Hydrogen Evolution Reaction and Oxygen Evolution Reaction Bifunctional Catalysis. <i>Energy & Fuels</i> ,	4.1	3