Yating Lv

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5051474/publications.pdf

Version: 2024-02-01

1162889 752573 21 544 8 20 citations h-index g-index papers 22 22 22 892 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Resting developments: a review of fMRI post-processing methodologies for spontaneous brain activity. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2010, 23, 289-307.	1.1	209
2	Identifying the perfusion deficit in acute stroke with restingâ€state functional magnetic resonance imaging. Annals of Neurology, 2013, 73, 136-140.	2.8	112
3	Surface-based single-subject morphological brain networks: Effects of morphological index, brain parcellation and similarity measure, sample size-varying stability and test-retest reliability. NeuroImage, 2021, 235, 118018.	2.1	40
4	The value of resting-state functional MRI in subacute ischemic stroke: comparison with dynamic susceptibility contrast-enhanced perfusion MRI. Scientific Reports, 2017, 7, 41586.	1.6	33
5	The Local Brain Abnormalities in Patients With Transient Ischemic Attack: A Resting-State fMRI Study. Frontiers in Neuroscience, 2019, 13, 24.	1.4	26
6	Alterations of regional spontaneous brain activities in anxiety disorders: A meta-analysis. Journal of Affective Disorders, 2022, 296, 233-240.	2.0	16
7	An Effective Brain Imaging Biomarker for AD and aMCI: ALFF in Slow-5 Frequency Band. Current Alzheimer Research, 2021, 18, 45-55.	0.7	14
8	Multiparametric and multilevel characterization of morphological alterations in patients with transient ischemic attack. Human Brain Mapping, 2021, 42, 2045-2060.	1.9	13
9	Oneâ€step analysis of brain perfusion and function for acute stroke patients after reperfusion: A restingâ€state fMRI study. Journal of Magnetic Resonance Imaging, 2019, 50, 221-229.	1.9	12
10	Altered Functional Connectivity within Default Mode Network in Patients with Transient Ischemic Attack: A Resting-State Functional Magnetic Resonance Imaging Study. Cerebrovascular Diseases, 2019, 48, 61-69.	0.8	11
11	Non-invasive evaluation of cerebral perfusion in patients with transient ischemic attack: an fMRI study. Journal of Neurology, 2019, 266, 157-164.	1.8	11
12	Toward neuroimagingâ€based network biomarkers for transient ischemic attack. Human Brain Mapping, 2019, 40, 3347-3361.	1.9	9
13	Altered activation in sensorimotor network after applying rTMS over the primary motor cortex at different frequencies. Brain and Behavior, 2020, 10, e01670.	1.0	7
14	The Predictive Value of Dynamic Intrinsic Local Metrics in Transient Ischemic Attack. Frontiers in Aging Neuroscience, 2021, 13, 808094.	1.7	7
15	Abnormal resting-state local spontaneous functional activity in irritable bowel syndrome patients: A meta-analysis. Journal of Affective Disorders, 2022, 302, 177-184.	2.0	6
16	Predicting Delayed Neurocognitive Recovery After Non-cardiac Surgery Using Resting-State Brain Network Patterns Combined With Machine Learning. Frontiers in Aging Neuroscience, 2021, 13, 715517.	1.7	5
17	Repetitive transcranial magnetic stimulation modulates cortical–subcortical connectivity in sensorimotor network. European Journal of Neuroscience, 2022, 55, 227-243.	1.2	5
18	Altered Topological Organization in the Sensorimotor Network After Application of Different Frequency rTMS. Frontiers in Neuroscience, 2019, 13, 1377.	1.4	4

YATING LV

#	Article	IF	CITATIONS
19	Acute Tai Chi Chuan exercise enhances sustained attention and elicits increased cuneus/precuneus activation in young adults. Cerebral Cortex, 2023, 33, 2969-2981.	1.6	2
20	Altered effective connectivity from the posterior insula to the amygdala mediates the relationship between psychopathic traits and endorsement of the Harm foundation. Neuropsychologia, 2022, 170, 108216.	0.7	1
21	Decreasing integration within face network and segregation beyond the face network in the aging brain. PsyCh Journal, 0, , .	0.5	1