

Jaeyoung Jang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5052209/publications.pdf>

Version: 2024-02-01

90
papers

3,310
citations

147801

31
h-index

161849

54
g-index

93
all docs

93
docs citations

93
times ranked

5165
citing authors

#	ARTICLE	IF	CITATIONS
1	Ionic-liquid doping of carbon nanotubes with [HMIM][BF ₄] for flexible thermoelectric generators. <i>Chemical Engineering Journal</i> , 2022, 438, 135526.	12.7	21
2	Rational Design of Highly Soluble and Crystalline Conjugated Polymers for High-Performance Field-Effect Transistors. <i>Advanced Electronic Materials</i> , 2022, 8, .	5.1	10
3	Naphthalene-Diimide-Based Small Molecule Containing a Thienothiophene Linker for n-Type Organic Field-Effect Transistors. <i>Macromolecular Research</i> , 2022, 30, 470-476.	2.4	4
4	Enhanced doping efficiency and thermoelectric performance of diketopyrrolopyrrole-based conjugated polymers with extended thiophene donors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 340-347.	5.5	15
5	Effect of selenophene in naphthalene-diimide-vinylene-based small molecules on n-type organic field-effect transistors. <i>Organic Electronics</i> , 2021, 89, 106032.	2.6	7
6	Enhanced Stabilities and Production Yields of MAPbBr ₃ Quantum Dots and Their Applications as Stretchable and Self-Healable Color Filters. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 4374-4384.	8.0	26
7	Interfacial Engineering at Quantum Dot-Sensitized TiO ₂ Photoelectrodes for Ultrahigh Photocurrent Generation. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 6208-6218.	8.0	7
8	Solution-state doping-assisted molecular ordering and enhanced thermoelectric properties of an amorphous polymer. <i>International Journal of Energy Research</i> , 2021, 45, 21540-21551.	4.5	6
9	Doping and Thermoelectric Behaviors of Donor-Acceptor Polymers with Extended Planar Backbone. <i>Macromolecular Research</i> , 2021, 29, 887-894.	2.4	7
10	CsPbBr ₃ Perovskite Quantum Dot Light-Emitting Diodes Using Atomic Layer Deposited Al ₂ O ₃ and ZnO Interlayers. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020, 14, 1900573.	2.4	19
11	Self-Healable and Stretchable Organic Thermoelectric Materials: Electrically Percolated Polymer Nanowires Embedded in Thermoplastic Elastomer Matrix. <i>Advanced Functional Materials</i> , 2020, 30, 1905809.	14.9	52
12	Solution-Processed Fabrication of Light-Emitting Diodes Using CsPbBr ₃ Perovskite Nanocrystals. <i>ACS Applied Nano Materials</i> , 2020, 3, 11801-11810.	5.0	8
13	Nitroaromatic Compounds to Induce a Partial Positive Charge on the Silver Nanoparticle Surface for Facilitated Transport Membranes for Olefin/Paraffin Separation. <i>Macromolecular Research</i> , 2020, 28, 1026-1031.	2.4	1
14	Acceptor-acceptor-type conjugated polymer for use in n-type organic thin-film transistors and thermoelectric devices. <i>Organic Electronics</i> , 2020, 86, 105921.	2.6	12
15	Bronsted Acid Doping of P3HT with Largely Soluble Tris(pentafluorophenyl)borane for Highly Conductive and Stable Organic Thermoelectrics Via One-Step Solution Mixing. <i>Advanced Energy Materials</i> , 2020, 10, 2002521.	19.5	48
16	Bipolar Membranes to Promote Formation of Tight Ice-Like Water for Efficient and Sustainable Water Splitting. <i>Small</i> , 2020, 16, e2002641.	10.0	14
17	In Situ Photoelectron Spectroscopy Study on the Air Degradation of PEDOT:PSS in Terms of Electrical and Thermoelectric Properties. <i>Advanced Electronic Materials</i> , 2020, 6, 2000620.	5.1	29
18	Thiophene backbone-based polymers with electron-withdrawing pendant groups for application in organic thin-film transistors. <i>New Journal of Chemistry</i> , 2020, 44, 9321-9327.	2.8	9

#	ARTICLE	IF	CITATIONS
19	Intrinsically microporous oligomers as organic porogens for mixed-matrix membranes. <i>Korean Journal of Chemical Engineering</i> , 2020, 37, 1050-1056.	2.7	0
20	Synthetic strategy for thienothiophene-benzotriazole-based polymers with high backbone planarity and solubility for field-effect transistor applications. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 86, 150-157.	5.8	12
21	Electrically stable polymer-only dielectrics for organic field-effect transistors with low gate leakage current. <i>Organic Electronics</i> , 2020, 85, 105828.	2.6	12
22	Stretchable Thermoelectric Materials: Self-Healable and Stretchable Organic Thermoelectric Materials: Electrically Percolated Polymer Nanowires Embedded in Thermoplastic Elastomer Matrix (<i>Adv. Funct. Mater.</i> 9/2020). <i>Advanced Functional Materials</i> , 2020, 30, 2070059.	14.9	0
23	CsPbBr ₃ Perovskite Quantum Dot Light-Emitting Diodes Using Atomic Layer Deposited Al ₂ O ₃ and ZnO Interlayers. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020, 14, 2070012.	2.4	3
24	Polyphosphide Precursor for Low-Temperature Solution-Processed Fibrous Phosphorus Thin Films. <i>Chemistry of Materials</i> , 2019, 31, 5909-5918.	6.7	18
25	Doping of donor-acceptor polymers with long side chains via solution mixing for advancing thermoelectric properties. <i>Nano Energy</i> , 2019, 58, 585-595.	16.0	83
26	Sub-5 nm Graphene Oxide Nanofilm with Exceptionally High H ⁺ /V Selectivity for Vanadium Redox Flow Battery. <i>ACS Applied Energy Materials</i> , 2019, 2, 4590-4596.	5.1	22
27	An artificial solid interphase with polymers of intrinsic microporosity for highly stable Li metal anodes. <i>Chemical Communications</i> , 2019, 55, 6313-6316.	4.1	29
28	Enhanced gate-bias stress stability of organic field-effect transistors by introducing a fluorinated polymer in semiconductor/insulator ternary blends. <i>Applied Surface Science</i> , 2019, 481, 642-648.	6.1	15
29	Graphene Oxide/Polystyrene Bilayer Gate Dielectrics for Low-Voltage Organic Field-Effect Transistors. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2.	2.5	28
30	Lewis acidic water as a new carrier for facilitating CO ₂ transport. <i>Journal of Materials Chemistry A</i> , 2019, 7, 5190-5194.	10.3	6
31	Composition change-driven texturing and doping in solution-processed SnSe thermoelectric thin films. <i>Nature Communications</i> , 2019, 10, 864.	12.8	62
32	Efficient Debundling of Few-Walled Carbon Nanotubes by Wrapping with Donor-Acceptor Polymers for Improving Thermoelectric Properties. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 47330-47339.	8.0	44
33	Multi-walled carbon nanotube forests covered with atomic-layer-deposited ruthenium layers for high-performance counter electrodes of dye-sensitized solar cells. <i>Organic Electronics</i> , 2019, 65, 349-356.	2.6	9
34	Imidazolium Iodide-Doped PEDOT Nanofibers as Conductive Catalysts for Highly Efficient Solid-State Dye-Sensitized Solar Cells Employing Polymer Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 2537-2545.	8.0	9
35	Systematic optimization of MWCNT-PEDOT:PSS composite electrodes for organic transistors and dye-sensitized solar cells: Effects of MWCNT diameter and purity. <i>Organic Electronics</i> , 2018, 52, 7-16.	2.6	12
36	The effect of surfactants on electrohydrodynamic jet printing and the performance of organic field-effect transistors. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 1210-1220.	2.8	27

#	ARTICLE	IF	CITATIONS
37	Direct printing of soluble acene crystal stripes by a programmed dip-coating process for organic field-effect transistor applications. <i>Journal of Materials Chemistry C</i> , 2018, 6, 799-807.	5.5	21
38	Novel naphthalene-diimide-based small molecule with a bithiophene linker for use in organic field-effect transistors. <i>Organic Electronics</i> , 2018, 63, 250-256.	2.6	18
39	Surface Modification of CdSe Quantum-Dot Floating Gates for Advancing Light-Erasable Organic Field-Effect Transistor Memories. <i>ACS Nano</i> , 2018, 12, 7701-7709.	14.6	89
40	New Forms of CdSe: Molecular Wires, Gels, and Ordered Mesoporous Assemblies. <i>Journal of the American Chemical Society</i> , 2017, 139, 3368-3377.	13.7	16
41	Reduced water vapor transmission rates of low-temperature solution-processed metal oxide barrier films via ultraviolet annealing. <i>Applied Surface Science</i> , 2017, 414, 262-269.	6.1	2
42	Enhanced gas barrier properties of graphene-TiO ₂ nanocomposites on plastic substrates assisted by UV photoreduction of graphene oxide. <i>Organic Electronics</i> , 2017, 48, 323-329.	2.6	11
43	The role of oxygen in dramatically enhancing the electrical properties of solution-processed ZnO/SnO thin-film transistors. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6521-6526.	5.5	14
44	Photoinduced Recovery of Organic Transistor Memories with Photoactive Floating-Gate Interlayers. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 11759-11769.	8.0	80
45	Tuning the Work Function of Printed Polymer Electrodes by Introducing a Fluorinated Polymer To Enhance the Operational Stability in Bottom-Contact Organic Field-Effect Transistors. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 12637-12646.	8.0	15
46	Direct Writing and Aligning of Small-Molecule Organic Semiconductor Crystals via "Dragging Mode" Electrohydrodynamic Jet Printing for Flexible Organic Field-Effect Transistor Arrays. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 5492-5500.	4.6	54
47	Reduced water vapor transmission rates of low-temperature-processed and sol-gel-derived titanium oxide thin films on flexible substrates. <i>Organic Electronics</i> , 2016, 36, 133-139.	2.6	12
48	Effective Way To Enhance the Electrode Performance of Multiwall Carbon Nanotube and Poly(3,4-ethylenedioxythiophene): Poly(styrene sulfonate) Composite Using HCl/Methanol Treatment. <i>Journal of Physical Chemistry C</i> , 2016, 120, 10919-10926.	3.1	21
49	Direct patterning of conductive carbon nanotube/polystyrene sulfonate composites via electrohydrodynamic jet printing for use in organic field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2016, 4, 4912-4919.	5.5	49
50	Spin Self-Assembled Clay Nanocomposite Passivation Layers Made from a Photocrosslinkable Poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock I Thin-Film Transistors. <i>Chinese Journal of Chemistry</i> , 2016, 34, 1103-1108.	4.9	4
51	Directly drawn ZnO semiconductors and MWCNT/PSS electrodes via electrohydrodynamic jet printing for use in thin-film transistors: The ideal combination for reliable device performances. <i>Organic Electronics</i> , 2016, 39, 272-278.	2.6	25
52	Solution-processed indium-free ZnO/SnO ₂ bilayer heterostructures as a low-temperature route to high-performance metal oxide thin-film transistors with excellent stabilities. <i>Journal of Materials Chemistry C</i> , 2016, 4, 11298-11304.	5.5	41
53	Solution-Processed, Ultrathin Solar Cells from CdCl ₃ ⁺ -Capped CdTe Nanocrystals: The Multiple Roles of CdCl ₃ ⁺ Ligands. <i>Journal of the American Chemical Society</i> , 2016, 138, 7464-7467.	13.7	64
54	Light-responsive spiropyran based polymer thin films for use in organic field-effect transistor memories. <i>Journal of Materials Chemistry C</i> , 2016, 4, 5398-5406.	5.5	45

#	ARTICLE	IF	CITATIONS
55	Optimization of Al ₂ O ₃ /TiO ₂ nanolaminate thin films prepared with different oxide ratios, for use in organic light-emitting diode encapsulation, via plasma-enhanced atomic layer deposition. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 1042-1049.	2.8	38
56	Photo-patternable high-k ZrOx dielectrics prepared using zirconium acrylate for low-voltage-operating organic complementary inverters. <i>Organic Electronics</i> , 2016, 33, 40-47.	2.6	23
57	Photo-Patternable ZnO Thin Films Based on Cross-Linked Zinc Acrylate for Organic/Inorganic Hybrid Complementary Inverters. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 5499-5508.	8.0	45
58	Reduced Water Vapor Transmission Rate of Graphene Gas Barrier Films for Flexible Organic Field-Effect Transistors. <i>ACS Nano</i> , 2015, 9, 5818-5824.	14.6	93
59	Composition-matched molecular "solders" for semiconductors. <i>Science</i> , 2015, 347, 425-428.	12.6	172
60	Alkyl Chain Length Dependence of the Field-Effect Mobility in Novel Anthracene Derivatives. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 351-358.	8.0	80
61	Fabrication of high-performance composite electrodes composed of multiwalled carbon nanotubes and glycerol-doped poly(3,4-ethylenedioxythiophene):polystyrene sulfonate for use in organic devices. <i>Journal of Materials Chemistry C</i> , 2015, 3, 7325-7335.	5.5	24
62	Solution-Processed Transistors Using Colloidal Nanocrystals with Composition-Matched Molecular "Solders" Approaching Single Crystal Mobility. <i>Nano Letters</i> , 2015, 15, 6309-6317.	9.1	88
63	Organic Field-Effect Transistors: The Origin of Excellent Gate-Bias Stress Stability in Organic Field-Effect Transistors Employing Fluorinated Polymer Gate Dielectrics (<i>Adv. Mater.</i> 42/2014). <i>Advanced Materials</i> , 2014, 26, 7280-7280.	21.0	0
64	Grafting Fluorinated Polymer Nanolayer for Advancing the Electrical Stability of Organic Field-Effect Transistors. <i>Chemistry of Materials</i> , 2014, 26, 6467-6476.	6.7	34
65	Synthesis and Search for Design Principles of New Electron Accepting Polymers for All-Polymer Solar Cells. <i>Chemistry of Materials</i> , 2014, 26, 3450-3459.	6.7	100
66	Colloidal Nanocrystals with Inorganic Halide, Pseudohalide, and Halometallate Ligands. <i>ACS Nano</i> , 2014, 8, 7359-7369.	14.6	204
67	High-Performance Organic Complementary Inverters Using Monolayer Graphene Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 6816-6824.	8.0	35
68	Temperature-Dependent Hall and Field-Effect Mobility in Strongly Coupled All-Inorganic Nanocrystal Arrays. <i>Nano Letters</i> , 2014, 14, 653-662.	9.1	71
69	The Origin of Excellent Gate-Bias Stress Stability in Organic Field-Effect Transistors Employing Fluorinated Polymer Gate Dielectrics. <i>Advanced Materials</i> , 2014, 26, 7241-7246.	21.0	68
70	Facile method for the environmentally friendly fabrication of reduced graphene oxide films assisted by a metal substrate and saline solution. <i>RSC Advances</i> , 2013, 3, 14286.	3.6	3
71	Self-organizing properties of triethylsilylethynyl-anthradithiophene on monolayer graphene electrodes in solution-processed transistors. <i>Nanoscale</i> , 2013, 5, 11094.	5.6	24
72	High-Performance Triethylsilylethynyl Anthradithiophene Transistors Prepared without Solvent Vapor Annealing: The Effects of Self-Assembly during Dip-Coating. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 2146-2154.	8.0	32

#	ARTICLE	IF	CITATIONS
73	Synthesis and characterization of a fluorinated oligosiloxane-containing encapsulation material for organic field-effect transistors, prepared via a non-hydrolytic sol-gel process. <i>Organic Electronics</i> , 2012, 13, 2786-2792.	2.6	16
74	The effects of organic material-treated SiO ₂ dielectric surfaces on the electrical characteristics of inorganic amorphous In-Ga-Zn-O thin film transistors. <i>Applied Physics Letters</i> , 2012, 100, 102110.	3.3	16
75	Vacuum thermally evaporated polymeric zinc acrylate as an organic interlayer of organic/inorganic multilayer passivation for flexible organic thin-film transistors. <i>Journal of Materials Chemistry</i> , 2012, 22, 25395.	6.7	22
76	Effects of direct solvent exposure on the nanoscale morphologies and electrical characteristics of PCBM-based transistors and photovoltaics. <i>Journal of Materials Chemistry</i> , 2012, 22, 5543.	6.7	79
77	High-Performance Low-Voltage Organic Field-Effect Transistors Prepared on Electro-Polished Aluminum Wires. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 6-10.	8.0	17
78	Highly Crystalline Soluble Acene Crystal Arrays for Organic Transistors: Mechanism of Crystal Growth During Dip-Coating. <i>Advanced Functional Materials</i> , 2012, 22, 1005-1014.	14.9	160
79	High T _g cyclic olefin copolymer/Al ₂ O ₃ bilayer gate dielectrics for flexible organic complementary circuits with low-voltage and air-stable operation. <i>Journal of Materials Chemistry</i> , 2011, 21, 12542.	6.7	28
80	Solvent-free solution processed passivation layer for improved long-term stability of organic field-effect transistors. <i>Journal of Materials Chemistry</i> , 2011, 21, 775-780.	6.7	30
81	Poly(3-hexylthiophene) wrapped carbon nanotube/poly(dimethylsiloxane) composites for use in finger-sensing piezoresistive pressure sensors. <i>Carbon</i> , 2011, 49, 106-110.	10.3	173
82	High T _g Cyclic Olefin Copolymer Gate Dielectrics for N,N'-Ditridecyl Perylene Diimide Based Field-Effect Transistors: Improving Performance and Stability with Thermal Treatment. <i>Advanced Functional Materials</i> , 2010, 20, 2611-2618.	14.9	69
83	Photo-Curable Polymer Blend Dielectrics for Advancing Organic Field-Effect Transistor Applications. <i>Advanced Materials</i> , 2010, 22, 4809-4813.	21.0	24
84	Improved n-type bottom-contact organic transistors by introducing a poly(3,4-ethylenedioxythiophene):poly(4-styrene sulfonate) coating on the source/drain electrodes. <i>Applied Physics Letters</i> , 2010, 97, 103304.	3.3	20
85	Effect of the hydrophobicity and thickness of polymer gate dielectrics on the hysteresis behavior of pentacene-based field-effect transistors. <i>Journal of Applied Physics</i> , 2009, 105, .	2.5	69
86	Photopatternable ultrathin gate dielectrics for low-voltage-operating organic circuits. <i>Applied Physics Letters</i> , 2009, 95, .	3.3	24
87	An inkjet-printed passivation layer based on a photocrosslinkable polymer for long-term stable pentacene field-effect transistors. <i>Organic Electronics</i> , 2009, 10, 67-72.	2.6	27
88	High-performance solution-processed triisopropylsilylethynyl pentacene transistors and inverters fabricated by using the selective self-organization technique. <i>Applied Physics Letters</i> , 2008, 93, .	3.3	41
89	Hysteresis-free pentacene field-effect transistors and inverters containing poly(4-vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 10	3.3	47
90	Hysteresis-free organic field-effect transistors and inverters using photocrosslinkable poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	3.3	40