Tatiana Foroud

List of Publications by Citations

Source: https://exaly.com/author-pdf/5052364/tatiana-foroud-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

280 58 140 20,247 h-index g-index citations papers 8.2 25,983 330 5.35 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
280	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. Nature Genetics, 2013 , 45, 1452-8	36.3	2714
279	Mutations in a member of the ADAMTS gene family cause thrombotic thrombocytopenic purpura. <i>Nature</i> , 2001 , 413, 488-94	50.4	1394
278	Common variants at MS4A4/MS4A6E, CD2AP, CD33 and EPHA1 are associated with late-onset Alzheimer's disease. <i>Nature Genetics</i> , 2011 , 43, 436-41	36.3	1367
277	Large-scale meta-analysis of genome-wide association data identifies six new risk loci for Parkinson's disease. <i>Nature Genetics</i> , 2014 , 46, 989-93	36.3	1261
276	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates All tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019 , 51, 414-430	36.3	917
275	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
274	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015 , 520, 224-9	50.4	601
273	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017 , 49, 1373-1384	36.3	508
272	Genome-wide search for genes affecting the risk for alcohol dependence 1998 , 81, 207-215		496
271	Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. <i>Nature</i> , 2014 , 514, 92-97	50.4	401
270	Genomewide association study for susceptibility genes contributing to familial Parkinson disease. <i>Human Genetics</i> , 2009 , 124, 593-605	6.3	363
269	Meta-analysis confirms CR1, CLU, and PICALM as alzheimer disease risk loci and reveals interactions with APOE genotypes. <i>Archives of Neurology</i> , 2010 , 67, 1473-84		330
268	A multicenter study of glucocerebrosidase mutations in dementia with Lewy bodies. <i>JAMA Neurology</i> , 2013 , 70, 727-35	17.2	285
267	Alzheimer's Disease Neuroimaging Initiative biomarkers as quantitative phenotypes: Genetics core aims, progress, and plans. <i>Alzheimerk and Dementia</i> , 2010 , 6, 265-73	1.2	279
266	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018 , 21, 1656-1669	25.5	257
265	Localization of the gene for familial primary pulmonary hypertension to chromosome 2q31-32. <i>Nature Genetics</i> , 1997 , 15, 277-80	36.3	218
264	Alcoholism Susceptibility Loci: Confirmation Studies in a Replicate Sample and Further Mapping. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 933-945	3.7	205

(2015-2000)

263	A genome screen of maximum number of drinks as an alcoholism phenotype. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 632-7		181
262	Linkage of the Indiana kindred of Gerstmann-Strüssler-Scheinker disease to the prion protein gene. <i>Nature Genetics</i> , 1992 , 1, 64-7	36.3	177
261	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017 , 8, 13624	17.4	173
260	Identification of pathways for bipolar disorder: a meta-analysis. <i>JAMA Psychiatry</i> , 2014 , 71, 657-64	14.5	172
259	A Quantitative Trait Locus for Alcohol Consumption in Selectively Bred Rat Lines. <i>Alcoholism:</i> Clinical and Experimental Research, 1998 , 22, 884-887	3.7	171
258	Genetic studies of quantitative MCI and AD phenotypes in ADNI: Progress, opportunities, and plans. <i>Alzheimerks and Dementia</i> , 2015 , 11, 792-814	1.2	167
257	Functional variants in the gene confer shared effects on risk for Crohn's disease and Parkinson's disease. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	165
256	Guidelines for the standardization of preanalytic variables for blood-based biomarker studies in Alzheimer's disease research. <i>Alzheimerks and Dementia</i> , 2015 , 11, 549-60	1.2	159
255	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016 , 19, 1569-1582	25.5	147
254	Convergent genetic and expression data implicate immunity in Alzheimer's disease. <i>Alzheimerks and Dementia</i> , 2015 , 11, 658-71	1.2	146
253	Differences in duration of Huntington's disease based on age at onset. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999 , 66, 52-6	5.5	144
252	The Parkinson's progression markers initiative (PPMI) - establishing a PD biomarker cohort. <i>Annals of Clinical and Translational Neurology</i> , 2018 , 5, 1460-1477	5.3	142
251	Initial genomic scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 3, 5, 15, 16, 17, and 22 1997 , 74, 238-246		133
250	Effects of multiple genetic loci on age at onset in late-onset Alzheimer disease: a genome-wide association study. <i>JAMA Neurology</i> , 2014 , 71, 1394-404	17.2	129
249	Meta-analysis of genome-wide scans provides evidence for sex- and site-specific regulation of bone mass. <i>Journal of Bone and Mineral Research</i> , 2007 , 22, 173-183	6.3	128
248	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125
247	Identification of TMEM230 mutations in familial Parkinson's disease. <i>Nature Genetics</i> , 2016 , 48, 733-9	36.3	122
246	APOE effect on Alzheimer's disease biomarkers in older adults with significant memory concern. Alzheimerls and Dementia, 2015, 11, 1417-1429	1.2	116

245	Exceptionally low likelihood of Alzheimer's dementia in APOE2 homozygotes from a 5,000-person neuropathological study. <i>Nature Communications</i> , 2020 , 11, 667	17.4	113
244	Cognitive scores in carriers of Huntington's disease gene compared to noncarriers. <i>Annals of Neurology</i> , 1995 , 37, 657-64	9.4	110
243	TREM2 is associated with increased risk for Alzheimer's disease in African Americans. <i>Molecular Neurodegeneration</i> , 2015 , 10, 19	19	108
242	Phenotypic dissection of bone mineral density reveals skeletal site specificity and facilitates the identification of novel loci in the genetic regulation of bone mass attainment. <i>PLoS Genetics</i> , 2014 , 10, e1004423	6	107
241	Transethnic genome-wide scan identifies novel Alzheimer's disease loci. <i>Alzheimerk and Dementia</i> , 2017 , 13, 727-738	1.2	106
240	Alcoholism susceptibility loci: confirmation studies in a replicate sample and further mapping. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 933-45	3.7	103
239	Genome screen for quantitative trait loci underlying normal variation in femoral structure. <i>Journal of Bone and Mineral Research</i> , 2001 , 16, 985-91	6.3	99
238	Genome-wide association study of intracranial aneurysms confirms role of Anril and SOX17 in disease risk. <i>Stroke</i> , 2012 , 43, 2846-52	6.7	90
237	Gene-wide analysis detects two new susceptibility genes for Alzheimer's disease. <i>PLoS ONE</i> , 2014 , 9, e94661	3.7	90
236	GWAS of longitudinal amyloid accumulation on 18F-florbetapir PET in Alzheimer's disease implicates microglial activation gene IL1RAP. <i>Brain</i> , 2015 , 138, 3076-88	11.2	88
235	Genomic screen for QTLs underlying alcohol consumption in the P and NP rat lines. <i>Mammalian Genome</i> , 1998 , 9, 949-55	3.2	87
234	Two rare AKAP9 variants are associated with Alzheimer's disease in African Americans. <i>Alzheimerks and Dementia</i> , 2014 , 10, 609-618.e11	1.2	83
233	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
232	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019 , 51, 162	2436,630	5 81
231	Genome-Wide Association Studies for Taxane-Induced Peripheral Neuropathy in ECOG-5103 and ECOG-1199. <i>Clinical Cancer Research</i> , 2015 , 21, 5082-5091	12.9	79
230	A description of the methods of the Nulliparous Pregnancy Outcomes Study: monitoring mothers-to-be (nuMoM2b). <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 539.e1-539.e24	6.4	79
229	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016 , 46, 151-69	3.2	77
228	Penetrance estimate of LRRK2 p.G2019S mutation in individuals of non-Ashkenazi Jewish ancestry. <i>Movement Disorders</i> , 2017 , 32, 1432-1438	7	74

(2020-2015)

227	Polygenic risk for externalizing disorders: Gene-by-development and gene-by-environment effects in adolescents and young adults. <i>Clinical Psychological Science</i> , 2015 , 3, 189-201	6	70
226	A mutation in myotilin causes spheroid body myopathy. <i>Neurology</i> , 2005 , 65, 1936-40	6.5	70
225	Finding useful biomarkers for Parkinson's disease. Science Translational Medicine, 2018, 10,	17.5	69
224	Stress-response pathways are altered in the hippocampus of chronic alcoholics. <i>Alcohol</i> , 2013 , 47, 505-	15 _{2.7}	67
223	Linkage of an Alcoholism-Related Severity Phenotype to Chromosome 16. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 2035-2042	3.7	59
222	Variability in skeletal mass, structure, and biomechanical properties among inbred strains of rats. Journal of Bone and Mineral Research, 2001, 16, 1532-9	6.3	58
221	Suggestive evidence of a locus on chromosome 10p using the NIMH genetics initiative bipolar affective disorder pedigrees 2000 , 96, 18-23		58
220	Polygenic Scores for Major Depressive Disorder and Risk of Alcohol Dependence. <i>JAMA Psychiatry</i> , 2017 , 74, 1153-1160	14.5	56
219	AluY-mediated germline deletion, duplication and somatic stem cell reversion in UBE2T defines a new subtype of Fanconi anemia. <i>Human Molecular Genetics</i> , 2015 , 24, 5093-108	5.6	56
218	APOE II and the risk for Alzheimer disease and cognitive decline in African Americans and Yoruba. <i>International Psychogeriatrics</i> , 2014 , 26, 977-85	3.4	54
217	Association of Blood Biomarkers With Acute Sport-Related Concussion in Collegiate Athletes: Findings From the NCAA and Department of Defense CARE Consortium. <i>JAMA Network Open</i> , 2020 , 3, e1919771	10.4	53
216	Whole-Exome Sequencing in Familial Parkinson Disease. <i>JAMA Neurology</i> , 2016 , 73, 68-75	17.2	52
215	DNM3 and genetic modifiers of age of onset in LRRK2 Gly2019Ser parkinsonism: a genome-wide linkage and association study. <i>Lancet Neurology, The</i> , 2016 , 15, 1248-1256	24.1	50
214	Two novel loci, COBL and SLC10A2, for Alzheimer's disease in African Americans. <i>Alzheimerks and Dementia</i> , 2017 , 13, 119-129	1.2	48
213	Association of alcohol craving with alpha-synuclein (SNCA). <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 537-45	3.7	48
212	Chromosome workshop: Chromosomes 11, 14, and 15. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 244-254		48
211	Genome screen to detect linkage to intracranial aneurysm susceptibility genes: the Familial Intracranial Aneurysm (FIA) study. <i>Stroke</i> , 2008 , 39, 1434-40	6.7	45
210	Meta-analysis of up to 622,409 individuals identifies 40 novel smoking behaviour associated genetic loci. <i>Molecular Psychiatry</i> , 2020 , 25, 2392-2409	15.1	45

209	Genome-Wide Association Study for Anthracycline-Induced Congestive Heart Failure. <i>Clinical Cancer Research</i> , 2017 , 23, 43-51	12.9	44
208	Genome-wide search for genes affecting the risk for alcohol dependence 1998 , 81, 207		44
207	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry,the</i> , 2020 , 7, 1032-1045	23.3	43
206	Targeted neurogenesis pathway-based gene analysis identifies ADORA2A associated with hippocampal volume in mild cognitive impairment and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 60, 92-103	5.6	42
205	The tachykinin receptor 3 is associated with alcohol and cocaine dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 1023-30	3.7	39
204	Genetic influences on craving for alcohol. <i>Addictive Behaviors</i> , 2013 , 38, 1501-1508	4.2	38
203	Comparison of Parent, Peer, Psychiatric, and Cannabis Use Influences Across Stages of Offspring Alcohol Involvement: Evidence from the COGA Prospective Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 359-368	3.7	37
202	Clinical and dopamine transporter imaging characteristics of non-manifest LRRK2 and GBA mutation carriers in the Parkinson's Progression Markers Initiative (PPMI): a cross-sectional study. <i>Lancet Neurology, The</i> , 2020 , 19, 71-80	24.1	37
201	Neurology Individualized Medicine: When to Use Next-Generation Sequencing Panels. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 292-305	6.4	36
200	Age-specific incidence rates for dementia and Alzheimer disease in NIA-LOAD/NCRAD and EFIGA families: National Institute on Aging Genetics Initiative for Late-Onset Alzheimer Disease/National Cell Repository for Alzheimer Disease (NIA-LOAD/NCRAD) and Estudio Familiar de Influencia	17.2	36
199	Lack of association of alcohol dependence and habitual smoking with catechol-O-methyltransferase. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 1773-9	3.7	36
198	Prenatal Alcohol Exposure: Advancing Knowledge Through International Collaborations. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 118-135	3.7	36
197	Genetic risk for schizophrenia and psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2018 , 23, 963-97	7 2 5.1	35
196	The Role of Cardiovascular Risk Factors and Stroke in Familial Alzheimer Disease. <i>JAMA Neurology</i> , 2016 , 73, 1231-1237	17.2	35
195	Association of plasma and cortical amyloid beta is modulated by APOE A status. <i>Alzheimerks and Dementia</i> , 2014 , 10, e9-e18	1.2	35
194	Exome Chip Meta-analysis Fine Maps Causal Variants and Elucidates the Genetic Architecture of Rare Coding Variants in Smoking and Alcohol(Use. <i>Biological Psychiatry</i> , 2019 , 85, 946-955	7.9	35
193	Shared Genetic Risk Factors of Intracranial, Abdominal, and Thoracic Aneurysms. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	34
192	Assessment of first and second degree relatives of individuals with bipolar disorder shows increased genetic risk scores in both affected relatives and young At-Risk Individuals. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168, 617-29	3.5	34

(2016-2017)

191	The Systemic Synuclein Sampling Study: toward a biomarker for Parkinson's disease. <i>Biomarkers in Medicine</i> , 2017 , 11, 359-368	2.3	33	
190	Analysis of whole genome-transcriptomic organization in brain to identify genes associated with alcoholism. <i>Translational Psychiatry</i> , 2019 , 9, 89	8.6	33	
189	A multiancestral genome-wide exome array study of Alzheimer disease, frontotemporal dementia, and progressive supranuclear palsy. <i>JAMA Neurology</i> , 2015 , 72, 414-22	17.2	33	
188	Parkinson's disease biomarkers: perspective from the NINDS Parkinson's Disease Biomarkers Program. <i>Biomarkers in Medicine</i> , 2017 , 11, 451-473	2.3	33	
187	GABRR1 and GABRR2, encoding the GABA-A receptor subunits rho1 and rho2, are associated with alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 418-427	3.5	33	
186	Inflammatory profile in LRRK2-associated prodromal and clinical PD. <i>Journal of Neuroinflammation</i> , 2016 , 13, 122	10.1	33	
185	Knowledge gaps and research recommendations for essential tremor. <i>Parkinsonism and Related Disorders</i> , 2016 , 33, 27-35	3.6	33	
184	Genome-wide association data suggest ABCB1 and immune-related gene sets may be involved in adult antisocial behavior. <i>Translational Psychiatry</i> , 2015 , 5, e558	8.6	32	
183	DSM-5 cannabis use disorder: a phenotypic and genomic perspective. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 362-369	4.9	32	
182	Validation of Serum Neurofilament Light Chain as a Biomarker of Parkinson's Disease Progression. <i>Movement Disorders</i> , 2020 , 35, 1999-2008	7	32	
181	Novel Alzheimer Disease Risk Loci and Pathways in African American Individuals Using the African Genome Resources Panel: A Meta-analysis. <i>JAMA Neurology</i> , 2021 , 78, 102-113	17.2	32	
180	Rarity of the Alzheimer disease-protective APP A673T variant in the United States. <i>JAMA Neurology</i> , 2015 , 72, 209-16	17.2	31	
179	Genetic variant predicts bevacizumab-induced hypertension in ECOG-5103 and ECOG-2100. <i>British Journal of Cancer</i> , 2014 , 111, 1241-8	8.7	31	
178	Genetics of alcoholism: a review of recent studies in human and animal models. <i>American Journal on Addictions</i> , 1999 , 8, 261-78	3.7	31	
177	Genome sequencing analysis identifies new loci associated with Lewy body dementia and provides insights into its genetic architecture. <i>Nature Genetics</i> , 2021 , 53, 294-303	36.3	31	
176	Inflammatory profile discriminates clinical subtypes in LRRK2-associated Parkinson's disease. <i>European Journal of Neurology</i> , 2017 , 24, 427-e6	6	30	
175	Leveraging genome-wide data to investigate differences between opioid use vs. opioid dependence in 41,176 individuals from the Psychiatric Genomics Consortium. <i>Molecular Psychiatry</i> , 2020 , 25, 1673-1687	15.1	30	
174	Clinical-Genetic Associations in the Prospective Huntington at Risk Observational Study (PHAROS): Implications for Clinical Trials. <i>JAMA Neurology</i> , 2016 , 73, 102-10	17.2	29	

173	Heterogeneity in hereditary pancreatitis 1998 , 77, 47-53		29
172	Saccadic Eye Movements Are Associated With a Family History of Alcoholism at Baseline and After Exposure to Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 1568-1573	3.7	29
171	Genetics of alcoholism. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2014 , 125, 561-71	3	28
170	Genome-wide association study identifies a novel locus for cannabis dependence. <i>Molecular Psychiatry</i> , 2018 , 23, 1293-1302	15.1	28
169	Global and local ancestry in African-Americans: Implications for Alzheimer's disease risk. <i>Alzheimerks and Dementia</i> , 2016 , 12, 233-43	1.2	27
168	Comprehensive gene- and pathway-based analysis of depressive symptoms in older adults. <i>Journal of Alzheimerks Disease</i> , 2015 , 45, 1197-206	4.3	27
167	Lessons learned from whole exome sequencing in multiplex families affected by a complex genetic disorder, intracranial aneurysm. <i>PLoS ONE</i> , 2015 , 10, e0121104	3.7	27
166	Reliability of reported age at onset for Parkinson's disease. <i>Movement Disorders</i> , 2003 , 18, 275-279	7	27
165	NIPT and Informed Consent: an Assessment of Patient Understanding of a Negative NIPT Result. Journal of Genetic Counseling, 2016 , 25, 1127-37	2.5	27
164	New insights into the genetic etiology of Alzheimer's disease and related dementias <i>Nature Genetics</i> , 2022 ,	36.3	27
163	Charcot-Marie-Tooth gene, SBF2, associated with taxane-induced peripheral neuropathy in African Americans. <i>Oncotarget</i> , 2016 , 7, 82244-82253	3.3	26
162	Combined Face-Brain Morphology and Associated Neurocognitive Correlates in Fetal Alcohol Spectrum Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 1769-1782	3.7	24
161	Genome screen in familial intracranial aneurysm. <i>BMC Medical Genetics</i> , 2009 , 10, 3	2.1	23
160	Spheroid body myopathy revisited. <i>Muscle and Nerve</i> , 1997 , 20, 1127-36	3.4	23
159	Genome-wide association studies of alcohol dependence, DSM-IV criterion count and individual criteria. <i>Genes, Brain and Behavior</i> , 2019 , 18, e12579	3.6	22
158	Immunohistochemical Method and Histopathology Judging for the Systemic Synuclein Sampling Study (S4). <i>Journal of Neuropathology and Experimental Neurology</i> , 2018 , 77, 793-802	3.1	22
157	Brief report: genetics of alcoholic cirrhosis-GenomALC multinational study. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 836-42	3.7	22
156	Genome-wide survival analysis of age at onset of alcohol dependence in extended high-risk COGA families. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 56-62	4.9	21

(2018-1998)

155	Linkage of an alcoholism-related severity phenotype to chromosome 16. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 2035-42	3.7	20	
154	Mapping of QTL influencing saccharin consumption in the selectively bred alcohol-preferring and -nonpreferring rat lines. <i>Behavior Genetics</i> , 2002 , 32, 57-67	3.2	19	
153	Clinical and Dopamine Transporter Imaging Characteristics of Leucine Rich Repeat Kinase 2 (LRRK2) and Glucosylceramidase Beta (GBA) Parkinson's Disease Participants in the Parkinson's Progression Markers Initiative: A Cross-Sectional Study. <i>Movement Disorders</i> , 2020 , 35, 833-844	7	18	
152	Linkage analyses in Caribbean Hispanic families identify novel loci associated with familial late-onset Alzheimer's disease. <i>Alzheimerk and Dementia</i> , 2015 , 11, 1397-1406	1.2	18	
151	Relation over time between facial measurements and cognitive outcomes in fetal alcohol-exposed children. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 1634-46	3.7	18	
150	Genome-wide linkage analyses of non-Hispanic white families identify novel loci for familial late-onset Alzheimer's disease. <i>Alzheimerk</i> and Dementia, 2016 , 12, 2-10	1.2	18	
149	Genome-wide Association Study and Meta-analysis on Alcohol-Associated Liver Cirrhosis Identifies Genetic Risk Factors. <i>Hepatology</i> , 2021 , 73, 1920-1931	11.2	18	
148	Exome Sequencing Identifies Candidate Genetic Modifiers of Syndromic and Familial Thoracic Aortic Aneurysm Severity. <i>Journal of Cardiovascular Translational Research</i> , 2017 , 10, 423-432	3.3	17	
147	Association analysis of rare variants near the APOE region with CSF and neuroimaging biomarkers of Alzheimer's disease. <i>BMC Medical Genomics</i> , 2017 , 10, 29	3.7	17	
146	Confirmation of alcohol preference quantitative trait loci in the replicate high alcohol drinking and low alcohol drinking rat lines. <i>Psychiatric Genetics</i> , 2003 , 13, 155-61	2.9	17	
145	Alcoholism Susceptibility Loci: Confirmation Studies in a Replicate Sample and Further Mapping 2000 , 24, 933		17	
144	Adaptation of Subjective Responses to Alcohol is Affected by an Interaction of GABRA2 Genotype and Recent Drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1148-57	3.7	16	
143	Evolution of Alzheimer's Disease Cerebrospinal Fluid Biomarkers in Early Parkinson's Disease. <i>Annals of Neurology</i> , 2020 , 88, 574-587	9.4	16	
142	Integration of bioinformatics and imaging informatics for identifying rare PSEN1 variants in Alzheimer's disease. <i>BMC Medical Genomics</i> , 2016 , 9 Suppl 1, 30	3.7	16	
141	Linkage of type II and type III cystinuria to 19q13.1: Codominant inheritance of two cystinuric alleles at 19q13.1 produces an extreme stone-forming phenotype 1999 , 86, 134-139		16	
140	An endophenotype approach to the genetics of alcohol dependence: a genome wide association study of fast beta EEG in families of African ancestry. <i>Molecular Psychiatry</i> , 2017 , 22, 1767-1775	15.1	15	
139	Harnessing peripheral DNA methylation differences in the Alzheimer's Disease Neuroimaging Initiative (ADNI) to reveal novel biomarkers of disease. <i>Clinical Epigenetics</i> , 2020 , 12, 84	7.7	15	
138	Ondansetron blocks wild-type and p.F503L variant small-conductance Ca-activated K channels. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H375-H388	5.2	15	

137	Cancer outcomes among Parkinson's disease patients with leucine rich repeat kinase 2 mutations, idiopathic Parkinson's disease patients, and nonaffected controls. <i>Movement Disorders</i> , 2019 , 34, 1392-	1398	15
136	Facial Curvature Detects and Explicates Ethnic Differences in Effects of Prenatal Alcohol Exposure. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 1471-1483	3.7	15
135	Allele-specific expression and high-throughput reporter assay reveal functional genetic variants associated with alcohol use disorders. <i>Molecular Psychiatry</i> , 2021 , 26, 1142-1151	15.1	15
134	Ethanol treatment of lymphoblastoid cell lines from alcoholics and non-alcoholics causes many subtle changes in gene expression. <i>Alcohol</i> , 2014 , 48, 603-10	2.7	14
133	Novel recruitment strategy to enrich for LRRK2 mutation carriers. <i>Molecular Genetics & amp; Genomic Medicine</i> , 2015 , 3, 404-12	2.3	14
132	Genetic research: who is at risk for alcoholism. <i>Alcohol Research</i> , 2010 , 33, 64-75		14
131	Genome-wide polygenic scores for age at onset of alcohol dependence and association with alcohol-related measures. <i>Translational Psychiatry</i> , 2016 , 6, e761	8.6	14
130	Persistent Changes in Stress-Regulatory Genes in Pregnant Women or Children Exposed Prenatally to Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1887-1897	3.7	13
129	Calcium-Sensing Receptor Genotype and Response to Cinacalcet in Patients Undergoing Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1128-1138	6.9	12
128	Impact of Genetic Ancestry on Outcomes in ECOG-ACRIN-E5103. <i>JCO Precision Oncology</i> , 2017 , 2017,	3.6	12
127	Polymorphisms in the bone morphogenetic protein 2 (BMP2) gene do not affect bone mineral density in white men or women. <i>Osteoporosis International</i> , 2006 , 17, 587-92	5.3	12
126	Genome screen for platelet monoamine oxidase (MAO) activity. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 517-21		12
125	Plasma Total-Tau and Neurofilament Light Chain as Diagnostic Biomarkers of Alzheimer's Disease Dementia and Mild Cognitive Impairment in Adults with Down Syndrome. <i>Journal of Alzheimerks Disease</i> , 2021 , 79, 671-681	4.3	12
124	Meta-Analysis of Genetic Influences on Initial Alcohol Sensitivity. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 2349-2359	3.7	12
123	A MULTIVARIATE FINITE MIXTURE LATENT TRAJECTORY MODEL WITH APPLICATION TO DEMENTIA STUDIES. <i>Journal of Applied Statistics</i> , 2016 , 43, 2503-2523	1	11
122	Feasibility and Safety of Multicenter Tissue and Biofluid Sampling for Esynuclein in Parkinson's Disease: The Systemic Synuclein Sampling Study (S4). <i>Journal of Parkinson's Disease</i> , 2018 , 8, 517-527	5.3	11
121	Suggestive evidence of a locus on chromosome 10p using the NIMH genetics initiative bipolar affective disorder pedigrees. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 18-23		11
120	Genome-wide association analysis identifies new candidate risk loci for familial intracranial aneurysm in the French-Canadian population. <i>Scientific Reports</i> , 2018 , 8, 4356	4.9	10

119	Genetic Influences on Plasma Homocysteine Levels in African Americans and Yoruba Nigerians. Journal of Alzheimerks Disease, 2016 , 49, 991-1003	4.3	10
118	Longitudinal Measurements of Glucocerebrosidase activity in Parkinson's patients. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 1816-1830	5.3	10
117	Fine mapping of bone structure and strength QTLs in heterogeneous stock rat. <i>Bone</i> , 2015 , 81, 417-426	4.7	9
116	Telomere Shortening in the Alzheimer's Disease Neuroimaging Initiative Cohort. <i>Journal of Alzheimerks Disease</i> , 2019 , 71, 33-43	4.3	9
115	Whole exome sequencing of intracranial aneurysm. <i>Stroke</i> , 2013 , 44, S26-8	6.7	9
114	Genes Associated With Alcohol Outcomes Show Enrichment of Effects With Broad Externalizing and Impulsivity Phenotypes in an Independent Sample. <i>Journal of Studies on Alcohol and Drugs</i> , 2015 , 76, 38-46	1.9	9
113	Genetic variants associated with susceptibility to psychosis in[late-onset Alzheimer's disease families. <i>Neurobiology of Aging</i> , 2015 , 36, 3116.e9-3116.e16	5.6	9
112	Genomewide Association Studies of LRRK2 Modifiers of Parkinson's Disease. <i>Annals of Neurology</i> , 2021 , 90, 76-88	9.4	9
111	Genome-wide association study identifies loci associated with liability to alcohol and drug dependence that is associated with variability in reward-related ventral striatum activity in Africanand European-Americans. <i>Genes, Brain and Behavior</i> , 2019 , 18, e12580	3.6	8
110	Steroid Pathway Genes and Neonatal Respiratory Distress After Betamethasone Use in Anticipated Preterm Birth. <i>Reproductive Sciences</i> , 2016 , 23, 680-6	3	8
109	Genes associated with alcohol outcomes show enrichment of effects with broad externalizing and impulsivity phenotypes in an independent sample. <i>Journal of Studies on Alcohol and Drugs</i> , 2015 , 76, 38-	46 ⁹	8
108	Genome-wide transcriptome analysis identifies novel dysregulated genes implicated in Alzheimer's pathology. <i>Alzheimerks and Dementia</i> , 2020 , 16, 1213-1223	1.2	8
107	L1 coupling to ankyrin and the spectrin-actin cytoskeleton modulates ethanol inhibition of L1 adhesion and ethanol teratogenesis. <i>FASEB Journal</i> , 2018 , 32, 1364-1374	0.9	8
106	Characteristics of Bipolar I patients grouped by externalizing disorders. <i>Journal of Affective Disorders</i> , 2015 , 178, 206-14	6.6	7
105	Association of Polygenic Liability for Alcohol Dependence and EEG Connectivity in Adolescence and Young Adulthood. <i>Brain Sciences</i> , 2019 , 9,	3.4	7
104	SIBLING family genes and bone mineral density: association and allele-specific expression in humans. <i>Bone</i> , 2014 , 64, 166-72	4.7	7
103	Michael J. Fox Foundation LRRK2 Consortium: geographical differences in returning genetic research data to study participants. <i>Genetics in Medicine</i> , 2014 , 16, 644-5	8.1	7
102	Association studies of ALOX5 and bone mineral density in healthy adults. <i>Osteoporosis International</i> , 2008 , 19, 637-43	5.3	7

101	Obesity, Diabetes, Coffee, Tea, and Cannabis Use Alter Risk for Alcohol-Related Cirrhosis in 2 Large Cohorts of High-Risk Drinkers. <i>American Journal of Gastroenterology</i> , 2021 , 116, 106-115	0.7	7
100	Trans-ancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders		7
99	Assessment of Blood Biomarker Profile After Acute Concussion During Combative Training Among US Military Cadets: A Prospective Study From the NCAA and US Department of Defense CARE Consortium. <i>JAMA Network Open</i> , 2021 , 4, e2037731	10.4	7
98	Alzheimer's Disease Sequencing Project discovery and replication criteria for cases and controls: Data from a community-based prospective cohort study with autopsy follow-up. <i>Alzheimerk and Dementia</i> , 2017 , 13, 1410-1413	1.2	6
97	A genome-wide association study of interhemispheric theta EEG coherence: implications for neural connectivity and alcohol use behavior. <i>Molecular Psychiatry</i> , 2021 , 26, 5040-5052	15.1	6
96	Translational research on aging: clinical epidemiology as a bridge between the sciences. <i>Translational Research</i> , 2014 , 163, 439-45	11	6
95	Genetics of alcoholism. <i>Science</i> , 1998 , 282, 1269	33.3	6
94	A novel SNCA E83Q mutation in a case of dementia with Lewy bodies and atypical frontotemporal lobar degeneration. <i>Neuropathology</i> , 2020 , 40, 620-626	2	6
93	Genome-wide association studies of the self-rating of effects of ethanol (SRE). <i>Addiction Biology</i> , 2020 , 25, e12800	4.6	6
92	Dopamine transporter imaging predicts clinically-defined Bynucleinopathy in REM sleep behavior disorder. <i>Annals of Clinical and Translational Neurology</i> , 2021 , 8, 201-212	5.3	6
91	A genome wide association study of fast beta EEG in families of European ancestry. <i>International Journal of Psychophysiology</i> , 2017 , 115, 74-85	2.9	5
90	Fibroblast Growth Factor 23 Genotype and Cardiovascular Disease in Patients Undergoing Hemodialysis. <i>American Journal of Nephrology</i> , 2019 , 49, 125-132	4.6	5
89	Genetic Testing for Parkinson Disease: Are We Ready?. Neurology: Clinical Practice, 2021, 11, 69-77	1.7	5
88	The Longitudinal Early-onset Alzheimer's Disease Study (LEADS): Framework and methodology. <i>Alzheimerks and Dementia</i> , 2021 ,	1.2	5
87	Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
86	Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 156-170	1.2	5
85	Polygenic contributions to alcohol use and alcohol use disorders across population-based and clinically ascertained samples. <i>Psychological Medicine</i> , 2021 , 51, 1147-1156	6.9	5
84	Collagen COL22A1 maintains vascular stability and mutations in are potentially associated with intracranial aneurysms. <i>DMM Disease Models and Mechanisms</i> , 2018 , 11,	4.1	5

(2020-2018)

83	The Promise and Pitfalls of Facebook Advertising: a Genetic Counselor's Perspective. <i>Journal of Genetic Counseling</i> , 2018 , 27, 326-328	2.5	4
82	A GABRA2 polymorphism improves a model for prediction of drinking initiation. <i>Alcohol</i> , 2017 , 63, 1-8	2.7	4
81	Chromosome 5 and Parkinson disease. European Journal of Human Genetics, 2006, 14, 1106-10	5.3	4
80	A genetic risk score and diabetes predict development of alcohol-related cirrhosis in drinkers. Journal of Hepatology, 2021 ,	13.4	4
79	A Quantitative Trait Locus for Alcohol Consumption in Selectively Bred Rat Lines 1998, 22, 884		4
78	Cross-Sectional Exploration of Plasma Biomarkers of Alzheimer's Disease in Down Syndrome: Early Data from the Longitudinal Investigation for Enhancing Down Syndrome Research (LIFE-DSR) Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
77	Detecting significant genotype-phenotype association rules in bipolar disorder: market research meets complex genetics. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 24	5.4	4
76	Multi-omics integration analysis identifies novel genes for alcoholism with potential overlap with neurodegenerative diseases. <i>Nature Communications</i> , 2021 , 12, 5071	17.4	4
75	Psychosocial moderation of polygenic risk for cannabis involvement: the role of trauma exposure and frequency of religious service attendance. <i>Translational Psychiatry</i> , 2019 , 9, 269	8.6	3
74	[P1fl42]: DNA METHYLATION DYNAMICS IN ALZHEIMER'S DISEASE DIAGNOSIS AND PROGRESSION 2017 , 13, P297-P297		3
73	Exome-chip association analysis of intracranial aneurysms. <i>Neurology</i> , 2020 , 94, e481-e488	6.5	3
72	The association of polygenic risk for schizophrenia, bipolar disorder, and depression with neural connectivity in adolescents and young adults: examining developmental and sex differences. <i>Translational Psychiatry</i> , 2021 , 11, 54	8.6	3
71	Angiotensin-related genetic determinants of cardiovascular disease in patients undergoing hemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1924-1931	4.3	3
70	Outcomes of genetic test disclosure and genetic counseling in a large Parkinson's disease research study. <i>Journal of Genetic Counseling</i> , 2021 , 30, 755-765	2.5	3
69	Role of Lysosomal Gene Variants in Modulating GBA-Associated Parkinson's Disease Risk <i>Movement Disorders</i> , 2022 ,	7	3
68	Genome-wide association study of serum iron phenotypes in premenopausal women of European descent. <i>Blood Cells, Molecules, and Diseases</i> , 2016 , 57, 50-3	2.1	2
67	Biomarkers of neurodegeneration and glial activation validated in Alzheimer's disease assessed in longitudinal cerebrospinal fluid samples of Parkinson's disease. <i>PLoS ONE</i> , 2021 , 16, e0257372	3.7	2
66	Amyloid and tau PET in sporadic early-onset Alzheimer disease: Preliminary results from LEADS. <i>Alzheimer and Dementia</i> , 2020 , 16, e041613	1.2	1

65	Sex-associated differences in pathology burden in early-onset Alzheimer disease. <i>Alzheimer and Dementia</i> , 2020 , 16, e046532	1.2	1
64	P1-201: Genetic findings using ADNI multimodal quantitative phenotypes: A 2014 update 2015 , 11, P4	26-P42	6 1
63	O4D6D2: Genetic variation in PLXNA4 associated with susceptibility of Alzheimer's disease through tau phosphorylation 2013 , 9, P692-P692		1
62	O3-03-01: Genome-wide association study of CSF biomarkers amyloid beta 1-42, tau and tau phosphorylated at threonine 181 in the ADNI cohort 2010 , 6, S129-S129		1
61	Parametric linkage analysis and disequilibrium methods to identify loci for complex disease. <i>Genetic Epidemiology</i> , 2001 , 21 Suppl 1, S528-33	2.6	1
60	Genome wide association study for anthracycline-induced congestive heart failure <i>Journal of Clinical Oncology</i> , 2016 , 34, 1017-1017	2.2	1
59	Longitudinal Analysis of Multiple Neurotransmitter Metabolites in Cerebrospinal Fluid in Early Parkinson's Disease. <i>Movement Disorders</i> , 2021 , 36, 1972-1978	7	1
58	Meta-Analyses of Externalizing Disorders: Genetics or Prenatal Alcohol Exposure?. <i>Alcoholism:</i> Clinical and Experimental Research, 2018 , 42, 162-172	3.7	1
57	Stoppage: An issue for segregation analysis 2001 , 20, 328		1
56	The Alzheimer disease sequencing project follow up study (ADSP-FUS): Increasing ethnic diversity in Alzheimer genetics research with addition of potential new cohorts. <i>Alzheimer and Dementia</i> , 2020 , 16, e046400	1.2	O
55	O3-13-04: Genome-wide rare variant analysis identifies candidate genes significantly associated with composite scores for memory 2015 , 11, P251-P252		O
54	Genome-wide association study of stimulant dependence. <i>Translational Psychiatry</i> , 2021 , 11, 363	8.6	О
53	Genome-wide admixture mapping of DSM-IV alcohol dependence, criterion count, and the self-rating of the effects of ethanol in African American populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021 , 186, 151-161	3.5	О
52	Comprehensive cross-sectional and longitudinal analyses of plasma neurofilament light across FTD spectrum disorders <i>Cell Reports Medicine</i> , 2022 , 3, 100607	18	O
51	Web-based requisitioning, tracking and laboratory result reporting system for clinical trials using a central laboratory. <i>Alzheimerks and Dementia</i> , 2020 , 16, e038627	1.2	
50	Plasma biomarkers of inflammation reflect disease state in autosomal dominant forms of familial frontotemporal dementia. <i>Alzheimerks and Dementia</i> , 2020 , 16, e041533	1.2	
49	Associations of targeted genetic variants with Alzheimer disease in African Americans and Nigerians. <i>Alzheimer and Dementia</i> , 2020 , 16, e042323	1.2	
48	Studying the natural history of frontotemporal lobar degeneration (FTLD): The ARTFL LEFFTDS longitudinal FTLD (ALLFTD) protocol. <i>Alzheimerk and Dementia</i> , 2020 , 16, e045482	1.2	

(2015-2020)

47	Increased white matter MRI T1 hypointensity volume in young-onset Alzheimer disease patients is not accounted for by age or cardiovascular risk factors. <i>Alzheimer and Dementia</i> , 2020 , 16, e045577
46	Plasma neurofilament light chain levels reflect caregiver burden and social cognition measures in familial frontotemporal lobar degeneration (FTLD). <i>Alzheimerks and Dementia</i> , 2020 , 16, e046247
45	Neurodegeneration in the Longitudinal Evaluation of Early Onset Alzheimer Disease Study (LEADS) sample: Results from the MRI core. <i>Alzheimerk and Dementia</i> , 2020 , 16, e046338
44	IC-P-177: GENETIC FINDINGS USING ADNI MULTIMODAL QUANTITATIVE PHENOTYPES: A REVIEW OF PAPERS PUBLISHED IN 2013 2014 , 10, P99-P100
43	IC-P-174: RARE VARIANT IN PLD3 IS ASSOCIATED WITH ALZHEIMER'S PATTERN OF NEURODEGENERATIVE CHANGES 2014 , 10, P97-P97
42	P3-024: NEXT-GENERATION SEQUENCING OF THE BCHE LOCUS IDENTIFIES A FUNCTIONAL SNP ASSOCIATED WITH ALZHEIMER'S DISEASE BIOMARKERS AND AGE OF ONSET 2014 , 10, P636-P636
41	P3-017: ASSOCIATION ANALYSIS OF RARE VARIANTS NEAR THE APOE REGION WITH CEREBROSPINAL FLUID (CSF) BIOMARKERS OF ALZHEIMER'S DISEASE 2014 , 10, P632-P633
40	P1-141: GENETIC FINDINGS USING ADNI MULTIMODAL QUANTITATIVE PHENOTYPES: A REVIEW OF PAPERS PUBLISHED IN 2013 2014 , 10, P351-P351
39	P3-019: RARE VARIANT IN PLD3 IS ASSOCIATED WITH ALZHEIMER'S PATTERN OF NEURODEGENERATIVE CHANGES 2014 , 10, P634-P634
38	P3-011: Genome-wide association of plasma homocysteine in the indianapolis-ibadan dementia study cohort 2015 , 11, P623-P624
37	IC-P-042: Influence of rare reelin variants on quantitative PET imaging and CSF phenotypes in late-onset Alzheimer's disease 2015 , 11, P36-P36
36	P3-014: Influence of rare RELN variants on quantitative PET imaging and CSF phenotypes in late-onset Alzheimer's disease 2015 , 11, P624-P625
35	[P3II02]: GENETIC RISK FOR SCHIZOPHRENIA AND PSYCHOSIS IN ALZHEIMER DISEASE 2017 , 13, P973-P974
34	[P3 0 98]: ALZHEIMER'S DISEASE SEQUENCING PROJECT DISCOVERY AND REPLICATION CRITERIA FOR CASES AND CONTROLS: DATA FROM A COMMUNITY-BASED PROSPECTIVE COHORT STUDY WITH AUTOPSY FOLLOW-UP 2017 , 13, P971-P972
33	[P1I/54]: CHARACTERISTICS AND PROGRESS ON THE INITIAL 209 SUBJECTS IN THE LONGITUDINAL EVALUATION OF FAMILIAL FRONTOTEMPORAL DEMENTIA SUBJECTS (LEFFTDS) PROTOCOL 2017 , 13, P345-P345
32	[P2B03]: ADVANCING RESEARCH AND TREATMENT IN FRONTOTEMPORAL LOBAR DEGENERATION (ARTFL) NORTH AMERICAN RARE DISEASE CLINICAL RESEARCH CONSORTIUM: PROGRESS AND CHARACTERIZATION OF INITIAL PARTICIPANTS 2017 , 13, P733-P734
31	[P3090]: THE ALZHEIMER's DISEASE SEQUENCING PROJECT (ADSP) DATA UPDATE 2017 2017 , 13, P968-P968
30	P4-197: Gene expression profiling identifies altered networks in late-onset Alzheimer's disease: Immune response and mitochondrial process 2015 , 11, P855-P856

29	O4-05-01: Gwas of longitudinal amyloid PET identifies IL1RAP as a new potential Alzheimer's disease target 2015 , 11, P277-P278	
28	P3-018: INFLUENCE OF RARE PSEN1 VARIANTS ON QUANTITATIVE STRUCTURAL IMAGING AND CSF PHENOTYPES IN LATE ONSET ALZHEIMER'S DISEASE 2014 , 10, P633-P633	
27	Nonparametric linkage and family-based association studies of a simulated complex disorder. <i>Genetic Epidemiology</i> , 1999 , 17 Suppl 1, S627-32	2.6
26	Genetics of Parkinson disease. <i>Neurotherapeutics</i> , 2004 , 1, 235-242	6.4
25	Can Salivary Innate Immune Molecules Provide Clue on Taste Dysfunction in COVID-19?. <i>Frontiers in Microbiology</i> , 2021 , 12, 727430	5-7
24	Prenatal Alcohol Exposure: Advancing Knowledge Through International Collaborations. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 118-135	3.7
23	Association of Charcot-Marie-Tooth gene, SBF2, with taxane-induced peripheral neuropathy in African Americans <i>Journal of Clinical Oncology</i> , 2016 , 34, 1026-1026	2.2
22	Mutations disrupting PI3K signaling act as dominant enhancers of ethanol teratogenicity. <i>FASEB Journal</i> , 2013 , 27, 962.5	0.9
21	P2-097: The Alzheimer Disease Sequencing Project (ADSP): Data Production, Management, and Availability 2016 , 12, P648-P648	
20	IC-P-072: Gene Expression Of ABCA7 Dysregulated in Peripheral Blood is Associated With Decreased Metabolic Activity in Hippocampus 2016 , 12, P56-P58	
19	IC-P-074: Genome-Wide Meta-Analysis of Transcriptome Profiling Identifies Novel Dysregulated Genes Implicated in Alzheimer Disease 2016 , 12, P58-P60	
18	IC-P-075: The Growth and Impact of ADNI Genetics Publications as Measured by Science Mapping 2016 , 12, P60-P61	
17	P1-348: Neuropathology of Familial Alzheimer's Disease Associated with a Presenilin 1 A396T Mutation Reveals The Coexistence of AITAU, and A-Synuclein Proteinopathies 2016 , 12, P562-P563	
16	P2-258: The Growth and Impact of ADNI Genetics Publications as Measured by Science Mapping 2016 , 12, P725-P726	
15	P3-087: Gene Expression of ABCA7 Dysregulated in Peripheral Blood is Associated With Decreased Metabolic Activity in Hippocampus 2016 , 12, P851-P853	
14	O2-06-02: Genome-Wide Meta-Analysis of Transcriptome Profiling Identifies Novel Dysregulated Genes Implicated in Alzheimer's Disease 2016 , 12, P238-P239	
13	Testing influences of APOE and BDNF genes and heart failure on cognitive function. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2021 , 50, 51-58	2.6
12	The Contribution of Known Familial Cardiovascular Disease Genes to Sudden Cardiac Death in Patients Undergoing Hemodialysis. <i>CardioRenal Medicine</i> , 2021 , 11, 174-183	2.8

LIST OF PUBLICATIONS

11	CARRIERS 2018 , 14, P475-P476	
10	P1-597: AMYLOID NEUROIMAGING AND GENETICS INITIATIVE: IMPLEMENTING DNA COLLECTION USING NOVEL CONSENTING APPROACHES FOR AN IDEAS ADD-ON STUDY 2018 , 14, P566-P567	
9	P1-149: THE ALZHEIMER'S DISEASE SEQUENCING PROJECT (ADSP) DATA UPDATE 2018 2018 , 14, P33:	3-P334
8	O2-14-01: CHARACTERISTICS AND PROGRESS OF 320 SUBJECTS IN THE LONGITUDINAL EVALUATION OF FAMILIAL FRONTOTEMPORAL DEMENTIA SUBJECTS (LEFFTDS) PROTOCOL 2018 , 14, P656-P656	
7	P1-419: USING A BRAIN NETWORK APPROACH TO PREDICT GENETIC MUTATION IN INDIVIDUAL PATIENTS WITH FAMILIAL FRONTOTEMPORAL DEMENTIA 2018 , 14, P465-P466	
6	Longitudinal Early-onset Alzheimer's Disease Study (LEADS) genetic screening: Initial results <i>Alzheimerk</i> and Dementia, 2021 , 17 Suppl 3, e056493	1.2
5	ADSP follow-up study: NCRAD biospecimens Alzheimerks and Dementia, 2021, 17 Suppl 3, e056242	1.2
4	Association of a locus on chromosome 17 with earlier age at onset of cognitive impairment in a familial Amish dataset <i>Alzheimerks and Dementia</i> , 2021 , 17 Suppl 3, e056288	1.2
3	NCRAD Family Study and NIA-LOAD brain tissue: A NCRAD resource <i>Alzheimerks and Dementia</i> , 2021 , 17 Suppl 3, e056284	1.2
2	Establishing a centralized repository of human pluripotent stem cells for neurodegeneration research <i>Alzheimerk</i> and <i>Dementia</i> , 2021 , 17 Suppl 3, e053911	1.2
1	ADRC GWAS supplement: An NCRAD initiative Alzheimerks and Dementia, 2021, 17 Suppl 3, e056176	1.2