

Juhyun Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5052717/juhyun-park-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

522
citations

10
h-index

22
g-index

46
ext. papers

688
ext. citations

3.7
avg, IF

3.66
L-index

#	Paper	IF	Citations
45	External Validation and Evaluation of Reliability and Validity of the Modified Seoul National University Renal Stone Complexity Scoring System to Predict Stone-Free Status After Retrograde Intrarenal Surgery. <i>Journal of Endourology</i> , 2015 , 29, 888-93	2.7	212
44	Mini-percutaneous Nephrolithotomy vs Retrograde Intrarenal Surgery for Renal Stones Larger Than 10 mm: A Prospective Randomized Controlled Trial. <i>Urology</i> , 2015 , 86, 873-7	1.6	46
43	Impact of Detrusor Underactivity on Surgical Outcomes of Laser Prostatectomy: Comparison in Serial 12-Month Follow-Up Outcomes Between Potassium-Titanyl-Phosphate Photoselective Vaporization of the Prostate (PVP) and Holmium Laser Enucleation of the Prostate (HoLEP). <i>Urology</i> , 2016 , 87, 158-164	1.6	25
42	Low testosterone level is an independent risk factor for high-grade prostate cancer detection at biopsy. <i>BJU International</i> , 2016 , 118, 230-5	5.6	20
41	The impacts of metabolic syndrome and lifestyle on the prevalence of benign prostatic hyperplasia requiring treatment: historical cohort study of 130 454 men. <i>BJU International</i> , 2019 , 123, 140-148	5.6	15
40	Perioperative Blood Transfusion as a Significant Predictor of Biochemical Recurrence and Survival after Radical Prostatectomy in Patients with Prostate Cancer. <i>PLoS ONE</i> , 2016 , 11, e0154918	3.7	14
39	Evaluation of renal function in patients with a main renal stone larger than 1cm and perioperative renal functional change in minimally invasive renal stone surgery: a prospective, observational study. <i>World Journal of Urology</i> , 2016 , 34, 725-32	4	13
38	Changes in the Prevalence and Risk Factors of Erectile Dysfunction during a Decade: The Korean Internet Sexuality Survey (KISS), a 10-Year-Interval Web-Based Survey. <i>World Journal of Men's Health</i> , 2019 , 37, 199-209	6.8	13
37	Feasibility of single-session endoscopic combined intrarenal surgery for ipsilateral large renal stones and retrograde intrarenal surgery for contralateral renal stones: Initial experience. <i>International Journal of Urology</i> , 2017 , 24, 377-382	2.3	10
36	Inhibition of Jun N-terminal Kinase Improves Erectile Function by Alleviation of Cavernosal Apoptosis in a Rat Model of Cavernous Nerve Injury. <i>Urology</i> , 2018 , 113, 253.e9-253.e16	1.6	10
35	Poor glycemic control of diabetes mellitus is associated with higher risk of prostate cancer detection in a biopsy population. <i>PLoS ONE</i> , 2014 , 9, e104789	3.7	10
34	Role of inhibiting LIM-kinase2 in improving erectile function through suppression of corporal fibrosis in a rat model of cavernous nerve injury. <i>Asian Journal of Andrology</i> , 2018 , 20, 372-378	2.8	10
33	Can preoperative detrusor underactivity influence surgical outcomes of 120 W HPS vaporization of the prostate (PVP) or holmium laser enucleation of the prostate (HoLEP)? A serial 3-year follow-up study. <i>Neurourology and Urodynamics</i> , 2018 , 37, 407-416	2.3	9
32	Comparative analysis of benign prostatic hyperplasia management by urologists and nonurologists: a Korean nationwide health insurance database study. <i>Korean Journal of Urology</i> , 2015 , 56, 233-9		9
31	Chronic administration of atorvastatin could partially ameliorate erectile function in streptozotocin-induced diabetic rats. <i>PLoS ONE</i> , 2017 , 12, e0172751	3.7	9
30	The effect of preoperative ureteral stenting in retrograde Intrarenal surgery: a multicenter, propensity score-matched study. <i>BMC Urology</i> , 2020 , 20, 147	2.2	9
29	Effect of preoperative detrusor underactivity on long-term surgical outcomes of photovaporization and holmium laser enucleation in men with benign prostatic hyperplasia: a lesson from 5-year serial follow-up data. <i>BJU International</i> , 2019 , 123, E34-E42	5.6	9

28	Development and validation of an explainable artificial intelligence-based decision-supporting tool for prostate biopsy. <i>BJU International</i> , 2020 , 126, 694-703	5.6	8
27	Ten-Year Interval Changes in the Prevalence of Self-Identified Premature Ejaculation and Premature Ejaculation Based on an Estimated Intravaginal Ejaculation Latency Time of . <i>Journal of Sexual Medicine</i> , 2019 , 16, 512-521	1.1	6
26	Impact of serum 25-OH vitamin D level on lower urinary tract symptoms in men: a step towards reducing overactive bladder. <i>BJU International</i> , 2018 , 122, 667-672	5.6	6
25	Effects of metabolic syndrome on the prevalence of prostate cancer: historical cohort study using the national health insurance service database. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 775-780	4.9	6
24	Chronic administration of LIMK2 inhibitors alleviates cavernosal veno-occlusive dysfunction through suppression of cavernosal fibrosis in a rat model of erectile dysfunction after cavernosal nerve injury. <i>PLoS ONE</i> , 2019 , 14, e0213586	3.7	5
23	The Acceptable Criterion of Stone Burden and the Significant Factors to Choose Retrograde Intrarenal Stone Surgery or Miniaturized Percutaneous Nephrolithotomy for the Treatment of Renal Stones >10 mm. <i>Journal of Endourology</i> , 2017 , 31, 1012-1018	2.7	5
22	The Impact of Pathologic Upgrading of Gleason Score 7 Prostate Cancer on the Risk of the Biochemical Recurrence after Radical Prostatectomy. <i>BioMed Research International</i> , 2018 , 2018, 4510149	3.9	5
21	Rapid increase of health care utilization and cost due to benign prostatic hyperplasia in Korean men: retrospective population-based analysis using the Health Insurance Review and Assessment service data. <i>Journal of Korean Medical Science</i> , 2015 , 30, 180-5	4.7	4
20	Comparison of Improving Effects for Diabetic Erectile Dysfunction according to the Anti-Glycemic Agents: Phlorizin and Insulin. <i>World Journal of Men's Health</i> , 2019 , 37, 210-218	6.8	3
19	Patients with Biopsy Gleason Score 3 + 4 Are Not Appropriate Candidates for Active Surveillance. <i>Urologia Internationalis</i> , 2020 , 104, 199-204	1.9	3
18	Predictors of Improvement in Storage Symptoms at Three Years After 120W GreenLight High Performance System Laser Treatment for Benign Prostate Hyperplasia. <i>Journal of Endourology</i> , 2017 , 31, 666-673	2.7	2
17	Combination of LIM-kinase 2 and Jun Amino-terminal Kinase Inhibitors Improves Erectile Function in a Rat Model of Cavernous Nerve Injury. <i>Urology</i> , 2019 , 131, 136-143	1.6	2
16	Changes in separate renal function in patients who underwent minimally invasive renal stone surgery according to the preoperative functional deterioration. <i>Scientific Reports</i> , 2019 , 9, 3610	4.9	2
15	Postoperative renal functional changes assessed by Tc-DTPA scintigraphy and predictive factors after miniaturized percutaneous nephrolithotomy and retrograde intrarenal surgery: An observational 1-year follow-up study. <i>Investigative and Clinical Urology</i> , 2020 , 61, 59-66	1.9	2
14	Optimal high-density lipoprotein cholesterol level for decreasing benign prostatic hyperplasia in men not taking statin medication: A historical cohort study. <i>Prostate</i> , 2020 , 80, 570-576	4.2	2
13	Changes in Erectile Function after Photoselective Vaporization of the Prostate with a 120-W GreenLight High-Performance System Laser: 2-Year Follow-Up. <i>World Journal of Men's Health</i> , 2017 , 35, 156-162	6.8	2
12	The effects of single versus combined therapy using LIM-kinase 2 inhibitor and type 5 phosphodiesterase inhibitor on erectile function in a rat model of cavernous nerve injury-induced erectile dysfunction. <i>Asian Journal of Andrology</i> , 2019 , 21, 493-500	2.8	2
11	Treatment outcomes and overactive bladder symptoms after midurethral sling in female patients with or without various neurological diseases. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2379-2385	2.3	2

10	Therapeutic Efficacy of Human Embryonic Stem Cell-Derived Multipotent Stem/Stromal Cells in Diabetic Detrusor Underactivity: A Preclinical Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
9	Changing Trends in Sexual Debut Age in the Korean Internet Sexuality Survey. <i>World Journal of Men's Health</i> , 2021 ,	6.8	2
8	Differences in risk factors for biochemical recurrence after radical prostatectomy stratified by the degree of obesity: Focused on surgical methods. <i>Scientific Reports</i> , 2020 , 10, 10157	4.9	1
7	Relationship between each IPSS item score and erectile dysfunction in the Korean Internet Sexuality Survey (KISS): do men with weak streams have low sexual function?. <i>World Journal of Urology</i> , 2020 , 38, 3219-3226	4	1
6	Clinical Aspects of Premonitory Urges in Patients with Tourette's Disorder. <i>Soongjeongsoungyeon Jeongsin Yihag</i> , 2019 , 30, 50-56	1.2	1
5	A Preclinical Study of Human Embryonic Stem Cell-Derived Mesenchymal Stem Cells for Treating Detrusor Underactivity by Chronic Bladder Ischemia. <i>Stem Cell Reviews and Reports</i> , 2021 , 17, 2139-2152	7.3	1
4	Current status of minimally invasive surgery for treatment of renal stones and tumors using a flexible ureteroscopy. <i>Journal of the Korean Medical Association</i> , 2016 , 59, 459	0.5	1
3	Tic & Tourette Syndrome and Motor Disorders. <i>Hanyang Medical Reviews</i> , 2016 , 36, 46		1
2	Bladder wall thickness and detrusor wall thickness can help to predict the bladder outlet obstruction in men over the age of 70 years with symptomatic benign prostatic hyperplasia. <i>Investigative and Clinical Urology</i> , 2020 , 61, 491-497	1.9	0
1	Restoration of Cavernous Veno-Occlusive Function through Chronic Administration of a Jun-Amino Terminal Kinase Inhibitor and a LIM-Kinase 2 Inhibitor by Suppressing Cavernous Apoptosis and Fibrosis in a Rat Model of Cavernous Nerve Injury: A Comparison with a Phosphodiesterase Type 5 Inhibitor. <i>World Journal of Men's Health</i> , 2021 , 39, 541-549	6.8	0