Thomas Saucede

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/505495/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dispersal models alert on the risk of nonâ€native species introduction by Ballast water in protected areas from the Western Antarctic Peninsula. Diversity and Distributions, 2022, 28, 649-666.	4.1	2
2	Nimble vessel cruises as a complementary platform for Southern Ocean biodiversity research: concept and preliminary results from the Belgica 121 expedition. Antarctic Science, 2022, 34, 336-342.	0.9	1
3	Seven snail species hidden in one: Biogeographic diversity in an apparently widespread periwinkle in the Southern Ocean. Journal of Biogeography, 2022, 49, 1521-1534.	3.0	9
4	The high diversity of Southern Ocean sea stars (Asteroidea) reveals original evolutionary pathways. Progress in Oceanography, 2021, 190, 102472.	3.2	9
5	Taxonomy 2.0: computer-aided identification tools to assist Antarctic biologists in the field and in the laboratory. Antarctic Science, 2021, 33, 39-51.	0.9	10
6	Diversity of the Pterasteridae (Asteroidea) in the Southern Ocean: a molecular and morphological approach. Zoological Journal of the Linnean Society, 2021, 192, 105-116.	2.3	10
7	Is the southern crab <i>Halicarcinus planatus</i> (Fabricius, 1775) the next invader of Antarctica?. Global Change Biology, 2021, 27, 3487-3504.	9.5	20
8	Species distribution modelling of the Southern Ocean benthos: a review on methods, cautions and solutions. Antarctic Science, 2021, 33, 349-372.	0.9	7
9	The Belgica 121 expedition to the Western Antarctic Peninsula: a detailed biodiversity census. Biodiversity Data Journal, 2021, 9, e70590.	0.8	1
10	When Imagery and Physical Sampling Work Together: Toward an Integrative Methodology of Deep-Sea Image-Based Megafauna Identification. Frontiers in Marine Science, 2021, 8, .	2.5	3
11	Trophic markers and biometric measurements in Southern Ocean sea stars (1985–2017). Ecology, 2021, , e3611.	3.2	0
12	Extrapolation in species distribution modelling. Application to Southern Ocean marine species. Progress in Oceanography, 2020, 188, 102438.	3.2	15
13	Experimental neoichnology of post-autotomy arm movements of sea lilies and possible evidence of thrashing behaviour in Triassic holocrinids. Scientific Reports, 2020, 10, 15147.	3.3	5
14	Echinocardium cordatum. Developments in Aquaculture and Fisheries Science, 2020, 43, 337-357.	1.3	6
15	Can DEB models infer metabolic differences between intertidal and subtidal morphotypes of the Antarctic limpet Nacella concinna (Strebel, 1908)?. Ecological Modelling, 2020, 430, 109088.	2.5	9
16	Diversity of Antarctic Echinoids and Ecoregions of the Southern Ocean. Biology Bulletin, 2020, 47, 683-698.	0.5	0
17	Is reproductive strategy a key factor in understanding the evolutionary history of Southern Ocean Asteroidea (Echinodermata)?. Ecology and Evolution, 2019, 9, 8465-8478.	1.9	14
18	Broad-scale species distribution models applied to data-poor areas. Progress in Oceanography, 2019, 175, 198-207.	3.2	19

THOMAS SAUCEDE

#	Article	IF	CITATIONS
19	A new holocrinid (Articulata) from the Paris Biota (Bear Lake County, Idaho, USA) highlights the high diversity of Early Triassic crinoids. Geobios, 2019, 54, 45-53.	1.4	11
20	Systematic revision of Nacella (Patellogastropoda: Nacellidae) based on a complete phylogeny of the genus, with the description of a new species from the southern tip of South America. Zoological Journal of the Linnean Society, 2019, 186, 303-336.	2.3	12
21	Can we generate robust species distribution models at the scale of the Southern Ocean?. Diversity and Distributions, 2019, 25, 21-37.	4.1	14
22	Unexpected absence of island endemics: Longâ€distance dispersal in higher latitude subâ€Antarctic <i>Siphonaria</i> (Gastropoda: Euthyneura) species. Journal of Biogeography, 2018, 45, 874-884.	3.0	34
23	Cross-disciplinarity in the advance of Antarctic ecosystem research. Marine Genomics, 2018, 37, 1-17.	1.1	70
24	Understanding processes at the origin of species flocks with a focus on the marine <scp>A</scp> ntarctic fauna. Biological Reviews, 2018, 93, 481-504.	10.4	21
25	Benthic species of the Kerguelen Plateau show contrasting distribution shifts in response to environmental changes. Ecology and Evolution, 2018, 8, 6210-6225.	1.9	28
26	Diversification rates indicate an early role of adaptive radiations at the origin of modern echinoid fauna. PLoS ONE, 2018, 13, e0194575.	2.5	17
27	Antarctic and Sub-Antarctic Asteroidea database. ZooKeys, 2018, 747, 141-156.	1.1	13
28	Reproductive strategy as a piece of the biogeographic puzzle: a case study using Antarctic sea stars (Echinodermata, Asteroidea). Journal of Biogeography, 2017, 44, 848-860.	3.0	20
29	Unexpected Early Triassic marine ecosystem and the rise of the Modern evolutionary fauna. Science Advances, 2017, 3, e1602159.	10.3	103
30	Following the Antarctic Circumpolar Current: patterns and processes in the biogeography of the limpet <i>Nacella</i> (Mollusca: Patellogastropoda) across the Southern Ocean. Journal of Biogeography, 2017, 44, 861-874.	3.0	41
31	Southern Ocean Echinoids database – An updated version of Antarctic, Sub-Antarctic and cold temperate echinoid database. ZooKeys, 2017, 697, 1-20.	1.1	19
32	Patterns of genetic diversity and structure in Antarctic and sub-Antarctic Nacella (Patellogastropoda: Nacellidae) species. Biodiversity, 2016, 17, 46-55.	1.1	6
33	The taxonomic challenge posed by the Antarctic echinoids Abatus bidens and Abatus cavernosus (Schizasteridae, Echinoidea). Polar Biology, 2016, 39, 897-912.	1.2	10
34	Echinoids of the Kerguelen Plateau – occurrence data and environmental setting for past, present, and future species distribution modelling. ZooKeys, 2016, 630, 1-17.	1.1	6
35	The phylogenetic position and taxonomic status of Sterechinus bernasconiae Larrain, 1975 (Echinodermata, Echinoidea), an enigmatic Chilean sea urchin. Polar Biology, 2015, 38, 1223-1237.	1.2	4
36	Empirical and theoretical study of atelostomate (Echinoidea, Echinodermata) plate architecture: using graph analysis to reveal structural constraints. Paleobiology, 2015, 41, 436-459.	2.0	10

THOMAS SAUCEDE

#	Article	IF	CITATIONS
37	A revision of the rare genus <i>Cyclolampas</i> (Echinoidea) using morphometrics with description of a new species from the upper Callovian of Burgundy (France). Journal of Paleontology, 2013, 87, 105-122.	0.8	1
38	Is the Species Flock Concept Operational? The Antarctic Shelf Case. PLoS ONE, 2013, 8, e68787.	2.5	51
39	Correlative and dynamic species distribution modelling for ecological predictions in the Antarctic: a cross-disciplinary concept. Polar Research, 2012, 31, 11091.	1.6	54
40	Antarctic, Sub-Antarctic and cold temperate echinoid database. ZooKeys, 2012, 204, 47-52.	1.1	23
41	Environmental control on the structure of echinoid assemblages in the Bellingshausen Sea (Antarctica). Polar Biology, 2012, 35, 1343-1357.	1.2	13
42	DNA barcoding and molecular systematics of the benthic andÂdemersal organisms of the CEAMARC survey. Polar Science, 2011, 5, 298-312.	1.2	25
43	Biodiversity and evolution in the light of morphometrics: From patterns to processes. Comptes Rendus - Palevol, 2011, 10, 133-142.	0.2	12
44	Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 74-83.	1.4	142
45	The morphology, ontogeny, and inferred behaviour of the deep-sea echinoidCalymne relicta(Holasteroida). Zoological Journal of the Linnean Society, 2009, 155, 630-648.	2.3	12
46	Évolution et radiations adaptatives chez les échinides. Comptes Rendus - Palevol, 2009, 8, 189-207.	0.2	13
47	Phylogeny and origin of Jurassic irregular echinoids (Echinodermata: Echinoidea). Geological Magazine, 2007, 144, 333-359.	1.5	39
48	Evolution to the extreme: origins of the highly modified apical system in pourtalesiid echinoids. Zoological Journal of the Linnean Society, 2004, 140, 137-155.	2.3	14