Saverio Cinieri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5055155/publications.pdf

Version: 2024-02-01

101 papers 3,690 citations

30 h-index 138468 58 g-index

102 all docs

102 docs citations

102 times ranked 5601 citing authors

#	Article	IF	CITATIONS
1	Left ventricular dysfunction predicted by early troponin I release after high-dose chemotherapy. Journal of the American College of Cardiology, 2000, 36, 517-522.	2.8	463
2	Carboplatin plus paclitaxel once a week versus every 3 weeks in patients with advanced ovarian cancer (MITO-7): a randomised, multicentre, open-label, phase 3 trial. Lancet Oncology, The, 2014, 15, 396-405.	10.7	327
3	First-Line Erlotinib Followed by Second-Line Cisplatin-Gemcitabine Chemotherapy in Advanced Non–Small-Cell Lung Cancer: The TORCH Randomized Trial. Journal of Clinical Oncology, 2012, 30, 3002-3011.	1.6	229
4	Breast carcinoma in elderly women. Cancer, 2004, 101, 1302-1310.	4.1	176
5	Angiogenic growth factors and endostatin in nonâ€Hodgkin's lymphoma. British Journal of Haematology, 1999, 106, 504-509.	2.5	151
6	Pazopanib plus weekly paclitaxel versus weekly paclitaxel alone for platinum-resistant or platinum-refractory advanced ovarian cancer (MITO 11): a randomised, open-label, phase 2 trial. Lancet Oncology, The, 2015, 16, 561-568.	10.7	141
7	Italian, Multicenter, Phase III, Randomized Study of Cisplatin Plus Etoposide With or Without Bevacizumab as First-Line Treatment in Extensive-Disease Small-Cell Lung Cancer: The GOIRC-AIFA FARM6PMFJM Trial. Journal of Clinical Oncology, 2017, 35, 1281-1287.	1.6	126
8	Prolonged clinical benefit with metronomic chemotherapy in patients with metastatic breast cancer. Anti-Cancer Drugs, 2006, 17, 961-967.	1.4	91
9	Extended adjuvant intermittent letrozole versus continuous letrozole in postmenopausal women with breast cancer (SOLE): a multicentre, open-label, randomised, phase 3 trial. Lancet Oncology, The, 2018, 19, 127-138.	10.7	91
10	Assessing Tumor Angiogenesis. Cancer Research, 2004, 64, 4373-4377.	0.9	83
11	Weekly epirubicin in the treatment of gestational breast cancer (GBC). Breast Cancer Research and Treatment, 2009, 115, 591-594.	2.5	68
12	Multicycle Dose-Intensive Chemotherapy for Women With High-Risk Primary Breast Cancer: Results of International Breast Cancer Study Group Trial 15-95. Journal of Clinical Oncology, 2006, 24, 370-378.	1.6	67
13	Natural History of Malignant Bone Disease in Renal Cancer: Final Results of an Italian Bone Metastasis Survey. PLoS ONE, 2013, 8, e83026.	2.5	66
14	Randomized Controlled Trial Testing the Efficacy of Platinum-Free Interval Prolongation in Advanced Ovarian Cancer: The MITO-8, MaNGO, BGOG-Ov1, AGO-Ovar2.16, ENGOT-Ov1, GCIG Study. Journal of Clinical Oncology, 2017, 35, 3347-3353.	1.6	66
15	Bone metastases in patients with metastatic renal cell carcinoma: are they always associated with poor prognosis?. Journal of Experimental and Clinical Cancer Research, 2015, 34, 10.	8.6	65
16	Clinical outcomes in patients receiving three lines of targeted therapy for metastatic renal cell carcinoma: Results from a large patient cohort. European Journal of Cancer, 2013, 49, 2134-2142.	2.8	60
17	Adjuvant anastrozole versus exemestane versus letrozole, upfront or after 2 years of tamoxifen, in endocrine-sensitive breast cancer (FATA-GIM3): a randomised, phase 3 trial. Lancet Oncology, The, 2018, 19, 474-485.	10.7	59
18	Targeting triple negative breast cancer with histone deacetylase inhibitors. Expert Opinion on Investigational Drugs, 2017, 26, 1199-1206.	4.1	58

#	Article	IF	Citations
19	Natural History of Malignant Bone Disease in Gastric Cancer: Final Results of a Multicenter Bone Metastasis Survey. PLoS ONE, 2013, 8, e74402.	2.5	56
20	Cisplatin/Pemetrexed Followed by Maintenance Pemetrexed Versus Carboplatin/Paclitaxel/Bevacizumab Followed by Maintenance Bevacizumab in Advanced Nonsquamous Lung Cancer: The GOIM (Gruppo) Tj ETQq0	0 0 0 rgBT /0	Overlock 10 T
	262-273.		
21	Targeted agents to reverse resistance to endocrine therapy in metastatic breast cancer: Where are we now and where are we going?. Critical Reviews in Oncology/Hematology, 2012, 84, 243-251.	4.4	51
22	Randomized phase III trial of gemcitabine and cisplatin vs. gemcitabine alone in patients with advanced non-small cell lung cancer and a performance status of 2: The CAPPA-2 study. Lung Cancer, 2013, 81, 77-83.	2.0	51
23	Role of gemcitabine in metastatic breast cancer patients: A short review. Breast, 2008, 17, 220-226.	2.2	47
24	Nutritional support for cancer patients: still a neglected right?. Supportive Care in Cancer, 2017, 25, 3001-3004.	2.2	42
25	Cisplatin-Based First-Line Treatment of Elderly Patients With Advanced Non–Small-Cell Lung Cancer: Joint Analysis of MILES-3 and MILES-4 Phase III Trials. Journal of Clinical Oncology, 2018, 36, 2585-2592.	1.6	42
26	Adjuvant zoledronic acid and letrozole plus ovarian function suppression in premenopausal breast cancer: HOBOE phase 3 randomised trial. European Journal of Cancer, 2019, 118, 178-186.	2.8	39
27	Biological targeted therapies in patients with advanced enteropancreatic neuroendocrine carcinomas. Cancer Treatment Reviews, 2010, 36, S87-S94.	7.7	36
28	DPYD*6 plays an important role in fluoropyrimidine toxicity in addition to DPYD*2A and c.2846A>T: a comprehensive analysis in 1254 patients. Pharmacogenomics Journal, 2019, 19, 556-563.	2.0	35
29	Natural History of Malignant Bone Disease in Hepatocellular Carcinoma: Final Results of a Multicenter Bone Metastasis Survey. PLoS ONE, 2014, 9, e105268.	2.5	33
30	Discordance in pathology report after central pathology review: Implications for breast cancer adjuvant treatment. Breast, 2016, 30, 151-155.	2.2	32
31	MO19390 (SAiL): Bleeding events in a phase IV study of first-line bevacizumab with chemotherapy in patients with advanced non-squamous NSCLC. Lung Cancer, 2012, 76, 373-379.	2.0	31
32	Basal and bevacizumab-based therapy-induced changes of lactate dehydrogenases and fibrinogen levels and clinical outcome of previously untreated metastatic colorectal cancer patients: a multicentric retrospective analysis. Expert Opinion on Biological Therapy, 2015, 15, 155-162.	3.1	27
33	Management of patients with end-stage renal disease undergoing chemotherapy: recommendations of the Associazione Italiana di Oncologia Medica (AIOM) and the Società Italiana di Nefrologia (SIN). ESMO Open, 2017, 2, e000167.	4.5	27
34	Fatherhood during imatinib. Acta Oncológica, 2011, 50, 734-735.	1.8	26
35	Toxoplasma gondii infection in patients with hematological malignancies. Annals of Hematology, 2004, 83, 592-595.	1.8	25
36	Rationale and Design of MILES-3 and MILES-4 Studies: Two Randomized Phase 3 Trials Comparing Single-Agent Chemotherapy Versus Cisplatin-Based Doublets in Elderly Patients With Advanced Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2014, 15, 166-170.	2.6	25

#	Article	IF	Citations
37	Recent advances in the treatment of hormone receptor positive HER2 negative metastatic breast cancer. Critical Reviews in Oncology/Hematology, 2015, 94, 291-301.	4.4	24
38	Quality of Life Analysis of TORCH, a Randomized Trial Testing First-Line Erlotinib Followed by Second-Line Cisplatin/Gemcitabine Chemotherapy in Advanced Non–Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2012, 7, 1830-1844.	1.1	23
39	BMI variation increases recurrence risk in women with early-stage breast cancer. Future Oncology, 2014, 10, 2459-2468.	2.4	23
40	Impact of Metformin Use and Diabetic Status During Adjuvant Fluoropyrimidine-Oxaliplatin Chemotherapy on the Outcome of Patients with Resected Colon Cancer: A TOSCA Study Subanalysis. Oncologist, 2019, 24, 385-393.	3.7	23
41	Tailored therapy of adult acute leukaemia in Jehovah's Witnesses: unjustified reluctance to treat. European Journal of Haematology, 2004, 72, 264-267.	2.2	20
42	Trastuzumab-lapatinib as neoadjuvant therapy for HER2-positive early breast cancer: Survival analyses of the CHER-Lob trial. European Journal of Cancer, 2021, 153, 133-141.	2.8	20
43	Clinical outcomes after palbociclib with or without endocrine therapy in postmenopausal women with hormone receptor positive and HER2-negative metastatic breast cancer enrolled in the TREnd trial. Breast Cancer Research, 2019, 21, 71.	5.0	19
44	The MITO CERV-2 trial: A randomized phase II study of cetuximab plus carboplatin and paclitaxel, in advanced or recurrent cervical cancer. Gynecologic Oncology, 2019, 153, 535-540.	1.4	19
45	Mammaglobin Expression in Leukapheresis Products Is a Predictive Marker of Poor Prognosis in Women with High-Risk Breast Cancer. Clinical Cancer Research, 2004, 10, 6039-6046.	7.0	18
46	Eribulin in the treatment of advanced breast cancer: real-world scenario from 39 Italian centers – ESEMPiO study. Future Oncology, 2019, 15, 33-44.	2.4	18
47	First-line cisplatin with docetaxel or vinorelbine in patients with advanced non-small-cell lung cancer: A quality of life directed phase II randomized trial of Gruppo Oncologico Italia Meridionale. Lung Cancer, 2010, 69, 218-224.	2.0	17
48	Italian Multicenter Phase III Randomized Study ofÂCisplatin–Etoposide With or Without Bevacizumab as First-Line Treatment in Extensive Stage Small Cell Lung Cancer: Treatment Rationale and Protocol Design of the GOIRC-AIFA FARM6PMFJM Trial. Clinical Lung Cancer, 2015, 16, 67-70.	2.6	17
49	Clinical Activity and Cardiac Tolerability of Non-Pegylated Liposomal Doxorubicin in Breast Cancer: A Synthetic Review. Tumori, 2011, 97, 690-692.	1.1	16
50	Electrophysiological and Neuropsychological Functions in Patients Treated with Interferon- \hat{l}^2 . Journal of Interferon Research, 1990, 10, 613-619.	1.2	15
51	Adjuvant Therapy for Very Young Women with Breast Cancer: Response According to Biologic and Endocrine Features. Clinical Breast Cancer, 2004, 5, 125-130.	2.4	15
52	Endocrine therapy in post-menopausal women with metastatic breast cancer: From literature and guidelines to clinical practice. Critical Reviews in Oncology/Hematology, 2016, 100, 57-68.	4.4	15
53	Eribulin Mesylate as Third or Subsequent Line Chemotherapy for Elderly Patients with Locally Recurrent or Metastatic Breast Cancer: A Multicentric Observational Study of GIOGer (Italian Group) Tj ETQq1 1	0.784314	krgB₹/Overlo
54	Clinical activity and cardiac tolerability of non-pegylated liposomal doxorubicin in breast cancer: a synthetic review. Tumori, 2011, 97, 690-2.	1.1	15

#	Article	IF	Citations
55	Rituximab in Lymphocyte-Predominant Hodgkin Disease. Oncology, 2009, 76, 26-29.	1.9	14
56	Genistein: The future of prevention and treatment of breast cancer?. Cancer Biology and Therapy, 2011, 11, 918-920.	3.4	13
57	Optimized granulocyte colony-stimulating factor prophylaxis in adult cancer patients: from biological principles to clinical guidelines. Expert Opinion on Therapeutic Targets, 2012, 16, S111-S117.	3.4	13
58	Efficacy and safety of eribulin in taxane-refractory patients in the †real worldâ€. Future Oncology, 2017, 13, 971-978.	2.4	13
59	Assessment of Ramucirumab plus paclitaxel as switch maintenance versus continuation of first-line chemotherapy in patients with advanced HER-2 negative gastric or gastroesophageal junction cancers: the ARMANI phase III trial. BMC Cancer, 2019, 19, 283.	2.6	12
60	Oral maintenance metronomic vinorelbine versus best supportive care in advanced non-small-cell lung cancer after platinum-based chemotherapy: The MA.NI.LA. multicenter, randomized, controlled, phase II trial. Lung Cancer, 2019, 132, 17-23.	2.0	12
61	Intravenous versus oral vinorelbine plus capecitabine as second-line treatment in advanced breast cancer patients. A retrospective comparison of two consecutive phase II studies. Breast, 2010, 19, 214-218.	2.2	11
62	Induction Pemetrexed and Cisplatin Followed by Maintenance Pemetrexed Versus Carboplatin Plus Paclitaxel Plus Bevacizumab Followed by Maintenance Bevacizumab: A Quality of Life–Oriented Randomized Phase III Study in Patients With Advanced Non-Squamous Non–Small-Cell Lung Cancer (ERACLE). Clinical Lung Cancer, 2011, 12, 402-406.	2.6	11
63	Prognostic Factors in Patients Receiving Third Line Targeted Therapy for Metastatic Renal Cell Carcinoma. Journal of Urology, 2015, 193, 1905-1910.	0.4	11
64	Final Results of the Randomized Phase II NorCap-CA223 Trial Comparing First-Line All-Oral Versus Taxane-Based Chemotherapy forÂHER2-Negative Metastatic Breast Cancer. Clinical Breast Cancer, 2017, 17, 91-99.e1.	2.4	11
65	Metronomic chemotherapy with cyclophosphamide plus low dose of corticosteroids in advanced castration-resistant prostate cancer across the era of taxanes and new hormonal drugs. Medical Oncology, 2019, 36, 80.	2.5	11
66	Randomized phase II study evaluating weekly oral vinorelbine versus weekly paclitaxel in estrogen receptor-positive, HER2-negative patients with advanced breast cancer (NorBreast-231 trial). Breast, 2019, 45, 7-14.	2.2	11
67	Biochemical and immunological responses of hairy cell leukemia patients to interferon \hat{l}^2 . Cancer Immunology, Immunotherapy, 1991, 34, 115-122.	4.2	10
68	Combined modality treatments in pancreatic cancer. Expert Opinion on Therapeutic Targets, 2012, 16, S71-S81.	3.4	10
69	Prolonged exposure to tyrosine kinase inhibitors or early use of everolimus in metastatic renal cell carcinoma: are the two options alike?. Medical Oncology, 2013, 30, 578.	2.5	9
70	A clinical evaluation of treatments that target cell cycle machinery in breast cancer. Expert Opinion on Pharmacotherapy, 2019, 20, 2305-2315.	1.8	9
71	Poly (ADP-ribose) polymerase (PARP): rationale, preclinical and clinical evidences of its inhibition as breast cancer treatment. Expert Opinion on Therapeutic Targets, 2012, 16, S83-S89.	3.4	8
72	Caring for cancer survivors: perspectives of oncologists, general practitioners and patients in Italy. Future Oncology, 2017, 13, 233-248.	2.4	8

#	Article	IF	CITATIONS
73	An update on first line therapies for metastatic breast cancer. Expert Opinion on Pharmacotherapy, 2018, 19, 243-252.	1.8	8
74	Everolimus plus aromatase inhibitors as maintenance therapy after first-line chemotherapy: Final results of the phase III randomised MAIN-A (MAINtenance Afinitor) trial. European Journal of Cancer, 2021, 154, 21-29.	2.8	8
75	Disparity in the "time to patient access―to new anti-cancer drugs in Italian regions. Results of a survey conducted by the Italian Society of Medical Oncology (AIOM). Tumori, 2011, 97, 442-448.	1.1	7
76	Adjuvant High-Dose Chemotherapy with Autologous Hematopoietic Stem Cell Support for High-Risk Primary Breast Cancer: Results from the Italian National Registry. Biology of Blood and Marrow Transplantation, 2014, 20, 501-506.	2.0	7
77	Metronomic oral chemotherapy with cyclophosphamide plus capecitabine combined with trastuzumab (HEX) as first line therapy of HER-2 positive advanced breast cancer: A phase II trial of the Gruppo Oncologico Italia Meridionale (GOIM). Breast, 2020, 53, 18-22.	2.2	7
78	Natural-killer-stimulatory effect of combined low-dose interleukin-2 and interferon \hat{l}^2 in hairy-cell leukemia patients. Cancer Immunology, Immunotherapy, 1994, 38, 323-331.	4.2	6
79	Panitumumab after Progression on Cetuximab in KRAS Wild-type Metastatic Colorectal Cancer Patients: a Single Institution Experience. Tumori, 2015, 101, 524-528.	1.1	6
80	An Italian Delphi study to evaluate consensus on adjuvant endocrine therapy in premenopausal patients with breast cancer: the ERA project. BMC Cancer, 2018, 18, 932.	2.6	6
81	Second-line treatment efficacy and toxicity in older vs. non-older patients with advanced gastric cancer: A multicentre real-world study. Journal of Geriatric Oncology, 2019, 10, 591-597.	1.0	6
82	Unusual Cases in Multiple Myeloma and a Dramatic Response in Metastatic Lung Cancer. Journal of Clinical Oncology, 2005, 23, 232-233.	1.6	5
83	Effect on quality of life of cisplatin added to single-agent chemotherapy as first-line treatment for elderly patients with advanced non-small cell lung cancer: Joint analysis of MILES-3 and MILES-4 randomised phase 3 trials. Lung Cancer, 2019, 133, 62-68.	2.0	5
84	Modulation of NK activity by thymic hormones:in vitro effects of thymostimulin. Medical Oncology and Tumor Pharmacotherapy, 1989, 6, 45-52.	1.1	4
85	Clinical outcomes and cardiac safety of continuous antiHer2 therapy in c-erbB2-positive metastatic breast cancer patients. Journal of Chemotherapy, 2013, 25, 369-375.	1.5	3
86	Biweekly combination of trastuzumab, docetaxel and gemcitabine for HER2-positive metastatic breast cancer: results of a Phase II GOIM study. Future Oncology, 2014, 10, 725-733.	2.4	3
87	Pharmacotherapeutic options for patients with refractory breast cancer. Expert Opinion on Pharmacotherapy, 2019, 20, 851-861.	1.8	3
88	A phase II, open-label, single-arm trial of carboplatin plus etoposide with bevacizumab and atezolizumab in patients with extended-stageAsmall-cell lung cancer (CeLEBrATE study): background, design and rationale. Future Oncology, 2022, 18, 771-779.	2.4	3
89	First-Line Bevacizumab-Based Therapy in Advanced Non-Squamous Non-Small-Cell Lung Cancer. Clinical Drug Investigation, 2012, 32, 755-760.	2.2	2
90	Management of hepatitis C positive patients undergoing active treatment for malignancies: A position paper from the Associazione Italiana di Oncologia Medica (AIOM) and the SocietA Italiana di Malattie Infettive e Tropicali (SIMIT). Seminars in Oncology, 2018, 45, 259-263.	2.2	2

#	Article	IF	CITATIONS
91	Second-line erlotinib for non-small-cell lung cancer. Lancet Oncology, The, 2012, 13, e141-e142.	10.7	1
92	Response of Extensive Breast Cancer Skin Metastases to Rechallenge with Trastuzumab Together with Low-Dose Chemotherapy and Insulin. Tumori, 2016, 102, S26-S28.	1.1	1
93	CDK4/6 inhibitors for hormone receptor-positive HER2-negative metastatic breast cancer: does one size fit all?. Future Medicinal Chemistry, 2019, 11, 1237-1239.	2.3	1
94	Chemotherapy-induced nausea and vomiting in Italian cancer centers: results of CINVDAY, a prospective, multicenter study. Tumori, 2014, 100, e309-13.	1.1	1
95	REPLY TO GUNSILIUS ET AL. British Journal of Haematology, 2000, 108, 662-663.	2.5	0
96	Comment and reply on: Pegfilgrastim is safe and effective in the prevention of neutropenia and treatment delays in biweekly regimens. Expert Opinion on Therapeutic Targets, 2013, 17, 473-475.	3 . 4	0
97	Impact of anemia management with EPO on psychologic distress in cancer patients: results of a multicenter patient survey. Future Oncology, 2014, 10, 69-78.	2.4	0
98	Should endocrine therapy still be used as an initial treatment for postmenopausal women with metastatic breast cancer?. Future Oncology, 2017, 13, 1361-1364.	2.4	0
99	Tumor Control Achieved Despite Loss of Chimaerism in Renal Cell Carcinoma (RCC) Following Non-Myeloablative Allogeneic Peripheral Blood Stem Cell Transplantation (PBSCT): A Case Report Blood, 2005, 106, 5401-5401.	1.4	0
100	Impact of use of oral anticancer drugs on activity of Italian oncology practices: results of a survey conducted by the Italian Society of Medical Oncology (AIOM). Tumori, 2013, 99, 35-8.	1.1	0
101	Efficacy of trastuzumab in unselected patients with HER2-positive metastatic breast cancer: a retrospective analysis. Tumori, 2014, 100, 426-31.	1.1	O