

Consuelo Agull

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/505518/consuelo-agullo-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

1,370
citations

21
h-index

27
g-index

125
ext. papers

1,528
ext. citations

4.4
avg, IF

4.21
L-index

#	Paper	IF	Citations
103	Immunochemical method for penthiopyrad detection through thermodynamic and kinetic characterization of monoclonal antibodies. <i>Talanta</i> , 2021 , 226, 122123	6.2	1
102	Immunoanalytical methods for ochratoxin A monitoring in wine and must based on innovative immunoreagents. <i>Food Chemistry</i> , 2021 , 345, 128828	8.5	4
101	Enzyme and lateral flow monoclonal antibody-based immunoassays to simultaneously determine spirotetramat and spirotetramat-enol in foodstuffs. <i>Scientific Reports</i> , 2021 , 11, 1809	4.9	2
100	Chemical strategies for triggering the immune response to the mycotoxin patulin. <i>Scientific Reports</i> , 2021 , 11, 23438	4.9	
99	Click Chemistry-Assisted Bioconjugates for Hapten Immunodiagnostics. <i>Bioconjugate Chemistry</i> , 2020 , 31, 956-964	6.3	4
98	Aproximaciones inmunoanalíticas para el control de xenobióticos y biotoxinas en alimentos. <i>Arbor</i> , 2020 , 196, 542	0.2	
97	A Monoclonal Antibody-Based Immunoassay for Mepanipyrim Residue Sensitive Analysis in Grape Juice and Wine. <i>Food Analytical Methods</i> , 2020 , 13, 770-779	3.4	2
96	Monoclonal antibodies with subnanomolar affinity to tenofovir for monitoring adherence to antiretroviral therapies: from hapten synthesis to prototype development. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 10439-10449	7.3	2
95	Synthetic Haptens and Monoclonal Antibodies to the Cyanotoxin Anatoxin-a. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 9134-9139	16.4	6
94	Synthetic Haptens and Monoclonal Antibodies to the Cyanotoxin Anatoxin-a. <i>Angewandte Chemie</i> , 2019 , 131, 9232-9237	3.6	
93	Highly sensitive monoclonal antibody-based immunoassays for the analysis of fluopyram in food samples. <i>Food Chemistry</i> , 2019 , 288, 117-126	8.5	9
92	A unified approach to the synthesis of both enantiomers of anatoxin-a and homoanatoxin-a cyanotoxins. <i>Tetrahedron</i> , 2018 , 74, 5022-5031	2.4	5
91	Highly sensitive monoclonal antibody-based immunoassays for boscalid analysis in strawberries. <i>Food Chemistry</i> , 2018 , 267, 2-9	8.5	11
90	Immunochemical rapid determination of quinoxifen, a priority hazardous pollutant. <i>Chemosphere</i> , 2018 , 211, 302-307	8.4	2
89	Rationally designed haptens for highly sensitive monoclonal antibody-based immunoanalysis of fenhexamid. <i>Analyst</i> , 2018 , 143, 4057-4066	5	6
88	Novel haptens and monoclonal antibodies with subnanomolar affinity for a classical analytical target, ochratoxin A. <i>Scientific Reports</i> , 2018 , 8, 9761	4.9	5
87	Combined heterologies for monoclonal antibody-based immunoanalysis of fluxapyroxad. <i>Analyst</i> , 2018 , 143, 5718-5727	5	6

86	Hapten Design and Antibody Generation for Immunoanalysis of Spirotetramat and Spirotetramat-enol. <i>ACS Omega</i> , 2018 , 3, 11950-11957	3.9	3
85	Protein-Free Hapten-Carbon Nanotube Constructs Induce the Secondary Immune Response. <i>Bioconjugate Chemistry</i> , 2017 , 28, 1630-1638	6.3	4
84	Fluxapyroxad Haptens and Antibodies for Highly Sensitive Immunoanalysis of Food Samples. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9333-9341	5.7	16
83	A class-selective immunoassay for simultaneous analysis of anilinopyrimidine fungicides using a rationally designed hapten. <i>Analyst, The</i> , 2017 , 142, 3975-3985	5	12
82	High-affinity Antibodies from a Full Penthiopyrad-mimicking Hapten and Heterologous Immunoassay Development for Fruit Juice Analysis. <i>Food Analytical Methods</i> , 2017 , 10, 4013-4023	3.4	3
81	Fungicide multiresidue monitoring in international wines by immunoassays. <i>Food Chemistry</i> , 2016 , 196, 1279-86	8.5	27
80	Monoclonal antibody-based immunoassays for cyprodinil residue analysis in QuEChERS-based fruit extracts. <i>Food Chemistry</i> , 2015 , 187, 530-6	8.5	16
79	Site-heterologous haptens and competitive monoclonal antibody-based immunoassays for pyrimethanil residue analysis in foodstuffs. <i>LWT - Food Science and Technology</i> , 2015 , 63, 604-611	5.4	11
78	Determination of succinate-dehydrogenase-inhibitor fungicide residues in fruits and vegetables by liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 4207-11	4.4	35
77	Rational design of a fluopyram hapten and preparation of bioconjugates and antibodies for immunoanalysis. <i>RSC Advances</i> , 2015 , 5, 51337-51341	3.7	3
76	Moiety and linker site heterologies for highly sensitive immunoanalysis of cyprodinil in fermented alcoholic drinks. <i>Food Control</i> , 2015 , 50, 393-400	6.2	10
75	Ready Access to Proquinazid Haptens via Cross-Coupling Chemistry for Antibody Generation and Immunoassay Development. <i>PLoS ONE</i> , 2015 , 10, e0134042	3.7	5
74	Design and development of heterologous competitive immunoassays for the determination of boscalid residues. <i>Analyst, The</i> , 2014 , 139, 3636-44	5	13
73	Haptens, bioconjugates, and antibodies for penthiopyrad immunosensing. <i>Analyst, The</i> , 2014 , 139, 5358-61	6	6
72	Sensitive monoclonal antibody-based immunoassays for kresoxim-methyl analysis in QuEChERS-based food extracts. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 2816-21	5.7	7
71	Immunoreagents and competitive assays to fludioxonil. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 2742-4	5.7	9
70	Immunoassays for trifloxystrobin analysis. Part I. Rational design of regioisomeric haptens and production of monoclonal antibodies. <i>Food Chemistry</i> , 2014 , 152, 230-6	8.5	13
69	Immunoassays for trifloxystrobin analysis. Part II. Assay development and application to residue determination in food. <i>Food Chemistry</i> , 2014 , 162, 41-6	8.5	10

68	Development of a sensitive and specific enzyme-linked immunosorbent assay for the determination of fludioxonil residues in fruit juices. <i>Analytical Methods</i> , 2014 , 6, 8924-8929	3.2	5
67	Mepanipyrim haptens and antibodies with nanomolar affinity. <i>Analyst, The</i> , 2013 , 138, 3360-4	5	15
66	Structure-immunogenicity relationship of kresoxim-methyl regioisomeric haptens. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 7361-71	3.9	11
65	Immunoassays for pyraclostrobin analysis in processed food products using novel monoclonal antibodies and QuEChERS-based extracts. <i>Food Control</i> , 2013 , 32, 42-48	6.2	8
64	General diastereoselective synthetic approach toward isospongian diterpenes. Synthesis of (-)-marginatafuran, (-)-marginatone, and (-)-20-acetoxymarginatone. <i>Journal of Organic Chemistry</i> , 2012 , 77, 5664-80	4.2	16
63	Antibody generation and immunoassay development in diverse formats for pyrimethanil specific and sensitive analysis. <i>Analyst, The</i> , 2012 , 137, 5672-9	5	13
62	Immunoreagent generation and competitive assay development for cyprodinil analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4803-11	5.7	12
61	Synthesis of azoxystrobin transformation products and selection of monoclonal antibodies for immunoassay development. <i>Toxicology Letters</i> , 2012 , 210, 240-7	4.4	15
60	Generation of anti-azoxystrobin monoclonal antibodies from regioisomeric haptens functionalized at selected sites and development of indirect competitive immunoassays. <i>Analytica Chimica Acta</i> , 2012 , 715, 105-12	6.6	27
59	Development of competitive enzyme-linked immunosorbent assays for boscalid determination in fruit juices. <i>Food Chemistry</i> , 2012 , 135, 276-284	8.5	17
58	Development of monoclonal antibody-based competitive immunoassays for the detection of picoxystrobin in cereal and oilseed flours. <i>Food Control</i> , 2012 , 26, 162-168	6.2	17
57	Development and validation of a direct competitive monoclonal antibody-based immunoassay for the sensitive and selective analysis of the phyto regulator forchlorfenuron. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 2019-26	4.4	10
56	Forchlorfenuron-mimicking haptens: from immunogen design to antibody characterization by hierarchical clustering analysis. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 4863-72	3.9	23
55	Synthesis of site-heterologous haptens for high-affinity anti-pyraclostrobin antibody generation. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 1443-53	3.9	33
54	Development of immunoaffinity columns for pyraclostrobin extraction from fruit juices and analysis by liquid chromatography with UV detection. <i>Journal of Chromatography A</i> , 2011 , 1218, 4902-9	4.5	40
53	Exploring alternative hapten tethering sites for high-affinity anti-picoxystrobin antibody generation. <i>Analytical Biochemistry</i> , 2011 , 416, 82-91	3.1	12
52	Concise and modular synthesis of regioisomeric haptens for the production of high-affinity and stereoselective antibodies to the strobilurin azoxystrobin. <i>Tetrahedron</i> , 2011 , 67, 624-635	2.4	21
51	Hapten synthesis and polyclonal antibody-based immunoassay development for the analysis of forchlorfenuron in kiwifruit. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 8502-11	5.7	24

50	Preparation of 9-Fluorinated Sesquiterpenic Drimanes and Evaluation of Their Antifeedant Activities. <i>European Journal of Organic Chemistry</i> , 2010 , 2010, 2182-2198	3.2	23
49	Hapten synthesis, monoclonal antibody generation, and development of competitive immunoassays for the analysis of picoxystrobin in beer. <i>Analytica Chimica Acta</i> , 2010 , 682, 93-103	6.6	49
48	Hapten synthesis and monoclonal antibody-based immunoassay development for the detection of the fungicide kresoxim-methyl. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 1545-52	5.7	18
47	Production and characterization of monoclonal antibodies specific to the strobilurin pesticide pyraclostrobin. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 7682-90	5.7	67
46	Production and characterization of monoclonal and polyclonal antibodies to forchlorfenuron. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 11122-31	5.7	21
45	Hapten synthesis and monoclonal antibody-based immunoassay development for detection of the fungicide trifloxystrobin. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 2581-8	5.7	32
44	Diastereoselective synthesis of antiqurin and related polyoxygenated atisene-type diterpenes. <i>Tetrahedron</i> , 2007 , 63, 1664-1679	2.4	26
43	X-ray Structure of Fluorinated N-(2-Chloropyridin-4-yl)-N-phenylureas. Role of F Substitution in the Crystal Packing. <i>Crystal Growth and Design</i> , 2006 , 6, 46-57	3.5	36
42	A unified synthetic approach to trachylobane-, beyerane-, atisane- and kaurane-type diterpenes. <i>Tetrahedron</i> , 2006 , 62, 3266-3283	2.4	30
41	¹ H, ¹³ C and ¹⁹ F NMR spectroscopy of polyfluorinated ureas. Correlations involving NMR chemical shifts and electronic substituent effects. <i>Magnetic Resonance in Chemistry</i> , 2005 , 43, 389-97	2.1	1
40	Syntheses of oxygenated spongiane diterpenes from carvone. Synthesis of dorisenone C. <i>Tetrahedron</i> , 2005 , 61, 1961-1970	2.4	9
39	Regioselective Preparation of Pyridin-2-yl Ureas from 2-Chloropyridines Catalyzed by Pd(0). <i>Synthesis</i> , 2005 , 2005, 915-924	2.9	30
38	Conversion of Alkyl Halides into Alcohols via Formyloxylaton Reaction with DMF Catalyzed by Silver Salts. <i>Synthesis</i> , 2005 , 2005, 3355-3361	2.9	9
37	Synthesis of highly functionalised enantiopure bicyclo[3.2.1]-octane systems from carvone. <i>Molecules</i> , 2004 , 9, 287-99	4.8	10
36	Preparation and promotion of fruit growth in kiwifruit of fluorinated N-phenyl-NH1,2,3-thiadiazol-5-yl ureas. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 4675-83	5.7	20
35	Synthetic studies on the preparation of oxygenated spongiane diterpenes from carvone. <i>Tetrahedron</i> , 2003 , 59, 9523-9536	2.4	15
34	Synthesis of fluorinated drimanes. Preparation of 9E-drimenin. <i>Tetrahedron Letters</i> , 2003 , 44, 1899-1902		6
33	Synthesis of oxygenated spongiane-type diterpenoids from carvone. <i>Tetrahedron Letters</i> , 2002 , 43, 7933-7936		9

32	Regiospecific and Stereoselective Ene Reaction of the A-Ring Methylcyclohexene Moiety of Polycyclic Terpenoid Systems with Dimethyl Acetylenedicarboxylate. <i>Journal of Chemical Research</i> , 2001 , 2001, 90-91	0.6	1
31	Stereoselective synthesis of polyoxygenated atisane-type diterpenoids. <i>Tetrahedron Letters</i> , 2001 , 42, 8965-8968	2	18
30	New route to herbertanes via a Suzuki cross-coupling reaction: synthesis of herbertenediol. <i>Tetrahedron</i> , 2001 , 57, 9727-9735	2.4	15
29	A Simple Synthetic Approach to Trachylobane, Beyerane, and Atisane Diterpenoids from Carvone. <i>Synlett</i> , 2001 , 2001, 0349-0352	2.2	12
28	Enantioselective synthesis of herbertane sesquiterpenes: synthesis of (1R,2R)-Formylherbertenol. <i>Tetrahedron: Asymmetry</i> , 2000 , 11, 1607-1615		16
27	Synthesis of terpenoid unsaturated 1,4-dialdehydes. Pi-facial selectivity in the Diels-Alder reaction of the 1-vinyl-2-methylcyclohexene moiety of polycyclic systems with DMAD. <i>Journal of Organic Chemistry</i> , 2000 , 65, 4189-92	4.2	21
26	Stereoselective construction of the tetracyclic scalarane skeleton from carvone. <i>Chemical Communications</i> , 1999 , 427-428	5.8	14
25	Enantioselective Synthesis of Herbertane Sesquiterpenes. Synthesis of (-)-Herbertene and (-)-alpha-Herbertenol. <i>Journal of Organic Chemistry</i> , 1999 , 64, 1741-1744	4.2	25
24	An Efficient Stereoselective Synthesis of Stypodiol and Epistypodiol. <i>Journal of Organic Chemistry</i> , 1998 , 63, 5100-5106	4.2	21
23	First Diastereoselective Synthesis of (-)-Thyrsiflorin A Methyl Ester. <i>Synlett</i> , 1997 , 1997, 574-576	2.2	6
22	Stereoselective synthesis of (-)-metasequoic acid B. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997 , 1837-1844		12
21	An Efficient Stereocontrolled Synthesis of (-)-Stypoldione. <i>Synlett</i> , 1996 , 1996, 913-915	2.2	5
20	Enantioselective Synthesis of Cuparane Sesquiterpenes. Synthesis of (1R,2R)-Cuparene and (1R,2R)-Cuparenol. <i>Journal of Organic Chemistry</i> , 1996 , 61, 5916-5919	4.2	25
19	Podocarpene-to-spongian skeleton conversion. Synthesis of (+)-isoagatholactone and (1R,2R)-spongia-13(16),14-diene. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1996 , 2193-2199		20
18	Synthesis of Homochiral Phenanthrones from Carvone. <i>Synlett</i> , 1994 , 1994, 733-735	2.2	5
17	Synthesis of C-17-functionalized beyerane diterpenes. Synthesis of (1R,2R)-Erythroxylo B, (1R,2R)-Erythroxydiol A and (1R,2R)-Benuol. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1994 , 2987-2991		7
16	Studies on the Synthesis of Scoparic Acid A and Related Labdane Diterpenoids. Synthesis of (E)-6R-Hydroxyabda-8-(17),13-dien-15-oic Acid. <i>Journal of Natural Products</i> , 1993 , 56, 2133-2141	4.9	6
15	A Simple Enantioselective Synthesis of (-)-S- and (+)-R-Camphonanic Acids. <i>Synlett</i> , 1993 , 1993, 895-896	2.2	13

14	Synthesis of (-)-borjatriol. <i>Journal of Organic Chemistry</i> , 1992 , 57, 50-54	4.2	13
13	Spongian pentacyclic diterpenes. Stereoselective synthesis of (-)-dendrillool-1. <i>Journal of Organic Chemistry</i> , 1992 , 57, 6861-6869	4.2	29
12	Silica Gel Catalyzed Eschenmoser Reaction. <i>Synlett</i> , 1991 , 1991, 787-788	2.2	8
11	Transformation of resin abietic acid into a pregnane-type steroid. <i>Canadian Journal of Chemistry</i> , 1991 , 69, 379-382	0.9	3
10	CONVERSION OF RESIN ACIDS INTO STEROIDAL COMPOUNDS. A REVIEW. <i>Organic Preparations and Procedures International</i> , 1991 , 23, 321-356	1.1	6
9	¹³ C nuclear magnetic resonance spectra of several podocarpane and cassane diterpenoids. <i>Magnetic Resonance in Chemistry</i> , 1990 , 28, 529-532	2.1	3
8	Conversion of sandaracopimaric acid into an androstane analog steroid. <i>Journal of Organic Chemistry</i> , 1990 , 55, 2369-2373	4.2	13
7	Stereostructural revision of auricularic acid synthesis of 4-epi-auricularic acid. <i>Tetrahedron Letters</i> , 1989 , 30, 4563-4564	2	4
6	Synthesis of (+)-ambreinolide from abietic acid. <i>Journal of Organic Chemistry</i> , 1989 , 54, 5123-5125	4.2	10
5	Erythrophleum alkaloids. Synthesis of (1R,4R)-4-epi-cassamine. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1989 , 1875-1883		2
4	Conversion of dehydroabietic acid into 20-keto-C-aryl-18-norsteroids. Formation of the D ring. <i>Journal of Organic Chemistry</i> , 1988 , 53, 3761-3765	4.2	13
3	Formation of 1-hydroxycyclopropanecarbonitrile ring in bicyclic systems. <i>Tetrahedron</i> , 1986 , 42, 2429-2434		6
2	An approach to erythrophleum alkaloids. Synthesis of methyl (1R,4R)-4-epi-cassamate. <i>Tetrahedron Letters</i> , 1986 , 27, 3289-3292	2	5
1	Free and bound hydroxyl and carboxyl groups in the cutin of <i>Quercus suber</i> leaves. <i>Phytochemistry</i> , 1984 , 23, 2059-2060	4	11