
Yosuke Amagai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5056293/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Amelioration of atopicâ€like skin conditions in <scp>NC</scp> /Tnd mice by topical application with distilled <i>Alpinia intermedia Gagnep</i> extracts. Journal of Dermatology, 2017, 44, 1238-1247. | 1.2 | 8 |
| 2 | Mast cell hyperactivity underpins the development of oxygen-induced retinopathy. Journal of Clinical Investigation, 2017, 127, 3987-4000. | 8.2 | 24 |
| 3 | Swing time ratio, a new parameter of gait disturbance, for the evaluation of the severity of neuropathic pain in a rat model of partial sciatic nerve ligation. Journal of Pharmacological and Toxicological Methods, 2016, 79, 7-14. | 0.7 | 6 |
| 4 | Skin pH Is the Master Switch of Kallikrein 5-Mediated Skin Barrier Destruction in a Murine Atopic Dermatitis Model. Journal of Investigative Dermatology, 2016, 136, 127-135. | 0.7 | 92 |
| 5 | A point mutation in the extracellular domain of KIT promotes tumorigenesis of mastcells via ligand-independent auto-dimerization. Scientific Reports, 2015, 5, 9775. | 3.3 | 10 |
| 6 | Dieckol, a phlorotannin of <i>Ecklonia cava</i> , suppresses IgEâ€mediated mast cell activation and passive cutaneous anaphylactic reaction. Experimental Dermatology, 2015, 24, 968-970. | 2.9 | 23 |
| 7 | Dihomo-Î ³ -linolenic acid prevents the development of atopic dermatitis through prostaglandin D1 production in NC/Tnd mice. Journal of Dermatological Science, 2015, 79, 30-37. | 1.9 | 37 |
| 8 | Nerve growth factor promotes killing of Leishmania donovani by macrophages through the induction of hydrogen peroxide. Microbes and Infection, 2014, 16, 702-706. | 1.9 | 7 |
| 9 | Production of stem cell factor in canine mast cell tumors. Research in Veterinary Science, 2014, 96, 124-126. | 1.9 | 10 |
| 10 | Oral Administration of Fermented Probiotics Improves the Condition of Feces in Adult Horses. Journal of Equine Science, 2014, 25, 65-72. | 0.8 | 8 |
| 11 | Nuclear factor-Äß plays a critical role in both intrinsic and acquired resistance against endocrine therapy in human breast cancer cells. Scientific Reports, 2014, 4, 4057. | 3.3 | 54 |
| 12 | Topical Application of Ketoprofen Improves Gait Disturbance in Rat Models of Acute Inflammation. BioMed Research International, 2013, 2013, 1-7. | 1.9 | 7 |
| 13 | Abnormalities in Itch Sensation and Skin Barrier Function in Atopic NC/Tnd Mice. Biological and Pharmaceutical Bulletin, 2013, 36, 1248-1252. | 1.4 | 10 |
| 14 | The Phosphoinositide 3-Kinase Pathway Is Crucial for the Growth of Canine Mast Cell Tumors. Journal of Veterinary Medical Science, 2013, 75, 791-794. | 0.9 | 9 |
| 15 | Increased Expression of the Antiapoptotic Protein MCL1 in Canine Mast Cell Tumors. Journal of Veterinary Medical Science, 2013, 75, 971-974. | 0.9 | 4 |
| 16 | Silencing of int6 gene restores function of the ischaemic hindlimb in a rat model of peripheral arterial disease. Cardiovascular Research, 2011, 92, 209-217. | 3.8 | 18 |
| 17 | Establishment of a novel high-affinity IgE receptor-positive canine mast cell line with wild-type c-kit receptors. Biochemical and Biophysical Research Communications, 2008, 366, 857-861. | 2.1 | 14 |