Stefania Maria Filomena Mitola

List of Publications by Year in Descending Order

 $\textbf{Source:} \ https://exaly.com/author-pdf/5056441/stefania-maria-filomena-mitola-publications-by-year.pdf$

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97 papers

4,300 citations

31 h-index 64 g-index

101 ext. papers

4,744 ext. citations

6.4 avg, IF

4.9 L-index

#	Paper	IF	Citations
97	Irisin regulates thermogenesis and lipolysis in 3T3-L1 adipocytes <i>Biochimica Et Biophysica Acta -</i> General Subjects, 2022 , 1866, 130085	4	1
96	Novel potential oncogenic and druggable mutations of FGFRs recur in the kinase domain across cancer types. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021 , 1868, 166313	6.9	0
95	The Metastatic Capacity of Melanoma Reveals Alternative Pathways of Cancer Dissemination. <i>International Journal of Translational Medicine</i> , 2021 , 1, 163-174		
94	Simultaneously characterization of tumoral angiogenesis and vasculogenesis in stem cell-derived teratomas. <i>Experimental Cell Research</i> , 2021 , 400, 112490	4.2	2
93	H-ferritin suppression and pronounced mitochondrial respiration make Hepatocellular Carcinoma cells sensitive to RSL3-induced ferroptosis. <i>Free Radical Biology and Medicine</i> , 2021 , 169, 294-303	7.8	8
92	Expression of activated VEGFR2 by R1051Q mutation alters the energy metabolism of Sk-Mel-31 melanoma cells by increasing glutamine dependence. <i>Cancer Letters</i> , 2021 , 507, 80-88	9.9	6
91	Specific targeting of the KRAS mutational landscape in myeloma as a tool to unveil the elicited antitumor activity. <i>Blood</i> , 2021 , 138, 1705-1720	2.2	3
90	Bartonella henselae Persistence within Mesenchymal Stromal Cells Enhances Endothelial Cell Activation and Infectibility That Amplifies the Angiogenic Process. <i>Infection and Immunity</i> , 2021 , 89, e0	0 <i>1</i> 47121	1
89	A novel variant of VEGFR2 identified by a pan-cancer screening of recurrent somatic mutations in the catalytic domain of tyrosine kinase receptors enhances tumor growth and metastasis. <i>Cancer Letters</i> , 2021 , 496, 84-92	9.9	4
88	Alpha-Synuclein in the Regulation of Brain Endothelial and Perivascular Cells: Gaps and Future Perspectives. <i>Frontiers in Immunology</i> , 2021 , 12, 611761	8.4	7
87	The Claudin-Low Subtype of High-Grade Serous Ovarian Carcinoma Exhibits Stem Cell Features. <i>Cancers</i> , 2021 , 13,	6.6	2
86	Protein domain-based approaches for the identification and prioritization of therapeutically actionable cancer variants. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2021 , 1876, 188614	11.2	1
85	Genetic perturbation of IFN-Eranscriptional modulators in human endothelial cells uncovers pivotal regulators of angiogenesis. <i>Computational and Structural Biotechnology Journal</i> , 2020 , 18, 3977	-3986	3
84	Usefulness of melatonin as complementary to chemotherapeutic agents at different stages of the angiogenic process. <i>Scientific Reports</i> , 2020 , 10, 4790	4.9	13
83	D-Peptide analogues of Boc-Phe-Leu-Phe-Leu-Phe-COOH induce neovascularization via endothelial N-formyl peptide receptor 3. <i>Angiogenesis</i> , 2020 , 23, 357-369	10.6	6
82	A Model of Integrin and VEGF Receptors Recruitment on Endothelial Cells. <i>Advanced Structured Materials</i> , 2020 , 163-198	0.6	1
81	Role of VEGFs in metabolic disorders. <i>Angiogenesis</i> , 2020 , 23, 119-130	10.6	21

(2016-2020)

80	Molecular insight on the altered membrane trafficking of TrkA kinase dead mutants. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2020 , 1867, 118614	4.9	5
79	In Situ DNA/Protein Interaction Assay to Visualize Transcriptional Factor Activation. <i>Methods and Protocols</i> , 2020 , 3,	2.5	2
78	Low Expression of Claudin-7 as Potential Predictor of Distant Metastases in High-Grade Serous Ovarian Carcinoma Patients. <i>Frontiers in Oncology</i> , 2020 , 10, 1287	5.3	5
77	Fluorolabeling of the PPTase-Related Chemical Tags: Comparative Study of Different Membrane Receptors and Different Fluorophores in the Labeling Reactions. <i>Frontiers in Molecular Biosciences</i> , 2020 , 7, 195	5.6	1
76	Irisin Reduces the Metabolic Rate of Beige Adipocytes. <i>Proceedings (mdpi)</i> , 2019 , 25, 13	0.3	
75	Atypical Chemokine Receptor 3 Generates Guidance Cues for CXCL12-Mediated Endothelial Cell Migration. <i>Frontiers in Immunology</i> , 2019 , 10, 1092	8.4	3
74	VEGFR2 activation mediates the pro-angiogenic activity of BMP4. <i>Angiogenesis</i> , 2019 , 22, 521-533	10.6	18
73	Specific Targeting of KRAS Using a Novel High-Affinity KRAS Antisense Oligonucleotide in Multiple Myeloma. <i>Blood</i> , 2019 , 134, 3104-3104	2.2	1
72	EGalactosylceramidase Deficiency Causes Bone Marrow Vascular Defects in an Animal Model of Krabbe Disease. <i>International Journal of Molecular Sciences</i> , 2019 , 21,	6.3	2
71	Natural Histogel-Based Bio-Scaffolds for Sustaining Angiogenesis in Beige Adipose Tissue. <i>Cells</i> , 2019 , 8,	7.9	5
7°	Claudin3 is localized outside the tight junctions in human carcinomas. <i>Oncotarget</i> , 2018 , 9, 18446-18453	3.3	4
69	Silencing of pantothenate kinase 2 reduces endothelial cell angiogenesis. <i>Molecular Medicine Reports</i> , 2018 , 18, 4739-4746	2.9	5
68	Modeling and Simulation of VEGF Receptors Recruitment in Angiogenesis. <i>Mathematical Problems in Engineering</i> , 2018 , 2018, 1-10	1.1	2
67	Inflammation and N-formyl peptide receptors mediate the angiogenic activity of human vitreous humour in proliferative diabetic retinopathy. <i>Diabetologia</i> , 2017 , 60, 719-728	10.3	26
66	Role of Autophagy in HIV-1 Matrix Protein p17-Driven Lymphangiogenesis. <i>Journal of Virology</i> , 2017 , 91,	6.6	13
65	Multi-physics interactions drive VEGFR2 relocation on endothelial cells. <i>Scientific Reports</i> , 2017 , 7, 1670	04.9	8
64	Tumor angiogenesis revisited: Regulators and clinical implications. <i>Medicinal Research Reviews</i> , 2017 , 37, 1231-1274	14.4	104
63	Vascular disrupting activity of combretastatin analogues. <i>Vascular Pharmacology</i> , 2016 , 83, 78-89	5.9	15

62	Cortical Structure Alterations and Social Behavior Impairment in p50-Deficient Mice. <i>Cerebral Cortex</i> , 2016 , 26, 2832-49	5.1	30
61	Annexin 2A sustains glioblastoma cell dissemination and proliferation. <i>Oncotarget</i> , 2016 , 7, 54632-5464	· 9 3.3	23
60	Monomeric gremlin is a novel vascular endothelial growth factor receptor-2 antagonist. <i>Oncotarget</i> , 2016 , 7, 35353-68	3.3	24
59	The Novel Antitubulin Agent TR-764 Strongly Reduces Tumor Vasculature and Inhibits HIF-1 Activation. <i>Scientific Reports</i> , 2016 , 6, 27886	4.9	6
58	Cellular aspartyl proteases promote the unconventional secretion of biologically active HIV-1 matrix protein p17. <i>Scientific Reports</i> , 2016 , 6, 38027	4.9	12
57	The Ferritin-Heavy-Polypeptide-Like-17 (FTHL17) gene encodes a ferritin with low stability and no ferroxidase activity and with a partial nuclear localization. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015 , 1850, 1267-73	4	17
56	Design, synthesis, in vitro, and in vivo anticancer and antiangiogenic activity of novel 3-arylaminobenzofuran derivatives targeting the colchicine site on tubulin. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 3209-22	8.3	37
55	Cavin-1 and Caveolin-1 are both required to support cell proliferation, migration and anchorage-independent cell growth in rhabdomyosarcoma. <i>Laboratory Investigation</i> , 2015 , 95, 585-602	5.9	24
54	B Integrin Promotes Long-Lasting Activation and Polarization of Vascular Endothelial Growth Factor Receptor 2 by Immobilized Ligand. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 2161-71	9.4	11
53	A tool for the quantification of radial neo-vessels in chick chorioallantoic membrane angiogenic assays. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 763-6	0.9	1
52	Evaluation of a novel human IgG1 anti-claudin3 antibody that specifically recognizes its aberrantly localized antigen in ovarian cancer cells and that is suitable for selective drug delivery. <i>Oncotarget</i> , 2015 , 6, 34617-28	3.3	10
51	Biosafe inertization of municipal solid waste incinerator residues by COSMOS technology. <i>Journal of Hazardous Materials</i> , 2014 , 279, 311-21	12.8	25
50	Cyclic adenosine monophosphate-response element-binding protein mediates the proangiogenic or proinflammatory activity of gremlin. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 136-	4 3 4	29
49	Phosphocaveolin-1 enforces tumor growth and chemoresistance in rhabdomyosarcoma. <i>PLoS ONE</i> , 2014 , 9, e84618	3.7	12
48	TR-644 a novel potent tubulin binding agent induces impairment of endothelial cells function and inhibits angiogenesis. <i>Angiogenesis</i> , 2013 , 16, 647-62	10.6	31
47	Involvement of ₩B integrin in gremlin-induced angiogenesis. Angiogenesis, 2013, 16, 235-43	10.6	36
46	Induction of death receptor 5 expression in tumor vasculature by perifosine restores the vascular disruption activity of TRAIL-expressing CD34(+) cells. <i>Angiogenesis</i> , 2013 , 16, 707-22	10.6	5
45	Nicotine-induced structural plasticity in mesencephalic dopaminergic neurons is mediated by dopamine D3 receptors and Akt-mTORC1 signaling. <i>Molecular Pharmacology</i> , 2013 , 83, 1176-89	4.3	49

(2007-2012)

44	IL-12-dependent innate immunity arrests endothelial cells in G0-G1 phase by a p21(Cip1/Waf1)-mediated mechanism. <i>Angiogenesis</i> , 2012 , 15, 713-25	10.6	4
43	Role of nanomechanics in canonical and noncanonical pro-angiogenic ligand/VEGF receptor-2 activation. <i>Journal of the American Chemical Society</i> , 2012 , 134, 14573-9	16.4	20
42	Anti-angiogenic activity of the flavonoid precursor 4-hydroxychalcone. <i>European Journal of Pharmacology</i> , 2012 , 691, 125-33	5.3	26
41	Sphingosine-1-phosphate receptor-1 controls venous endothelial barrier integrity in zebrafish. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2012 , 32, e104-16	9.4	22
40	Sialic acid associated with 🖽 integrin mediates HIV-1 Tat protein interaction and endothelial cell proangiogenic activation. <i>Journal of Biological Chemistry</i> , 2012 , 287, 20456-66	5.4	22
39	Heparan sulfate proteoglycans mediate the angiogenic activity of the vascular endothelial growth factor receptor-2 agonist gremlin. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, e116-27	9.4	51
38	The COOH-terminal peptide of platelet factor-4 variant (CXCL4L1/PF-4var47-70) strongly inhibits angiogenesis and suppresses B16 melanoma growth in vivo. <i>Molecular Cancer Research</i> , 2010 , 8, 322-34	6.6	34
37	Trichostatin A blocks type I interferon production by activated plasmacytoid dendritic cells. <i>Immunobiology</i> , 2010 , 215, 756-61	3.4	37
36	Gremlin is a novel agonist of the major proangiogenic receptor VEGFR2. <i>Blood</i> , 2010 , 116, 3677-80	2.2	139
35	Fibroblast growth factor 2-antagonist activity of a long-pentraxin 3-derived anti-angiogenic pentapeptide. <i>Journal of Cellular and Molecular Medicine</i> , 2010 , 14, 2109-21	5.6	37
34	Nanoliter contact angle probes tumor angiogenic ligand-receptor protein interactions. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 1571-5	11.8	11
33	Exploiting Surface Plasmon Resonance (SPR) Technology for the Identification of Fibroblast Growth Factor-2 (FGF2) Antagonists Endowed with Antiangiogenic Activity. <i>Sensors</i> , 2009 , 9, 6471-503	3.8	16
32	A pro-inflammatory signature mediates FGF2-induced angiogenesis. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 2083-2108	5.6	53
31	alphavbeta3 Integrin-dependent antiangiogenic activity of resveratrol stereoisomers. <i>Molecular Cancer Therapeutics</i> , 2008 , 7, 3761-70	6.1	33
30	Modulation of angiogenesis by a tetrameric tripeptide that antagonizes vascular endothelial growth factor receptor 1. <i>Journal of Biological Chemistry</i> , 2008 , 283, 34250-9	5.4	29
29	Angiopoietin-1 mediates the proangiogenic activity of the bone morphogenic protein antagonist Drm. <i>Blood</i> , 2008 , 112, 1154-7	2.2	28
28	Fibroblast Growth Factor-2 in Angiogenesis 2008 , 77-88		2
27	Bone morphogenic protein antagonist Drm/gremlin is a novel proangiogenic factor. <i>Blood</i> , 2007 , 109, 1834-40	2.2	105

26	CEACAM1/VEGF cross-talk during neuroblastic tumour differentiation. <i>Journal of Pathology</i> , 2007 , 211, 541-549	9.4	6
25	Integrins: a flexible platform for endothelial vascular tyrosine kinase receptors. <i>Autoimmunity Reviews</i> , 2007 , 7, 18-22	13.6	15
24	Regulation of dendritic cell migration and adaptive immune response by leukotriene B4 receptors: a role for LTB4 in up-regulation of CCR7 expression and function. <i>Blood</i> , 2007 , 109, 626-31	2.2	103
23	Dendritic cell-endothelial cell cross-talk in angiogenesis. <i>Trends in Immunology</i> , 2007 , 28, 385-92	14.4	100
22	Type I collagen limits VEGFR-2 signaling by a SHP2 protein-tyrosine phosphatase-dependent mechanism 1. <i>Circulation Research</i> , 2006 , 98, 45-54	15.7	53
21	Cutting edge: extracellular high mobility group box-1 protein is a proangiogenic cytokine. <i>Journal of Immunology</i> , 2006 , 176, 12-5	5.3	193
20	Fibroblast growth factor/fibroblast growth factor receptor system in angiogenesis. <i>Cytokine and Growth Factor Reviews</i> , 2005 , 16, 159-78	17.9	1005
19	Inhibition of vascular endothelial growth factor receptor 2-mediated endothelial cell activation by Axl tyrosine kinase receptor. <i>Blood</i> , 2005 , 105, 1970-6	2.2	90
18	Antiangiogenic activity of semisynthetic biotechnological heparins: low-molecular-weight-sulfated Escherichia coli K5 polysaccharide derivatives as fibroblast growth factor antagonists. Arteriosclerosis, Thrombosis, and Vascular Biology, 2005, 25, 71-6	9.4	33
17	Integrin alphavbeta3 as a target for blocking HIV-1 Tat-induced endothelial cell activation in vitro and angiogenesis in vivo. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 2315-20	9.4	38
16	Human immunodeficiency virus type 1 Tat regulates endothelial cell actin cytoskeletal dynamics through PAK1 activation and oxidant production. <i>Journal of Virology</i> , 2004 , 78, 779-89	6.6	52
15	Activation of diacylglycerol kinase alpha is required for VEGF-induced angiogenic signaling in vitro. <i>Oncogene</i> , 2004 , 23, 4828-38	9.2	62
14	Chemically sulfated Escherichia coli K5 polysaccharide derivatives as extracellular HIV-1 Tat protein antagonists. <i>FEBS Letters</i> , 2004 , 568, 171-7	3.8	47
13	CCL16 activates an angiogenic program in vascular endothelial cells. <i>Blood</i> , 2004 , 103, 40-9	2.2	73
12	Insulin-like growth factor binding protein-3 is overexpressed in endothelial cells of mouse breast tumor vessels. <i>International Journal of Cancer</i> , 2003 , 103, 577-86	7.5	25
11	IL-12 regulates an endothelial cell-lymphocyte network: effect on metalloproteinase-9 production. <i>Journal of Immunology</i> , 2003 , 171, 3725-33	5.3	49
10	Dynamic modules and heterogeneity of function: a lesson from tyrosine kinase receptors in endothelial cells. <i>EMBO Reports</i> , 2001 , 2, 763-7	6.5	24
9	IL-12 inhibition of endothelial cell functions and angiogenesis depends on lymphocyte-endothelial cell cross-talk. <i>Journal of Immunology</i> , 2001 , 166, 3890-9	5.3	132

LIST OF PUBLICATIONS

8	Nitric oxide modulates the angiogenic phenotype of middle-T transformed endothelial cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2001 , 33, 305-13	5.6	8
7	Interactions between endothelial cells and HIV-1. <i>International Journal of Biochemistry and Cell Biology</i> , 2001 , 33, 371-90	5.6	53
6	Cu(II) and Zn(II) complexes with hyaluronic acid and its sulphated derivative. Effect on the motility of vascular endothelial cells. <i>Journal of Inorganic Biochemistry</i> , 2000 , 81, 229-37	4.2	23
5	Identification of specific molecular structures of human immunodeficiency virus type 1 Tat relevant for its biological effects on vascular endothelial cells. <i>Journal of Virology</i> , 2000 , 74, 344-53	6.6	58
4	Role of alphavbeta3 integrin in the activation of vascular endothelial growth factor receptor-2. <i>EMBO Journal</i> , 1999 , 18, 882-92	13	521
3	Tat⊞uman Immunodeficiency Virus-1 Induces Human Monocyte Chemotaxis by Activation of Vascular Endothelial Growth Factor Receptor-1. <i>Blood</i> , 1997 , 90, 1365-1372	2.2	102
2	Nonenzymatically glycated albumin (Amadori adducts) enhances nitric oxide synthase activity and gene expression in endothelial cells. <i>Kidney International</i> , 1997 , 51, 27-35	9.9	61
1	Tat-human immunodeficiency virus-1 induces human monocyte chemotaxis by activation of vascular endothelial growth factor receptor-1. <i>Blood</i> , 1997 , 90, 1365-72	2.2	26