

Domenico Palli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5056699/publications.pdf>

Version: 2024-02-01

674
papers

54,136
citations

905

116
h-index

3260

185
g-index

681
all docs

681
docs citations

681
times ranked

56971
citing authors

#	ARTICLE	IF	CITATIONS
1	General and Abdominal Adiposity and Risk of Death in Europe. <i>New England Journal of Medicine</i> , 2008, 359, 2105-2120.	13.9	1,746
2	European Prospective Investigation into Cancer and Nutrition (EPIC): study populations and data collection. <i>Public Health Nutrition</i> , 2002, 5, 1113-1124.	1.1	1,539
3	The genetic architecture of type 2 diabetes. <i>Nature</i> , 2016, 536, 41-47.	13.7	952
4	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Journal of the National Cancer Institute</i> , 2005, 97, 906-916.	3.0	716
5	Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008, 40, 1404-1406.	9.4	514
6	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015, 47, 373-380.	9.4	513
7	Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 920-931.	3.0	485
8	Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2004, 111, 762-771.	2.3	484
9	A case-control study of gastric cancer and diet in Italy. <i>International Journal of Cancer</i> , 1989, 44, 611-616.	2.3	472
10	Postmenopausal serum androgens, oestrogens and breast cancer risk: the European prospective investigation into cancer and nutrition. <i>Endocrine-Related Cancer</i> , 2005, 12, 1071-1082.	1.6	435
11	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 810-818.	5.5	431
12	Relative validity and reproducibility of a food frequency dietary questionnaire for use in the Italian EPIC centres. <i>International Journal of Epidemiology</i> , 1997, 26, 152S-160.	0.9	401
13	Serum Sex Steroids in Premenopausal Women and Breast Cancer Risk Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2005, 97, 755-765.	3.0	391
14	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015, 47, 1415-1425.	9.4	365
15	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010, 102, 529-537.	3.0	357
16	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017, 49, 680-691.	9.4	356
17	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations: a nested case-control study. <i>BMJ: British Medical Journal</i> , 2010, 340, b5500-b5500.	2.4	342
18	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. <i>Gut</i> , 2013, 62, 1764-1770.	6.1	330

#	ARTICLE	IF	CITATIONS
19	Meat consumption and mortality - results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013, 11, 63.	2.3	329
20	Linoleic acid, a dietary n-6 polyunsaturated fatty acid, and the aetiology of ulcerative colitis: a nested case-control study within a European prospective cohort study. <i>Gut</i> , 2009, 58, 1606-1611.	6.1	318
21	Anthropometric Measures, Body Mass Index, and Pancreatic Cancer. <i>Archives of Internal Medicine</i> , 2010, 170, 791.	4.3	314
22	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016, 55, 1359-1375.	1.8	313
23	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 345-354.	3.0	301
24	Cigarette Smoking and Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2009, 170, 403-413.	1.6	298
25	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015, 101, 613-621.	2.2	284
26	Genome-wide expression profile of sporadic gastric cancers with microsatellite instability. <i>European Journal of Cancer</i> , 2009, 45, 461-469.	1.3	279
27	Dynamics of smoking-induced genome-wide methylation changes with time since smoking cessation. <i>Human Molecular Genetics</i> , 2015, 24, 2349-2359.	1.4	261
28	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1441-1452.	2.2	251
29	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , 2011, 104, 1493-1499.	2.9	248
30	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008, 15, 485-497.	1.6	228
31	Consumption of Vegetables and Fruits and Risk of Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 183.	3.8	227
32	DNA repair polymorphisms and cancer risk in non-smokers in a cohort study. <i>Carcinogenesis</i> , 2006, 27, 997-1007.	1.3	227
33	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011, 32, 1235-1243.	1.0	225
34	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 127, 442-451.	2.3	223
35	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011, 43, 60-65.	9.4	220
36	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2012, 7, e39361.	1.1	218

#	ARTICLE	IF	CITATIONS
37	A case-control study of gastric cancer and diet in Italy: II. Association with nutrients. <i>International Journal of Cancer</i> , 1990, 45, 896-901.	2.3	217
38	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003, 107, 629-634.	2.3	209
39	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 345-354.	0.9	207
40	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 381-390.	2.2	198
41	Hepatocellular Carcinoma Risk Factors and Disease Burden in a European Cohort: A Nested Case-Control Study. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1686-1695.	3.0	197
42	Age at Menarche in Relation to Adult Height. <i>American Journal of Epidemiology</i> , 2005, 162, 623-632.	1.6	195
43	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	2.2	194
44	Diet in the Italian Epic Cohorts: Presentation of Data and Methodological Issues. <i>Tumori</i> , 2003, 89, 594-607.	0.6	192
45	Tobacco smoking-associated genome-wide DNA methylation changes in the EPIC study. <i>Epigenomics</i> , 2016, 8, 599-618.	1.0	192
46	Consumption of vegetables, fruit and other plant foods in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>Public Health Nutrition</i> , 2002, 5, 1179-1196.	1.1	191
47	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263.	1.8	191
48	Physical Activity and Risk of Colon and Rectal Cancers: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2398-2407.	1.1	190
49	Serum levels of IGF1, IGFBP3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010, 126, 1702-1715.	2.3	190
50	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 398-407.	2.2	189
51	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 331-346.	2.2	188
52	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , 2011, 60, 1094-1102.	6.1	187
53	Age at Menopause, Reproductive Life Span, and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 1012-1019.	4.3	186
54	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012, 27, 15-25.	2.5	185

#	ARTICLE	IF	CITATIONS
55	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 382-390.	2.2	183
56	Social adversity and epigenetic aging: a multi-cohort study on socioeconomic differences in peripheral blood DNA methylation. <i>Scientific Reports</i> , 2017, 7, 16266.	1.6	181
57	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2014, 11, e1001647.	3.9	180
58	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014, 12, 168.	2.3	178
59	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014, 60, 858-871.	3.6	175
60	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 728-738.	2.3	173
61	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2918-2927.	2.3	172
62	Blood Pressure and Risk of Renal Cell Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 438-446.	1.6	170
63	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , 2011, 54, 2272-2282.	2.9	169
64	A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. <i>Human Molecular Genetics</i> , 2012, 21, 5373-5384.	1.4	168
65	Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2017, 167, 236-247.	2.0	168
66	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1387-1396.	1.3	166
67	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	1.3	162
68	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 453-466.	2.3	161
69	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2015, 136, 1149-1161.	2.3	161
70	Dermatologist Detection and Skin Self-examination Are Associated With Thinner Melanomas. <i>Archives of Dermatology</i> , 2003, 139, 607-12.	1.7	160
71	Air pollution and risk of lung cancer in a prospective study in Europe. <i>International Journal of Cancer</i> , 2006, 119, 169-174.	2.3	158
72	TP53 and KRAS2 Mutations in Plasma DNA of Healthy Subjects and Subsequent Cancer Occurrence: A Prospective Study. <i>Cancer Research</i> , 2006, 66, 6871-6876.	0.4	158

#	ARTICLE	IF	CITATIONS
73	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1001333.	1.5	158
74	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013, 132, 645-657.	2.3	158
75	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2008, 98, 1574-1581.	2.9	157
76	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011, 129, 2712-2719.	2.3	154
77	Daily consumption of a high-phenol extra-virgin olive oil reduces oxidative DNA damage in postmenopausal women. <i>British Journal of Nutrition</i> , 2006, 95, 742-751.	1.2	153
78	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. <i>Diabetes</i> , 2014, 63, 4378-4387.	0.3	153
79	Prediction of Breast and Prostate Cancer Risks in Male <i>BRCA1</i> and <i>BRCA2</i> Mutation Carriers Using Polygenic Risk Scores. <i>Journal of Clinical Oncology</i> , 2017, 35, 2240-2250.	0.8	152
80	Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 275-283.	2.2	150
81	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007, 18, 399-413.	0.8	148
82	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001230.	3.9	147
83	Age at Menarche and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 3526-3534.	4.3	147
84	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. <i>Journal of Nutrition</i> , 2009, 139, 1728-1737.	1.3	144
85	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010, 17, 1007-1019.	1.6	143
86	IGF-I, IGFBP-3 and breast cancer risk in women: The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2006, 13, 593-605.	1.6	142
87	Intensive vs Clinical Follow-up After Treatment of Primary Breast Cancer: 10-Year Update of a Randomized Trial. <i>JAMA - Journal of the American Medical Association</i> , 1999, 281, 1586-1586.	3.8	142
88	Body Mass Index and the Risk for Crohn's Disease and Ulcerative Colitis: Data From a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , 2013, 108, 575-582.	0.2	141
89	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014, 37, 1854-1862.	4.3	141
90	A Priori-Defined Dietary Patterns Are Associated with Reduced Risk of Stroke in a Large Italian Cohort. <i>Journal of Nutrition</i> , 2011, 141, 1552-1558.	1.3	140

#	ARTICLE	IF	CITATIONS
91	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1304-12.	2.2	139
92	The update of the Italian Food Composition Database. <i>Journal of Food Composition and Analysis</i> , 2004, 17, 509-522.	1.9	138
93	Male breast cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2010, 73, 141-155.	2.0	138
94	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. <i>Neurology</i> , 2013, 80, 829-838.	1.5	138
95	Socioeconomic position, lifestyle habits and biomarkers of epigenetic aging: a multi-cohort analysis. <i>Aging</i> , 2019, 11, 2045-2070.	1.4	137
96	Hodgkin's disease risk is increased in patients with ulcerative colitis. <i>Gastroenterology</i> , 2000, 119, 647-653.	0.6	136
97	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005, 94, 100-113.	1.2	136
98	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013, 28, 317-328.	2.5	136
99	Fruit and Vegetable Consumption and Mortality. <i>American Journal of Epidemiology</i> , 2013, 178, 590-602.	1.6	135
100	Cigarette smoking and gastric cancer in the Stomach Cancer Pooling (StoP) Project. <i>European Journal of Cancer Prevention</i> , 2018, 27, 124-133.	0.6	134
101	Anthropometric measures, endogenous sex steroids and breast cancer risk in postmenopausal women: A study within the EPIC cohort. <i>International Journal of Cancer</i> , 2006, 118, 2832-2839.	2.3	132
102	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1353-1363.	2.2	132
103	Performance in Omics Analyses of Blood Samples in Long-Term Storage: Opportunities for the Exploitation of Existing Biobanks in Environmental Health Research. <i>Environmental Health Perspectives</i> , 2013, 121, 480-487.	2.8	132
104	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 19-29.	5.5	132
105	Diet, serum insulin-like growth factor-I and IGF-binding protein-3 in European women. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 91-98.	1.3	129
106	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2012, 30, 4550-4557.	0.8	129
107	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013, 56, 47-59.	2.9	129
108	Family history of cancer and risk of pancreatic cancer: A pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). <i>International Journal of Cancer</i> , 2010, 127, 1421-1428.	2.3	128

#	ARTICLE	IF	CITATIONS
109	Physical Activity and Breast Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 36-42.	1.1	127
110	Diet in the Aetiology of Ulcerative Colitis: A European Prospective Cohort Study. <i>Digestion</i> , 2008, 77, 57-64.	1.2	127
111	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012, 41, 1162-1173.	0.9	127
112	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 582-593.	1.1	126
113	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015, 44, 1320-1330.	0.9	126
114	DNA adduct levels and DNA repair polymorphisms in traffic-exposed workers and a general population sample. <i>International Journal of Cancer</i> , 2001, 94, 121-127.	2.3	125
115	Fruits and vegetables and lung cancer: Findings from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2004, 108, 269-276.	2.3	124
116	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006, 27, 2250-2257.	1.3	123
117	Dietary patterns and survival of older Europeans: The EPIC-Elderly Study (European Prospective) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>	1.1	121
118	The Association between Diet and Serum Concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1333-1340.	1.1	121
119	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. <i>Tumori</i> , 2003, 89, 586-593.	0.6	120
120	An Absolute Risk Model to Identify Individuals at Elevated Risk for Pancreatic Cancer in the General Population. <i>PLoS ONE</i> , 2013, 8, e72311.	1.1	120
121	Gastric cancer with high-level microsatellite instability: target gene mutations, clinicopathologic features, and long-term survival. <i>Human Pathology</i> , 2008, 39, 925-932.	1.1	119
122	Trend in Obesity Prevalence in European Adult Cohort Populations during Follow-up since 1996 and Their Predictions to 2015. <i>PLoS ONE</i> , 2011, 6, e27455.	1.1	119
123	Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohort—A Factor Analysis. <i>American Journal of Epidemiology</i> , 2013, 177, 787-799.	1.6	119
124	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006, 17, 957-969.	0.8	118
125	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2394-2403.	2.3	118
126	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 905-913.	2.2	118

#	ARTICLE	IF	CITATIONS
127	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013, 42, 1772-1790.	0.9	117
128	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. <i>Cancer Research</i> , 2016, 76, 2288-2300.	0.4	117
129	Dietary patterns, nutrient intake and gastric cancer in a high-risk area of Italy. <i>Cancer Causes and Control</i> , 2001, 12, 163-172.	0.8	116
130	Dietary Glycemic Load and Index and Risk of Coronary Heart Disease in a Large Italian Cohort. <i>Archives of Internal Medicine</i> , 2010, 170, 640-7.	4.3	116
131	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 164-174.	2.2	116
132	Polymorphisms of genes coding for insulin-like growth factor 1 and its major binding proteins, circulating levels of IGF-I and IGFBP-3 and breast cancer risk: results from the EPIC study. <i>British Journal of Cancer</i> , 2006, 94, 299-307.	2.9	115
133	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 1103-1114.	2.3	115
134	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. <i>Journal of Clinical Oncology</i> , 2014, 32, 1347-1355.	0.8	115
135	CagA+Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 120, 859-867.	2.3	114
136	Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the European prospective investigation into cancer and nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , 2012, 131, 2910-2919.	2.3	114
137	Diabetes and risk of pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. <i>Cancer Causes and Control</i> , 2013, 24, 13-25.	0.8	114
138	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. <i>Annals of Oncology</i> , 2013, 24, 2449-2455.	0.6	114
139	Hydro-dynamic CT preoperative staging of gastric cancer: correlation with pathological findings. A prospective study of 107 cases. <i>European Radiology</i> , 2000, 10, 1877-1885.	2.3	113
140	Lung cancers attributable to environmental tobacco smoke and air pollution in non-smokers in different European countries: a prospective study. <i>Environmental Health</i> , 2007, 6, 7.	1.7	113
141	Fruit and vegetable intakes and subsequent changes in body weight in European populations: results from the project on Diet, Obesity, and Genes (DiOGenes). <i>American Journal of Clinical Nutrition</i> , 2009, 90, 202-209.	2.2	113
142	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2562-2569.	1.1	113
143	Relationship of alcohol intake and sex steroid concentrations in blood in pre- and post-menopausal women: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2006, 17, 1033-1043.	0.8	112
144	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1871-1888.	2.3	112

#	ARTICLE	IF	CITATIONS
145	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. <i>British Journal of Cancer</i> , 2006, 95, 406-415.	2.9	111
146	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009, 65, 378-385.	2.8	111
147	Is the Association with Fiber from Foods in Colorectal Cancer Confounded by Folate Intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1552-1556.	1.1	110
148	Cumulative Burden of Colorectal Cancer—Associated Genetic Variants Is More Strongly Associated With Early-Onset vs Late-Onset Cancer. <i>Gastroenterology</i> , 2020, 158, 1274-1286.e12.	0.6	110
149	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1397-1408.	1.3	109
150	DNA Adducts and Lung Cancer Risk: A Prospective Study. <i>Cancer Research</i> , 2005, 65, 8042-8048.	0.4	109
151	Anthropometry and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2079-2089.	1.1	109
152	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , 2018, 4, e182078.	3.4	109
153	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptor—Positive and -Negative Breast Cancer: a Nested Case—Control Study. <i>Cancer Prevention Research</i> , 2011, 4, 1626-1635.	0.7	108
154	A Population-Based Study of Inflammatory Bowel Disease in Florence over 15 Years (1978-92). <i>Scandinavian Journal of Gastroenterology</i> , 1996, 31, 892-899.	0.6	107
155	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 407-418.	1.6	107
156	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1142-1157.	2.2	107
157	Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 879-885.	1.1	106
158	Mitochondrial DNA Variation of Modern Tuscans Supports the Near Eastern Origin of Etruscans. <i>American Journal of Human Genetics</i> , 2007, 80, 759-768.	2.6	106
159	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). <i>Annals of Oncology</i> , 2008, 19, 1894-1902.	0.6	105
160	Serum C-peptide levels and breast cancer risk: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 659-667.	2.3	104
161	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 755-767.	1.6	104
162	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 361-373.	0.8	104

#	ARTICLE	IF	CITATIONS
163	Body Size and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3252-3261.	1.1	104
164	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. <i>International Journal of Cancer</i> , 2012, 131, E1004-14.	2.3	104
165	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015, 137, 598-606.	2.3	104
166	Dietary and lifestyle determinants of mammographic breast density. A longitudinal study in a Mediterranean population. <i>International Journal of Cancer</i> , 2006, 118, 1782-1789.	2.3	103
167	<i>Helicobacter pylori</i> infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. <i>Annals of Oncology</i> , 2012, 23, 1320-1324.	0.6	102
168	Plasma levels of six carotenoids in nine European countries: report from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2004, 7, 713-722.	1.1	101
169	Fruits and vegetables and prostate cancer: No association among 1,104 cases in a prospective study of 130,544 men in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2004, 109, 119-124.	2.3	100
170	Increased Risk of Lymphoid Neoplasms in Patients with Philadelphia Chromosome–Negative Myeloproliferative Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2068-2073.	1.1	100
171	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016, 8, 341ra76.	5.8	100
172	Genome-wide association study identifies a common variant in <i>RAD51B</i> associated with male breast cancer risk. <i>Nature Genetics</i> , 2012, 44, 1182-1184.	9.4	99
173	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1323-1331.e6.	2.4	99
174	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , 2013, 24, 543-553.	0.6	98
175	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 3028-3036.	0.3	98
176	Nutritional and lifestyle determinants of DNA oxidative damage: a study in a Mediterranean population. <i>Carcinogenesis</i> , 2002, 23, 1483-1489.	1.3	96
177	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	2.3	96
178	Amount of DNA in plasma and cancer risk: A prospective study. <i>International Journal of Cancer</i> , 2004, 111, 746-749.	2.3	95
179	Polymorphic DNA repair and metabolic genes: a multigenic study on gastric cancer. <i>Mutagenesis</i> , 2010, 25, 569-575.	1.0	95
180	Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. <i>Clinical Epigenetics</i> , 2015, 7, 67.	1.8	95

#	ARTICLE	IF	CITATIONS
181	Lactase Persistence and Bitter Taste Response: Instrumental Variables and Mendelian Randomization in Epidemiologic Studies of Dietary Factors and Cancer Risk. <i>American Journal of Epidemiology</i> , 2007, 166, 576-581.	1.6	94
182	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012, 14, R76.	2.2	94
183	Vitamin D and melanoma and non-melanoma skin cancer risk and prognosis: A comprehensive review and meta-analysis. <i>European Journal of Cancer</i> , 2014, 50, 2649-2658.	1.3	94
184	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 175-182.	2.3	93
185	Intake of total, animal and plant protein and subsequent changes in weight or waist circumference in European men and women: the Diogenes project. <i>International Journal of Obesity</i> , 2011, 35, 1104-1113.	1.6	93
186	A Risk Model for Lung Cancer Incidence. <i>Cancer Prevention Research</i> , 2012, 5, 834-846.	0.7	93
187	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	2.3	93
188	Diet, metabolic polymorphisms and dna adducts: The epic-Italy cross-sectional study. <i>International Journal of Cancer</i> , 2000, 87, 444-451.	2.3	92
189	Gail Model for Prediction of Absolute Risk of Invasive Breast Cancer: Independent Evaluation in the Florenceâ€“European Prospective Investigation Into Cancer and Nutrition Cohort. <i>Journal of the National Cancer Institute</i> , 2006, 98, 1686-1693.	3.0	92
190	Biomarkers of ambient air pollution and lung cancer: a systematic review. <i>Occupational and Environmental Medicine</i> , 2012, 69, 619-627.	1.3	92
191	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013, 110, 1500-1511.	1.2	92
192	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. <i>Hepatology</i> , 2014, 60, 1222-1230.	3.6	91
193	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005, 16, 561-572.	0.8	90
194	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1266-1275.	2.2	90
195	Dietary Determinants of Changes in Waist Circumference Adjusted for Body Mass Index â€“ a Proxy Measure of Visceral Adiposity. <i>PLoS ONE</i> , 2010, 5, e11588.	1.1	90
196	Physical activity and risk of endometrial cancer: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 121, 347-355.	2.3	89
197	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1121-1127.	1.1	88
198	Italian mediterranean index and risk of colorectal cancer in the Italian section of the EPIC cohort. <i>International Journal of Cancer</i> , 2013, 132, 1404-1411.	2.3	88

#	ARTICLE	IF	CITATIONS
199	Male breast cancer in BRCA1 and BRCA2 mutation carriers: pathology data from the Consortium of Investigators of Modifiers of BRCA1/2. <i>Breast Cancer Research</i> , 2016, 18, 15.	2.2	88
200	Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009, 169, 1223-1232.	1.6	87
201	A case-control study of cancers of the gastric cardia in Italy. <i>British Journal of Cancer</i> , 1992, 65, 263-266.	2.9	86
202	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , 2011, 54, 3037-3046.	2.9	85
203	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013, 8, e72715.	1.1	85
204	Alcohol consumption and gastric cancer risk—A pooled analysis within the StoP project consortium. <i>International Journal of Cancer</i> , 2017, 141, 1950-1962.	2.3	85
205	Validity of Electronically Administered Recent Physical Activity Questionnaire (RPAQ) in Ten European Countries. <i>PLoS ONE</i> , 2014, 9, e92829.	1.1	84
206	Thyroid-Stimulating Hormone, Thyroglobulin, and Thyroid Hormones and Risk of Differentiated Thyroid Carcinoma: The EPIC Study. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju097.	3.0	84
207	Food Composition of the Diet in Relation to Changes in Waist Circumference Adjusted for Body Mass Index. <i>PLoS ONE</i> , 2011, 6, e23384.	1.1	84
208	BRCA1 and BRCA2 mutation status and tumor characteristics in male breast cancer: a population-based study in Italy. <i>Cancer Research</i> , 2003, 63, 342-7.	0.4	84
209	The Role of Smoking and Diet in Explaining Educational Inequalities in Lung Cancer Incidence. <i>Journal of the National Cancer Institute</i> , 2009, 101, 321-330.	3.0	83
210	Positive predictive value for malignancy on surgical excision of breast lesions of uncertain malignant potential (B3) diagnosed by stereotactic vacuum-assisted needle core biopsy (VANCB): A large multi-institutional study in Italy. <i>Breast</i> , 2011, 20, 264-270.	0.9	83
211	Variety in vegetable and fruit consumption and the risk of gastric and esophageal cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2012, 131, E963-73.	2.3	83
212	Clinical Characteristics and Overall Survival in Genitourinary Sarcomas Treated with Curative Intent: A Multicenter Study. <i>European Urology</i> , 2005, 47, 468-473.	0.9	81
213	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76.	0.9	81
214	Risk Factor Modification and Projections of Absolute Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1037-1048.	3.0	81
215	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012, 21, 456-462.	1.4	81
216	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014, 4, e005245-e005245.	0.8	81

#	ARTICLE	IF	CITATIONS
217	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 1331-1338.	2.3	80
218	Twenty-four-hour urinary excretion of ten pesticide metabolites in healthy adults in two different areas of Italy (Florence and Ragusa). <i>Science of the Total Environment</i> , 2004, 332, 71-80.	3.9	79
219	Dietary Glycemic Index, Glycemic Load, and Digestible Carbohydrate Intake Are Not Associated with Risk of Type 2 Diabetes in Eight European Countries. <i>Journal of Nutrition</i> , 2013, 143, 93-99.	1.3	79
220	Carbohydrate Intake in the Etiology of Crohn's Disease and Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 2013-2021.	0.9	78
221	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1567-1575.	2.2	77
222	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009, 33, 497-506.	1.6	77
223	Plasma phyto-oestrogens and prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2009, 100, 1817-1823.	2.9	77
224	Polymorphisms in fatty acid metabolism-related genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , 2010, 31, 466-472.	1.3	77
225	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012, 175, 653-663.	1.6	77
226	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006, 96, S12-S23.	1.2	76
227	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2010, 21, 357-371.	0.8	75
228	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: Multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015, 136, 1899-1908.	2.3	75
229	Body mass index, waist circumference and waist-hip ratio and serum levels of IGF-I and IGFBP-3 in European women. <i>International Journal of Obesity</i> , 2006, 30, 1623-1631.	1.6	74
230	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , 2013, 13, 584.	1.1	74
231	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1403-1411.	0.9	74
232	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6.	2.4	74
233	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 3133-3139.	2.3	73
234	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2278-2286.	1.1	73

#	ARTICLE	IF	CITATIONS
235	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 131, E544-54.	2.3	73
236	Clinical and pathologic characteristics of BRCA-positive and BRCA-negative male breast cancer patients: results from a collaborative multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 411-418.	1.1	73
237	Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1328-1340.	1.1	72
238	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , 2011, 38, 194-202.	0.4	72
239	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013, 24, 2166-2173.	0.6	72
240	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 372-381.	2.3	72
241	Early indicators of efficacy of breast cancer screening programmes. Results of the florence district programme. <i>International Journal of Cancer</i> , 1990, 46, 198-202.	2.3	71
242	Interleukin-1 Gene Polymorphisms and Gastric Cancer Risk in a High-Risk Italian Population. <i>American Journal of Gastroenterology</i> , 2005, 100, 1941-1948.	0.2	71
243	Pre-menopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1947-1957.	2.3	71
244	Multi-factor dimensionality reduction applied to a large prospective investigation on gene-gene and gene-environment interactions. <i>Carcinogenesis</i> , 2006, 28, 414-422.	1.3	70
245	Physical Activity and Ovarian Cancer Risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 351-354.	1.1	70
246	Diet in the Italian EPIC cohorts: presentation of data and methodological issues. <i>Tumori</i> , 2003, 89, 594-607.	0.6	70
247	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	2.3	69
248	Protein Intake and Muscle Strength in Older Persons: Does Inflammation Matter?. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 480-484.	1.3	69
249	Association of CRP genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. <i>International Journal of Cancer</i> , 2015, 136, 1181-1192.	2.3	69
250	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016, 6, 26905.	1.6	69
251	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , 2020, 112, 516-524.	3.0	69
252	Divergent patterns of total and cancer mortality in ulcerative colitis and Crohn's disease patients: the Florence IBD study 1978-2001. <i>Gut</i> , 2004, 53, 1309-1313.	6.1	68

#	ARTICLE	IF	CITATIONS
253	Self-detected cutaneous melanomas in Italian patients. <i>Clinical and Experimental Dermatology</i> , 2004, 29, 593-596.	0.6	68
254	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008, 37, 1316-1325.	0.9	68
255	Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 1632-1641.	2.2	68
256	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2404-2415.	2.3	68
257	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	1.1	67
258	Insulin-like Growth Factor-I Concentration and Risk of Prostate Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1531-1541.	1.1	67
259	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt352.	3.0	67
260	Genetic Variation in the HSD17B1 Gene and Risk of Prostate Cancer. <i>PLoS Genetics</i> , 2005, 1, e68.	1.5	66
261	Cross-Sectional Study on Acrylamide Hemoglobin Adducts in Subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 6046-6053.	2.4	66
262	Occult HCV Infection: An Unexpected Finding in a Population Unselected for Hepatic Disease. <i>PLoS ONE</i> , 2009, 4, e8128.	1.1	66
263	Plasma Cytokines and Future Risk of Non-Hodgkin Lymphoma (NHL): A Case-Control Study Nested in the Italian European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1577-1584.	1.1	66
264	Diet-related telomere shortening and chromosome stability. <i>Mutagenesis</i> , 2012, 27, 49-57.	1.0	66
265	Circulating Biomarkers of Tryptophan and the Kynurenine Pathway and Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 461-468.	1.1	66
266	Tobacco smoke and bladder cancer-in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2006, 119, 2412-2416.	2.3	65
267	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.4	65
268	Meat and fish consumption and risk of pancreatic cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013, 132, 617-624.	2.3	65
269	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 137, 1921-1930.	2.3	65
270	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581.	4.3	65

#	ARTICLE	IF	CITATIONS
271	A molecular epidemiology project on diet and cancer: the EPIC-Italy Prospective Study. Design and baseline characteristics of participants. <i>Tumori</i> , 2003, 89, 586-93.	0.6	65
272	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 208-214.	1.1	64
273	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body sizeThe EPICâ€“InterAct study. <i>Journal of Internal Medicine</i> , 2012, 272, 358-370.	2.7	64
274	DNA methylationâ€“based biomarkers of aging were slowed down in a twoâ€“year diet and physical activity intervention trial: the DAMA study. <i>Aging Cell</i> , 2021, 20, e13439.	3.0	64
275	Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2013, 8, e57300.	1.1	64
276	Dietary Energy Density in Relation to Subsequent Changes of Weight and Waist Circumference in European Men and Women. <i>PLoS ONE</i> , 2009, 4, e5339.	1.1	63
277	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 1127-1136.	1.1	63
278	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. <i>Annals of Oncology</i> , 2014, 25, 1422-1428.	0.6	63
279	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1498-1508.	2.2	63
280	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 186-201.	1.1	62
281	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006, 119, 2389-2397.	2.3	62
282	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPICâ€“EURGAST). <i>Cancer Letters</i> , 2011, 311, 85-95.	3.2	62
283	Height, age at menarche and risk of hormone receptorâ€“positive and â€“negative breast cancer: A cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2619-2629.	2.3	62
284	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	2.4	61
285	Tumor necrosis factor (TNF)â€“ α , soluble TNF receptors and endometrial cancer risk: The EPIC study. <i>International Journal of Cancer</i> , 2011, 129, 2032-2037.	2.3	61
286	Dietary inflammatory index and risk of lung cancer and other respiratory conditions among heavy smokers in the COSMOS screening study. <i>European Journal of Nutrition</i> , 2016, 55, 1069-1079.	1.8	61
287	Biomarkers of dietary intake of micronutrients modulate DNA adduct levels in healthy adults. <i>Carcinogenesis</i> , 2003, 24, 739-746.	1.3	60
288	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2416-2424.	1.1	60

#	ARTICLE	IF	CITATIONS
289	Reflux Symptoms in Professional Opera Choristers. <i>Gastroenterology</i> , 2007, 132, 890-898.	0.6	60
290	Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. <i>International Journal of Obesity</i> , 2009, 33, 1280-1288.	1.6	60
291	Prostate stem cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPIC-EURCAST study. <i>International Journal of Cancer</i> , 2012, 130, 2417-2427.	2.3	60
292	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014, 135, 2887-2899.	2.3	60
293	Genetic susceptibility according to three metabolic pathways in cancers of the lung and bladder and in myeloid leukemias in nonsmokers. <i>Annals of Oncology</i> , 2007, 18, 1230-1242.	0.6	59
294	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007, 98, 406-415.	1.2	59
295	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2549-2561.	1.1	59
296	Dietary reporting errors on 24h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012, 107, 910-920.	1.2	59
297	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012, 106, 1866-1874.	2.9	58
298	Red meat, Mediterranean diet and lung cancer risk among heavy smokers in the COSMOS screening study. <i>Annals of Oncology</i> , 2013, 24, 2606-2611.	0.6	58
299	Dairy products and risk of hepatocellular carcinoma: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 1662-1672.	2.3	58
300	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016, 19, 2769-2780.	1.1	58
301	The epidemiology of low serum pepsinogen A levels and an international association with gastric cancer rates. <i>Gastroenterology</i> , 1994, 107, 1335-1344.	0.6	57
302	Fruit and Vegetable Consumption and Risk of Epithelial Ovarian Cancer: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2531-2535.	1.1	57
303	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2427-2434.	1.1	57
304	Anthropometric and dietary determinants of blood pressure in over 7000 Mediterranean women: the European Prospective Investigation into Cancer and Nutrition-Florence cohort. <i>Journal of Hypertension</i> , 2008, 26, 2112-2120.	0.3	57
305	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	0.8	57
306	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. <i>Diabetes Care</i> , 2014, 37, 3164-3171.	4.3	57

#	ARTICLE	IF	CITATIONS
307	Inflammatory markers in relation to long-term air pollution. <i>Environment International</i> , 2015, 81, 1-7.	4.8	57
308	Family history and risk of stomach cancer in Italy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1994, 3, 15-8.	1.1	57
309	The effects of diet on DNA bulky adduct levels are strongly modified by GSTM1 genotype: a study on 634 subjects. <i>Carcinogenesis</i> , 2003, 25, 577-584.	1.3	56
310	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 81-90.	1.6	56
311	Primary brain tumours and specific serum immunoglobulin E: a case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1434-1441.	2.7	56
312	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181.	2.2	56
313	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014, 29, 639-652.	2.5	56
314	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014, 29, 261-275.	2.5	56
315	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013, 108, 708-714.	2.9	55
316	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 2930-2939.	2.3	55
317	GSTT1 and GSTM1 gene polymorphisms and gastric cancer in a high-risk Italian population. <i>International Journal of Cancer</i> , 2005, 115, 284-289.	2.3	54
318	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 23-29.	1.1	54
319	CYP17 Genetic Variation and Risk of Breast and Prostate Cancer from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2237-2246.	1.1	54
320	Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2011, 4, 1385-1392.	0.7	54
321	Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the EPIC-Italy study. <i>International Journal of Cancer</i> , 2015, 136, 2923-2931.	2.3	54
322	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2007, 166, 912-923.	1.6	53
323	BRCA1/BRCA2 mutation status and clinical-pathologic features of 108 male breast cancer cases from Tuscany: a population-based study in central Italy. <i>Breast Cancer Research and Treatment</i> , 2009, 116, 577-586.	1.1	53
324	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. <i>BMC Medicine</i> , 2015, 13, 252.	2.3	53

#	ARTICLE	IF	CITATIONS
325	Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 877-884.	0.8	53
326	Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status: A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 2683-2690.	2.3	52
327	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 1075-1084.	0.8	51
328	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459.	2.3	51
329	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012, 106, 1004-1010.	2.9	51
330	Menstrual and reproductive history and use of exogenous sex hormones and risk of thyroid cancer among women: a meta-analysis of prospective studies. <i>Cancer Causes and Control</i> , 2015, 26, 511-518.	0.8	51
331	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014, 111, 1870-1880.	2.9	50
332	Reproducibility of histologic classification of gastric cancer. <i>British Journal of Cancer</i> , 1991, 63, 765-768.	2.9	49
333	Occupational Exposures, Environmental Tobacco Smoke, and Lung Cancer. <i>Epidemiology</i> , 2007, 18, 769-775.	1.2	49
334	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 121, 1618-1623.	2.3	49
335	Circulating Concentrations of Folate and Vitamin B12 in Relation to Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 279-285.	1.1	49
336	Immunologic profile of excessive body weight. <i>Biomarkers</i> , 2011, 16, 243-251.	0.9	49
337	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	0.8	48
338	The intake of grain fibers modulates cytokine levels in blood. <i>Biomarkers</i> , 2011, 16, 504-510.	0.9	48
339	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2012, 108, 552-569.	1.2	48
340	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013, 52, 1369-1380.	1.8	48
341	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016, 55, 7-20.	1.8	48
342	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. <i>International Journal of Cancer</i> , 2017, 141, 905-915.	2.3	48

#	ARTICLE	IF	CITATIONS
343	A comprehensive analysis of common IGF1, IGFBP1 and IGFBP3 genetic variation with prospective IGF-I and IGFBP-3 blood levels and prostate cancer risk among Caucasians. <i>Human Molecular Genetics</i> , 2010, 19, 3089-3101.	1.4	47
344	Genetic association of gastric cancer with miRNA clusters including the cancer-related genes <i>MIR29</i> , <i>MIR25</i> , <i>MIR93</i> and <i>MIR106</i> : Results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2014, 135, 2065-2076.	2.3	47
345	A life course approach to explore the biological embedding of socioeconomic position and social mobility through circulating inflammatory markers. <i>Scientific Reports</i> , 2016, 6, 25170.	1.6	47
346	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017, 15, 122.	2.3	47
347	MRE11 expression is impaired in gastric cancer with microsatellite instability. <i>Carcinogenesis</i> , 2004, 25, 2337-2343.	1.3	46
348	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. <i>International Journal of Cancer</i> , 2007, 121, 2741-2747.	2.3	46
349	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	2.3	46
350	Oral contraceptives, reproductive history and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2010, 103, 1755-1759.	2.9	46
351	Occupational exposures as risk factors for gastric cancer in Italy. <i>Cancer Causes and Control</i> , 1994, 5, 241-248.	0.8	45
352	Pathology findings and validation of gastric and esophageal cancer cases in a European cohort (EPIC/EUR-GAST). <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 618-627.	0.6	45
353	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2011, 47, 1808-1816.	1.3	45
354	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 555-559.	1.1	45
355	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 976-985.	1.1	45
356	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2014, 25, 1609-1615.	0.6	45
357	Non-Malignant Breast Papillary Lesions - B3 Diagnosed on Ultrasound - Guided 14-Gauge Needle Core Biopsy: Analysis of 114 Cases from a Single Institution and Review of the Literature. <i>Pathology and Oncology Research</i> , 2015, 21, 535-546.	0.9	45
358	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	2.2	45
359	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , 2020, 146, 720-730.	2.3	45
360	PALB2 mutations in male breast cancer: a population-based study in Central Italy. <i>Breast Cancer Research and Treatment</i> , 2010, 122, 299-301.	1.1	44

#	ARTICLE	IF	CITATIONS
361	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 1079-1087.	1.3	44
362	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. <i>PLoS ONE</i> , 2014, 9, e98647.	1.1	44
363	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 440-452.	2.3	44
364	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016, 14, 87.	2.3	44
365	CA19â€9 and apolipoproteinâ€A2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. <i>International Journal of Cancer</i> , 2019, 144, 1877-1887.	2.3	44
366	Meat intake and risk of gastric cancer in the Stomach cancer Pooling (StoP) project. <i>International Journal of Cancer</i> , 2020, 147, 45-55.	2.3	44
367	Dietary intake estimated using different methods in two Italian older populations. <i>Archives of Gerontology and Geriatrics</i> , 2004, 38, 51-60.	1.4	43
368	Breast cancer risk in relation to abortion: Results from the EPIC study. <i>International Journal of Cancer</i> , 2006, 119, 1741-1745.	2.3	43
369	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2011, 173, 26-37.	1.6	43
370	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 902-910.	2.2	43
371	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012, 130, 2428-2437.	2.3	43
372	Total and cancer mortality in a cohort of ulcerative colitis and Crohn's disease patients: The Florence inflammatory bowel disease study, 1978â€“2010. <i>Digestive and Liver Disease</i> , 2016, 48, 1162-1167.	0.4	43
373	An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , 2016, 31, 51-60.	2.5	43
374	Epigenome-wide association study of adiposity and future risk of obesity-related diseases. <i>International Journal of Obesity</i> , 2018, 42, 2022-2035.	1.6	43
375	Blood levels of cadmium and lead in relation to breast cancer risk in three prospective cohorts. <i>International Journal of Cancer</i> , 2019, 144, 1010-1016.	2.3	43
376	BRCA1/BRCA2 rearrangements and CHEK2 common mutations are infrequent in Italian male breast cancer cases. <i>Breast Cancer Research and Treatment</i> , 2008, 110, 161-167.	1.1	42
377	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 2643-2651.	2.3	42
378	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014, 135, 1949-1960.	2.3	42

#	ARTICLE	IF	CITATIONS
379	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 466-471.	1.1	42
380	Telomere length and the risk of cutaneous melanoma and non-melanoma skin cancer: a review of the literature and meta-analysis. <i>Journal of Dermatological Science</i> , 2015, 80, 168-174.	1.0	42
381	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2018, 143, 801-812.	2.3	42
382	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018, 142, 1332-1342.	2.3	42
383	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1304-1313.	2.2	41
384	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012, 131, 2465-2469.	2.3	41
385	Association between Mediterranean and Nordic diet scores and changes in weight and waist circumference: influence of FTO and TCF7L2 loci. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1188-1197.	2.2	41
386	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 134, 612-621.	2.3	41
387	Biological marks of early-life socioeconomic experience is detected in the adult inflammatory transcriptome. <i>Scientific Reports</i> , 2016, 6, 38705.	1.6	41
388	Feasibility of innovative dietary assessment in epidemiological studies using the approach of combining different assessment instruments. <i>Public Health Nutrition</i> , 2011, 14, 1055-1063.	1.1	40
389	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012, 130, 622-630.	2.3	40
390	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013, 8, 549-560.	1.2	40
391	Prediagnostic transcriptomic markers of Chronic lymphocytic leukemia reveal perturbations 10 years before diagnosis. <i>Annals of Oncology</i> , 2014, 25, 1065-1072.	0.6	40
392	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. <i>British Journal of Cancer</i> , 2015, 112, 1257-1265.	2.9	40
393	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. <i>British Journal of Cancer</i> , 2015, 112, 1273-1282.	2.9	40
394	Insight into genetic susceptibility to male breast cancer by multigene panel testing: Results from a multicenter study in Italy. <i>International Journal of Cancer</i> , 2019, 145, 390-400.	2.3	40
395	Melanoma detection rate and concordance between self-skin examination and clinical evaluation in patients attending a pigmented lesion clinic in Italy. <i>British Journal of Dermatology</i> , 2002, 146, 261-266.	1.4	39
396	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008, 29, 1360-1366.	1.3	39

#	ARTICLE	IF	CITATIONS
397	A PALB2 germline mutation associated with hereditary breast cancer in Italy. <i>Familial Cancer</i> , 2010, 9, 181-185.	0.9	39
398	Vitamins B2 and B6 and Genetic Polymorphisms Related to One-Carbon Metabolism as Risk Factors for Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 28-38.	1.1	39
399	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Caseâ€“Control Study within the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 619-628.	1.1	39
400	Association Between FTO Variant and Change in Body Weight and Its Interaction With Dietary Factors: The DiOGenes Study. <i>Obesity</i> , 2012, 20, 1669-1674.	1.5	39
401	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017, 140, 2246-2255.	2.3	39
402	Association of Genomic Domains in <i>BRCA1</i> and <i>BRCA2</i> with Prostate Cancer Risk and Aggressiveness. <i>Cancer Research</i> , 2020, 80, 624-638.	0.4	39
403	Association of nut and seed intake with colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1595-603.	1.1	39
404	Haplotypes of the estrogen receptor beta gene and breast cancer risk. <i>International Journal of Cancer</i> , 2008, 122, 387-392.	2.3	38
405	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1384-1393.	1.6	38
406	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 135, 1470-1479.	2.3	38
407	Polymorphisms of <i>Helicobacter pylori</i> signaling pathway genes and gastric cancer risk in the European prospective investigation into cancerâ€“gast cohort. <i>International Journal of Cancer</i> , 2014, 134, 92-101.	2.3	38
408	Omics for prediction of environmental health effects: Blood leukocyte-based cross-omic profiling reliably predicts diseases associated with tobacco smoking. <i>Scientific Reports</i> , 2016, 6, 20544.	1.6	38
409	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016, 40, 179-187.	0.8	38
410	The Loiano-Monghidoro population-based study of <i>Helicobacter pylori</i> infection: prevalence by 13 C-urea breath test and associated factors. <i>Alimentary Pharmacology and Therapeutics</i> , 2001, 15, 1001-1007.	1.9	37
411	ErbB-receptors expression and survival in breast carcinoma: A 15-year follow-up study. <i>Journal of Cellular Physiology</i> , 2006, 206, 702-708.	2.0	37
412	Alcohol Consumption and the Risk for Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1282-1287.	1.1	37
413	Quantitative trait loci predicting circulating sex steroid hormones in men from the NCI-Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Human Molecular Genetics</i> , 2009, 18, 3749-3757.	1.4	37
414	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 130, 2654-2663.	2.3	37

#	ARTICLE	IF	CITATIONS
415	Genetic variation in the <i>lactase</i> gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1901-1910.	2.3	37
416	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 628-634.	1.1	37
417	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2015, 136, E665-76.	2.3	37
418	Food of animal origin and risk of non-Hodgkin lymphoma and multiple myeloma: A review of the literature and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 100, 16-24.	2.0	37
419	Endogenous Sex Steroids and Risk of Cervical Carcinoma: Results from the EPIC Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2532-2540.	1.1	36
420	Morphological parameters of flat epithelial atypia (FEA) in stereotactic vacuum-assisted needle core biopsies do not predict the presence of malignancy on subsequent surgical excision. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 461, 405-417.	1.4	36
421	Genetic Variation in the Vitamin D Pathway in Relation to Risk of Prostate Cancer—Results from the Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 688-696.	1.1	36
422	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 134, 2504-2511.	2.3	36
423	Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2447-2454.	1.1	36
424	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 399-410.	2.3	36
425	Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. <i>Carcinogenesis</i> , 2015, 36, 1144-1153.	1.3	36
426	Education and gastric cancer risk—An individual participant data meta-analysis in the StoP project consortium. <i>International Journal of Cancer</i> , 2020, 146, 671-681.	2.3	36
427	Meat intake and bladder cancer in a prospective study: a role for heterocyclic aromatic amines?. <i>Cancer Causes and Control</i> , 2008, 19, 649-656.	0.8	35
428	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 811-821.	0.8	35
429	Second-hand Smoke, Cotinine Levels, and Risk of Circulatory Mortality in a Large Cohort Study of Never-Smokers. <i>Epidemiology</i> , 2010, 21, 207-214.	1.2	35
430	Coffee and tea consumption, genotype-based <i>CYP1A2</i> and <i>NAT2</i> activity and colorectal cancer risk—Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 135, 401-412.	2.3	35
431	Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 487-494.	0.8	34
432	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011, 63, 1235-1250.	0.9	34

#	ARTICLE	IF	CITATIONS
433	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 1303-1308.	1.3	34
434	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 635-644.	2.3	34
435	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival—Results from the EPIC Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1813-1823.	1.1	34
436	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017, 141, 287-297.	2.3	34
437	KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Case—Control Study. <i>Clinical Cancer Research</i> , 2018, 24, 5594-5601.	3.2	34
438	Plasma levels of antioxidant vitamins and cholesterol in a large population sample in Central-Northern Italy. <i>European Journal of Nutrition</i> , 1999, 38, 90-98.	1.8	33
439	Genetic Variation in the Growth Hormone Synthesis Pathway in Relation to Circulating Insulin-Like Growth Factor-I, Insulin-Like Growth Factor Binding Protein-3, and Breast Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2316-2325.	1.1	33
440	Sequence Variants of Estrogen Receptor β and Risk of Prostate Cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1973-1981.	1.1	33
441	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009, 124, 245-249.	2.3	33
442	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1354-1361.	2.2	33
443	Nutrient intake and nutrient patterns and risk of lung cancer among heavy smokers: results from the COSMOS screening study with annual low-dose CT. <i>European Journal of Epidemiology</i> , 2013, 28, 503-511.	2.5	33
444	Insulin-like Growth Factor Pathway Genetic Polymorphisms, Circulating IGF1 and IGFBP3, and Prostate Cancer Survival. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju085.	3.0	33
445	Prediagnostic plasma testosterone, sex hormone—binding globulin, IGF—1 and hepatocellular carcinoma: Etiological factors or risk markers?. <i>International Journal of Cancer</i> , 2014, 134, 164-173.	2.3	33
446	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 139-147.	2.2	33
447	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 1620-1631.	2.3	33
448	4-Aminobiphenyl-Hemoglobin Adducts and Risk of Smoking-Related Disease in Never Smokers and Former Smokers in the European Prospective Investigation into Cancer and Nutrition Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2118-2124.	1.1	32
449	A comprehensive analysis of the androgen receptor gene and risk of breast cancer: results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Breast Cancer Research</i> , 2006, 8, R54.	2.2	32
450	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 982-987.	2.3	32

#	ARTICLE	IF	CITATIONS
451	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010, 126, 1928-1935.	2.3	32
452	Association of low-penetrance alleles with male breast cancer risk and clinicopathological characteristics: results from a multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2013, 138, 861-868.	1.1	32
453	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Nutrients</i> , 2018, 10, 654.	1.7	32
454	Reproducibility of histological diagnosis of breast lesions: Results of a panel in Italy. <i>European Journal of Cancer</i> , 1996, 32, 603-607.	1.3	31
455	Physical activity and mammographic breast density in a Mediterranean population: The EPIC Florence longitudinal study. <i>International Journal of Cancer</i> , 2009, 124, 1654-1661.	2.3	31
456	Founder mutations account for the majority of BRCA1-attributable hereditary breast/ovarian cancer cases in a population from Tuscany, Central Italy. <i>Breast Cancer Research and Treatment</i> , 2009, 117, 497-504.	1.1	31
457	N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2055-2065.	1.1	31
458	Whole-exome sequencing and targeted gene sequencing provide insights into the role of <i>PALB2</i> as a male breast cancer susceptibility gene. <i>Cancer</i> , 2017, 123, 210-218.	2.0	31
459	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , 2017, 4, 170179.	2.4	31
460	Sources of Pre-Analytical Variations in Yield of DNA Extracted from Blood Samples: Analysis of 50,000 DNA Samples in EPIC. <i>PLoS ONE</i> , 2012, 7, e39821.	1.1	31
461	The effect of occasional smoking on smoking-related cancers. <i>Cancer Causes and Control</i> , 2006, 17, 1305-1309.	0.8	30
462	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2174-2182.	1.1	30
463	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016, 116, 316-325.	1.2	30
464	A gene-environment interaction between occupation and BRCA1/BRCA2 mutations in male breast cancer?. <i>European Journal of Cancer</i> , 2004, 40, 2474-2479.	1.3	29
465	Mutation screening of RAD51C in male breast cancer patients. <i>Breast Cancer Research</i> , 2011, 13, 404.	2.2	29
466	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013, 34, 1244-1250.	1.3	29
467	Dietary Folate Intake and Breast Cancer Risk: European Prospective Investigation Into Cancer and Nutrition. <i>Journal of the National Cancer Institute</i> , 2014, 107, dju367-dju367.	3.0	29
468	Plasma clusterin as a candidate pre-diagnosis marker of colorectal cancer risk in the Florence cohort of the European Prospective Investigation into Cancer and Nutrition: a pilot study. <i>BMC Cancer</i> , 2015, 15, 56.	1.1	29

#	ARTICLE	IF	CITATIONS
469	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 161-167.	2.2	29
470	Pre-operative diagnosis of pigmented skin lesions: in vivo dermoscopy performs better than dermoscopy on photographic images. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2002, 16, 339-346.	1.3	28
471	Patterns of Detection of Superficial Spreading and Nodular-Type Melanoma: A Multicenter Italian Study. <i>Dermatologic Surgery</i> , 2004, 30, 1371-1376.	0.4	28
472	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006, 164, 1103-1114.	1.6	28
473	Association between the BRCA2N372H variant and male breast cancer risk: a population-based case-control study in Tuscany, Central Italy. <i>BMC Cancer</i> , 2007, 7, 170.	1.1	28
474	Environmental ozone exposure and oxidative DNA damage in adult residents of Florence, Italy. <i>Environmental Pollution</i> , 2009, 157, 1521-1525.	3.7	28
475	Mutation analysis of BRIP1 in male breast cancer cases: a population-based study in Central Italy. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 539-543.	1.1	28
476	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889.	2.3	28
477	Variation at <i>ABO</i> blood group and <i>FUT</i> loci and diffuse and intestinal gastric cancer risk in a European population. <i>International Journal of Cancer</i> , 2015, 136, 880-893.	2.3	28
478	Dietary and lifestyle determinants of malondialdehyde DNA adducts in a representative sample of the Florence City population. <i>Mutagenesis</i> , 2016, 31, 475-480.	1.0	28
479	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	1.1	28
480	Citrus fruit intake and gastric cancer: The stomach cancer pooling (StoP) project consortium. <i>International Journal of Cancer</i> , 2019, 144, 2936-2944.	2.3	28
481	Genetic Polymorphisms in the Hypothalamic Pathway in Relation to Subsequent Weight Change – The DiOGenes Study. <i>PLoS ONE</i> , 2011, 6, e17436.	1.1	28
482	CDH1 gene polymorphisms, smoking, <i>Helicobacter pylori</i> infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008, 44, 774-780.	1.3	27
483	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2012, 7, e50712.	1.1	27
484	General and Cancer Mortality in a Large Cohort of Italian Alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 342-350.	1.4	27
485	Circulating 25-Hydroxyvitamin D3 in Relation to Renal Cell Carcinoma Incidence and Survival in the EPIC Cohort. <i>American Journal of Epidemiology</i> , 2014, 180, 810-820.	1.6	27
486	Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. <i>International Journal of Cancer</i> , 2018, 143, 2437-2448.	2.3	27

#	ARTICLE	IF	CITATIONS
487	Fruits and vegetables intake and gastric cancer risk: A pooled analysis within the Stomach cancer Pooling Project. <i>International Journal of Cancer</i> , 2020, 147, 3090-3101.	2.3	27
488	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 909-918.	0.8	26
489	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 2971-2979.	2.3	26
490	Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 767-778.	1.1	26
491	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012, 54, 183-192.	1.6	26
492	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013, 52, 1503-1512.	1.8	26
493	Blood Erythrocyte Concentrations of Cadmium and Lead and the Risk of B-Cell Non-Hodgkinâ€™s Lymphoma and Multiple Myeloma: A Nested Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e81892.	1.1	26
494	Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 135, 2910-2917.	2.3	26
495	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2918-2929.	2.3	26
496	Atopic dermatitis, naevi count and skin cancer risk: A meta-analysis. <i>Journal of Dermatological Science</i> , 2016, 84, 137-143.	1.0	26
497	Alcohol, alcoholic beverages, and melanoma risk: a systematic literature review and doseâ€™response meta-analysis. <i>European Journal of Nutrition</i> , 2018, 57, 2323-2332.	1.8	26
498	Relationship between Plasma Fatty Acid Composition and Diet over Previous Years in the Italian Centers of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Tumori</i> , 2003, 89, 624-635.	0.6	25
499	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1043-1045.	1.1	25
500	No Association of Consumption of Animal Foods with Risk of Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 852-855.	1.1	25
501	Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. <i>Biomarkers</i> , 2010, 15, 20-30.	0.9	25
502	Circulating Soluble CD30 and Future Risk of Lymphoma; Evidence from Two Prospective Studies in the General Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1925-1927.	1.1	25
503	Dietary intake of iron, hemeâ€™iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012, 131, E1134-47.	2.3	25
504	Novel and known genetic variants for male breast cancer risk at 8q24.21, 9p21.3, 11q13.3 and 14q24.1: Results from a multicenter study in Italy. <i>European Journal of Cancer</i> , 2015, 51, 2289-2295.	1.3	25

#	ARTICLE	IF	CITATIONS
505	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018, 143, 245-252.	2.3	25
506	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019, 79, 274-285.	0.4	25
507	DNA adducts and PM10 exposure in traffic-exposed workers and urban residents from the EPIC-Florence City study. <i>Science of the Total Environment</i> , 2008, 403, 105-112.	3.9	24
508	Bulky DNA Adducts in White Blood Cells: A Pooled Analysis of 3,600 Subjects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3174-3181.	1.1	24
509	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1769-1776.	2.2	24
510	Effects of de-alcoholised wines with different polyphenol content on DNA oxidative damage, gene expression of peripheral lymphocytes, and haemorheology: an intervention study in post-menopausal women. <i>European Journal of Nutrition</i> , 2011, 50, 19-29.	1.8	24
511	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. <i>Cancer Causes and Control</i> , 2012, 23, 1163-1171.	0.8	24
512	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018, 142, 1355-1360.	2.3	24
513	Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. <i>British Journal of Nutrition</i> , 2008, 100, 489-495.	1.2	23
514	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	23
515	Accuracy and Reproducibility of HER2 Status in Breast Cancer Using Immunohistochemistry: A Quality Control Study in Tuscany Evaluating the Impact of Updated 2013 ASCO/CAP Recommendations. <i>Pathology and Oncology Research</i> , 2015, 21, 477-485.	0.9	23
516	Identification of Urinary Polyphenol Metabolite Patterns Associated with Polyphenol-Rich Food Intake in Adults from Four European Countries. <i>Nutrients</i> , 2017, 9, 796.	1.7	23
517	A possible role of FANCM mutations in male breast cancer susceptibility: Results from a multicenter study in Italy. <i>Breast</i> , 2018, 38, 92-97.	0.9	23
518	DNA methylation profiling implicates exposure to PCBs in the pathogenesis of B-cell chronic lymphocytic leukemia. <i>Environment International</i> , 2019, 126, 24-36.	4.8	23
519	Prospective analysis of circulating metabolites and endometrial cancer risk. <i>Gynecologic Oncology</i> , 2021, 162, 475-481.	0.6	23
520	A bivariate measurement error model for nitrogen and potassium intakes to evaluate the performance of regression calibration in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S179-S187.	1.3	22
521	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009, 49, 365-373.	1.6	22
522	Blood-based omic profiling supports female susceptibility to tobacco smoke-induced cardiovascular diseases. <i>Scientific Reports</i> , 2017, 7, 42870.	1.6	22

#	ARTICLE	IF	CITATIONS
523	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017, 10, 20.	1.3	22
524	CXCR3-B Expression Correlates With Tumor Necrosis Extension in Renal Cell Carcinoma. <i>Journal of Urology</i> , 2009, 181, 843-848.	0.2	21
525	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. <i>International Journal of Cancer</i> , 2015, 136, 915-927.	2.3	21
526	Acrylamide and glycidamide hemoglobin adduct levels and endometrial cancer risk: A nested case-control study in nonsmoking postmenopausal women from the EPIC cohort. <i>International Journal of Cancer</i> , 2016, 138, 1129-1138.	2.3	21
527	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2017, 161, 311-320.	1.1	21
528	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2019, 144, 240-250.	2.3	21
529	The p.G23S CDKN2A founder mutation in high-risk melanoma families from Central Italy. <i>Melanoma Research</i> , 2007, 17, 387-392.	0.6	20
530	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 565-574.	1.1	20
531	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011, 26, 657-666.	1.0	20
532	Influence of dietary protein intake and glycemic index on the association between TCF7L2 HapA and weight gain. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1468-1476.	2.2	20
533	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013, 24, 1901-1909.	0.8	20
534	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , 2014, 22, E127-34.	1.5	20
535	Plasma fetuin-A concentration, genetic variation in the AHSG gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015, 137, 911-920.	2.3	20
536	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 136, E423-31.	2.3	20
537	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015, 113, 840-847.	2.9	20
538	Risk of second primary malignancies among 1537 melanoma patients and risk of second primary melanoma among 52 354 cancer patients in Northern Italy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1491-1496.	1.3	20
539	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020, 146, 1841-1850.	2.3	20
540	Prospective Identification of Elevated Circulating CDCP1 in Patients Years before Onset of Lung Cancer. <i>Cancer Research</i> , 2021, 81, 3738-3748.	0.4	20

#	ARTICLE	IF	CITATIONS
541	Helicobacter pylori infection, anti-cagA antibodies and peptic ulcer: a case-control study in Italy. <i>Alimentary Pharmacology and Therapeutics</i> , 2002, 16, 1015-1020.	1.9	19
542	Predictors of Quality of Life after Radical Treatment for Prostate Cancer. <i>Urologia Internationalis</i> , 2008, 80, 231-236.	0.6	19
543	Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012, 7, e37141.	1.1	19
544	Can Dietary and Physical Activity Modifications Reduce Breast Density in Postmenopausal Women? The DAMA Study, a Randomized Intervention Trial in Italy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 41-50.	1.1	19
545	Do Thiazide Diuretics Increase the Risk of Skin Cancer? A Critical Review of the Scientific Evidence and Updated Meta-Analysis. <i>Current Cardiology Reports</i> , 2019, 21, 92.	1.3	19
546	Breast and Prostate Cancer Risks for Male <i>BRCA1</i> and <i>BRCA2</i> Pathogenic Variant Carriers Using Polygenic Risk Scores. <i>Journal of the National Cancer Institute</i> , 2022, 114, 109-122.	3.0	19
547	Association of Pre-diagnostic Antibody Responses to Escherichia coli and Bacteroides fragilis Toxin Proteins with Colorectal Cancer in a European Cohort. <i>Gut Microbes</i> , 2021, 13, 1-14.	4.3	19
548	Implications of p53 mutation spectrum for cancer etiology in gastric cancers of various histologic types from a high-risk area of central Italy. <i>Carcinogenesis</i> , 1998, 19, 2145-2149.	1.3	18
549	Fish consumption does not prevent increase in waist circumference in European women and men. <i>British Journal of Nutrition</i> , 2012, 108, 924-931.	1.2	18
550	Mammographic breast density and breast cancer risk in a Mediterranean population: a nested case-control study in the EPIC Florence cohort. <i>Breast Cancer Research and Treatment</i> , 2017, 164, 467-473.	1.1	18
551	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , 2018, 143, 515-526.	2.3	18
552	A priori dietary patterns and blood pressure in the EPIC Florence cohort: a cross-sectional study. <i>European Journal of Nutrition</i> , 2019, 58, 455-466.	1.8	18
553	Stochastic Epigenetic Mutations Are Associated with Risk of Breast Cancer, Lung Cancer, and Mature B-cell Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2026-2037.	1.1	18
554	Circulating free testosterone and risk of aggressive prostate cancer: Prospective and Mendelian randomisation analyses in international consortia. <i>International Journal of Cancer</i> , 2022, 151, 1033-1046.	2.3	18
555	An Approach to Estimate Between- and Within-Group Correlation Coefficients in Multicenter Studies: Plasma Carotenoids as Biomarkers of Intake of Fruits and Vegetables. <i>American Journal of Epidemiology</i> , 2005, 162, 591-598.	1.6	17
556	Visual assessment of uroflowmetry curves: description and interpretation by urodynamists. <i>World Journal of Urology</i> , 2007, 25, 333-337.	1.2	17
557	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013, 109, 353-362.	1.2	17
558	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. <i>PLoS ONE</i> , 2013, 8, e67429.	1.1	17

#	ARTICLE	IF	CITATIONS
559	Epigenetic signatures of internal migration in Italy. <i>International Journal of Epidemiology</i> , 2015, 44, 1442-1449.	0.9	17
560	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015, 136, E720-30.	2.3	17
561	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	17
562	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017, 56, 1157-1168.	1.8	17
563	Syringol metabolites as new biomarkers for smoked meat intake. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1424-1433.	2.2	17
564	Antibody Responses to <i>Fusobacterium nucleatum</i> Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1552-1555.	1.1	17
565	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020, 123, 198-208.	1.2	17
566	What healthy women think, feel and do about cancer, prevention and breast cancer screening in Italy. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 913-917.	0.9	16
567	The BRCAPRO 5.0 model is a useful tool in genetic counseling and clinical management of male breast cancer cases. <i>European Journal of Human Genetics</i> , 2010, 18, 856-858.	1.4	16
568	Meat and Heme Iron Intake and Risk of Squamous Cell Carcinoma of the Upper Aero-Digestive Tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2138-2148.	1.1	16
569	Insulin-like Growth Factor Pathway Genetic Polymorphisms, Circulating IGF1 and IGFBP3, and Prostate Cancer Survival. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	16
570	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018, 142, 1189-1201.	2.3	16
571	Alcohol intake and gastric cancer: Meta-analyses of published data versus individual participant data pooled analyses (StoP Project). <i>Cancer Epidemiology</i> , 2018, 54, 125-132.	0.8	16
572	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 681-686.	1.1	16
573	Salt intake and gastric cancer: a pooled analysis within the Stomach cancer Pooling (StoP) Project. <i>Cancer Causes and Control</i> , 2022, 33, 779-791.	0.8	16
574	Quantitative Assessment of the Subepithelial Collagen Band Does Not Increase the Accuracy of Diagnosis of Collagenous Colitis. <i>American Journal of Clinical Pathology</i> , 2008, 130, 375-381.	0.4	15
575	Determinants of non-response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	1.4	15
576	Morphological parameters of lobular <i>in situ</i> neoplasia in stereotactic 11-gauge vacuum-assisted needle core biopsy do not predict the presence of malignancy on subsequent surgical excision. <i>Histopathology</i> , 2013, 63, 83-95.	1.6	15

#	ARTICLE	IF	CITATIONS
577	Associations Between Genome-wide Gene Expression and Ambient Nitrogen Oxides. <i>Epidemiology</i> , 2017, 28, 320-328.	1.2	15
578	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018, 41, 277-285.	4.3	15
579	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , 2021, 11, 631.	1.3	15
580	Germline mutations in MEN1 and BRCA1 genes in a woman with familial multiple endocrine neoplasia type 1 and inherited breast-ovarian cancer syndromes: a case report. <i>Cancer Genetics and Cytogenetics</i> , 2009, 195, 75-79.	1.0	14
581	Risk of second cancers in chronic myeloproliferative neoplasms. <i>Blood</i> , 2012, 119, 3861-3862.	0.6	14
582	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , 2020, 35, 1057-1067.	2.5	14
583	Glycemic Index, Glycemic Load and Mammographic Breast Density: The EPIC Florence Longitudinal Study. <i>PLoS ONE</i> , 2013, 8, e70943.	1.1	14
584	DNA bulky adducts in a Mediterranean population correlate with environmental ozone concentration, an indicator of photochemical smog. <i>International Journal of Cancer</i> , 2004, 109, 17-23.	2.3	13
585	Pooled analysis of studies on DNA adducts and dietary vitamins. <i>Mutation Research - Reviews in Mutation Research</i> , 2010, 705, 77-82.	2.4	13
586	Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiology</i> , 2010, 34, 709-712.	0.8	13
587	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011, 127, 761-767.	1.1	13
588	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 477-484.	1.1	13
589	Physical activity and blood pressure in 10,000 Mediterranean adults: The EPIC-Florence cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 670-678.	1.1	13
590	Evolving DNA methylation and gene expression markers of B-cell chronic lymphocytic leukemia are present in pre-diagnostic blood samples more than 10 years prior to diagnosis. <i>BMC Genomics</i> , 2017, 18, 728.	1.2	13
591	Pre-diagnostic blood immune markers, incidence and progression of B-cell lymphoma and multiple myeloma: Univariate and functionally informed multivariate analyses. <i>International Journal of Cancer</i> , 2018, 143, 1335-1347.	2.3	13
592	Predictors of erythrocyte cadmium levels in 454 adults in Florence, Italy. <i>Science of the Total Environment</i> , 2018, 644, 37-44.	3.9	13
593	Association between low-grade inflammation and Breast cancer and B-cell Myeloma and Non-Hodgkin Lymphoma: findings from two prospective cohorts. <i>Scientific Reports</i> , 2018, 8, 10805.	1.6	13
594	Family History and Gastric Cancer Risk: A Pooled Investigation in the Stomach Cancer Pooling (STOP) Project Consortium. <i>Cancers</i> , 2021, 13, 3844.	1.7	13

#	ARTICLE	IF	CITATIONS
595	Haplotype-Based Analysis of Common Variation in the Acetyl-CoA Carboxylase β Gene and Breast Cancer Risk: A Case-Control Study Nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 409-415.	1.1	12
596	Genetic Variability of the mTOR Pathway and Prostate Cancer Risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011, 6, e16914.	1.1	12
597	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 144, 957-966.	2.3	12
598	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 217-228.	1.1	12
599	Common Susceptibility Loci for Male Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2021, 113, 453-461.	3.0	12
600	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021, 13, 3132.	1.7	12
601	Reflux symptoms in wind instrument players. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 593-600.	1.9	11
602	Polyphenol Intake and Gastric Cancer Risk: Findings from the Stomach Cancer Pooling Project (StoP). <i>Cancers</i> , 2020, 12, 3064.	1.7	11
603	Antibody Responses to <i>Helicobacter pylori</i> and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1475-1481.	1.1	11
604	The Florence City Sample: Dietary and Life-Style Habits of a Representative Sample of Adult Residents. A Comparison with the Epic-Florence Volunteers. <i>Tumori</i> , 2003, 89, 636-645.	0.6	10
605	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	2.3	10
606	Occupational exposures and odds of gastric cancer: a StoP project consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2020, 49, 422-434.	0.9	10
607	Prediagnostic circulating metabolites in female breast cancer cases with low and high mammographic breast density. <i>Scientific Reports</i> , 2021, 11, 13025.	1.6	10
608	Dietary Factors Impact on the Association between CTSS Variants and Obesity Related Traits. <i>PLoS ONE</i> , 2012, 7, e40394.	1.1	9
609	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016, 27, 919-927.	0.8	9
610	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1076-1085.	1.1	9
611	Blood Transcriptome Response to Environmental Metal Exposure Reveals Potential Biological Processes Related to Alzheimer's Disease. <i>Frontiers in Public Health</i> , 2020, 8, 557587.	1.3	9
612	Urinary Concentrations of (+)-Catechin and (-)-Epicatechin as Biomarkers of Dietary Intake of Flavan-3-ols in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021, 13, 4157.	1.7	9

#	ARTICLE	IF	CITATIONS
613	Tea consumption and gastric cancer: a pooled analysis from the Stomach cancer Pooling (StoP) Project consortium. <i>British Journal of Cancer</i> , 2022, 127, 726-734.	2.9	9
614	Diagnostic Concordance in Reporting Breast Needle Core Biopsies using the B Classificationâ€”A Panel in Italy. <i>Pathology and Oncology Research</i> , 2009, 15, 725-732.	0.9	8
615	Gastric Cancer Surveillance in a High-Risk Population in Tuscany (Central Italy): Preliminary Results. <i>Digestion</i> , 2011, 84, 70-77.	1.2	8
616	<i>SULT1A1</i> gene deletion in <i>BRCA2</i> associated male breast cancer: a link between genes and environmental exposures?. <i>Journal of Cellular and Molecular Medicine</i> , 2013, 17, 605-607.	1.6	8
617	The DAMA Trial: A Diet and Physical Activity Intervention Trial to Reduce Mammographic Breast Density in Postmenopausal Women in Tuscany, Italy. Study Protocol and Baseline Characteristics. <i>Tumori</i> , 2014, 100, 377-385.	0.6	8
618	Hepcidin levels and gastric cancer risk in the EPICâ€”EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	2.3	8
619	Determinants of Erythrocyte Lead Levels in 454 Adults in Florence, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 425.	1.2	8
620	Gene-specific methylation profiles in BRCA-mutation positive and BRCA-mutation negative male breast cancers. <i>Oncotarget</i> , 2018, 9, 19783-19792.	0.8	8
621	Allium vegetables intake and the risk of gastric cancer in the Stomach cancer Pooling (StoP) Project. <i>British Journal of Cancer</i> , 2022, 126, 1755-1764.	2.9	8
622	Benign breast disease and cancer risk. <i>Critical Reviews in Oncology/Hematology</i> , 1993, 15, 221-242.	2.0	7
623	p53 gene mutations in women with breast cancer and a previous history of benign breast disease. <i>European Journal of Cancer</i> , 1994, 30, 808-812.	1.3	7
624	Cancer Incidence in Epic-Italy at First Follow-Up. <i>Tumori</i> , 2003, 89, 656-664.	0.6	7
625	Evaluation of radiation-induced chromosome instability in subjects with a family history of gastric cancer. <i>Biomarkers</i> , 2009, 14, 226-234.	0.9	7
626	Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>European Journal of Cancer</i> , 2011, 47, 420-427.	1.3	7
627	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. <i>Oncology Reports</i> , 2011, 26, 979-86.	1.2	7
628	Association of SULT1A1 Arg213His polymorphism with male breast cancer risk: results from a multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2014, 148, 623-628.	1.1	7
629	Smoking and FGFR2 rs2981582 variant independently modulate male breast cancer survival: A population-based study in Tuscany, Italy. <i>Breast</i> , 2018, 40, 85-91.	0.9	7
630	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2759-2773.	2.3	7

#	ARTICLE	IF	CITATIONS
631	A capture-recapture estimate of inflammatory bowel disease prevalence: the Florence population-based study. <i>Italian Journal of Gastroenterology and Hepatology</i> , 1998, 30, 50-3.	0.5	7
632	The DAMA trial: a diet and physical activity intervention trial to reduce mammographic breast density in postmenopausal women in Tuscany, Italy. Study protocol and baseline characteristics. <i>Tumori</i> , 2014, 100, 377-85.	0.6	7
633	Short- and long-term mortality in a prevalent cohort of morbidly obese patients in Italy. <i>European Journal of Nutrition</i> , 2002, 41, 183-185.	1.8	6
634	Sensitivity to ultraviolet B is a risk factor for cutaneous melanoma in a Mediterranean population: results from an Italian case-control study. <i>Clinical and Experimental Dermatology</i> , 2009, 34, 8-15.	0.6	6
635	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 790-804.	1.1	6
636	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 2349-2359.	2.3	6
637	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1089-1092.	1.1	6
638	Transcriptome of Male Breast Cancer Matched with Germline Profiling Reveals Novel Molecular Subtypes with Possible Clinical Relevance. <i>Cancers</i> , 2021, 13, 4515.	1.7	6
639	Peptic ulcer as mediator of the association between risk of gastric cancer and socioeconomic status, tobacco smoking, alcohol drinking and salt intake. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 861-866.	2.0	6
640	Prognostic significance of estrogen receptor determination in primary breast cancer. <i>Radiotherapy and Oncology</i> , 1988, 12, 187-192.	0.3	5
641	Changes in stage and treatment of breast cancer in Florence from 1985-1990. <i>Breast</i> , 1994, 3, 109-112.	0.9	5
642	Characterization of DNA polymerase β splicing variants in gastric cancer: The most frequent exon 2-deleted isoform is a non-coding RNA. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009, 670, 79-87.	0.4	5
643	Genetic polymorphisms of the GNRH1 and GNRHR genes and risk of breast cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>BMC Cancer</i> , 2009, 9, 257.	1.1	5
644	Radical retropublic prostatectomy for prostate cancer with microscopic bladder neck involvement: survival and prognostic implications. <i>BJU International</i> , 2010, 105, 946-950.	1.3	5
645	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. <i>Obesity Facts</i> , 2011, 4, 312-318.	1.6	5
646	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort.. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 475-483.	0.8	5
647	Inflammatory marker changes in a 24-month dietary and physical activity randomised intervention trial in postmenopausal women. <i>Scientific Reports</i> , 2020, 10, 21845.	1.6	5
648	Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. <i>DNA Repair</i> , 2009, 8, 60-71.	1.3	4

#	ARTICLE	IF	CITATIONS
649	A multi-omics approach to investigate the inflammatory response to life course socioeconomic position. <i>Epigenomics</i> , 2020, 12, 1287-1302.	1.0	4
650	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Antioxidants</i> , 2021, 10, 1249.	2.2	4
651	Inflammatory potential of the diet and association with risk of differentiated thyroid cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Nutrition</i> , 2022, 61, 3625-3635.	1.8	4
652	Hospital versus population controls in a retrospective study on diet and stomach cancer. <i>European Journal of Public Health</i> , 1995, 5, 209-214.	0.1	3
653	Colorectal Cancer Risk in Patients Affected with Crohn's Disease. <i>American Journal of Gastroenterology</i> , 2006, 101, 1400-1400.	0.2	3
654	PRKCSH GAG trinucleotide repeat is a mutational target in gastric carcinomas with high-level microsatellite instability. <i>Clinical Genetics</i> , 2011, 79, 397-398.	1.0	3
655	Variation in genes related to hepatic lipid metabolism and changes in waist circumference and body weight. <i>Genes and Nutrition</i> , 2014, 9, 385.	1.2	3
656	Genes associated with Parkinson's disease respond to increasing polychlorinated biphenyl levels in the blood of healthy females. <i>Environmental Pollution</i> , 2019, 250, 107-117.	3.7	3
657	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1654-1664.	1.1	3
658	Factors associated with serum ferritin levels and iron excess: results from the EPIC-EurGast study. <i>European Journal of Nutrition</i> , 2022, 61, 101-114.	1.8	3
659	The DAMA25 Study: Feasibility of a Lifestyle Intervention Programme for Cancer Risk Reduction in Young Italian Women with Breast Cancer Family History. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12287.	1.2	3
660	Cancer incidence in EPIC-ITALY at first follow-up. <i>Tumori</i> , 2003, 89, 656-64.	0.6	3
661	Dietary Intakes of Animal and Plant Proteins and Risk of Colorectal Cancer: The EPIC-Italy Cohort. <i>Cancers</i> , 2022, 14, 2917.	1.7	3
662	Mitotic activity in colorectal mucosa of healthy subjects in two Italian areas with different dietary habits. <i>Nutrition and Cancer</i> , 1993, 19, 263-268.	0.9	2
663	Intake of Total and Subgroups of Fat Minimally Affect the Associations between Selected Single Nucleotide Polymorphisms in the PPAR α Pathway and Changes in Anthropometry among European Adults from Cohorts of the DiOGenes Study. <i>Journal of Nutrition</i> , 2016, 146, 603-611.	1.3	2
664	Colonoscopic screening of first-degree relatives of patients with colorectal cancer. <i>Gastroenterology</i> , 1999, 117, 747.	0.6	1
665	Gene expression in response to ionizing radiation and family history of gastric cancer. <i>Familial Cancer</i> , 2011, 10, 107-118.	0.9	1
666	Pre-diagnostic DNA methylation patterns differ according to mammographic breast density amongst women who subsequently develop breast cancer: a case-only study in the EPIC-Florence cohort. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 435-444.	1.1	1

#	ARTICLE	IF	CITATIONS
667	Biomarkers of the transsulfuration pathway and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2022, , .	2.3	1
668	Age, Helicobacter pylori, and/or CagA antibodies as a pre-endoscopic screening policy. American Journal of Gastroenterology, 2000, 95, 320-321.	0.2	0
669	PAI-1 4G/5G repeat is a target in gastric carcinomas with microsatellite instability. Digestive and Liver Disease, 2011, 43, 454-458.	0.4	0
670	Reply to A Mosher, LH Daugherty, and A Brailon. American Journal of Clinical Nutrition, 2011, 93, 1387-1388.	2.2	0
671	Feasibility of innovative dietary assessment in epidemiological studies using the approach of combining different assessment instruments – Corrigendum. Public Health Nutrition, 2011, 14, 1129-1129.	1.1	0
672	Reply to BN Hopping, B Qin, S Wyler, and CV Donovan. American Journal of Clinical Nutrition, 2011, 94, 289-290.	2.2	0
673	Combining individual and aggregated data to investigate the role of socioeconomic disparities on cancer burden in Italy. Statistics in Medicine, 2020, 39, 26-44.	0.8	0
674	Time Course and Determinants of Individual Motivation among Women Enrolled in a Diet and Physical Activity Primary Prevention Trial. International Journal of Environmental Research and Public Health, 2020, 17, 8589.	1.2	0