

Domenico Palli

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5056699/domenico-palli-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

663
papers

43,598
citations

105
h-index

167
g-index

681
ext. papers

49,047
ext. citations

6.2
avg, IF

5.93
L-index

#	Paper	IF	Citations
663	General and abdominal adiposity and risk of death in Europe. <i>New England Journal of Medicine</i> , 2008 , 359, 2105-20	59.2	1451
662	European Prospective Investigation into Cancer and Nutrition (EPIC): study populations and data collection. <i>Public Health Nutrition</i> , 2002 , 5, 1113-24	3.3	1335
661	The genetic architecture of type 2 diabetes. <i>Nature</i> , 2016 , 536, 41-47	50.4	704
660	Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 906-16	9.7	603
659	Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008 , 40, 1404-6	36.3	466
658	Body size and risk of colon and rectal cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 920-31	9.7	415
657	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
656	A case-control study of gastric cancer and diet in Italy. <i>International Journal of Cancer</i> , 1989 , 44, 611-6	7.5	400
655	Body size and breast cancer risk: findings from the European Prospective Investigation into Cancer And Nutrition (EPIC). <i>International Journal of Cancer</i> , 2004 , 111, 762-71	7.5	397
654	Postmenopausal serum androgens, oestrogens and breast cancer risk: the European prospective investigation into cancer and nutrition. <i>Endocrine-Related Cancer</i> , 2005 , 12, 1071-82	5.7	375
653	Serum sex steroids in premenopausal women and breast cancer risk within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2005 , 97, 755-65	9.7	355
652	Relative validity and reproducibility of a food frequency dietary questionnaire for use in the Italian EPIC centres. <i>International Journal of Epidemiology</i> , 1997 , 26 Suppl 1, S152-60	7.8	348
651	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 810-8	18.1	330
650	Fruit and vegetable intake and overall cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010 , 102, 529-37	9.7	301
649	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015 , 47, 1415-25	36.3	292
648	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations: a nested case-control study. <i>BMJ, The</i> , 2010 , 340, b5500	5.9	289
647	Meat consumption and mortality--results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013 , 11, 63	11.4	257

646	Anthropometric measures, body mass index, and pancreatic cancer: a pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). <i>Archives of Internal Medicine</i> , 2010 , 170, 791-802		249
645	Meat intake and risk of stomach and esophageal adenocarcinoma within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 345-54	9.7	247
644	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016 , 55, 1359-75	5.2	238
643	Genome-wide expression profile of sporadic gastric cancers with microsatellite instability. <i>European Journal of Cancer</i> , 2009 , 45, 461-9	7.5	238
642	Linoleic acid, a dietary n-6 polyunsaturated fatty acid, and the aetiology of ulcerative colitis: a nested case-control study within a European prospective cohort study. <i>Gut</i> , 2009 , 58, 1606-11	19.2	235
641	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. <i>Gut</i> , 2013 , 62, 1764-70	19.2	228
640	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1441-52	7	227
639	Cigarette smoking and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. <i>American Journal of Epidemiology</i> , 2009 , 170, 403-13	3.8	223
638	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 613-21	7	219
637	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , 2011 , 104, 1493-9	8.7	208
636	DNA repair polymorphisms and cancer risk in non-smokers in a cohort study. <i>Carcinogenesis</i> , 2006 , 27, 997-1007	4.6	205
635	Dynamics of smoking-induced genome-wide methylation changes with time since smoking cessation. <i>Human Molecular Genetics</i> , 2015 , 24, 2349-59	5.6	201
634	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011 , 43, 60-5	36.3	199
633	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011 , 32, 1235-43	9.5	195
632	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017 , 49, 680-691	36.3	190
631	Consumption of vegetables and fruits and risk of breast cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 183-93	27.4	190
630	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008 , 15, 485-97	5.7	184
629	A case-control study of gastric cancer and diet in Italy: II. Association with nutrients. <i>International Journal of Cancer</i> , 1990 , 45, 896-901	7.5	183

628	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 127, 442-51	7.5	180
627	Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , 2012 , 7, e39361	3.7	179
626	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003 , 107, 629-34	7.5	173
625	Consumption of vegetables, fruit and other plant foods in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>Public Health Nutrition</i> , 2002 , 5, 1179-96	3.3	173
624	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 255-63	5.6	169
623	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 331-46	7	168
622	Age at menarche in relation to adult height: the EPIC study. <i>American Journal of Epidemiology</i> , 2005 , 162, 623-32	3.8	168
621	Hepatocellular carcinoma risk factors and disease burden in a European cohort: a nested case-control study. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1686-95	9.7	167
620	Physical activity and risk of colon and rectal cancers: the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2398-407	4	167
619	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163
618	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 381-90	7	158
617	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 382-90	7	156
616	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , 2011 , 54, 2272-82	10.3	155
615	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012 , 27, 15-25	12.1	154
614	Diet in the Italian Epic Cohorts: Presentation of Data and Methodological Issues. <i>Tumori</i> , 2003 , 89, 594-607	6.7	152
613	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , 2011 , 60, 1094-102	19.2	151
612	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 398-407	7	150
611	Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001647	11.6	149

610	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1387-96	5.2	149
609	Serum levels of IGF-I, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010 , 126, 1702-15	7.5	146
608	Tobacco smoking-associated genome-wide DNA methylation changes in the EPIC study. <i>Epigenomics</i> , 2016 , 8, 599-618	4.4	145
607	A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. <i>Human Molecular Genetics</i> , 2012 , 21, 5373-84	5.6	143
606	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2918-27	7.5	142
605	Age at menopause, reproductive life span, and type 2 diabetes risk: results from the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 1012-9	14.6	141
604	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 728-38	7.5	141
603	TP53 and KRAS2 mutations in plasma DNA of healthy subjects and subsequent cancer occurrence: a prospective study. <i>Cancer Research</i> , 2006 , 66, 6871-6	10.1	140
602	Daily consumption of a high-phenol extra-virgin olive oil reduces oxidative DNA damage in postmenopausal women. <i>British Journal of Nutrition</i> , 2006 , 95, 742-51	3.6	138
601	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014 , 60, 858-71	11.2	137
600	A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. <i>PLoS Genetics</i> , 2011 , 7, e1001333	6	136
599	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007 , 18, 399-413	2.8	136
598	Air pollution and risk of lung cancer in a prospective study in Europe. <i>International Journal of Cancer</i> , 2006 , 119, 169-74	7.5	136
597	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014 , 12, 168	11.4	135
596	Blood pressure and risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2008 , 167, 438-46	3.8	134
595	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2008 , 98, 1574-81	8.7	132
594	Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 275-83	7	129
593	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006 , 27, 1497-501	4.6	128

592	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. <i>Diabetes</i> , 2014 , 63, 4378-4387	0.9	127
591	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013 , 132, 645-57	7.5	127
590	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , 2017 , 167, 236-247	8	127
589	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe: Results from the EPIC Study. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 345-54	4.5	127
588	Dermatologist detection and skin self-examination are associated with thinner melanomas: results from a survey of the Italian Multidisciplinary Group on Melanoma. <i>Archives of Dermatology</i> , 2003 , 139, 607-12		124
587	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2015 , 136, 1149-61	7.5	121
586	A priori-defined dietary patterns are associated with reduced risk of stroke in a large Italian cohort. <i>Journal of Nutrition</i> , 2011 , 141, 1552-8	4.1	121
585	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005 , 94, 100-13	3.6	121
584	Anthropometric measures, endogenous sex steroids and breast cancer risk in postmenopausal women: a study within the EPIC cohort. <i>International Journal of Cancer</i> , 2006 , 118, 2832-9	7.5	120
583	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011 , 129, 2712-9	7.5	119
582	IGF-I, IGFBP-3 and breast cancer risk in women: The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2006 , 13, 593-605	5.7	119
581	The update of the Italian Food Composition Database. <i>Journal of Food Composition and Analysis</i> , 2004 , 17, 509-522	4.1	119
580	Social adversity and epigenetic aging: a multi-cohort study on socioeconomic differences in peripheral blood DNA methylation. <i>Scientific Reports</i> , 2017 , 7, 16266	4.9	118
579	Long-term risk of incident type 2 diabetes and measures of overall and regional obesity: the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001230	11.6	118
578	DNA adduct levels and DNA repair polymorphisms in traffic-exposed workers and a general population sample. <i>International Journal of Cancer</i> , 2001 , 94, 121-7	7.5	118
577	Adherence to the Mediterranean diet is associated with lower abdominal adiposity in European men and women. <i>Journal of Nutrition</i> , 2009 , 139, 1728-37	4.1	117
576	Physical activity and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 36-42	4	117
575	Intensive vs clinical follow-up after treatment of primary breast cancer: 10-year update of a randomized trial. National Research Council Project on Breast Cancer Follow-up. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1586	27.4	117

574	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010 , 17, 1007-19	5.7	116
573	Age at menarche and type 2 diabetes risk: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3526-34	14.6	114
572	Body mass index and the risk for Crohn's disease and ulcerative colitis: data from a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , 2013 , 108, 575-82	8.7	113
571	Diet in the aetiology of ulcerative colitis: a European prospective cohort study. <i>Digestion</i> , 2008 , 77, 57-64	3.6	113
570	Hodgkin's disease risk is increased in patients with ulcerative colitis. <i>Gastroenterology</i> , 2000 , 119, 647-53	13.3	112
569	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013 , 28, 317-28	12.1	111
568	Performance in omics analyses of blood samples in long-term storage: opportunities for the exploitation of existing biobanks in environmental health research. <i>Environmental Health Perspectives</i> , 2013 , 121, 480-7	8.4	111
567	Dietary patterns and survival of older Europeans: the EPIC-Elderly Study (European Prospective Investigation into Cancer and Nutrition). <i>Public Health Nutrition</i> , 2007 , 10, 590-8	3.3	111
566	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1304-12	7	111
565	Male breast cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2010 , 73, 141-55	7	110
564	Smoking as a major risk factor for cervical cancer and pre-cancer: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 453-66	7.5	109
563	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1353-63	7	109
562	Fruit and vegetable consumption and mortality: European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2013 , 178, 590-602	3.8	108
561	Dietary protein intake and incidence of type 2 diabetes in Europe: the EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014 , 37, 1854-62	14.6	106
560	Diet, serum insulin-like growth factor-I and IGF-binding protein-3 in European women. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 91-8	5.2	106
559	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006 , 27, 2250-7	4.6	106
558	Prediagnostic 25-hydroxyvitamin D, VDR and CASR polymorphisms, and survival in patients with colorectal cancer in western European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 582-93	4	105
557	Family history of cancer and risk of pancreatic cancer: a pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). <i>International Journal of Cancer</i> , 2010 , 127, 1421-8	7.5	105

556	Dietary patterns, nutrient intake and gastric cancer in a high-risk area of Italy. <i>Cancer Causes and Control</i> , 2001 , 12, 163-72	2.8	104
555	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis: the EPIC cohort. <i>Neurology</i> , 2013 , 80, 829-38	6.5	103
554	The association between diet and serum concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1333-40	4	103
553	Lower educational level is a predictor of incident type 2 diabetes in European countries: the EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012 , 41, 1162-73	7.8	103
552	Polymorphisms of genes coding for insulin-like growth factor 1 and its major binding proteins, circulating levels of IGF-I and IGFBP-3 and breast cancer risk: results from the EPIC study. <i>British Journal of Cancer</i> , 2006 , 94, 299-307	8.7	102
551	Hydro-dynamic CT preoperative staging of gastric cancer: correlation with pathological findings. A prospective study of 107 cases. <i>European Radiology</i> , 2000 , 10, 1877-85	8	102
550	Prediction of Breast and Prostate Cancer Risks in Male BRCA1 and BRCA2 Mutation Carriers Using Polygenic Risk Scores. <i>Journal of Clinical Oncology</i> , 2017 , 35, 2240-2250	2.2	101
549	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 47-59	10.3	101
548	Impact of cigarette smoking on cancer risk in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4550-7	2.2	101
547	Dietary glycemic load and index and risk of coronary heart disease in a large Italian cohort: the EPICOR study. <i>Archives of Internal Medicine</i> , 2010 , 170, 640-7		101
546	CagA+ Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 120, 859-67	7.5	101
545	Is the association with fiber from foods in colorectal cancer confounded by folate intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1552-6	4	101
544	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 905-13	7	100
543	Trend in obesity prevalence in European adult cohort populations during follow-up since 1996 and their predictions to 2015. <i>PLoS ONE</i> , 2011 , 6, e27455	3.7	100
542	Fruit and vegetable intakes and subsequent changes in body weight in European populations: results from the project on Diet, Obesity, and Genes (DiOGenes). <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 202-9	7	100
541	Gastric cancer with high-level microsatellite instability: target gene mutations, clinicopathologic features, and long-term survival. <i>Human Pathology</i> , 2008 , 39, 925-32	3.7	100
540	Fruits and vegetables and lung cancer: Findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2004 , 108, 269-76	7.5	100
539	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 19-29	18.1	99

538	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. <i>Tumori</i> , 2003 , 89, 586-593	1.7	99
537	Anthropometry and esophageal cancer risk in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2079-89	4	98
536	A population-based study of inflammatory bowel disease in Florence over 15 years (1978-92). <i>Scandinavian Journal of Gastroenterology</i> , 1996 , 31, 892-9	2.4	98
535	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015 , 44, 1320-30	7.8	96
534	The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013 , 42, 1772-80	7.8	96
533	Smoking and risk for amyotrophic lateral sclerosis: analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009 , 65, 378-85	9.4	96
532	Fruit and vegetable consumption and lung cancer risk: updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 1103-14	7.5	96
531	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006 , 17, 957-69	2.8	96
530	Relationship of alcohol intake and sex steroid concentrations in blood in pre- and post-menopausal women: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2006 , 17, 1033-43	2.8	96
529	DNA adducts and lung cancer risk: a prospective study. <i>Cancer Research</i> , 2005 , 65, 8042-8	10.1	96
528	Postmenopausal serum sex steroids and risk of hormone receptor-positive and -negative breast cancer: a nested case-control study. <i>Cancer Prevention Research</i> , 2011 , 4, 1626-35	3.2	95
527	Body size and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3252-61	4	95
526	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). <i>Annals of Oncology</i> , 2008 , 19, 1894-902	10.3	95
525	Anthropometry, physical activity, and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 879-85 ⁴		95
524	Reproductive factors and exogenous hormone use in relation to risk of glioma and meningioma in a large European cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2562-9	4	94
523	Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , 2012 , 131, 2910-9	7.5	93
522	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. <i>British Journal of Cancer</i> , 2006 , 95, 406-15	8.7	93
521	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 361-73	2.8	92

520	Mitochondrial DNA variation of modern Tuscans supports the near eastern origin of Etruscans. <i>American Journal of Human Genetics</i> , 2007 , 80, 759-68	11	92
519	Hormonal, metabolic, and inflammatory profiles and endometrial cancer risk within the EPIC cohort--a factor analysis. <i>American Journal of Epidemiology</i> , 2013 , 177, 787-99	3.8	91
518	Polymorphic DNA repair and metabolic genes: a multigenic study on gastric cancer. <i>Mutagenesis</i> , 2010 , 25, 569-75	2.8	91
517	Serum C-peptide levels and breast cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 659-67	7.5	91
516	Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010 , 172, 407-18	3.8	90
515	Lung cancers attributable to environmental tobacco smoke and air pollution in non-smokers in different European countries: a prospective study. <i>Environmental Health</i> , 2007 , 6, 7	6	90
514	Dietary and lifestyle determinants of mammographic breast density. A longitudinal study in a Mediterranean population. <i>International Journal of Cancer</i> , 2006 , 118, 1782-9	7.5	90
513	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007 , 14, 755-67	5.7	90
512	Plasma levels of six carotenoids in nine European countries: report from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2004 , 7, 713-22	3.3	90
511	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1142-57	7	89
510	Active and passive cigarette smoking and breast cancer risk: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1871-88	7.5	89
509	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 164-74	7	87
508	Diet, metabolic polymorphisms and dna adducts: the EPIC-Italy cross-sectional study. <i>International Journal of Cancer</i> , 2000 , 87, 444-51	7.5	87
507	t(14;18) Translocation: A predictive blood biomarker for follicular lymphoma. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1347-55	2.2	86
506	Diabetes and risk of pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. <i>Cancer Causes and Control</i> , 2013 , 24, 13-25	2.8	86
505	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. <i>Annals of Oncology</i> , 2013 , 24, 2449-55	10.3	86
504	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2394-403	7.5	86
503	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. <i>Cancer Research</i> , 2016 , 76, 2288-2300	10.1	85

502	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 120, 2656-64	7.5	85
501	Amount of DNA in plasma and cancer risk: a prospective study. <i>International Journal of Cancer</i> , 2004 , 111, 746-9	7.5	85
500	Genome-wide association study identifies a common variant in RAD51B associated with male breast cancer risk. <i>Nature Genetics</i> , 2012 , 44, 1182-4	36.3	84
499	Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. <i>International Journal of Cancer</i> , 2012 , 131, E1004-14	7.5	84
498	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012 , 14, R76	8.3	82
497	Biomarkers of ambient air pollution and lung cancer: a systematic review. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 619-27	2.1	82
496	An absolute risk model to identify individuals at elevated risk for pancreatic cancer in the general population. <i>PLoS ONE</i> , 2013 , 8, e72311	3.7	82
495	Increased risk of lymphoid neoplasms in patients with Philadelphia chromosome-negative myeloproliferative neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2068-73	4	82
494	Gail model for prediction of absolute risk of invasive breast cancer: independent evaluation in the Florence-European Prospective Investigation Into Cancer and Nutrition cohort. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 1686-93	9.7	82
493	Fruits and vegetables and prostate cancer: no association among 1104 cases in a prospective study of 130544 men in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2004 , 109, 119-24	7.5	82
492	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 175-82	7.5	81
491	Cigarette smoking and gastric cancer in the Stomach Cancer Pooling (StoP) Project. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 124-133	2	80
490	Physical activity and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 347-55	7.5	80
489	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 3028-36	3.6	79
488	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , 2013 , 24, 543-553	10.3	79
487	Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1121-7	4	79
486	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005 , 16, 561-72	2.8	79
485	A case-control study of cancers of the gastric cardia in Italy. <i>British Journal of Cancer</i> , 1992 , 65, 263-6	8.7	79

484	Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. <i>Clinical Epigenetics</i> , 2015 , 7, 67	7.7	78
483	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016 , 8, 341ra76	17.5	77
482	Lactase persistence and bitter taste response: instrumental variables and mendelian randomization in epidemiologic studies of dietary factors and cancer risk. <i>American Journal of Epidemiology</i> , 2007 , 166, 576-81	3.8	77
481	Nutritional and lifestyle determinants of DNA oxidative damage: a study in a Mediterranean population. <i>Carcinogenesis</i> , 2002 , 23, 1483-9	4.6	76
480	Dietary determinants of changes in waist circumference adjusted for body mass index - a proxy measure of visceral adiposity. <i>PLoS ONE</i> , 2010 , 5, e11588	3.7	76
479	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: a nested case-control study. <i>Hepatology</i> , 2014 , 60, 1222-30	11.2	75
478	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012 , 21, 456-62	5.6	74
477	Italian Mediterranean Index and risk of colorectal cancer in the Italian section of the EPIC cohort. <i>International Journal of Cancer</i> , 2013 , 132, 1404-11	7.5	74
476	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013 , 110, 1500-11	3.6	74
475	BRCA1 and BRCA2 mutation status and tumor characteristics in male breast cancer: a population-based study in Italy. <i>Cancer Research</i> , 2003 , 63, 342-7	10.1	74
474	Intake of total, animal and plant protein and subsequent changes in weight or waist circumference in European men and women: the Diogenes project. <i>International Journal of Obesity</i> , 2011 , 35, 1104-13	5.5	72
473	Helicobacter pylori infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. <i>Annals of Oncology</i> , 2012 , 23, 1320-1324	10.3	71
472	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 1331-8	7.5	71
471	Serum vitamin D and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009 , 169, 1223-32	3.8	70
470	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1266-75	7	70
469	Vitamin D and melanoma and non-melanoma skin cancer risk and prognosis: a comprehensive review and meta-analysis. <i>European Journal of Cancer</i> , 2014 , 50, 2649-58	7.5	69
468	Variety in vegetable and fruit consumption and the risk of gastric and esophageal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2012 , 131, E963-73	7.5	69
467	The role of smoking and diet in explaining educational inequalities in lung cancer incidence. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 321-30	9.7	69

466	Twenty-four-hour urinary excretion of ten pesticide metabolites in healthy adults in two different areas of Italy (Florence and Ragusa). <i>Science of the Total Environment</i> , 2004 , 332, 71-80	10.2	69
465	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1397-408	5.2	69
464	Food composition of the diet in relation to changes in waist circumference adjusted for body mass index. <i>PLoS ONE</i> , 2011 , 6, e23384	3.7	69
463	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014 , 4, e005245	3	68
462	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 137, 598-606	7.5	68
461	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1567-75	7	68
460	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006 , 96 Suppl 2, S12-23	3.6	68
459	Socioeconomic position, lifestyle habits and biomarkers of epigenetic aging: a multi-cohort analysis. <i>Aging</i> , 2019 , 11, 2045-2070	5.6	67
458	Dietary glycemic index, glycemic load, and digestible carbohydrate intake are not associated with risk of type 2 diabetes in eight European countries. <i>Journal of Nutrition</i> , 2013 , 143, 93-9	4.1	66
457	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , 2011 , 54, 3037-46	10.3	66
456	Plasma phyto-oestrogens and prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2009 , 100, 1817-23	8.7	66
455	A risk model for lung cancer incidence. <i>Cancer Prevention Research</i> , 2012 , 5, 834-46	3.2	66
454	Interleukin-1 gene polymorphisms and gastric cancer risk in a high-risk Italian population. <i>American Journal of Gastroenterology</i> , 2005 , 100, 1941-8	0.7	66
453	Body mass index, waist circumference and waist-hip ratio and serum levels of IGF-I and IGFBP-3 in European women. <i>International Journal of Obesity</i> , 2006 , 30, 1623-31	5.5	65
452	Thyroid-stimulating hormone, thyroglobulin, and thyroid hormones and risk of differentiated thyroid carcinoma: the EPIC study. <i>Journal of the National Cancer Institute</i> , 2014 , 106, dju097	9.7	64
451	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012 , 175, 653-63	3.8	64
450	Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013 , 8, e72715	3.7	64
449	Risk factor modification and projections of absolute breast cancer risk. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1037-48	9.7	64

448	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 124, 1926-34	7.5	63
447	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009 , 33, 497-506	5.5	63
446	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2010 , 21, 357-71	2.8	63
445	Self-detected cutaneous melanomas in Italian patients. <i>Clinical and Experimental Dermatology</i> , 2004 , 29, 593-6	1.8	63
444	Plasma folate, related genetic variants, and colorectal cancer risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1328-40	4	62
443	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008 , 37, 1316-25	7.8	62
442	Multi-factor dimensionality reduction applied to a large prospective investigation on gene-gene and gene-environment interactions. <i>Carcinogenesis</i> , 2007 , 28, 414-22	4.6	62
441	Early indicators of efficacy of breast cancer screening programmes. Results of the Florence District Programme. <i>International Journal of Cancer</i> , 1990 , 46, 198-202	7.5	62
440	Diet in the Italian EPIC cohorts: presentation of data and methodological issues. <i>Tumori</i> , 2003 , 89, 594-607		62
439	Plasma cytokines and future risk of non-Hodgkin lymphoma (NHL): a case-control study nested in the Italian European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1577-84	4	61
438	Fruits and vegetables and renal cell carcinoma: findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 3133-9	7.5	61
437	Clinical characteristics and overall survival in genitourinary sarcomas treated with curative intent: a multicenter study. <i>European Urology</i> , 2005 , 47, 468-73	10.2	61
436	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 372-81	7.5	60
435	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015 , 13, 242	11.4	60
434	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013 , 24, 2166-73	10.3	60
433	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2404-15	7.5	60
432	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, E544-54	7.5	59
431	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , 2011 , 38, 194-202	1.7	59

430	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3108-15	4	59
429	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007 , 36, 66-76	7.8	59
428	Carbohydrate intake in the etiology of Crohn's disease and ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 2013-21	4.5	58
427	Clinical and pathologic characteristics of BRCA-positive and BRCA-negative male breast cancer patients: results from a collaborative multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 411-8	4.4	58
426	Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1632-41	7	58
425	Male breast cancer in BRCA1 and BRCA2 mutation carriers: pathology data from the Consortium of Investigators of Modifiers of BRCA1/2. <i>Breast Cancer Research</i> , 2016 , 18, 15	8.3	58
424	Alcohol consumption and gastric cancer risk-A pooled analysis within the StoP project consortium. <i>International Journal of Cancer</i> , 2017 , 141, 1950-1962	7.5	57
423	Divergent patterns of total and cancer mortality in ulcerative colitis and Crohn's disease patients: the Florence IBD study 1978-2001. <i>Gut</i> , 2004 , 53, 1309-13	19.2	57
422	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1323-1331.e6	6.9	57
421	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , 2013 , 13, 584	4.8	56
420	Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 137-44	6.9	56
419	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , 2011 , 311, 85-95	9.9	56
418	Positive predictive value for malignancy on surgical excision of breast lesions of uncertain malignant potential (B3) diagnosed by stereotactic vacuum-assisted needle core biopsy (VANCB): a large multi-institutional study in Italy. <i>Breast</i> , 2011 , 20, 264-70	3.6	56
417	Variety in fruit and vegetable consumption and the risk of lung cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2278-84	8.4	56
416	Occult HCV infection: an unexpected finding in a population unselected for hepatic disease. <i>PLoS ONE</i> , 2009 , 4, e8128	3.7	56
415	Insulin-like growth factor-I concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1531-41	4	56
414	Cross-sectional study on acrylamide hemoglobin adducts in subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 6046-53	5.7	56
413	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease: Results From a European Prospective Cohort Investigation. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1403-11	4.5	55

412	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , 2018 , 4, e182078	13.4	55
411	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body size The EPIC-InterAct study. <i>Journal of Internal Medicine</i> , 2012 , 272, 358-70	10.8	55
410	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 1921-30	7.5	55
409	Validity of electronically administered Recent Physical Activity Questionnaire (RPAQ) in ten European countries. <i>PLoS ONE</i> , 2014 , 9, e92829	3.7	55
408	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and incidence of colorectal cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt352	9.7	55
407	Prostate stem-cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012 , 130, 2417-27	7.5	55
406	Family history and risk of stomach cancer in Italy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1994 , 3, 15-8	4	55
405	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status - results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1947-57	7.5	54
404	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. <i>Annals of Oncology</i> , 2014 , 25, 1422-1428	10.3	54
403	Diet-related telomere shortening and chromosome stability. <i>Mutagenesis</i> , 2012 , 27, 49-57	2.8	54
402	Infection with hepatitis B and C viruses and risk of lymphoid malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 208-14	4	54
401	Dietary reporting errors on 24 h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012 , 107, 910-20	3.6	54
400	Tobacco smoke and bladder cancer--in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2006 , 119, 2412-6	7.5	54
399	Genetic variation in the HSD17B1 gene and risk of prostate cancer. <i>PLoS Genetics</i> , 2005 , 1, e68	6	54
398	The epidemiology of low serum pepsinogen A levels and an international association with gastric cancer rates. EUROGAST Study Group. <i>Gastroenterology</i> , 1994 , 107, 1335-44	13.3	54
397	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2013 , 8, e57300	3.7	54
396	A molecular epidemiology project on diet and cancer: the EPIC-Italy Prospective Study. Design and baseline characteristics of participants. <i>Tumori</i> , 2003 , 89, 586-93	1.7	54
395	Association of CRP genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. <i>International Journal of Cancer</i> , 2015 , 136, 1181-92	7.5	53

394	Dietary inflammatory index and risk of lung cancer and other respiratory conditions among heavy smokers in the COSMOS screening study. <i>European Journal of Nutrition</i> , 2016 , 55, 1069-79	5.2	53
393	Protein intake and muscle strength in older persons: does inflammation matter?. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 480-4	5.6	53
392	Leptin and soluble leptin receptor in risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Research</i> , 2012 , 72, 5328-37	10.1	53
391	Polymorphisms in metabolic genes related to tobacco smoke and the risk of gastric cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2427-34	4	53
390	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 1127-36	4.4	52
389	Plasma vitamins B2, B6, and B12, and related genetic variants as predictors of colorectal cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2549-61	4	52
388	Dietary energy density in relation to subsequent changes of weight and waist circumference in European men and women. <i>PLoS ONE</i> , 2009 , 4, e5339	3.7	52
387	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016 , 6, 26905	4.9	51
386	Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. <i>International Journal of Obesity</i> , 2009 , 33, 1280-8	5.5	51
385	Genetic susceptibility according to three metabolic pathways in cancers of the lung and bladder and in myeloid leukemias in nonsmokers. <i>Annals of Oncology</i> , 2007 , 18, 1230-42	10.3	51
384	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007 , 98, 406-15	3.6	51
383	Fruit and vegetable consumption and risk of epithelial ovarian cancer: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2531-4		51
382	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 1899-908	7.5	50
381	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014 , 29, 261-75	12.1	50
380	Circulating biomarkers of tryptophan and the kynurenine pathway and lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 461-8	4	50
379	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007 , 14, 81-90	5.7	50
378	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006 , 16, 186-201	4.5	50
377	GSTT1 and GSTM1 gene polymorphisms and gastric cancer in a high-risk italian population. <i>International Journal of Cancer</i> , 2005 , 115, 284-9	7.5	50

376	CYP17 genetic variation and risk of breast and prostate cancer from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2237-46	4	49
375	The association of gastric cancer risk with plasma folate, cobalamin, and methylenetetrahydrofolate reductase polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2416-24	4	49
374	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48
373	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: a cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2619-29	7.5	48
372	Tumor necrosis factor (TNF)- β soluble TNF receptors and endometrial cancer risk: the EPIC study. <i>International Journal of Cancer</i> , 2011 , 129, 2032-7	7.5	48
371	Polymorphisms in fatty-acid-metabolism-related genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , 2010 , 31, 466-72	4.6	48
370	Anthropometric measures, physical activity, and risk of glioma and meningioma in a large prospective cohort study. <i>Cancer Prevention Research</i> , 2011 , 4, 1385-92	3.2	48
369	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1172-81	7	48
368	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010 , 21, 657-69	2.8	48
367	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , 2007 , 166, 912-23	3.8	48
366	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006 , 119, 2389-97	7.5	48
365	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014 , 135, 2887-99	7.5	47
364	Primary brain tumours and specific serum immunoglobulin E: a case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 1434-41	9.3	47
363	BRCA1/BRCA2 mutation status and clinical-pathologic features of 108 male breast cancer cases from Tuscany: a population-based study in central Italy. <i>Breast Cancer Research and Treatment</i> , 2009 , 116, 577-86	4.4	47
362	The effects of diet on DNA bulky adduct levels are strongly modified by GSTM1 genotype: a study on 634 subjects. <i>Carcinogenesis</i> , 2004 , 25, 577-84	4.6	47
361	Cumulative Burden of Colorectal Cancer-Associated Genetic Variants Is More Strongly Associated With Early-Onset vs Late-Onset Cancer. <i>Gastroenterology</i> , 2020 , 158, 1274-1286.e12	13.3	47
360	Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 617-24	7.5	46
359	Human papillomavirus antibodies and future risk of anogenital cancer: a nested case-control study in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , 2015 , 33, 877-84	2.2	46

358	A comprehensive analysis of common IGF1, IGFBP1 and IGFBP3 genetic variation with prospective IGF-I and IGFBP-3 blood levels and prostate cancer risk among Caucasians. <i>Human Molecular Genetics</i> , 2010 , 19, 3089-101	5.6	46
357	Anthropometric and dietary determinants of blood pressure in over 7000 Mediterranean women: the European Prospective Investigation into Cancer and Nutrition-Florence cohort. <i>Journal of Hypertension</i> , 2008 , 26, 2112-20	1.9	46
356	Reflux symptoms in professional opera choristers. <i>Gastroenterology</i> , 2007 , 132, 890-8	13.3	46
355	Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations. <i>Diabetes Care</i> , 2014 , 37, 3164-71	14.6	45
354	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014 , 135, 2930-9	7.5	45
353	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1498-508	7	44
352	Genetic association of gastric cancer with miRNA clusters including the cancer-related genes MIR29, MIR25, MIR93 and MIR106: results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2014 , 135, 2065-76	7.5	44
351	Dairy products and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014 , 135, 1662-72	7.5	44
350	Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status-A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 2683-90	7.5	44
349	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012 , 106, 1866-74	8.7	44
348	Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the EPIC-Italy study. <i>International Journal of Cancer</i> , 2015 , 136, 2923-31	7.5	43
347	Red meat, Mediterranean diet and lung cancer risk among heavy smokers in the COSMOS screening study. <i>Annals of Oncology</i> , 2013 , 24, 2606-2611	10.3	43
346	Circulating concentrations of folate and vitamin B12 in relation to prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 279-85	4	43
345	Endogenous androgens and risk of epithelial ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 23-9	4	43
344	Biomarkers of dietary intake of micronutrients modulate DNA adduct levels in healthy adults. <i>Carcinogenesis</i> , 2003 , 24, 739-46	4.6	43
343	Reproducibility of histologic classification of gastric cancer. <i>British Journal of Cancer</i> , 1991 , 63, 765-8	8.7	43
342	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 654-666.e6	6.9	43
341	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. <i>International Journal of Cancer</i> , 2017 , 141, 905-915	7.5	42

340	Occupational exposures, environmental tobacco smoke, and lung cancer. <i>Epidemiology</i> , 2007 , 18, 769-753.1		42
339	MRE11 expression is impaired in gastric cancer with microsatellite instability. <i>Carcinogenesis</i> , 2004 , 25, 2337-43	4.6	42
338	Inflammatory markers in relation to long-term air pollution. <i>Environment International</i> , 2015 , 81, 1-7	12.9	41
337	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014 , 29, 639-52	12.1	41
336	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014 , 111, 1870-80	8.7	41
335	Pathology findings and validation of gastric and esophageal cancer cases in a European cohort (EPIC/EUR-GAST). <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 618-27	2.4	41
334	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 1075-84	2.8	40
333	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40
332	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012 , 106, 1004-10	8.7	40
331	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015 , 17, 15	8.3	39
330	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013 , 108, 708-14	8.7	39
329	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2011 , 47, 1808-16	7.5	39
328	Immunologic profile of excessive body weight. <i>Biomarkers</i> , 2011 , 16, 243-51	2.6	39
327	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2012 , 108, 552-69	3.6	39
326	Occupational exposures as risk factors for gastric cancer in Italy. <i>Cancer Causes and Control</i> , 1994 , 5, 241-88		39
325	A life course approach to explore the biological embedding of socioeconomic position and social mobility through circulating inflammatory markers. <i>Scientific Reports</i> , 2016 , 6, 25170	4.9	38
324	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013 , 52, 1369-80	5.2	38
323	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014 , 135, 1949-60	7.5	38

322	Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011 , 129, 449-59	7.5	38
321	Oral contraceptives, reproductive history and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2010 , 103, 1755-9	8.7	38
320	Lifetime and baseline alcohol intake and risk of cancer of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009 , 125, 406-12	7.5	38
319	The intake of grain fibers modulates cytokine levels in blood. <i>Biomarkers</i> , 2011 , 16, 504-10	2.6	38
318	PALB2 mutations in male breast cancer: a population-based study in Central Italy. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 299-301	4.4	38
317	Cereal fiber intake may reduce risk of gastric adenocarcinomas: the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 121, 1618-23	7.5	38
316	Risk of endometrial cancer in relationship to cigarette smoking: results from the EPIC study. <i>International Journal of Cancer</i> , 2007 , 121, 2741-7	7.5	38
315	BRCA1/BRCA2 rearrangements and CHEK2 common mutations are infrequent in Italian male breast cancer cases. <i>Breast Cancer Research and Treatment</i> , 2008 , 110, 161-7	4.4	38
314	Dietary intake estimated using different methods in two Italian older populations. <i>Archives of Gerontology and Geriatrics</i> , 2004 , 38, 51-60	4	38
313	Association of nut and seed intake with colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 1595-603	4	38
312	Nutrient patterns and their food sources in an International Study Setting: report from the EPIC study. <i>PLoS ONE</i> , 2014 , 9, e98647	3.7	37
311	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 555-9	4	37
310	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 902-10	7	37
309	A PALB2 germline mutation associated with hereditary breast cancer in Italy. <i>Familial Cancer</i> , 2010 , 9, 181-5	3	37
308	Breast cancer risk in relation to abortion: Results from the EPIC study. <i>International Journal of Cancer</i> , 2006 , 119, 1741-5	7.5	37
307	Association between Mediterranean and Nordic diet scores and changes in weight and waist circumference: influence of FTO and TCF7L2 loci. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 1188-97	7	36
306	Physical activity and ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 351-4	4	36
305	Quantitative trait loci predicting circulating sex steroid hormones in men from the NCI-Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Human Molecular Genetics</i> , 2009 , 18, 3749-57	5.6	36

304	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 125, 2643-51	7.5	36
303	The contribution of risk factors to the higher incidence of invasive and in situ breast cancers in women with higher levels of education in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2011 , 173, 26-37	3.8	36
302	Haplotypes of the estrogen receptor beta gene and breast cancer risk. <i>International Journal of Cancer</i> , 2008 , 122, 387-92	7.5	36
301	ErbB-receptors expression and survival in breast carcinoma: a 15-year follow-up study. <i>Journal of Cellular Physiology</i> , 2006 , 206, 702-8	7	36
300	Menstrual and reproductive history and use of exogenous sex hormones and risk of thyroid cancer among women: a meta-analysis of prospective studies. <i>Cancer Causes and Control</i> , 2015 , 26, 511-8	2.8	35
299	Non-malignant breast papillary lesions - b3 diagnosed on ultrasound--guided 14-gauge needle core biopsy: analysis of 114 cases from a single institution and review of the literature. <i>Pathology and Oncology Research</i> , 2015 , 21, 535-46	2.6	35
298	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 440-52	7.5	35
297	Genetic variation in the lactase gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1901-10	7.5	35
296	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and NursesRHealth Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 466-71	4	35
295	Tea and coffee consumption and risk of esophageal cancer: the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 135, 1470-9	7.5	35
294	Insulin-like growth factor-i and risk of differentiated thyroid carcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 976-85 ⁴		35
293	Association between FTO variant and change in body weight and its interaction with dietary factors: the DiOGenes study. <i>Obesity</i> , 2012 , 20, 1669-74	8	35
292	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017 , 15, 122	11.4	34
291	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016 , 40, 179-87	2.8	34
290	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. <i>BMC Medicine</i> , 2015 , 13, 252	11.4	34
289	Genetic variation in the vitamin d pathway in relation to risk of prostate cancer--results from the breast and prostate cancer cohort consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 688-96	4	34
288	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1304-13	7	34
287	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008 , 29, 1360-6	4.6	34

286	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: a nested case-control study: plasma micronutrients and pancreatic cancer risk. <i>International Journal of Cancer</i> , 2015 , 136, E665-76	7.5	33
285	Omics for prediction of environmental health effects: Blood leukocyte-based cross-omic profiling reliably predicts diseases associated with tobacco smoking. <i>Scientific Reports</i> , 2016 , 6, 20544	4.9	33
284	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013 , 8, 549-60	4.3	33
283	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, 2465-9	7.5	33
282	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1079-87	5.2	33
281	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016 , 14, 87	11.4	32
280	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1303-8	5.2	32
279	The associations of advanced glycation end products and its soluble receptor with pancreatic cancer risk: a case-control study within the prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 619-28	4	32
278	Melanoma detection rate and concordance between self-skin examination and clinical evaluation in patients attending a pigmented lesion clinic in Italy. <i>British Journal of Dermatology</i> , 2002 , 146, 261-6	4	32
277	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80	3.3	32
276	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018 , 142, 1332-1342	7.5	32
275	Telomere length and the risk of cutaneous melanoma and non-melanoma skin cancer: a review of the literature and meta-analysis. <i>Journal of Dermatological Science</i> , 2015 , 80, 168-74	4.3	31
274	Epigenome-wide association study of adiposity and future risk of obesity-related diseases. <i>International Journal of Obesity</i> , 2018 , 42, 2022-2035	5.5	31
273	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2014 , 25, 1609-15	10.3	31
272	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 134, 612-21	7.5	31
271	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 628-34	4.5	31
270	Insulin-like growth factor pathway genetic polymorphisms, circulating IGF1 and IGFBP3, and prostate cancer survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106, dju085	9.7	31
269	Vitamins B2 and B6 and genetic polymorphisms related to one-carbon metabolism as risk factors for gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 28-38	4	31

268	Total and cancer mortality in a cohort of ulcerative colitis and Crohn's disease patients: The Florence inflammatory bowel disease study, 1978-2010. <i>Digestive and Liver Disease</i> , 2016 , 48, 1162-7	3.3	31
267	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. <i>British Journal of Cancer</i> , 2015 , 112, 1273-82	8.7	30
266	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012 , 130, 622-30	7.5	30
265	Polymorphisms of Helicobacter pylori signaling pathway genes and gastric cancer risk in the European Prospective Investigation into Cancer-Eurgast cohort. <i>International Journal of Cancer</i> , 2014 , 134, 92-101	7.5	30
264	Morphological parameters of flat epithelial atypia (FEA) in stereotactic vacuum-assisted needle core biopsies do not predict the presence of malignancy on subsequent surgical excision. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012 , 461, 405-17	5.1	30
263	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 130, 2654-63	7.5	30
262	Genetic variation in the growth hormone synthesis pathway in relation to circulating insulin-like growth factor-I, insulin-like growth factor binding protein-3, and breast cancer risk: results from the European prospective investigation into cancer and nutrition study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2316-25	4	30
261	An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , 2016 , 31, 51-60	12.1	29
260	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 134, 2504-11	7.5	29
259	The association of circulating adiponectin levels with pancreatic cancer risk: a study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012 , 130, 2428-37	7.5	29
258	Menstrual and reproductive factors, exogenous hormone use, and gastric cancer risk in a cohort of women from the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010 , 172, 1384-93	3.8	29
257	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009 , 124, 245-9	7.5	29
256	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 811-21	2.8	29
255	The Loiano-Monghidoro population-based study of Helicobacter pylori infection: prevalence by 13C-urea breath test and associated factors. <i>Alimentary Pharmacology and Therapeutics</i> , 2001 , 15, 1001-7	6.1	29
254	Plasma levels of antioxidant vitamins and cholesterol in a large population sample in central-northern Italy. <i>European Journal of Nutrition</i> , 1999 , 38, 90-8	5.2	29
253	Reproducibility of histological diagnosis of breast lesions: results of a panel in Italy. <i>European Journal of Cancer</i> , 1996 , 32A, 603-7	7.5	29
252	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. <i>British Journal of Cancer</i> , 2015 , 112, 1257-65	8.7	28
251	Prediagnostic transcriptomic markers of Chronic lymphocytic leukemia reveal perturbations 10 years before diagnosis. <i>Annals of Oncology</i> , 2014 , 25, 1065-72	10.3	28

250	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50	4.6	28
249	Feasibility of innovative dietary assessment in epidemiological studies using the approach of combining different assessment instruments. <i>Public Health Nutrition</i> , 2011 , 14, 1055-63	3.3	28
248	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011 , 63, 1235-50	2.8	28
247	Sequence variants of estrogen receptor beta and risk of prostate cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1973-81	4	28
246	A comprehensive analysis of the androgen receptor gene and risk of breast cancer: results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Breast Cancer Research</i> , 2006 , 8, R54	8.3	28
245	4-Aminobiphenyl-hemoglobin adducts and risk of smoking-related disease in never smokers and former smokers in the European Prospective Investigation into Cancer and Nutrition prospective study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2118-24	4	28
244	Biological marks of early-life socioeconomic experience is detected in the adult inflammatory transcriptome. <i>Scientific Reports</i> , 2016 , 6, 38705	4.9	28
243	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 516-524	9.7	28
242	Leukocyte telomere length in relation to pancreatic cancer risk: a prospective study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2447-54	4	27
241	Nutrient intake and nutrient patterns and risk of lung cancer among heavy smokers: results from the COSMOS screening study with annual low-dose CT. <i>European Journal of Epidemiology</i> , 2013 , 28, 503-11	12.1	27
240	Prediagnostic plasma testosterone, sex hormone-binding globulin, IGF-I and hepatocellular carcinoma: etiological factors or risk markers?. <i>International Journal of Cancer</i> , 2014 , 134, 164-73	7.5	27
239	Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer risk-results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 401-12	7.5	27
238	Founder mutations account for the majority of BRCA1-attributable hereditary breast/ovarian cancer cases in a population from Tuscany, Central Italy. <i>Breast Cancer Research and Treatment</i> , 2009 , 117, 497-504	4.4	27
237	Endogenous sex steroids and risk of cervical carcinoma: results from the EPIC study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2532-40	4	27
236	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 1354-61	7	27
235	Alcohol consumption and the risk for prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1282-7	4	27
234	Meat intake and bladder cancer in a prospective study: a role for heterocyclic aromatic amines?. <i>Cancer Causes and Control</i> , 2008 , 19, 649-56	2.8	27
233	Genetic polymorphisms in the hypothalamic pathway in relation to subsequent weight change--the DiOGenes study. <i>PLoS ONE</i> , 2011 , 6, e17436	3.7	27

232	Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. <i>Carcinogenesis</i> , 2015 , 36, 1144-53	4.6	26
231	Food of animal origin and risk of non-Hodgkin lymphoma and multiple myeloma: A review of the literature and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 100, 16-24	7	26
230	Association of low-penetrance alleles with male breast cancer risk and clinicopathological characteristics: results from a multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 861-8	4.4	26
229	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 399-410	7.5	26
228	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 1881-9	7.5	26
227	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008 , 44, 774-80	7.5	26
226	Patterns of detection of superficial spreading and nodular-type melanoma: a multicenter Italian study. <i>Dermatologic Surgery</i> , 2004 , 30, 1371-5; discussion 1375-6	1.7	26
225	Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 50,000 DNA samples in EPIC. <i>PLoS ONE</i> , 2012 , 7, e39821	3.7	26
224	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 2246-2255	7.5	25
223	Plasma clusterin as a candidate pre-diagnosis marker of colorectal cancer risk in the Florence cohort of the European Prospective Investigation into Cancer and Nutrition: a pilot study. <i>BMC Cancer</i> , 2015 , 15, 56	4.8	25
222	Blood levels of cadmium and lead in relation to breast cancer risk in three prospective cohorts. <i>International Journal of Cancer</i> , 2019 , 144, 1010-1016	7.5	25
221	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 139-47	7	25
220	General and cancer mortality in a large cohort of Italian alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 342-50	3.7	25
219	Mutation screening of RAD51C in male breast cancer patients. <i>Breast Cancer Research</i> , 2011 , 13, 404	8.3	25
218	Mutation analysis of BRIP1 in male breast cancer cases: a population-based study in Central Italy. <i>Breast Cancer Research and Treatment</i> , 2011 , 126, 539-43	4.4	25
217	Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 487-94	2.8	25
216	Physical activity and mammographic breast density in a Mediterranean population: the EPIC Florence longitudinal study. <i>International Journal of Cancer</i> , 2009 , 124, 1654-61	7.5	25
215	Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2174-82	4	25

214	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010 , 126, 1928-1935	7.5	25
213	Ethanol intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006 , 164, 1103-14	3.8	25
212	No association between polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the risk of gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1043-5	4	25
211	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , 2018 , 143, 1620-1631	7.5	24
210	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2018 , 143, 801-812	7.5	24
209	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012 , 54, 183-92	4.3	24
208	Circulating 25-hydroxyvitamin D3 in relation to renal cell carcinoma incidence and survival in the EPIC cohort. <i>American Journal of Epidemiology</i> , 2014 , 180, 810-20	3.8	24
207	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012 , 131, E1134-47	7.5	24
206	Bulky DNA adducts in white blood cells: a pooled analysis of 3,600 subjects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 3174-81	4	24
205	Second-hand smoke, cotinine levels, and risk of circulatory mortality in a large cohort study of never-smokers. <i>Epidemiology</i> , 2010 , 21, 207-14	3.1	24
204	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 291-301	4	23
203	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 635-44	7.5	23
202	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survival—results from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1813-23	4	23
201	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 909-18	2.8	23
200	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 2971-9	7.5	23
199	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 125, 982-7	7.5	23
198	Environmental ozone exposure and oxidative DNA damage in adult residents of Florence, Italy. <i>Environmental Pollution</i> , 2009 , 157, 1521-5	9.3	23
197	The effect of occasional smoking on smoking-related cancers: in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2006 , 17, 1305-9	2.8	23

196	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017 , 141, 287-297	7.5	22
195	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 161-7	7	22
194	Association of Genomic Domains in and with Prostate Cancer Risk and Aggressiveness. <i>Cancer Research</i> , 2020 , 80, 624-638	10.1	22
193	Anthropometric measures and bladder cancer risk: a prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 2918-29	7.5	22
192	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013 , 52, 1503-12	5.2	22
191	Whole-exome sequencing and targeted gene sequencing provide insights into the role of PALB2 as a male breast cancer susceptibility gene. <i>Cancer</i> , 2017 , 123, 210-218	6.4	22
190	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , 2017 , 4, 170179	8.2	22
189	Variation at ABO histo-blood group and FUT loci and diffuse and intestinal gastric cancer risk in a European population. <i>International Journal of Cancer</i> , 2015 , 136, 880-93	7.5	22
188	Dietary folate intake and breast cancer risk: European prospective investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2015 , 107, 367	9.7	22
187	Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2012 , 7, e50712	3.7	22
186	N-acetyltransferase 2 phenotype, occupation, and bladder cancer risk: results from the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 2055-65	4	22
185	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1769-76	7	22
184	Circulating soluble CD30 and future risk of lymphoma; evidence from two prospective studies in the general population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1925-7	4	22
183	Smoking and body fatness measurements: a cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009 , 49, 365-73	4.3	22
182	Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. <i>British Journal of Nutrition</i> , 2008 , 100, 489-95	3.6	22
181	No association of consumption of animal foods with risk of ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 852-5	4	22
180	Insight into genetic susceptibility to male breast cancer by multigene panel testing: Results from a multicenter study in Italy. <i>International Journal of Cancer</i> , 2019 , 145, 390-400	7.5	22
179	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , 2020 , 146, 720-730	7.5	22

178	KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Case-Control Study. <i>Clinical Cancer Research</i> , 2018 , 24, 5594-5601	12.9	21
177	Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 2910-7	7.5	21
176	Effects of de-alcoholised wines with different polyphenol content on DNA oxidative damage, gene expression of peripheral lymphocytes, and haemorheology: an intervention study in post-menopausal women. <i>European Journal of Nutrition</i> , 2011 , 50, 19-29	5.2	21
175	A bivariate measurement error model for nitrogen and potassium intakes to evaluate the performance of regression calibration in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S179-87	5.2	21
174	Association between the BRCA2 N372H variant and male breast cancer risk: a population-based case-control study in Tuscany, Central Italy. <i>BMC Cancer</i> , 2007 , 7, 170	4.8	21
173	Relationship between Plasma Fatty Acid Composition and Diet over Previous Years in the Italian Centers of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Tumori</i> , 2003 , 89, 624-635	1.7	21
172	Pre-operative diagnosis of pigmented skin lesions: in vivo dermoscopy performs better than dermoscopy on photographic images. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2002 , 16, 339-46	4.6	21
171	Novel and known genetic variants for male breast cancer risk at 8q24.21, 9p21.3, 11q13.3 and 14q24.1: results from a multicenter study in Italy. <i>European Journal of Cancer</i> , 2015 , 51, 2289-95	7.5	20
170	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016 , 116, 316-25	3.6	20
169	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016 , 55, 7-20	5.2	20
168	A gene-environment interaction between occupation and BRCA1/BRCA2 mutations in male breast cancer?. <i>European Journal of Cancer</i> , 2004 , 40, 2474-9	7.5	20
167	CA19-9 and apolipoprotein-A2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. <i>International Journal of Cancer</i> , 2019 , 144, 1877-1887	7.5	20
166	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Nutrients</i> , 2018 , 10,	6.7	20
165	Blood-based omic profiling supports female susceptibility to tobacco smoke-induced cardiovascular diseases. <i>Scientific Reports</i> , 2017 , 7, 42870	4.9	19
164	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. <i>International Journal of Cancer</i> , 2015 , 136, 915-27	7.5	19
163	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	19
162	Influence of dietary protein intake and glycemic index on the association between TCF7L2 HapA and weight gain. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1468-76	7	19
161	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. <i>Cancer Causes and Control</i> , 2012 , 23, 1163-71	2.8	19

160	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009 , 118, 565-74	4.4	19
159	Prediagnostic circulating parathyroid hormone concentration and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 767-78	4	19
158	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011 , 26, 657-66	2.8	19
157	CXCR3-B expression correlates with tumor necrosis extension in renal cell carcinoma. <i>Journal of Urology</i> , 2009 , 181, 843-8	2.5	19
156	Dietary and lifestyle determinants of malondialdehyde DNA adducts in a representative sample of the Florence City population. <i>Mutagenesis</i> , 2016 , 31, 475-80	2.8	19
155	Accuracy and Reproducibility of HER2 Status in Breast Cancer Using Immunohistochemistry: A Quality Control Study in Tuscany Evaluating the Impact of Updated 2013 ASCO/CAP Recommendations. <i>Pathology and Oncology Research</i> , 2015 , 21, 477-85	2.6	18
154	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018 , 143, 245-252	7.5	18
153	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013 , 24, 1901-9	2.8	18
152	DNA methylation profiling implicates exposure to PCBs in the pathogenesis of B-cell chronic lymphocytic leukemia. <i>Environment International</i> , 2019 , 126, 24-36	12.9	18
151	Atopic dermatitis, naevi count and skin cancer risk: A meta-analysis. <i>Journal of Dermatological Science</i> , 2016 , 84, 137-143	4.3	17
150	Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. <i>International Journal of Cancer</i> , 2018 , 143, 2437-2448	7.5	17
149	Blood erythrocyte concentrations of cadmium and lead and the risk of B-cell non-Hodgkin's lymphoma and multiple myeloma: a nested case-control study. <i>PLoS ONE</i> , 2013 , 8, e81892	3.7	17
148	DNA adducts and PM(10) exposure in traffic-exposed workers and urban residents from the EPIC-Florence City study. <i>Science of the Total Environment</i> , 2008 , 403, 105-12	10.2	17
147	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 274-285	10.1	17
146	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 136, E720-30	7.5	16
145	A prospective study of the immune system activation biomarker neopterin and colorectal cancer risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	16
144	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , 2014 , 22, E127-34	8	16
143	<i>Helicobacter pylori</i> infection, anti-cagA antibodies and peptic ulcer: a case-control study in Italy. <i>Alimentary Pharmacology and Therapeutics</i> , 2002 , 16, 1015-20	6.1	16

142	Education and gastric cancer risk-An individual participant data meta-analysis in the StoP project consortium. <i>International Journal of Cancer</i> , 2020 , 146, 671-681	7.5	16
141	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018 , 142, 1355-1360	7.5	16
140	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 136, E423-31	7.5	15
139	Alcohol, alcoholic beverages, and melanoma risk: a systematic literature review and dose-response meta-analysis. <i>European Journal of Nutrition</i> , 2018 , 57, 2323-2332	5.2	15
138	Acrylamide and glycidamide hemoglobin adduct levels and endometrial cancer risk: A nested case-control study in nonsmoking postmenopausal women from the EPIC cohort. <i>International Journal of Cancer</i> , 2016 , 138, 1129-38	7.5	15
137	Fish consumption does not prevent increase in waist circumference in European women and men. <i>British Journal of Nutrition</i> , 2012 , 108, 924-31	3.6	15
136	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2138-48	4	15
135	Predictors of quality of life after radical treatment for prostate cancer. <i>Urologia Internationalis</i> , 2008 , 80, 231-6	1.9	15
134	The p.G23S CDKN2A founder mutation in high-risk melanoma families from Central Italy. <i>Melanoma Research</i> , 2007 , 17, 387-92	3.3	15
133	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017 , 56, 1157-1168	5.2	14
132	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017 , 10, 20	5.5	14
131	A priori dietary patterns and blood pressure in the EPIC Florence cohort: a cross-sectional study. <i>European Journal of Nutrition</i> , 2019 , 58, 455-466	5.2	14
130	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2017 , 161, 311-320	4.4	14
129	Identification of Urinary Polyphenol Metabolite Patterns Associated with Polyphenol-Rich Food Intake in Adults from Four European Countries. <i>Nutrients</i> , 2017 , 9,	6.7	14
128	Epigenetic signatures of internal migration in Italy. <i>International Journal of Epidemiology</i> , 2015 , 44, 1442-1449	7.8	14
127	Insulin-like Growth Factor Pathway Genetic Polymorphisms, Circulating IGF1 and IGFBP3, and Prostate Cancer Survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	14
126	Morphological parameters of lobular in situ neoplasia in stereotactic 11-gauge vacuum-assisted needle core biopsy do not predict the presence of malignancy on subsequent surgical excision. <i>Histopathology</i> , 2013 , 63, 83-95	7.3	14
125	Development and validation of a risk score predicting substantial weight gain over 5 years in middle-aged European men and women. <i>PLoS ONE</i> , 2013 , 8, e67429	3.7	14

124	An approach to estimate between- and within-group correlation coefficients in multicenter studies: plasma carotenoids as biomarkers of intake of fruits and vegetables. <i>American Journal of Epidemiology</i> , 2005 , 162, 591-8	3.8	14
123	Implications of p53 mutation spectrum for cancer etiology in gastric cancers of various histologic types from a high-risk area of central Italy. <i>Carcinogenesis</i> , 1998 , 19, 2145-9	4.6	14
122	Risk of second primary malignancies among 1537 melanoma patients and risk of second primary melanoma among 52 354 cancer patients in Northern Italy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1491-6	4.6	14
121	Meat intake and risk of gastric cancer in the Stomach cancer Pooling (StoP) project. <i>International Journal of Cancer</i> , 2020 , 147, 45-55	7.5	14
120	Antibody Responses to Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1552-1555	4	13
119	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015 , 113, 840-7	8.7	13
118	A possible role of FANCM mutations in male breast cancer susceptibility: Results from a multicenter study in Italy. <i>Breast</i> , 2018 , 38, 92-97	3.6	13
117	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 240-250	7.5	13
116	Multiple miscarriages are associated with the risk of ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012 , 7, e37141	3.7	13
115	The BRCAPRO 5.0 model is a useful tool in genetic counseling and clinical management of male breast cancer cases. <i>European Journal of Human Genetics</i> , 2010 , 18, 856-8	5.3	13
114	Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. <i>Biomarkers</i> , 2010 , 15, 20-30	2.6	13
113	Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiology</i> , 2010 , 34, 709-12	2.8	13
112	Quantitative assessment of the subepithelial collagen band does not increase the accuracy of diagnosis of collagenous colitis. <i>American Journal of Clinical Pathology</i> , 2008 , 130, 375-81	1.9	13
111	Visual assessment of uroflowmetry curves: description and interpretation by urologists. <i>World Journal of Urology</i> , 2007 , 25, 333-7	4	13
110	Citrus fruit intake and gastric cancer: The stomach cancer pooling (StoP) project consortium. <i>International Journal of Cancer</i> , 2019 , 144, 2936-2944	7.5	13
109	Fruits and vegetables intake and gastric cancer risk: A pooled analysis within the Stomach cancer Pooling Project. <i>International Journal of Cancer</i> , 2020 , 147, 3090-3101	7.5	12
108	Plasma fetuin-A concentration, genetic variation in the AHSG gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015 , 137, 911-20	7.5	12
107	Risk of second cancers in chronic myeloproliferative neoplasms. <i>Blood</i> , 2012 , 119, 3861-2; author reply 3862-3	2.2	12

106	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013 , 109, 353-62	3.6	12
105	Germline mutations in MEN1 and BRCA1 genes in a woman with familial multiple endocrine neoplasia type 1 and inherited breast-ovarian cancer syndromes: a case report. <i>Cancer Genetics and Cytogenetics</i> , 2009 , 195, 75-9		12
104	Haplotype-based analysis of common variation in the acetyl-coA carboxylase alpha gene and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 409-15	4	12
103	What healthy women think, feel and do about cancer, prevention and breast cancer screening in Italy. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 913-7		12
102	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018 , 142, 1189-1201	7.5	12
101	Mammographic breast density and breast cancer risk in a Mediterranean population: a nested case-control study in the EPIC Florence cohort. <i>Breast Cancer Research and Treatment</i> , 2017 , 164, 467-474	4.4	11
100	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. <i>Breast Cancer Research and Treatment</i> , 2011 , 129, 477-84	4.4	11
99	Pooled analysis of studies on DNA adducts and dietary vitamins. <i>Mutation Research - Reviews in Mutation Research</i> , 2010 , 705, 77-82	7	11
98	DNA bulky adducts in a Mediterranean population correlate with environmental ozone concentration, an indicator of photochemical smog. <i>International Journal of Cancer</i> , 2004 , 109, 17-23	7.5	11
97	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018 , 41, 277-285	14.6	11
96	Evolving DNA methylation and gene expression markers of B-cell chronic lymphocytic leukemia are present in pre-diagnostic blood samples more than 10 years prior to diagnosis. <i>BMC Genomics</i> , 2017 , 18, 728	4.5	10
95	Pre-diagnostic blood immune markers, incidence and progression of B-cell lymphoma and multiple myeloma: Univariate and functionally informed multivariate analyses. <i>International Journal of Cancer</i> , 2018 , 143, 1335-1347	7.5	10
94	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011 , 127, 761-7	4.4	10
93	The Florence City Sample: Dietary and Life-Style Habits of a Representative Sample of Adult Residents. A Comparison with the Epic-Florence Volunteers. <i>Tumori</i> , 2003 , 89, 636-645	1.7	10
92	Syringol metabolites as new biomarkers for smoked meat intake. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1424-1433	7	9
91	Association between low-grade inflammation and Breast cancer and B-cell Myeloma and Non-Hodgkin Lymphoma: findings from two prospective cohorts. <i>Scientific Reports</i> , 2018 , 8, 10805	4.9	9
90	Physical activity and blood pressure in 10,000 Mediterranean adults: The EPIC-Florence cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 670-678	4.5	9
89	Determinants of non- response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012 , 12, 148	4.7	9

88	Genetic variability of the mTOR pathway and prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011 , 6, e16914	3.7	9
87	Reflux symptoms in wind instrument players. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 593-600	6.0	9
86	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020 , 123, 198-208	3.6	9
85	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020 , 146, 1841-1850	7.5	9
84	Predictors of erythrocyte cadmium levels in 454 adults in Florence, Italy. <i>Science of the Total Environment</i> , 2018 , 644, 37-44	10.2	9
83	Associations Between Genome-wide Gene Expression and Ambient Nitrogen Oxides. <i>Epidemiology</i> , 2017 , 28, 320-328	3.1	8
82	Alcohol intake and gastric cancer: Meta-analyses of published data versus individual participant data pooled analyses (StoP Project). <i>Cancer Epidemiology</i> , 2018 , 54, 125-132	2.8	8
81	Diagnostic concordance in reporting breast needle core biopsies using the B classification-A panel in Italy. <i>Pathology and Oncology Research</i> , 2009 , 15, 725-32	2.6	8
80	Gastric cancer surveillance in a high-risk population in tuscan (Central Italy): preliminary results. <i>Digestion</i> , 2011 , 84, 70-7	3.6	8
79	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , 2020 , 35, 1057-1067	12.1	8
78	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 217-228	4	7
77	Antibody Responses to and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1475-1481	4	7
76	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , 2018 , 143, 515-526	7.5	7
75	Can Dietary and Physical Activity Modifications Reduce Breast Density in Postmenopausal Women? The DAMA Study, a Randomized Intervention Trial in Italy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 41-50	4	7
74	Do Thiazide Diuretics Increase the Risk of Skin Cancer? A Critical Review of the Scientific Evidence and Updated Meta-Analysis. <i>Current Cardiology Reports</i> , 2019 , 21, 92	4.2	7
73	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012 , 131, 997-1002	7.5	7
72	SULT1A1 gene deletion in BRCA2-associated male breast cancer: a link between genes and environmental exposures?. <i>Journal of Cellular and Molecular Medicine</i> , 2013 , 17, 605-7	5.6	7
71	Evaluation of radiation-induced chromosome instability in subjects with a family history of gastric cancer. <i>Biomarkers</i> , 2009 , 14, 226-34	2.6	7

70	Cancer Incidence in Epic-Italy at First Follow-Up. <i>Tumori</i> , 2003 , 89, 656-664	1.7	7
69	P53 gene mutations in women with breast cancer and a previous history of benign breast disease. <i>European Journal of Cancer</i> , 1994 , 30A, 808-12	7.5	7
68	Glycemic index, glycemic load and mammographic breast density: the EPIC Florence longitudinal study. <i>PLoS ONE</i> , 2013 , 8, e70943	3.7	7
67	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 681-686	4	7
66	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 957-966	7.5	7
65	DNA methylation-based biomarkers of aging were slowed down in a two-year diet and physical activity intervention trial: the DAMA study. <i>Aging Cell</i> , 2021 , 20, e13439	9.9	7
64	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017 , 141, 945-951	7.5	6
63	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1076-1085	4	6
62	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016 , 27, 919-27	2.8	6
61	The DAMA Trial: A Diet and Physical Activity Intervention Trial to Reduce Mammographic Breast Density in Postmenopausal Women in Tuscany, Italy. Study Protocol and Baseline Characteristics. <i>Tumori</i> , 2014 , 100, 377-385	1.7	6
60	Dietary factors impact on the association between CTSS variants and obesity related traits. <i>PLoS ONE</i> , 2012 , 7, e40394	3.7	6
59	Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>European Journal of Cancer</i> , 2011 , 47, 420-7	7.5	6
58	Benign breast disease and cancer risk. <i>Critical Reviews in Oncology/Hematology</i> , 1993 , 15, 221-42	7	6
57	Gene-specific methylation profiles in -mutation positive and -mutation negative male breast cancers. <i>Oncotarget</i> , 2018 , 9, 19783-19792	3.3	6
56	Stochastic Epigenetic Mutations Are Associated with Risk of Breast Cancer, Lung Cancer, and Mature B-cell Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2026-2037	4	6
55	A capture-recapture estimate of inflammatory bowel disease prevalence: the Florence population-based study. <i>Italian Journal of Gastroenterology and Hepatology</i> , 1998 , 30, 50-3		6
54	Characterization of DNA polymerase beta splicing variants in gastric cancer: the most frequent exon 2-deleted isoform is a non-coding RNA. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009 , 670, 79-87	3.3	5
53	Sensitivity to ultraviolet B is a risk factor for cutaneous melanoma in a Mediterranean population: results from an Italian case-control study. <i>Clinical and Experimental Dermatology</i> , 2009 , 34, 8-15	1.8	5

52	Plasma phospholipid long-chain n-3 polyunsaturated fatty acids and body weight change. <i>Obesity Facts</i> , 2011 , 4, 312-8	5.1	5
51	Short- and long-term mortality in a prevalent cohort of morbidly obese patients in Italy. <i>European Journal of Nutrition</i> , 2002 , 41, 183-5	5.2	5
50	Changes in stage and treatment of breast cancer in Florence from 1985-1990. <i>Breast</i> , 1994 , 3, 109-112	3.6	5
49	Prognostic significance of estrogen receptor determination in primary breast cancer. <i>Radiotherapy and Oncology</i> , 1988 , 12, 187-92	5.3	5
48	Urinary Concentrations of (+)-Catechin and (-)-Epicatechin as Biomarkers of Dietary Intake of Flavan-3-ols in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021 , 13,	6.7	5
47	Prospective Identification of Elevated Circulating CDCP1 in Patients Years before Onset of Lung Cancer. <i>Cancer Research</i> , 2021 , 81, 3738-3748	10.1	5
46	Association of Pre-diagnostic Antibody Responses to Escherichia coli and Bacteroides fragilis Toxin Proteins with Colorectal Cancer in a European Cohort. <i>Gut Microbes</i> , 2021 , 13, 1-14	8.8	5
45	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 790-804	4	4
44	Association of SULT1A1 Arg¹⁰⁸His polymorphism with male breast cancer risk: results from a multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2014 , 148, 623-8	4.4	4
43	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. <i>Oncology Reports</i> , 2011 , 26, 979-86	3.5	4
42	Radical retropubic prostatectomy for prostate cancer with microscopic bladder neck involvement: survival and prognostic implications. <i>BJU International</i> , 2010 , 105, 946-50	5.6	4
41	Genetic polymorphisms of the GNRH1 and GNRHR genes and risk of breast cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>BMC Cancer</i> , 2009 , 9, 257	4.8	4
40	Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. <i>DNA Repair</i> , 2009 , 8, 60-71	4.3	4
39	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 475-483	2.2	4
38	Determinants of Erythrocyte Lead Levels in 454 Adults in Florence, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
37	Common Susceptibility Loci for Male Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 453-461	9.7	4
36	Prospective analysis of circulating metabolites and endometrial cancer risk. <i>Gynecologic Oncology</i> , 2021 , 162, 475-481	4.9	4
35	The DAMA trial: a diet and physical activity intervention trial to reduce mammographic breast density in postmenopausal women in Tuscany, Italy. Study protocol and baseline characteristics. <i>Tumori</i> , 2014 , 100, 377-85	1.7	4

34	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 2349-2359	7.5	3
33	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1089-1092	4	3
32	Hospital versus population controls in a retrospective study on diet and stomach cancer. <i>European Journal of Public Health</i> , 1995 , 5, 209-214	2.1	3
31	Polyphenol Intake and Gastric Cancer Risk: Findings from the Stomach Cancer Pooling Project (StoP). <i>Cancers</i> , 2020 , 12,	6.6	3
30	A multi-omics approach to investigate the inflammatory response to life course socioeconomic position. <i>Epigenomics</i> , 2020 , 12, 1287-1302	4.4	3
29	Breast and Prostate Cancer Risks for Male BRCA1 and BRCA2 Pathogenic Variant Carriers Using Polygenic Risk Scores. <i>Journal of the National Cancer Institute</i> , 2021 ,	9.7	3
28	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
27	Genes associated with Parkinson's disease respond to increasing polychlorinated biphenyl levels in the blood of healthy females. <i>Environmental Pollution</i> , 2019 , 250, 107-117	9.3	2
26	Smoking and FGFR2 rs2981582 variant independently modulate male breast cancer survival: A population-based study in Tuscany, Italy. <i>Breast</i> , 2018 , 40, 85-91	3.6	2
25	Intake of Total and Subgroups of Fat Minimally Affect the Associations between Selected Single Nucleotide Polymorphisms in the PPAR α Pathway and Changes in Anthropometry among European Adults from Cohorts of the DiOGenes Study. <i>Journal of Nutrition</i> , 2016 , 146, 603-11	4.1	2
24	Variation in genes related to hepatic lipid metabolism and changes in waist circumference and body weight. <i>Genes and Nutrition</i> , 2014 , 9, 385	4.3	2
23	PRKCSH GAG trinucleotide repeat is a mutational target in gastric carcinomas with high-level microsatellite instability. <i>Clinical Genetics</i> , 2011 , 79, 397-8; author reply 399-400	4	2
22	Colorectal cancer risk in patients affected with Crohn's disease. <i>American Journal of Gastroenterology</i> , 2006 , 101, 1400; author reply 1400-1	0.7	2
21	Mitotic activity in colorectal mucosa of healthy subjects in two Italian areas with different dietary habits. <i>Nutrition and Cancer</i> , 1993 , 19, 263-8	2.8	2
20	Blood Transcriptome Response to Environmental Metal Exposure Reveals Potential Biological Processes Related to Alzheimer's Disease. <i>Frontiers in Public Health</i> , 2020 , 8, 557587	6	2
19	Prediagnostic circulating metabolites in female breast cancer cases with low and high mammographic breast density. <i>Scientific Reports</i> , 2021 , 11, 13025	4.9	2
18	Family History and Gastric Cancer Risk: A Pooled Investigation in the Stomach Cancer Pooling (STOP) Project Consortium. <i>Cancers</i> , 2021 , 13,	6.6	2
17	Inflammatory marker changes in a 24-month dietary and physical activity randomised intervention trial in postmenopausal women. <i>Scientific Reports</i> , 2020 , 10, 21845	4.9	1

16	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1654-1664	4.4	1
15	Occupational exposures and odds of gastric cancer: a StoP project consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2020 , 49, 422-434	7.8	1
14	Gene expression in response to ionizing radiation and family history of gastric cancer. <i>Familial Cancer</i> , 2011 , 10, 107-18	3	1
13	Colonoscopic screening of first-degree relatives of patients with colorectal cancer. <i>Gastroenterology</i> , 1999 , 117, 747	13.3	1
12	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , 2021 , 11,	5.6	1
11	Cancer incidence in EPIC-ITALY at first follow-up. <i>Tumori</i> , 2003 , 89, 656-64	1.7	1
10	Salt intake and gastric cancer: a pooled analysis within the Stomach cancer Pooling (StoP) Project.. <i>Cancer Causes and Control</i> , 2022 , 33, 779	2.8	1
9	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021 , 148, 2759-2773	7.5	0
8	Factors associated with serum ferritin levels and iron excess: results from the EPIC-EurGast study. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	0
7	PAI-1 4G/5G repeat is a target in gastric carcinomas with microsatellite instability. <i>Digestive and Liver Disease</i> , 2011 , 43, 454-8	3.3	
6	Reply to A Mosher, LH Daugherty, and A Brailon. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 1387-1388		
5	Feasibility of innovative dietary assessment in epidemiological studies using the approach of combining different assessment instruments [Corrigendum. <i>Public Health Nutrition</i> , 2011 , 14, 1129-1129 ³⁻³		
4	Reply to BN Hopping, B Qin, S Wyler, and CV Donovan. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 289-290	7	
3	Age, Helicobacter pylori, and/or CagA antibodies as a pre-endoscopic screening policy. <i>American Journal of Gastroenterology</i> , 2000 , 95, 320-321	0.7	
2	Combining individual and aggregated data to investigate the role of socioeconomic disparities on cancer burden in Italy. <i>Statistics in Medicine</i> , 2020 , 39, 26-44	2.3	
1	Pre-diagnostic DNA methylation patterns differ according to mammographic breast density amongst women who subsequently develop breast cancer: a case-only study in the EPIC-Florence cohort. <i>Breast Cancer Research and Treatment</i> , 2021 , 189, 435-444	4.4	