

Domenico Palli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5056699/domenico-palli-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

663
papers

43,598
citations

105
h-index

167
g-index

681
ext. papers

49,047
ext. citations

6.2
avg. IF

5.93
L-index

#	Paper	IF	Citations
663	Salt intake and gastric cancer: a pooled analysis within the Stomach cancer Pooling (StoP) Project.. <i>Cancer Causes and Control</i> , 2022 , 33, 779	2.8	1
662	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 217-228	4	7
661	Urinary Concentrations of (+)-Catechin and (-)-Epicatechin as Biomarkers of Dietary Intake of Flavan-3-ols in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021 , 13,	6.7	5
660	Pre-diagnostic DNA methylation patterns differ according to mammographic breast density amongst women who subsequently develop breast cancer: a case-only study in the EPIC-Florence cohort. <i>Breast Cancer Research and Treatment</i> , 2021 , 189, 435-444	4.4	
659	Prediagnostic circulating metabolites in female breast cancer cases with low and high mammographic breast density. <i>Scientific Reports</i> , 2021 , 11, 13025	4.9	2
658	Family History and Gastric Cancer Risk: A Pooled Investigation in the Stomach Cancer Pooling (STOP) Project Consortium. <i>Cancers</i> , 2021 , 13,	6.6	2
657	Common Susceptibility Loci for Male Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 453-461	9.7	4
656	Prospective Identification of Elevated Circulating CDCP1 in Patients Years before Onset of Lung Cancer. <i>Cancer Research</i> , 2021 , 81, 3738-3748	10.1	5
655	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021 , 148, 2759-2773	7.5	0
654	Breast and Prostate Cancer Risks for Male BRCA1 and BRCA2 Pathogenic Variant Carriers Using Polygenic Risk Scores. <i>Journal of the National Cancer Institute</i> , 2021 ,	9.7	3
653	Factors associated with serum ferritin levels and iron excess: results from the EPIC-EurGast study. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	0
652	Prospective analysis of circulating metabolites and endometrial cancer risk. <i>Gynecologic Oncology</i> , 2021 , 162, 475-481	4.9	4
651	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
650	DNA methylation-based biomarkers of aging were slowed down in a two-year diet and physical activity intervention trial: the DAMA study. <i>Aging Cell</i> , 2021 , 20, e13439	9.9	7
649	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , 2021 , 11,	5.6	1
648	Association of Pre-diagnostic Antibody Responses to Escherichia coli and Bacteroides fragilis Toxin Proteins with Colorectal Cancer in a European Cohort. <i>Gut Microbes</i> , 2021 , 13, 1-14	8.8	5
647	Inflammatory marker changes in a 24-month dietary and physical activity randomised intervention trial in postmenopausal women. <i>Scientific Reports</i> , 2020 , 10, 21845	4.9	1

646	Antibody Responses to and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1475-1481	4	7
645	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1654-1664	4	1
644	Fruits and vegetables intake and gastric cancer risk: A pooled analysis within the Stomach cancer Pooling Project. <i>International Journal of Cancer</i> , 2020 , 147, 3090-3101	7.5	12
643	Occupational exposures and odds of gastric cancer: a StoP project consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2020 , 49, 422-434	7.8	1
642	Association of Genomic Domains in and with Prostate Cancer Risk and Aggressiveness. <i>Cancer Research</i> , 2020 , 80, 624-638	10.1	22
641	Cumulative Burden of Colorectal Cancer-Associated Genetic Variants Is More Strongly Associated With Early-Onset vs Late-Onset Cancer. <i>Gastroenterology</i> , 2020 , 158, 1274-1286.e12	13.3	47
640	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 475-483	2.2	4
639	Combining individual and aggregated data to investigate the role of socioeconomic disparities on cancer burden in Italy. <i>Statistics in Medicine</i> , 2020 , 39, 26-44	2.3	
638	Blood Transcriptome Response to Environmental Metal Exposure Reveals Potential Biological Processes Related to Alzheimer's Disease. <i>Frontiers in Public Health</i> , 2020 , 8, 557587	6	2
637	Stochastic Epigenetic Mutations Are Associated with Risk of Breast Cancer, Lung Cancer, and Mature B-cell Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2026-2037	4	6
636	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , 2020 , 35, 1057-1067	12.1	8
635	Polyphenol Intake and Gastric Cancer Risk: Findings from the Stomach Cancer Pooling Project (StoP). <i>Cancers</i> , 2020 , 12,	6.6	3
634	A multi-omics approach to investigate the inflammatory response to life course socioeconomic position. <i>Epigenomics</i> , 2020 , 12, 1287-1302	4.4	3
633	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , 2020 , 146, 720-730	7.5	22
632	Education and gastric cancer risk-An individual participant data meta-analysis in the StoP project consortium. <i>International Journal of Cancer</i> , 2020 , 146, 671-681	7.5	16
631	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020 , 123, 198-208	3.6	9
630	Meat intake and risk of gastric cancer in the Stomach cancer Pooling (StoP) project. <i>International Journal of Cancer</i> , 2020 , 147, 45-55	7.5	14
629	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 654-666.e6	6.9	43

628	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020 , 146, 1841-1850	7.5	9
627	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 516-524	9.7	28
626	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 681-686	4	7
625	Syringol metabolites as new biomarkers for smoked meat intake. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1424-1433	7	9
624	Antibody Responses to Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1552-1555	4	13
623	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 2349-2359	7.5	3
622	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1089-1092	4	3
621	Genes associated with Parkinson disease respond to increasing polychlorinated biphenyl levels in the blood of healthy females. <i>Environmental Pollution</i> , 2019 , 250, 107-117	9.3	2
620	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1076-1085	4	6
619	Can Dietary and Physical Activity Modifications Reduce Breast Density in Postmenopausal Women? The DAMA Study, a Randomized Intervention Trial in Italy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 41-50	4	7
618	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 240-250	7.5	13
617	A priori dietary patterns and blood pressure in the EPIC Florence cohort: a cross-sectional study. <i>European Journal of Nutrition</i> , 2019 , 58, 455-466	5.2	14
616	Blood levels of cadmium and lead in relation to breast cancer risk in three prospective cohorts. <i>International Journal of Cancer</i> , 2019 , 144, 1010-1016	7.5	25
615	Do Thiazide Diuretics Increase the Risk of Skin Cancer? A Critical Review of the Scientific Evidence and Updated Meta-Analysis. <i>Current Cardiology Reports</i> , 2019 , 21, 92	4.2	7
614	Socioeconomic position, lifestyle habits and biomarkers of epigenetic aging: a multi-cohort analysis. <i>Aging</i> , 2019 , 11, 2045-2070	5.6	67
613	Determinants of Erythrocyte Lead Levels in 454 Adults in Florence, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
612	DNA methylation profiling implicates exposure to PCBs in the pathogenesis of B-cell chronic lymphocytic leukemia. <i>Environment International</i> , 2019 , 126, 24-36	12.9	18
611	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 274-285	10.1	17

610	Insight into genetic susceptibility to male breast cancer by multigene panel testing: Results from a multicenter study in Italy. <i>International Journal of Cancer</i> , 2019 , 145, 390-400	7.5	22
609	Citrus fruit intake and gastric cancer: The stomach cancer pooling (StoP) project consortium. <i>International Journal of Cancer</i> , 2019 , 144, 2936-2944	7.5	13
608	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1323-1331.e6	6.9	57
607	CA19-9 and apolipoprotein-A2 isoforms as detection markers for pancreatic cancer: a prospective evaluation. <i>International Journal of Cancer</i> , 2019 , 144, 1877-1887	7.5	20
606	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 957-966	7.5	7
605	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , 2018 , 143, 515-526	7.5	7
604	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 790-804	4	4
603	Pre-diagnostic blood immune markers, incidence and progression of B-cell lymphoma and multiple myeloma: Univariate and functionally informed multivariate analyses. <i>International Journal of Cancer</i> , 2018 , 143, 1335-1347	7.5	10
602	Prospective evaluation of antibody response to Streptococcus gallolyticus and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018 , 143, 245-252	7.5	18
601	Alcohol, alcoholic beverages, and melanoma risk: a systematic literature review and dose-response meta-analysis. <i>European Journal of Nutrition</i> , 2018 , 57, 2323-2332	5.2	15
600	A possible role of FANCM mutations in male breast cancer susceptibility: Results from a multicenter study in Italy. <i>Breast</i> , 2018 , 38, 92-97	3.6	13
599	Smoking and FGFR2 rs2981582 variant independently modulate male breast cancer survival: A population-based study in Tuscany, Italy. <i>Breast</i> , 2018 , 40, 85-91	3.6	2
598	Epigenome-wide association study of adiposity and future risk of obesity-related diseases. <i>International Journal of Obesity</i> , 2018 , 42, 2022-2035	5.5	31
597	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , 2018 , 143, 1620-1631	7.5	24
596	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2018 , 143, 801-812	7.5	24
595	Cigarette smoking and gastric cancer in the Stomach Cancer Pooling (StoP) Project. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 124-133	2	80
594	KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Case-Control Study. <i>Clinical Cancer Research</i> , 2018 , 24, 5594-5601	12.9	21
593	Association between low-grade inflammation and Breast cancer and B-cell Myeloma and Non-Hodgkin Lymphoma: findings from two prospective cohorts. <i>Scientific Reports</i> , 2018 , 8, 10805	4.9	9

592	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , 2018 , 4, e182078	13.4	55
591	Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. <i>International Journal of Cancer</i> , 2018 , 143, 2437-2448	7.5	17
590	Alcohol intake and gastric cancer: Meta-analyses of published data versus individual participant data pooled analyses (StoP Project). <i>Cancer Epidemiology</i> , 2018 , 54, 125-132	2.8	8
589	Gene-specific methylation profiles in -mutation positive and -mutation negative male breast cancers. <i>Oncotarget</i> , 2018 , 9, 19783-19792	3.3	6
588	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018 , 41, 277-285	14.6	11
587	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018 , 142, 1332-1342	7.5	32
586	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018 , 142, 1189-1201	7.5	12
585	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018 , 142, 1355-1360	7.5	16
584	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Nutrients</i> , 2018 , 10,	6.7	20
583	Predictors of erythrocyte cadmium levels in 454 adults in Florence, Italy. <i>Science of the Total Environment</i> , 2018 , 644, 37-44	10.2	9
582	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017 , 56, 1157-1168	5.2	14
581	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 2246-2255	7.5	25
580	Blood-based omic profiling supports female susceptibility to tobacco smoke-induced cardiovascular diseases. <i>Scientific Reports</i> , 2017 , 7, 42870	4.9	19
579	Associations Between Genome-wide Gene Expression and Ambient Nitrogen Oxides. <i>Epidemiology</i> , 2017 , 28, 320-328	3.1	8
578	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017 , 141, 287-297	7.5	22
577	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017 , 10, 20	5.5	14
576	Mammographic breast density and breast cancer risk in a Mediterranean population: a nested case-control study in the EPIC Florence cohort. <i>Breast Cancer Research and Treatment</i> , 2017 , 164, 467-473	4.4	11
575	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. <i>International Journal of Cancer</i> , 2017 , 141, 905-915	7.5	42

574	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017 , 141, 945-951	7.5	6
573	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017 , 49, 680-691	36.3	190
572	Evolving DNA methylation and gene expression markers of B-cell chronic lymphocytic leukemia are present in pre-diagnostic blood samples more than 10 years prior to diagnosis. <i>BMC Genomics</i> , 2017 , 18, 728	4.5	10
571	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017 , 15, 122	11.4	34
570	Prediction of Breast and Prostate Cancer Risks in Male BRCA1 and BRCA2 Mutation Carriers Using Polygenic Risk Scores. <i>Journal of Clinical Oncology</i> , 2017 , 35, 2240-2250	2.2	101
569	Alcohol consumption and gastric cancer risk-A pooled analysis within the StoP project consortium. <i>International Journal of Cancer</i> , 2017 , 141, 1950-1962	7.5	57
568	Physical activity and blood pressure in 10,000 Mediterranean adults: The EPIC-Florence cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 670-678	4.5	9
567	Social adversity and epigenetic aging: a multi-cohort study on socioeconomic differences in peripheral blood DNA methylation. <i>Scientific Reports</i> , 2017 , 7, 16266	4.9	118
566	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , 2017 , 167, 236-247	8	127
565	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2017 , 161, 311-320	4.4	14
564	Whole-exome sequencing and targeted gene sequencing provide insights into the role of PALB2 as a male breast cancer susceptibility gene. <i>Cancer</i> , 2017 , 123, 210-218	6.4	22
563	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , 2017 , 4, 170179	8.2	22
562	Identification of Urinary Polyphenol Metabolite Patterns Associated with Polyphenol-Rich Food Intake in Adults from Four European Countries. <i>Nutrients</i> , 2017 , 9,	6.7	14
561	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016 , 55, 1359-75	5.2	238
560	Atopic dermatitis, naevi count and skin cancer risk: A meta-analysis. <i>Journal of Dermatological Science</i> , 2016 , 84, 137-143	4.3	17
559	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016 , 8, 341ra76	17.5	77
558	Omics for prediction of environmental health effects: Blood leukocyte-based cross-omic profiling reliably predicts diseases associated with tobacco smoking. <i>Scientific Reports</i> , 2016 , 6, 20544	4.9	33
557	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016 , 6, 26905	4.9	51

556	A life course approach to explore the biological embedding of socioeconomic position and social mobility through circulating inflammatory markers. <i>Scientific Reports</i> , 2016 , 6, 25170	4.9	38
555	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016 , 14, 87	11.4	32
554	Acrylamide and glycidamide hemoglobin adduct levels and endometrial cancer risk: A nested case-control study in nonsmoking postmenopausal women from the EPIC cohort. <i>International Journal of Cancer</i> , 2016 , 138, 1129-38	7.5	15
553	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease: Results From a European Prospective Cohort Investigation. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1403-11	4.5	55
552	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016 , 27, 919-27	2.8	6
551	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016 , 116, 316-25	3.6	20
550	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016 , 55, 7-20	5.2	20
549	An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , 2016 , 31, 51-60	12.1	29
548	Dietary inflammatory index and risk of lung cancer and other respiratory conditions among heavy smokers in the COSMOS screening study. <i>European Journal of Nutrition</i> , 2016 , 55, 1069-79	5.2	53
547	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016 , 40, 179-87	2.8	34
546	Food of animal origin and risk of non-Hodgkin lymphoma and multiple myeloma: A review of the literature and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 100, 16-24	7	26
545	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48
544	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 291-301	4	23
543	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. <i>Cancer Research</i> , 2016 , 76, 2288-2300	10.1	85
542	Intake of Total and Subgroups of Fat Minimally Affect the Associations between Selected Single Nucleotide Polymorphisms in the PPAR α Pathway and Changes in Anthropometry among European Adults from Cohorts of the DiOGenes Study. <i>Journal of Nutrition</i> , 2016 , 146, 603-11	4.1	2
541	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 161-7	7	22
540	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe: Results from the EPIC Study. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 345-54	4.5	127
539	The genetic architecture of type 2 diabetes. <i>Nature</i> , 2016 , 536, 41-47	50.4	704

538	Tobacco smoking-associated genome-wide DNA methylation changes in the EPIC study. <i>Epigenomics</i> , 2016 , 8, 599-618	4.4	145
537	Risk of second primary malignancies among 1537 melanoma patients and risk of second primary melanoma among 52 354 cancer patients in Northern Italy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1491-6	4.6	14
536	Biological marks of early-life socioeconomic experience is detected in the adult inflammatory transcriptome. <i>Scientific Reports</i> , 2016 , 6, 38705	4.9	28
535	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80	3.3	32
534	Dietary and lifestyle determinants of malondialdehyde DNA adducts in a representative sample of the Florence City population. <i>Mutagenesis</i> , 2016 , 31, 475-80	2.8	19
533	Male breast cancer in BRCA1 and BRCA2 mutation carriers: pathology data from the Consortium of Investigators of Modifiers of BRCA1/2. <i>Breast Cancer Research</i> , 2016 , 18, 15	8.3	58
532	Total and cancer mortality in a cohort of ulcerative colitis and Crohn's disease patients: The Florence inflammatory bowel disease study, 1978-2010. <i>Digestive and Liver Disease</i> , 2016 , 48, 1162-7	3.3	31
531	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 136, E720-30	7.5	16
530	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. <i>British Journal of Cancer</i> , 2015 , 112, 1257-65	8.7	28
529	Association of CRP genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. <i>International Journal of Cancer</i> , 2015 , 136, 1181-92	7.5	53
528	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
527	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 1899-908	7.5	50
526	Menstrual and reproductive history and use of exogenous sex hormones and risk of thyroid cancer among women: a meta-analysis of prospective studies. <i>Cancer Causes and Control</i> , 2015 , 26, 511-8	2.8	35
525	A prospective study of the immune system activation biomarker neopterin and colorectal cancer risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	16
524	Plasma clusterin as a candidate pre-diagnosis marker of colorectal cancer risk in the Florence cohort of the European Prospective Investigation into Cancer and Nutrition: a pilot study. <i>BMC Cancer</i> , 2015 , 15, 56	4.8	25
523	Non-malignant breast papillary lesions - b3 diagnosed on ultrasound--guided 14-gauge needle core biopsy: analysis of 114 cases from a single institution and review of the literature. <i>Pathology and Oncology Research</i> , 2015 , 21, 535-46	2.6	35
522	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. <i>British Journal of Cancer</i> , 2015 , 112, 1273-82	8.7	30
521	Novel and known genetic variants for male breast cancer risk at 8q24.21, 9p21.3, 11q13.3 and 14q24.1: results from a multicenter study in Italy. <i>European Journal of Cancer</i> , 2015 , 51, 2289-95	7.5	20

520	Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. <i>Carcinogenesis</i> , 2015 , 36, 1144-53	4.6	26
519	Inflammatory markers in relation to long-term air pollution. <i>Environment International</i> , 2015 , 81, 1-7	12.9	41
518	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015 , 17, 15	8.3	39
517	Accuracy and Reproducibility of HER2 Status in Breast Cancer Using Immunohistochemistry: A Quality Control Study in Tuscany Evaluating the Impact of Updated 2013 ASCO/CAP Recommendations. <i>Pathology and Oncology Research</i> , 2015 , 21, 477-85	2.6	18
516	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 136, E423-31	7.5	15
515	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015 , 44, 1320-30	7.8	96
514	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1142-57	7	89
513	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015 , 113, 840-7	8.7	13
512	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 905-13	7	100
511	Telomere length and the risk of cutaneous melanoma and non-melanoma skin cancer: a review of the literature and meta-analysis. <i>Journal of Dermatological Science</i> , 2015 , 80, 168-74	4.3	31
510	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1498-508	7	44
509	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015 , 47, 1415-25	36.3	292
508	Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the EPIC-Italy study. <i>International Journal of Cancer</i> , 2015 , 136, 2923-31	7.5	43
507	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: a nested case-control study: plasma micronutrients and pancreatic cancer risk. <i>International Journal of Cancer</i> , 2015 , 136, E665-76	7.5	33
506	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 372-81	7.5	60
505	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 399-410	7.5	26
504	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015 , 13, 242	11.4	60
503	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. <i>BMC Medicine</i> , 2015 , 13, 252	11.4	34

502	Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. <i>Clinical Epigenetics</i> , 2015 , 7, 67	7.7	78
501	Human papillomavirus antibodies and future risk of anogenital cancer: a nested case-control study in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , 2015 , 33, 877-84	2.2	46
500	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and NursesRHealth Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 466-71	4	35
499	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 3028-36	3.6	79
498	Variation at ABO histo-blood group and FUT loci and diffuse and intestinal gastric cancer risk in a European population. <i>International Journal of Cancer</i> , 2015 , 136, 880-93	7.5	22
497	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. <i>International Journal of Cancer</i> , 2015 , 136, 915-27	7.5	19
496	Epigenetic signatures of internal migration in Italy. <i>International Journal of Epidemiology</i> , 2015 , 44, 1442-1449	14.9	14
495	Dynamics of smoking-induced genome-wide methylation changes with time since smoking cessation. <i>Human Molecular Genetics</i> , 2015 , 24, 2349-59	5.6	201
494	Plasma fetuin-A concentration, genetic variation in the AHSG gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015 , 137, 911-20	7.5	12
493	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 1921-30	7.5	55
492	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 613-21	7	219
491	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2015 , 136, 1149-61	7.5	121
490	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 137, 598-606	7.5	68
489	Dietary folate intake and breast cancer risk: European prospective investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2015 , 107, 367	9.7	22
488	Variation in genes related to hepatic lipid metabolism and changes in waist circumference and body weight. <i>Genes and Nutrition</i> , 2014 , 9, 385	4.3	2
487	Active and passive cigarette smoking and breast cancer risk: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1871-88	7.5	89
486	Genetic association of gastric cancer with miRNA clusters including the cancer-related genes MIR29, MIR25, MIR93 and MIR106: results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2014 , 135, 2065-76	7.5	44
485	Prediagnostic transcriptomic markers of Chronic lymphocytic leukemia reveal perturbations 10 years before diagnosis. <i>Annals of Oncology</i> , 2014 , 25, 1065-72	10.3	28

484	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014 , 135, 2887-99	7.5	47
483	Pre-menopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status - results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1947-57	7.5	54
482	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 440-52	7.5	35
481	Thyroid-stimulating hormone, thyroglobulin, and thyroid hormones and risk of differentiated thyroid carcinoma: the EPIC study. <i>Journal of the National Cancer Institute</i> , 2014 , 106, dju097	9.7	64
480	Dairy products and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014 , 135, 1662-72	7.5	44
479	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , 2014 , 22, E127-34	8	16
478	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2014 , 25, 1609-15	10.3	31
477	Anthropometric measures and bladder cancer risk: a prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 2918-29	7.5	22
476	Association between Mediterranean and Nordic diet scores and changes in weight and waist circumference: influence of FTO and TCF7L2 loci. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 1188-97	7	36
475	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 134, 612-21	7.5	31
474	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014 , 29, 639-52	12.1	41
473	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. <i>Annals of Oncology</i> , 2014 , 25, 1422-1428	10.3	54
472	Vitamin D and melanoma and non-melanoma skin cancer risk and prognosis: a comprehensive review and meta-analysis. <i>European Journal of Cancer</i> , 2014 , 50, 2649-58	7.5	69
471	Leukocyte telomere length in relation to pancreatic cancer risk: a prospective study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2447-54	4	27
470	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 810-8	18.1	330
469	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014 , 29, 261-75	12.1	50
468	Smoking as a major risk factor for cervical cancer and pre-cancer: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 453-66	7.5	109
467	t(14;18) Translocation: A predictive blood biomarker for follicular lymphoma. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1347-55	2.2	86

466	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 139-47	7	25
465	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014 , 4, e005245	3	68
464	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 19-29	18.1	99
463	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. <i>Diabetes</i> , 2014 , 63, 4378-4387	0.9	127
462	The DAMA Trial: A Diet and Physical Activity Intervention Trial to Reduce Mammographic Breast Density in Postmenopausal Women in Tuscany, Italy. Study Protocol and Baseline Characteristics. <i>Tumori</i> , 2014 , 100, 377-385	1.7	6
461	Validity of electronically administered Recent Physical Activity Questionnaire (RPAQ) in ten European countries. <i>PLoS ONE</i> , 2014 , 9, e92829	3.7	55
460	Nutrient patterns and their food sources in an International Study Setting: report from the EPIC study. <i>PLoS ONE</i> , 2014 , 9, e98647	3.7	37
459	Circulating 25-hydroxyvitamin D3 in relation to renal cell carcinoma incidence and survival in the EPIC cohort. <i>American Journal of Epidemiology</i> , 2014 , 180, 810-20	3.8	24
458	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014 , 12, 168	11.4	135
457	Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001647	11.6	149
456	Insulin-like growth factor pathway genetic polymorphisms, circulating IGF1 and IGFBP3, and prostate cancer survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106, dju085	9.7	31
455	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	19
454	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and incidence of colorectal cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt352	9.7	55
453	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014 , 60, 858-71	11.2	137
452	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survival—results from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1813-23	4	23
451	Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status-A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 2683-90	7.5	44
450	Prediagnostic plasma testosterone, sex hormone-binding globulin, IGF-I and hepatocellular carcinoma: etiological factors or risk markers?. <i>International Journal of Cancer</i> , 2014 , 134, 164-73	7.5	27
449	Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 2910-7	7.5	21

448	Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer risk-results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 401-12	7.5	27
447	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 134, 2504-11	7.5	29
446	Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations. <i>Diabetes Care</i> , 2014 , 37, 3164-71	14.6	45
445	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: a nested case-control study. <i>Hepatology</i> , 2014 , 60, 1222-30	11.2	75
444	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014 , 111, 1870-80	8.7	41
443	Association of SULT1A1 Arg¹⁰⁸His polymorphism with male breast cancer risk: results from a multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2014 , 148, 623-8	4.4	4
442	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014 , 135, 1949-60	7.5	38
441	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014 , 135, 2930-9	7.5	45
440	Tea and coffee consumption and risk of esophageal cancer: the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 135, 1470-9	7.5	35
439	Circulating biomarkers of tryptophan and the kynurenine pathway and lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 461-8	4	50
438	Dietary protein intake and incidence of type 2 diabetes in Europe: the EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014 , 37, 1854-62	14.6	106
437	Insulin-like Growth Factor Pathway Genetic Polymorphisms, Circulating IGF1 and IGFBP3, and Prostate Cancer Survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	14
436	Carbohydrate intake in the etiology of Crohn's disease and ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 2013-21	4.5	58
435	Insulin-like growth factor-i and risk of differentiated thyroid carcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 976-85 ⁴		35
434	Polymorphisms of Helicobacter pylori signaling pathway genes and gastric cancer risk in the European Prospective Investigation into Cancer-Eurgast cohort. <i>International Journal of Cancer</i> , 2014 , 134, 92-101	7.5	30
433	The DAMA trial: a diet and physical activity intervention trial to reduce mammographic breast density in postmenopausal women in Tuscany, Italy. Study protocol and baseline characteristics. <i>Tumori</i> , 2014 , 100, 377-85	1.7	4
432	Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 617-24	7.5	46
431	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 635-44	7.5	23

430	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013 , 132, 645-57	7.5	127
429	Meat consumption and mortality--results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013 , 11, 63	11.4	257
428	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 47-59	10.3	101
427	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013 , 8, 549-60	4.3	33
426	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013 , 24, 1901-9	2.8	18
425	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013 , 52, 1503-12	5.2	22
424	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013 , 52, 1369-80	5.3	38
423	Genetic variation in the lactase gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1901-10	7.5	35
422	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013 , 28, 317-28	12.1	111
421	Nutrient intake and nutrient patterns and risk of lung cancer among heavy smokers: results from the COSMOS screening study with annual low-dose CT. <i>European Journal of Epidemiology</i> , 2013 , 28, 503-11	12.1	27
420	Association of low-penetrance alleles with male breast cancer risk and clinicopathological characteristics: results from a multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 861-8	4.4	26
419	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , 2013 , 13, 584	4.8	56
418	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2918-27	7.5	142
417	The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013 , 42, 1772-80	7.8	96
416	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. <i>Gut</i> , 2013 , 62, 1764-70	19.2	228
415	Dietary glycemic index, glycemic load, and digestible carbohydrate intake are not associated with risk of type 2 diabetes in eight European countries. <i>Journal of Nutrition</i> , 2013 , 143, 93-9	4.1	66
414	Diabetes and risk of pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. <i>Cancer Causes and Control</i> , 2013 , 24, 13-25	2.8	86
413	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 628-34	4.5	31

412	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013 , 108, 708-14	8.7	39
411	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013 , 109, 353-62	3.6	12
410	Body mass index and the risk for Crohn's disease and ulcerative colitis: data from a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , 2013 , 108, 575-82	8.7	113
409	Red meat, Mediterranean diet and lung cancer risk among heavy smokers in the COSMOS screening study. <i>Annals of Oncology</i> , 2013 , 24, 2606-2611	10.3	43
408	Fruit and vegetable consumption and mortality: European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2013 , 178, 590-602	3.8	108
407	Italian Mediterranean Index and risk of colorectal cancer in the Italian section of the EPIC cohort. <i>International Journal of Cancer</i> , 2013 , 132, 1404-11	7.5	74
406	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis: the EPIC cohort. <i>Neurology</i> , 2013 , 80, 829-38	6.5	103
405	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013 , 110, 1500-11	3.6	74
404	Performance in omics analyses of blood samples in long-term storage: opportunities for the exploitation of existing biobanks in environmental health research. <i>Environmental Health Perspectives</i> , 2013 , 121, 480-7	8.4	111
403	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50	4.6	28
402	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. <i>Annals of Oncology</i> , 2013 , 24, 2449-55	10.3	86
401	Age at menopause, reproductive life span, and type 2 diabetes risk: results from the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 1012-9	14.6	141
400	Genetic variation in the vitamin d pathway in relation to risk of prostate cancer--results from the breast and prostate cancer cohort consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 688-96	4	34
399	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , 2013 , 24, 543-553	10.3	79
398	SULT1A1 gene deletion in BRCA2-associated male breast cancer: a link between genes and environmental exposures?. <i>Journal of Cellular and Molecular Medicine</i> , 2013 , 17, 605-7	5.6	7
397	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: a cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2619-29	7.5	48
396	Morphological parameters of lobular in situ neoplasia in stereotactic 11-gauge vacuum-assisted needle core biopsy do not predict the presence of malignancy on subsequent surgical excision. <i>Histopathology</i> , 2013 , 63, 83-95	7.3	14
395	N-acetyltransferase 2 phenotype, occupation, and bladder cancer risk: results from the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 2055-65	4	22

394	Hormonal, metabolic, and inflammatory profiles and endometrial cancer risk within the EPIC cohort—a factor analysis. <i>American Journal of Epidemiology</i> , 2013 , 177, 787-99	3.8	91
393	Age at menarche and type 2 diabetes risk: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3526-34	14.6	114
392	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013 , 24, 2166-73	10.3	60
391	Development and validation of a risk score predicting substantial weight gain over 5 years in middle-aged European men and women. <i>PLoS ONE</i> , 2013 , 8, e67429	3.7	14
390	Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013 , 8, e72715	3.7	64
389	Blood erythrocyte concentrations of cadmium and lead and the risk of B-cell non-Hodgkin's lymphoma and multiple myeloma: a nested case-control study. <i>PLoS ONE</i> , 2013 , 8, e81892	3.7	17
388	An absolute risk model to identify individuals at elevated risk for pancreatic cancer in the general population. <i>PLoS ONE</i> , 2013 , 8, e72311	3.7	82
387	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2013 , 8, e57300	3.7	54
386	Glycemic index, glycemic load and mammographic breast density: the EPIC Florence longitudinal study. <i>PLoS ONE</i> , 2013 , 8, e70943	3.7	7
385	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body size The EPIC-InterAct study. <i>Journal of Internal Medicine</i> , 2012 , 272, 358-70	10.8	55
384	Protein intake and muscle strength in older persons: does inflammation matter?. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 480-4	5.6	53
383	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012 , 54, 183-92	4.3	24
382	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012 , 130, 622-30	7.5	30
381	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012 , 27, 15-25	12.1	154
380	Risk of second cancers in chronic myeloproliferative neoplasms. <i>Blood</i> , 2012 , 119, 3861-2; author reply 3862-3	2.2	12
379	Influence of dietary protein intake and glycemic index on the association between TCF7L2 HapA and weight gain. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1468-76	7	19
378	Genome-wide association study identifies a common variant in RAD51B associated with male breast cancer risk. <i>Nature Genetics</i> , 2012 , 44, 1182-4	36.3	84
377	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012 , 14, R76	8.3	82

376	Morphological parameters of flat epithelial atypia (FEA) in stereotactic vacuum-assisted needle core biopsies do not predict the presence of malignancy on subsequent surgical excision. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012 , 461, 405-17	5.1	30
375	Biomarkers of ambient air pollution and lung cancer: a systematic review. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 619-27	2.1	82
374	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1303-8	5.2	32
373	Association between FTO variant and change in body weight and its interaction with dietary factors: the DiOGenes study. <i>Obesity</i> , 2012 , 20, 1669-74	8	35
372	A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. <i>Human Molecular Genetics</i> , 2012 , 21, 5373-84	5.6	143
371	Determinants of non- response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012 , 12, 148	4.7	9
370	Multiple miscarriages are associated with the risk of ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012 , 7, e37141	3.7	13
369	Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , 2012 , 7, e39361	3.7	179
368	Dietary factors impact on the association between CTSS variants and obesity related traits. <i>PLoS ONE</i> , 2012 , 7, e40394	3.7	6
367	Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2012 , 7, e50712	3.7	22
366	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012 , 21, 456-62	5.6	74
365	Diet-related telomere shortening and chromosome stability. <i>Mutagenesis</i> , 2012 , 27, 49-57	2.8	54
364	Prostate stem-cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012 , 130, 2417-27	7.5	55
363	The association of circulating adiponectin levels with pancreatic cancer risk: a study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012 , 130, 2428-37	7.5	29
362	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 130, 2654-63	7.5	30
361	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012 , 131, 997-1002	7.5	7
360	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, E544-54	7.5	59
359	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, 2465-9	7.5	33

358	Variety in vegetable and fruit consumption and the risk of gastric and esophageal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2012 , 131, E963-73	7.5	69
357	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012 , 131, E1134-47	7.5	24
356	Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , 2012 , 131, 2910-9	7.5	93
355	Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. <i>International Journal of Cancer</i> , 2012 , 131, E1004-14	7.5	84
354	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012 , 175, 653-63	3.8	64
353	Clinical and pathologic characteristics of BRCA-positive and BRCA-negative male breast cancer patients: results from a collaborative multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 411-8	4.4	58
352	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. <i>Cancer Causes and Control</i> , 2012 , 23, 1163-71	2.8	19
351	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 1127-36	4.4	52
350	General and cancer mortality in a large cohort of Italian alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 342-50	3.7	25
349	Long-term risk of incident type 2 diabetes and measures of overall and regional obesity: the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001230	11.6	118
348	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012 , 106, 1866-74	8.7	44
347	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 164-74	7	87
346	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 1354-61	7	27
345	Prediagnostic 25-hydroxyvitamin D, VDR and CASR polymorphisms, and survival in patients with colorectal cancer in western European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 582-93	4	105
344	Lower educational level is a predictor of incident type 2 diabetes in European countries: the EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012 , 41, 1162-73	7.8	103
343	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2012 , 108, 552-69	3.6	39
342	Fish consumption does not prevent increase in waist circumference in European women and men. <i>British Journal of Nutrition</i> , 2012 , 108, 924-31	3.6	15
341	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 382-90	7	156

340	Insulin-like growth factor-I concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1531-41	4	56
339	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012 , 106, 1004-10	8.7	40
338	The associations of advanced glycation end products and its soluble receptor with pancreatic cancer risk: a case-control study within the prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 619-28	4	32
337	Impact of cigarette smoking on cancer risk in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4550-7	2.2	101
336	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1172-81	7	48
335	Dietary reporting errors on 24 h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012 , 107, 910-20	3.6	54
334	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 902-10	7	37
333	Leptin and soluble leptin receptor in risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Research</i> , 2012 , 72, 5328-37	10.1	53
332	A risk model for lung cancer incidence. <i>Cancer Prevention Research</i> , 2012 , 5, 834-46	3.2	66
331	Helicobacter pylori infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. <i>Annals of Oncology</i> , 2012 , 23, 1320-1324	10.3	71
330	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2138-48	4	15
329	Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 50,000 DNA samples in EPIC. <i>PLoS ONE</i> , 2012 , 7, e39821	3.7	26
328	Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 137-44	6.9	56
327	PAI-1 4G/5G repeat is a target in gastric carcinomas with microsatellite instability. <i>Digestive and Liver Disease</i> , 2011 , 43, 454-8	3.3	
326	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , 2011 , 311, 85-95	9.9	56
325	Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>European Journal of Cancer</i> , 2011 , 47, 420-7	7.5	6
324	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2011 , 47, 1808-16	7.5	39
323	Mutation screening of RAD51C in male breast cancer patients. <i>Breast Cancer Research</i> , 2011 , 13, 404	8.3	25

322	A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. <i>PLoS Genetics</i> , 2011 , 7, e1001333	6	136
321	Genetic variability of the mTOR pathway and prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011 , 6, e16914	3.7	9
320	Trend in obesity prevalence in European adult cohort populations during follow-up since 1996 and their predictions to 2015. <i>PLoS ONE</i> , 2011 , 6, e27455	3.7	100
319	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. <i>Oncology Reports</i> , 2011 , 26, 979-86	3.5	4
318	Primary brain tumours and specific serum immunoglobulin E: a case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 1434-41	9.3	47
317	PRKCSH GAG trinucleotide repeat is a mutational target in gastric carcinomas with high-level microsatellite instability. <i>Clinical Genetics</i> , 2011 , 79, 397-8; author reply 399-400	4	2
316	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011 , 43, 60-5	36.3	199
315	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1079-87	5.2	33
314	Intake of total, animal and plant protein and subsequent changes in weight or waist circumference in European men and women: the Diogenes project. <i>International Journal of Obesity</i> , 2011 , 35, 1104-13	5.5	72
313	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , 2011 , 104, 1493-9	8.7	208
312	Positive predictive value for malignancy on surgical excision of breast lesions of uncertain malignant potential (B3) diagnosed by stereotactic vacuum-assisted needle core biopsy (VANCB): a large multi-institutional study in Italy. <i>Breast</i> , 2011 , 20, 264-70	3.6	56
311	Gene expression in response to ionizing radiation and family history of gastric cancer. <i>Familial Cancer</i> , 2011 , 10, 107-18	3	1
310	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011 , 127, 761-7	4.4	10
309	Mutation analysis of BRIP1 in male breast cancer cases: a population-based study in Central Italy. <i>Breast Cancer Research and Treatment</i> , 2011 , 126, 539-43	4.4	25
308	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. <i>Breast Cancer Research and Treatment</i> , 2011 , 129, 477-84	4.4	11
307	Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 487-94	2.8	25
306	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 909-18	2.8	23
305	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 1075-84	2.8	40

304	Effects of de-alcoholised wines with different polyphenol content on DNA oxidative damage, gene expression of peripheral lymphocytes, and haemorheology: an intervention study in post-menopausal women. <i>European Journal of Nutrition</i> , 2011 , 50, 19-29	5.2	21
303	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , 2011 , 54, 2272-82	10.3	155
302	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , 2011 , 54, 3037-46	10.3	66
301	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 1881-9	7.5	26
300	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 2971-9	7.5	23
299	Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011 , 129, 449-59	7.5	38
298	Tumor necrosis factor (TNF)- α soluble TNF receptors and endometrial cancer risk: the EPIC study. <i>International Journal of Cancer</i> , 2011 , 129, 2032-7	7.5	48
297	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011 , 129, 2712-9	7.5	119
296	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , 2011 , 38, 194-202	1.7	59
295	Immunologic profile of excessive body weight. <i>Biomarkers</i> , 2011 , 16, 243-51	2.6	39
294	The intake of grain fibers modulates cytokine levels in blood. <i>Biomarkers</i> , 2011 , 16, 504-10	2.6	38
293	A priori-defined dietary patterns are associated with reduced risk of stroke in a large Italian cohort. <i>Journal of Nutrition</i> , 2011 , 141, 1552-8	4.1	121
292	Infection with hepatitis B and C viruses and risk of lymphoid malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 208-14	4	54
291	Endogenous sex steroids and risk of cervical carcinoma: results from the EPIC study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2532-40	4	27
290	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , 2011 , 60, 1094-102	19.2	151
289	Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 275-83	7	129
288	Postmenopausal serum sex steroids and risk of hormone receptor-positive and -negative breast cancer: a nested case-control study. <i>Cancer Prevention Research</i> , 2011 , 4, 1626-35	3.2	95
287	Reply to A Mosher, LH Daugherty, and A Brailion. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 1387-1388	3.88	

286	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1304-13	7	34
285	Prediagnostic circulating parathyroid hormone concentration and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 767-78	4	19
284	Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2174-82	4	25
283	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1266-75	7	70
282	The contribution of risk factors to the higher incidence of invasive and in situ breast cancers in women with higher levels of education in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2011 , 173, 26-37	3.8	36
281	Risk factor modification and projections of absolute breast cancer risk. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1037-48	9.7	64
280	Feasibility of innovative dietary assessment in epidemiological studies using the approach of combining different assessment instruments. <i>Public Health Nutrition</i> , 2011 , 14, 1055-63	3.3	28
279	Feasibility of innovative dietary assessment in epidemiological studies using the approach of combining different assessment instruments [Corrigendum]. <i>Public Health Nutrition</i> , 2011 , 14, 1129-1129 ³⁻³		
278	Plasma phospholipid long-chain n-3 polyunsaturated fatty acids and body weight change. <i>Obesity Facts</i> , 2011 , 4, 312-8	5.1	5
277	Gastric cancer surveillance in a high-risk population in tuscan (Central Italy): preliminary results. <i>Digestion</i> , 2011 , 84, 70-7	3.6	8
276	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011 , 26, 657-66	2.8	19
275	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011 , 32, 1235-43	9.5	195
274	Reply to BN Hopping, B Qin, S Wyler, and CV Donovan. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 289-290	7	
273	Hepatocellular carcinoma risk factors and disease burden in a European cohort: a nested case-control study. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1686-95	9.7	167
272	Anthropometric measures, physical activity, and risk of glioma and meningioma in a large prospective cohort study. <i>Cancer Prevention Research</i> , 2011 , 4, 1385-92	3.2	48
271	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011 , 63, 1235-50	2.8	28
270	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 555-9	4	37
269	Circulating soluble CD30 and future risk of lymphoma; evidence from two prospective studies in the general population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1925-7	4	22

268	Genetic polymorphisms in the hypothalamic pathway in relation to subsequent weight change--the DiOGenes study. <i>PLoS ONE</i> , 2011 , 6, e17436	3.7	27
267	Food composition of the diet in relation to changes in waist circumference adjusted for body mass index. <i>PLoS ONE</i> , 2011 , 6, e23384	3.7	69
266	Reflux symptoms in wind instrument players. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 593-600		9
265	Oral contraceptives, reproductive history and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2010 , 103, 1755-9	8.7	38
264	The BRCA1/2 model is a useful tool in genetic counseling and clinical management of male breast cancer cases. <i>European Journal of Human Genetics</i> , 2010 , 18, 856-8	5.3	13
263	Radical retropubic prostatectomy for prostate cancer with microscopic bladder neck involvement: survival and prognostic implications. <i>BJU International</i> , 2010 , 105, 946-50	5.6	4
262	Plasma folate, related genetic variants, and colorectal cancer risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1328-40	4	62
261	Plasma vitamins B2, B6, and B12, and related genetic variants as predictors of colorectal cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2549-61	4	52
260	Menstrual and reproductive factors, exogenous hormone use, and gastric cancer risk in a cohort of women from the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010 , 172, 1384-93	3.8	29
259	Reproductive factors and exogenous hormone use in relation to risk of glioma and meningioma in a large European cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2562-9	4	94
258	Variety in fruit and vegetable consumption and the risk of lung cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2278-85	4	56
257	Polymorphisms in fatty-acid-metabolism-related genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , 2010 , 31, 466-72	4.6	48
256	Bulky DNA adducts in white blood cells: a pooled analysis of 3,600 subjects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 3174-81	4	24
255	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 381-90	7	158
254	Plasma cytokines and future risk of non-Hodgkin lymphoma (NHL): a case-control study nested in the Italian European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1577-84	4	61
253	Polymorphic DNA repair and metabolic genes: a multigenic study on gastric cancer. <i>Mutagenesis</i> , 2010 , 25, 569-75	2.8	91
252	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1769-76	7	22
251	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 398-407	7	150

250	Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010 , 172, 407-18	3.8	90
249	A comprehensive analysis of common IGF1, IGF1BP1 and IGF1BP3 genetic variation with prospective IGF-I and IGF1BP-3 blood levels and prostate cancer risk among Caucasians. <i>Human Molecular Genetics</i> , 2010 , 19, 3089-101	5.6	46
248	Vitamins B2 and B6 and genetic polymorphisms related to one-carbon metabolism as risk factors for gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 28-38	4	31
247	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations: a nested case-control study. <i>BMJ, The</i> , 2010 , 340, b5500	5.9	289
246	Anthropometric measures, body mass index, and pancreatic cancer: a pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). <i>Archives of Internal Medicine</i> , 2010 , 170, 791-802		249
245	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010 , 17, 1007-19	5.7	116
244	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163
243	Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. <i>Biomarkers</i> , 2010 , 15, 20-30	2.6	13
242	Fruit and vegetable intake and overall cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010 , 102, 529-37	9.7	301
241	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2404-15	7.5	60
240	Second-hand smoke, cotinine levels, and risk of circulatory mortality in a large cohort study of never-smokers. <i>Epidemiology</i> , 2010 , 21, 207-14	3.1	24
239	Dietary glycemic load and index and risk of coronary heart disease in a large Italian cohort: the EPICOR study. <i>Archives of Internal Medicine</i> , 2010 , 170, 640-7		101
238	PALB2 mutations in male breast cancer: a population-based study in Central Italy. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 299-301	4.4	38
237	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2010 , 21, 357-71	2.8	63
236	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010 , 21, 657-69	2.8	48
235	A PALB2 germline mutation associated with hereditary breast cancer in Italy. <i>Familial Cancer</i> , 2010 , 9, 181-5	3	37
234	Pooled analysis of studies on DNA adducts and dietary vitamins. <i>Mutation Research - Reviews in Mutation Research</i> , 2010 , 705, 77-82	7	11
233	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2394-403	7.5	86

232	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010 , 126, 1928-1935	7.5	25
231	Serum levels of IGF-I, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010 , 126, 1702-15	7.5	146
230	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 127, 442-51	7.5	180
229	Family history of cancer and risk of pancreatic cancer: a pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). <i>International Journal of Cancer</i> , 2010 , 127, 1421-8	7.5	105
228	Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiology</i> , 2010 , 34, 709-12	2.8	13
227	Male breast cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2010 , 73, 141-55	7	110
226	Dietary determinants of changes in waist circumference adjusted for body mass index - a proxy measure of visceral adiposity. <i>PLoS ONE</i> , 2010 , 5, e11588	3.7	76
225	Dietary energy density in relation to subsequent changes of weight and waist circumference in European men and women. <i>PLoS ONE</i> , 2009 , 4, e5339	3.7	52
224	Occult HCV infection: an unexpected finding in a population unselected for hepatic disease. <i>PLoS ONE</i> , 2009 , 4, e8128	3.7	56
223	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1441-52	7	227
222	The role of smoking and diet in explaining educational inequalities in lung cancer incidence. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 321-30	9.7	69
221	Linoleic acid, a dietary n-6 polyunsaturated fatty acid, and the aetiology of ulcerative colitis: a nested case-control study within a European prospective cohort study. <i>Gut</i> , 2009 , 58, 1606-11	19.2	235
220	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 331-46	7	168
219	Physical activity and ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 351-4	4	36
218	Anthropometry and esophageal cancer risk in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2079-89	4	98
217	Increased risk of lymphoid neoplasms in patients with Philadelphia chromosome-negative myeloproliferative neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2068-73	4	82
216	Fruit and vegetable intakes and subsequent changes in body weight in European populations: results from the project on Diet, Obesity, and Genes (DiOGenes). <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 202-9	7	100
215	Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1632-41	7	58

214	Serum vitamin D and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009 , 169, 1223-32	3.8	70
213	Adherence to the Mediterranean diet is associated with lower abdominal adiposity in European men and women. <i>Journal of Nutrition</i> , 2009 , 139, 1728-37	4.1	117
212	Cigarette smoking and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. <i>American Journal of Epidemiology</i> , 2009 , 170, 403-13	3.8	223
211	Quantitative trait loci predicting circulating sex steroid hormones in men from the NCI-Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Human Molecular Genetics</i> , 2009 , 18, 3749-57	5.6	36
210	The association between diet and serum concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1333-40	4	103
209	Characterization of DNA polymerase beta splicing variants in gastric cancer: the most frequent exon 2-deleted isoform is a non-coding RNA. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009 , 670, 79-87	3.3	5
208	Genetic polymorphisms of the GNRH1 and GNRHR genes and risk of breast cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>BMC Cancer</i> , 2009 , 9, 257	4.8	4
207	Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. <i>DNA Repair</i> , 2009 , 8, 60-71	4.3	4
206	Germline mutations in MEN1 and BRCA1 genes in a woman with familial multiple endocrine neoplasia type 1 and inherited breast-ovarian cancer syndromes: a case report. <i>Cancer Genetics and Cytogenetics</i> , 2009 , 195, 75-9		12
205	Smoking and risk for amyotrophic lateral sclerosis: analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009 , 65, 378-85	9.4	96
204	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009 , 124, 245-9	7.5	29
203	Physical activity and mammographic breast density in a Mediterranean population: the EPIC Florence longitudinal study. <i>International Journal of Cancer</i> , 2009 , 124, 1654-61	7.5	25
202	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 124, 1926-34	7.5	63
201	Lifetime and baseline alcohol intake and risk of cancer of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009 , 125, 406-12	7.5	38
200	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 125, 982-7	7.5	23
199	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 125, 2643-51	7.5	36
198	Founder mutations account for the majority of BRCA1-attributable hereditary breast/ovarian cancer cases in a population from Tuscany, Central Italy. <i>Breast Cancer Research and Treatment</i> , 2009 , 117, 497-504	4.4	27
197	BRCA1/BRCA2 mutation status and clinical-pathologic features of 108 male breast cancer cases from Tuscany: a population-based study in central Italy. <i>Breast Cancer Research and Treatment</i> , 2009 , 116, 577-86	4.4	47

196	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009 , 118, 565-74	4.4	19
195	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40
194	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 811-21	2.8	29
193	Diagnostic concordance in reporting breast needle core biopsies using the B classification-A panel in Italy. <i>Pathology and Oncology Research</i> , 2009 , 15, 725-32	2.6	8
192	Sensitivity to ultraviolet B is a risk factor for cutaneous melanoma in a Mediterranean population: results from an Italian case-control study. <i>Clinical and Experimental Dermatology</i> , 2009 , 34, 8-15	1.8	5
191	A bivariate measurement error model for nitrogen and potassium intakes to evaluate the performance of regression calibration in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S179-87	5.2	21
190	Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. <i>International Journal of Obesity</i> , 2009 , 33, 1280-8	5.5	51
189	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009 , 33, 497-506	5.5	63
188	Plasma phyto-oestrogens and prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2009 , 100, 1817-23	8.7	66
187	Genome-wide expression profile of sporadic gastric cancers with microsatellite instability. <i>European Journal of Cancer</i> , 2009 , 45, 461-9	7.5	238
186	Environmental ozone exposure and oxidative DNA damage in adult residents of Florence, Italy. <i>Environmental Pollution</i> , 2009 , 157, 1521-5	9.3	23
185	Smoking and body fatness measurements: a cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009 , 49, 365-73	4.3	22
184	Evaluation of radiation-induced chromosome instability in subjects with a family history of gastric cancer. <i>Biomarkers</i> , 2009 , 14, 226-34	2.6	7
183	CXCR3-B expression correlates with tumor necrosis extension in renal cell carcinoma. <i>Journal of Urology</i> , 2009 , 181, 843-8	2.5	19
182	Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008 , 40, 1404-6	36.3	466
181	DNA adducts and PM(10) exposure in traffic-exposed workers and urban residents from the EPIC-Florence City study. <i>Science of the Total Environment</i> , 2008 , 403, 105-12	10.2	17
180	General and abdominal adiposity and risk of death in Europe. <i>New England Journal of Medicine</i> , 2008 , 359, 2105-20	59.2	1451
179	Gastric cancer with high-level microsatellite instability: target gene mutations, clinicopathologic features, and long-term survival. <i>Human Pathology</i> , 2008 , 39, 925-32	3.7	100

178	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008 , 44, 774-80	7.5	26
177	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008 , 37, 1316-25	7.8	62
176	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2008 , 98, 1574-81	8.7	132
175	Alcohol consumption and the risk for prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1282-7	4	27
174	Circulating concentrations of folate and vitamin B12 in relation to prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 279-85	4	43
173	Predictors of quality of life after radical treatment for prostate cancer. <i>Urologia Internationalis</i> , 2008 , 80, 231-6	1.9	15
172	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3108-15	4	59
171	Body size and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3252-61	4	95
170	Diet in the aetiology of ulcerative colitis: a European prospective cohort study. <i>Digestion</i> , 2008 , 77, 57-64	6.6	113
169	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008 , 29, 1360-6	4.6	34
168	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008 , 15, 485-97	5.7	184
167	Cross-sectional study on acrylamide hemoglobin adducts in subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 6046-53	5.7	56
166	Quantitative assessment of the subepithelial collagen band does not increase the accuracy of diagnosis of collagenous colitis. <i>American Journal of Clinical Pathology</i> , 2008 , 130, 375-81	1.9	13
165	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). <i>Annals of Oncology</i> , 2008 , 19, 1894-902	6.3	95
164	Blood pressure and risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2008 , 167, 438-46	3.8	134
163	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1353-63	7	109
162	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1567-75	7	68
161	Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. <i>British Journal of Nutrition</i> , 2008 , 100, 489-95	3.6	22

160	Anthropometric and dietary determinants of blood pressure in over 7000 Mediterranean women: the European Prospective Investigation into Cancer and Nutrition-Florence cohort. <i>Journal of Hypertension</i> , 2008 , 26, 2112-20	1.9	46
159	BRCA1/BRCA2 rearrangements and CHEK2 common mutations are infrequent in Italian male breast cancer cases. <i>Breast Cancer Research and Treatment</i> , 2008 , 110, 161-7	4.4	38
158	Meat intake and bladder cancer in a prospective study: a role for heterocyclic aromatic amines?. <i>Cancer Causes and Control</i> , 2008 , 19, 649-56	2.8	27
157	Haplotypes of the estrogen receptor beta gene and breast cancer risk. <i>International Journal of Cancer</i> , 2008 , 122, 387-92	7.5	36
156	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1304-12	7	111
155	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 255-63	5.6	169
154	CYP17 genetic variation and risk of breast and prostate cancer from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2237-46	4	49
153	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , 2007 , 166, 912-23	3.8	48
152	Lung cancers attributable to environmental tobacco smoke and air pollution in non-smokers in different European countries: a prospective study. <i>Environmental Health</i> , 2007 , 6, 7	6	90
151	Reflux symptoms in professional opera choristers. <i>Gastroenterology</i> , 2007 , 132, 890-8	13.3	46
150	CagA+ Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 120, 859-67	7.5	101
149	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 120, 2656-64	7.5	85
148	Physical activity and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 347-55	7.5	80
147	Fruit and vegetable consumption and lung cancer risk: updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 1103-14	7.5	96
146	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 1331-8	7.5	71
145	Cereal fiber intake may reduce risk of gastric adenocarcinomas: the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 121, 1618-23	7.5	38
144	Risk of endometrial cancer in relationship to cigarette smoking: results from the EPIC study. <i>International Journal of Cancer</i> , 2007 , 121, 2741-7	7.5	38
143	Diet, serum insulin-like growth factor-I and IGF-binding protein-3 in European women. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 91-8	5.2	106

142	Association between the BRCA2 N372H variant and male breast cancer risk: a population-based case-control study in Tuscany, Central Italy. <i>BMC Cancer</i> , 2007 , 7, 170	4.8	21
141	Visual assessment of uroflowmetry curves: description and interpretation by urologists. <i>World Journal of Urology</i> , 2007 , 25, 333-7	4	13
140	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 361-73	2.8	92
139	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007 , 18, 399-413	2.8	136
138	Multi-factor dimensionality reduction applied to a large prospective investigation on gene-gene and gene-environment interactions. <i>Carcinogenesis</i> , 2007 , 28, 414-22	4.6	62
137	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007 , 14, 755-67	5.7	90
136	Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1121-7	4	79
135	Sequence variants of estrogen receptor beta and risk of prostate cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1973-81	4	28
134	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007 , 14, 81-90	5.7	50
133	No association of consumption of animal foods with risk of ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 852-5	4	22
132	Pathology findings and validation of gastric and esophageal cancer cases in a European cohort (EPIC/EUR-GAST). <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 618-27	2.4	41
131	Lactase persistence and bitter taste response: instrumental variables and mendelian randomization in epidemiologic studies of dietary factors and cancer risk. <i>American Journal of Epidemiology</i> , 2007 , 166, 576-81	3.8	77
130	Dietary patterns and survival of older Europeans: the EPIC-Elderly Study (European Prospective Investigation into Cancer and Nutrition). <i>Public Health Nutrition</i> , 2007 , 10, 590-8	3.3	111
129	Endogenous androgens and risk of epithelial ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 23-9	4	43
128	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007 , 36, 66-76	7.8	59
127	Physical activity and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 36-42	4	117
126	Genetic susceptibility according to three metabolic pathways in cancers of the lung and bladder and in myeloid leukemias in nonsmokers. <i>Annals of Oncology</i> , 2007 , 18, 1230-42	10.3	51
125	Haplotype-based analysis of common variation in the acetyl-coA carboxylase alpha gene and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 409-15	4	12

124	The association of gastric cancer risk with plasma folate, cobalamin, and methylenetetrahydrofolate reductase polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2416-24	4	49
123	Occupational exposures, environmental tobacco smoke, and lung cancer. <i>Epidemiology</i> , 2007 , 18, 769-753,1		42
122	The p.G23S CDKN2A founder mutation in high-risk melanoma families from Central Italy. <i>Melanoma Research</i> , 2007 , 17, 387-92	3.3	15
121	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007 , 98, 406-15	3.6	51
120	Mitochondrial DNA variation of modern Tuscans supports the near eastern origin of Etruscans. <i>American Journal of Human Genetics</i> , 2007 , 80, 759-68	11	92
119	ErbB-receptors expression and survival in breast carcinoma: a 15-year follow-up study. <i>Journal of Cellular Physiology</i> , 2006 , 206, 702-8	7	36
118	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 728-38	7.5	141
117	Dietary and lifestyle determinants of mammographic breast density. A longitudinal study in a Mediterranean population. <i>International Journal of Cancer</i> , 2006 , 118, 1782-9	7.5	90
116	Anthropometric measures, endogenous sex steroids and breast cancer risk in postmenopausal women: a study within the EPIC cohort. <i>International Journal of Cancer</i> , 2006 , 118, 2832-9	7.5	120
115	Fruits and vegetables and renal cell carcinoma: findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 3133-9	7.5	61
114	Air pollution and risk of lung cancer in a prospective study in Europe. <i>International Journal of Cancer</i> , 2006 , 119, 169-74	7.5	136
113	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 175-82	7.5	81
112	Serum C-peptide levels and breast cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 659-67	7.5	91
111	Breast cancer risk in relation to abortion: Results from the EPIC study. <i>International Journal of Cancer</i> , 2006 , 119, 1741-5	7.5	37
110	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006 , 119, 2389-97	7.5	48
109	Tobacco smoke and bladder cancer--in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2006 , 119, 2412-6	7.5	54
108	Body mass index, waist circumference and waist-hip ratio and serum levels of IGF-I and IGFBP-3 in European women. <i>International Journal of Obesity</i> , 2006 , 30, 1623-31	5.5	65
107	IGF-I, IGFBP-3 and breast cancer risk in women: The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2006 , 13, 593-605	5.7	119

106	Body size and risk of colon and rectal cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 920-31	9.7	415
105	TP53 and KRAS2 mutations in plasma DNA of healthy subjects and subsequent cancer occurrence: a prospective study. <i>Cancer Research</i> , 2006 , 66, 6871-6	10.1	140
104	Anthropometry, physical activity, and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 879-85 ⁴		95
103	Gail model for prediction of absolute risk of invasive breast cancer: independent evaluation in the Florence-European Prospective Investigation Into Cancer and Nutrition cohort. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 1686-93	9.7	82
102	Ethanol intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006 , 164, 1103-14	3.8	25
101	Meat intake and risk of stomach and esophageal adenocarcinoma within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 345-54	9.7	247
100	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006 , 27, 2250-7	4.6	106
99	Daily consumption of a high-phenol extra-virgin olive oil reduces oxidative DNA damage in postmenopausal women. <i>British Journal of Nutrition</i> , 2006 , 95, 742-51	3.6	138
98	Physical activity and risk of colon and rectal cancers: the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2398-407	4	167
97	No association between polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the risk of gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1043-5	4	25
96	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006 , 27, 1497-501	4.6	128
95	A comprehensive analysis of the androgen receptor gene and risk of breast cancer: results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Breast Cancer Research</i> , 2006 , 8, R54	8.3	28
94	DNA repair polymorphisms and cancer risk in non-smokers in a cohort study. <i>Carcinogenesis</i> , 2006 , 27, 997-1007	4.6	205
93	Colorectal cancer risk in patients affected with Crohn's disease. <i>American Journal of Gastroenterology</i> , 2006 , 101, 1400; author reply 1400-1	0.7	2
92	Polymorphisms in metabolic genes related to tobacco smoke and the risk of gastric cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2427-34	4	53
91	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006 , 16, 186-201	4.5	50
90	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006 , 96 Suppl 2, S12-23	3.6	68
89	Polymorphisms of genes coding for insulin-like growth factor 1 and its major binding proteins, circulating levels of IGF-I and IGFBP-3 and breast cancer risk: results from the EPIC study. <i>British Journal of Cancer</i> , 2006 , 94, 299-307	8.7	102

88	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. <i>British Journal of Cancer</i> , 2006 , 95, 406-15	8.7	93
87	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006 , 17, 957-69	2.8	96
86	Relationship of alcohol intake and sex steroid concentrations in blood in pre- and post-menopausal women: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2006 , 17, 1033-43	2.8	96
85	The effect of occasional smoking on smoking-related cancers: in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2006 , 17, 1305-9	2.8	23
84	Genetic variation in the growth hormone synthesis pathway in relation to circulating insulin-like growth factor-I, insulin-like growth factor binding protein-3, and breast cancer risk: results from the European prospective investigation into cancer and nutrition study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2316-25	4	30
83	Interleukin-1 gene polymorphisms and gastric cancer risk in a high-risk Italian population. <i>American Journal of Gastroenterology</i> , 2005 , 100, 1941-8	0.7	66
82	Fruit and vegetable consumption and risk of epithelial ovarian cancer: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2531-4	4	51
81	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005 , 94, 100-13	3.6	121
80	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1387-96	5.2	149
79	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1397-408	5.2	69
78	Clinical characteristics and overall survival in genitourinary sarcomas treated with curative intent: a multicenter study. <i>European Urology</i> , 2005 , 47, 468-73	10.2	61
77	GSTT1 and GSTM1 gene polymorphisms and gastric cancer in a high-risk Italian population. <i>International Journal of Cancer</i> , 2005 , 115, 284-9	7.5	50
76	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005 , 16, 561-72	2.8	79
75	Genetic variation in the HSD17B1 gene and risk of prostate cancer. <i>PLoS Genetics</i> , 2005 , 1, e68	6	54
74	Serum sex steroids in premenopausal women and breast cancer risk within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2005 , 97, 755-65	9.7	355
73	Postmenopausal serum androgens, oestrogens and breast cancer risk: the European prospective investigation into cancer and nutrition. <i>Endocrine-Related Cancer</i> , 2005 , 12, 1071-82	5.7	375
72	4-Aminobiphenyl-hemoglobin adducts and risk of smoking-related disease in never smokers and former smokers in the European Prospective Investigation into Cancer and Nutrition prospective study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2118-24	4	28
71	Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 906-16	9.7	603

70	Is the association with fiber from foods in colorectal cancer confounded by folate intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1552-6	4	101
69	Consumption of vegetables and fruits and risk of breast cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 183-93	27.4	190
68	An approach to estimate between- and within-group correlation coefficients in multicenter studies: plasma carotenoids as biomarkers of intake of fruits and vegetables. <i>American Journal of Epidemiology</i> , 2005 , 162, 591-8	3.8	14
67	Age at menarche in relation to adult height: the EPIC study. <i>American Journal of Epidemiology</i> , 2005 , 162, 623-32	3.8	168
66	DNA adducts and lung cancer risk: a prospective study. <i>Cancer Research</i> , 2005 , 65, 8042-8	10.1	96
65	Divergent patterns of total and cancer mortality in ulcerative colitis and Crohn's disease patients: the Florence IBD study 1978-2001. <i>Gut</i> , 2004 , 53, 1309-13	19.2	57
64	MRE11 expression is impaired in gastric cancer with microsatellite instability. <i>Carcinogenesis</i> , 2004 , 25, 2337-43	4.6	42
63	Self-detected cutaneous melanomas in Italian patients. <i>Clinical and Experimental Dermatology</i> , 2004 , 29, 593-6	1.8	63
62	Patterns of detection of superficial spreading and nodular-type melanoma: a multicenter Italian study. <i>Dermatologic Surgery</i> , 2004 , 30, 1371-5; discussion 1375-6	1.7	26
61	Twenty-four-hour urinary excretion of ten pesticide metabolites in healthy adults in two different areas of Italy (Florence and Ragusa). <i>Science of the Total Environment</i> , 2004 , 332, 71-80	10.2	69
60	Dietary intake estimated using different methods in two Italian older populations. <i>Archives of Gerontology and Geriatrics</i> , 2004 , 38, 51-60	4	38
59	Fruits and vegetables and lung cancer: Findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2004 , 108, 269-76	7.5	100
58	Fruits and vegetables and prostate cancer: no association among 1104 cases in a prospective study of 130544 men in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2004 , 109, 119-24	7.5	82
57	DNA bulky adducts in a Mediterranean population correlate with environmental ozone concentration, an indicator of photochemical smog. <i>International Journal of Cancer</i> , 2004 , 109, 17-23	7.5	11
56	Body size and breast cancer risk: findings from the European Prospective Investigation into Cancer And Nutrition (EPIC). <i>International Journal of Cancer</i> , 2004 , 111, 762-71	7.5	397
55	Amount of DNA in plasma and cancer risk: a prospective study. <i>International Journal of Cancer</i> , 2004 , 111, 746-9	7.5	85
54	The update of the Italian Food Composition Database. <i>Journal of Food Composition and Analysis</i> , 2004 , 17, 509-522	4.1	119
53	The effects of diet on DNA bulky adduct levels are strongly modified by GSTM1 genotype: a study on 634 subjects. <i>Carcinogenesis</i> , 2004 , 25, 577-84	4.6	47

52	A gene-environment interaction between occupation and BRCA1/BRCA2 mutations in male breast cancer?. <i>European Journal of Cancer</i> , 2004 , 40, 2474-9	7.5	20
51	Plasma levels of six carotenoids in nine European countries: report from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2004 , 7, 713-22	3.3	90
50	Association of nut and seed intake with colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 1595-603	4.0	38
49	Dermatologist detection and skin self-examination are associated with thinner melanomas: results from a survey of the Italian Multidisciplinary Group on Melanoma. <i>Archives of Dermatology</i> , 2003 , 139, 607-12		124
48	Diet in the Italian Epic Cohorts: Presentation of Data and Methodological Issues. <i>Tumori</i> , 2003 , 89, 594-607		152
47	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. <i>Tumori</i> , 2003 , 89, 586-593	1.7	99
46	The Florence City Sample: Dietary and Life-Style Habits of a Representative Sample of Adult Residents. A Comparison with the Epic-Florence Volunteers. <i>Tumori</i> , 2003 , 89, 636-645	1.7	10
45	Relationship between Plasma Fatty Acid Composition and Diet over Previous Years in the Italian Centers of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Tumori</i> , 2003 , 89, 624-635	1.7	21
44	Cancer Incidence in Epic-Italy at First Follow-Up. <i>Tumori</i> , 2003 , 89, 656-664	1.7	7
43	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003 , 107, 629-34	7.5	173
42	Biomarkers of dietary intake of micronutrients modulate DNA adduct levels in healthy adults. <i>Carcinogenesis</i> , 2003 , 24, 739-46	4.6	43
41	BRCA1 and BRCA2 mutation status and tumor characteristics in male breast cancer: a population-based study in Italy. <i>Cancer Research</i> , 2003 , 63, 342-7	10.1	74
40	A molecular epidemiology project on diet and cancer: the EPIC-Italy Prospective Study. Design and baseline characteristics of participants. <i>Tumori</i> , 2003 , 89, 586-93	1.7	54
39	Diet in the Italian EPIC cohorts: presentation of data and methodological issues. <i>Tumori</i> , 2003 , 89, 594-607		62
38	Cancer incidence in EPIC-ITALY at first follow-up. <i>Tumori</i> , 2003 , 89, 656-64	1.7	1
37	Short- and long-term mortality in a prevalent cohort of morbidly obese patients in Italy. <i>European Journal of Nutrition</i> , 2002 , 41, 183-5	5.2	5
36	Helicobacter pylori infection, anti-cagA antibodies and peptic ulcer: a case-control study in Italy. <i>Alimentary Pharmacology and Therapeutics</i> , 2002 , 16, 1015-20	6.1	16
35	Melanoma detection rate and concordance between self-skin examination and clinical evaluation in patients attending a pigmented lesion clinic in Italy. <i>British Journal of Dermatology</i> , 2002 , 146, 261-6	4	32

34	Pre-operative diagnosis of pigmented skin lesions: in vivo dermoscopy performs better than dermoscopy on photographic images. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2002 , 16, 339-46	4.6	21
33	Nutritional and lifestyle determinants of DNA oxidative damage: a study in a Mediterranean population. <i>Carcinogenesis</i> , 2002 , 23, 1483-9	4.6	76
32	European Prospective Investigation into Cancer and Nutrition (EPIC): study populations and data collection. <i>Public Health Nutrition</i> , 2002 , 5, 1113-24	3.3	1335
31	Consumption of vegetables, fruit and other plant foods in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>Public Health Nutrition</i> , 2002 , 5, 1179-96	3.3	173
30	The Loiano-Monghidoro population-based study of Helicobacter pylori infection: prevalence by 13C-urea breath test and associated factors. <i>Alimentary Pharmacology and Therapeutics</i> , 2001 , 15, 1001-7	6.1	29
29	DNA adduct levels and DNA repair polymorphisms in traffic-exposed workers and a general population sample. <i>International Journal of Cancer</i> , 2001 , 94, 121-7	7.5	118
28	Dietary patterns, nutrient intake and gastric cancer in a high-risk area of Italy. <i>Cancer Causes and Control</i> , 2001 , 12, 163-72	2.8	104
27	Diet, metabolic polymorphisms and dna adducts: the EPIC-Italy cross-sectional study. <i>International Journal of Cancer</i> , 2000 , 87, 444-51	7.5	87
26	Hydro-dynamic CT preoperative staging of gastric cancer: correlation with pathological findings. A prospective study of 107 cases. <i>European Radiology</i> , 2000 , 10, 1877-85	8	102
25	Hodgkin's disease risk is increased in patients with ulcerative colitis. <i>Gastroenterology</i> , 2000 , 119, 647-53	13.3	112
24	Age, Helicobacter pylori, and/or CagA antibodies as a pre-endoscopic screening policy. <i>American Journal of Gastroenterology</i> , 2000 , 95, 320-321	0.7	
23	Plasma levels of antioxidant vitamins and cholesterol in a large population sample in central-northern Italy. <i>European Journal of Nutrition</i> , 1999 , 38, 90-8	5.2	29
22	Colonoscopic screening of first-degree relatives of patients with colorectal cancer. <i>Gastroenterology</i> , 1999 , 117, 747	13.3	1
21	Intensive vs clinical follow-up after treatment of primary breast cancer: 10-year update of a randomized trial. National Research Council Project on Breast Cancer Follow-up. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1586	27.4	117
20	Implications of p53 mutation spectrum for cancer etiology in gastric cancers of various histologic types from a high-risk area of central Italy. <i>Carcinogenesis</i> , 1998 , 19, 2145-9	4.6	14
19	A capture-recapture estimate of inflammatory bowel disease prevalence: the Florence population-based study. <i>Italian Journal of Gastroenterology and Hepatology</i> , 1998 , 30, 50-3		6
18	Relative validity and reproducibility of a food frequency dietary questionnaire for use in the Italian EPIC centres. <i>International Journal of Epidemiology</i> , 1997 , 26 Suppl 1, S152-60	7.8	348
17	Reproducibility of histological diagnosis of breast lesions: results of a panel in Italy. <i>European Journal of Cancer</i> , 1996 , 32A, 603-7	7.5	29

16	A population-based study of inflammatory bowel disease in Florence over 15 years (1978-92). <i>Scandinavian Journal of Gastroenterology</i> , 1996 , 31, 892-9	2.4	98
15	Hospital versus population controls in a retrospective study on diet and stomach cancer. <i>European Journal of Public Health</i> , 1995 , 5, 209-214	2.1	3
14	Occupational exposures as risk factors for gastric cancer in Italy. <i>Cancer Causes and Control</i> , 1994 , 5, 241-288	3.9	39
13	Changes in stage and treatment of breast cancer in Florence from 1985-1990. <i>Breast</i> , 1994 , 3, 109-112	3.6	5
12	The epidemiology of low serum pepsinogen A levels and an international association with gastric cancer rates. EUROGAST Study Group. <i>Gastroenterology</i> , 1994 , 107, 1335-44	13.3	54
11	P53 gene mutations in women with breast cancer and a previous history of benign breast disease. <i>European Journal of Cancer</i> , 1994 , 30A, 808-12	7.5	7
10	Family history and risk of stomach cancer in Italy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1994 , 3, 15-8	4	55
9	Mitotic activity in colorectal mucosa of healthy subjects in two Italian areas with different dietary habits. <i>Nutrition and Cancer</i> , 1993 , 19, 263-8	2.8	2
8	Benign breast disease and cancer risk. <i>Critical Reviews in Oncology/Hematology</i> , 1993 , 15, 221-42	7	6
7	A case-control study of cancers of the gastric cardia in Italy. <i>British Journal of Cancer</i> , 1992 , 65, 263-6	8.7	79
6	Reproducibility of histologic classification of gastric cancer. <i>British Journal of Cancer</i> , 1991 , 63, 765-8	8.7	43
5	What healthy women think, feel and do about cancer, prevention and breast cancer screening in Italy. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 913-7		12
4	A case-control study of gastric cancer and diet in Italy: II. Association with nutrients. <i>International Journal of Cancer</i> , 1990 , 45, 896-901	7.5	183
3	Early indicators of efficacy of breast cancer screening programmes. Results of the Florence District Programme. <i>International Journal of Cancer</i> , 1990 , 46, 198-202	7.5	62
2	A case-control study of gastric cancer and diet in Italy. <i>International Journal of Cancer</i> , 1989 , 44, 611-6	7.5	400
1	Prognostic significance of estrogen receptor determination in primary breast cancer. <i>Radiotherapy and Oncology</i> , 1988 , 12, 187-92	5.3	5