

Natasza D Orlov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5057677/publications.pdf>

Version: 2024-02-01

19
papers

492
citations

949033

11
h-index

1051228

16
g-index

21
all docs

21
docs citations

21
times ranked

1074
citing authors

#	ARTICLE	IF	CITATIONS
1	A checklist for assessing the methodological quality of concurrent tES-fMRI studies (ContES) Tj ETQq1 1 0.784314 rgBT /Overlock 10	5.5	21
2	Daily and intermittent smoking are associated with low prefrontal volume and low concentrations of prefrontal glutamate, creatine, myoâ€inositol, and <i>N</i>â€acetylaspartate. <i>Addiction Biology</i> , 2021, 26, e12986.	1.4	10
3	Altered temporal, but intact spatial, features of transient network dynamics in psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2493-2503.	4.1	15
4	The effect of training intensity on implicit learning rates in schizophrenia. <i>Scientific Reports</i> , 2021, 11, 6511.	1.6	0
5	Relationship between depression, prefrontal creatine and grey matter volume. <i>Journal of Psychopharmacology</i> , 2021, 35, 1464-1472.	2.0	5
6	Adverse clinical outcomes in people at clinical high-risk for psychosis related to altered interactions between hippocampal activity and glutamatergic function. <i>Translational Psychiatry</i> , 2021, 11, 579.	2.4	4
7	M163. GLUTAMATE METABOLITES ARE ASSOCIATED WITH ALTERED HIPPOCAMPAL ACTIVATION BUT NOT HIPPOCAMPAL-STRIATAL CONNECTIVITY IN SUBJECTS WITH A CLINICAL HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S198-S198.	2.3	0
8	Neuromodulation effects of deep brain stimulation on beta rhythm: A longitudinal local field potential study. <i>Brain Stimulation</i> , 2020, 13, 1784-1792.	0.7	36
9	Flexible reconfiguration of functional brain networks as a potential neural mechanism of creativity. <i>Brain Imaging and Behavior</i> , 2020, 15, 1944-1954.	1.1	1
10	Real-Time Functional Magnetic Resonance Imaging Neurofeedback for the Relief of Distressing Auditory-Verbal Hallucinations: Methodological and Empirical Advances. <i>Schizophrenia Bulletin</i> , 2020, 46, 1409-1417.	2.3	12
11	Altered relationship between prefrontal glutamate and activation during cognitive control in people with high trait anxiety. <i>Cortex</i> , 2019, 117, 53-63.	1.1	22
12	Real-time fMRI neurofeedback to down-regulate superior temporal gyrus activity in patients with schizophrenia and auditory hallucinations: a proof-of-concept study. <i>Translational Psychiatry</i> , 2018, 8, 46.	2.4	58
13	T150. REAL-TIME FMRI NEUROFEEDBACK TO DOWN-REGULATE SUPERIOR TEMPORAL GYRUS ACTIVITY IN PATIENTS WITH SCHIZOPHRENIA AND AUDITORY HALLUCINATIONS: A PROOF-OF-CONCEPT STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S174-S174.	2.3	0
14	Worry is associated with inefficient functional activity and connectivity in prefrontal and cingulate cortices during emotional interference. <i>Brain and Behavior</i> , 2018, 8, e01137.	1.0	21
15	Stimulating cognition in schizophrenia: A controlled pilot study of the effects of prefrontal transcranial direct current stimulation upon memory and learning. <i>Brain Stimulation</i> , 2017, 10, 560-566.	0.7	52
16	Stimulating thought: a functional MRI study of transcranial direct current stimulation in schizophrenia. <i>Brain</i> , 2017, 140, 2490-2497.	3.7	31
17	Interaction of language, auditory and memory brain networks in auditory verbal hallucinations. <i>Progress in Neurobiology</i> , 2017, 148, 1-20.	2.8	169
18	Effect of transcranial direct current stimulation (tDCS) over the prefrontal cortex combined with cognitive training for treating schizophrenia: a sham-controlled randomized clinical trial. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 175-177.	0.4	20

#	ARTICLE	IF	CITATIONS
19	Translating Neurocognitive Models of Auditory-Verbal Hallucinations into Therapy: Using Real-time fMRI-Neurofeedback to Treat Voices. <i>Frontiers in Psychiatry</i> , 2016, 7, 103.	1.3	15