

# Franz Rindler-Schjerve

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/505786/publications.pdf>

Version: 2024-02-01

99  
papers

4,088  
citations

94433

37  
h-index

128289

60  
g-index

100  
all docs

100  
docs citations

100  
times ranked

5466  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inflammatory fibroblasts mediate resistance to neoadjuvant therapy in rectal cancer. <i>Cancer Cell</i> , 2022, 40, 168-184.e13.	16.8	117
2	Radon Improves Clinical Response in an Animal Model of Rheumatoid Arthritis Accompanied by Increased Numbers of Peripheral Blood B Cells and Interleukin-5 Concentration. <i>Cells</i> , 2022, 11, 689.	4.1	3
3	Neoadjuvant Chemoradiotherapy for Oral Cavity Cancer: Predictive Factors for Response and Interim Analysis of the Prospective INVERT-Trial. <i>Frontiers in Oncology</i> , 2022, 12, 817692.	2.8	4
4	ACO/ARO/AIO-21 - Capecitabine-based chemoradiotherapy in combination with the IL-1 receptor antagonist anakinra for rectal cancer Patients: A phase I trial of the German rectal cancer study group. <i>Clinical and Translational Radiation Oncology</i> , 2022, 34, 99-106.	1.7	7
5	ROS- and Radiation Source-Dependent Modulation of Leukocyte Adhesion to Primary Microvascular Endothelial Cells. <i>Cells</i> , 2022, 11, 72.	4.1	8
6	X-ray irradiation triggers immune response in human T-lymphocytes via store-operated Ca <sup>2+</sup> entry and NFAT activation. <i>Journal of General Physiology</i> , 2022, 154, .	1.9	3
7	Advances in nanotechnology-based platforms for survivin-targeted drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2022, 17, 733-754.	5.0	10
8	Low dose ionizing radiation effects on the immune system. <i>Environment International</i> , 2021, 149, 106212.	10.0	89
9	BRAT1 Impairs DNA Damage Repair in Glioblastoma Cell Lines. <i>Medical Sciences Forum</i> , 2021, 3, 3.	0.5	1
10	Tumor Suppressor Protein p53 and Inhibitor of Apoptosis Proteins in Colorectal Cancer—A Promising Signaling Network for Therapeutic Interventions. <i>Cancers</i> , 2021, 13, 624.	3.7	17
11	Patterns of care, toxicity and outcome in the treatment of salivary gland carcinomas: long-term experience from a tertiary cancer center. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4411-4421.	1.6	4
12	Re-irradiation with concurrent and maintenance nivolumab in locally recurrent and inoperable squamous cell carcinoma of the head and neck: A single-center cohort study. <i>Clinical and Translational Radiation Oncology</i> , 2021, 28, 71-78.	1.7	6
13	OTME-6. Deep sequencing reveals heterogeneity of brain metastasis-associated macrophages and microglia and uncovers their cell type-specific functions within the tumor microenvironment. <i>Neuro-Oncology Advances</i> , 2021, 3, ii14-ii14.	0.7	1
14	Comparison of the composition of lymphocyte subpopulations in non-relapse and relapse patients with squamous cell carcinoma of the head and neck before, during radiochemotherapy and in the follow-up period: a multicenter prospective study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>Radiation Oncology</i> , 2021, 16, 141.	2.7	9
15	Prognostic value of high-risk human papillomavirus DNA and p16INK4a immunohistochemistry in patients with anal cancer: An individual patient data meta-analysis. <i>European Journal of Cancer</i> , 2021, 157, 165-178.	2.8	7
16	A Spatial and Functional Interaction of a Heterotetramer Survivin—DNA-PKcs Complex in DNA Damage Response. <i>Cancer Research</i> , 2021, 81, 2304-2317.	0.9	8
17	Radon Exposure—Therapeutic Effect and Cancer Risk. <i>International Journal of Molecular Sciences</i> , 2021, 22, 316.	4.1	43
18	Molecular Markers to Predict Prognosis and Treatment Response in Uterine Cervical Cancer. <i>Cancers</i> , 2021, 13, 5748.	3.7	11

#	ARTICLE	IF	CITATIONS
19	Prognostic impact of CD8-positive tumour-infiltrating lymphocytes and PD-L1 expression in salivary gland cancer. <i>Oral Oncology</i> , 2020, 111, 104931.	1.5	16
20	The Prognostic Relevance of the Proliferation Markers Ki-67 and Plk1 in Early-Stage Ovarian Cancer Patients With Serous, Low-Grade Carcinoma Based on mRNA and Protein Expression. <i>Frontiers in Oncology</i> , 2020, 10, 558932.	2.8	15
21	YM155-Adapted Cancer Cell Lines Reveal Drug-Induced Heterogeneity and Enable the Identification of Biomarker Candidates for the Acquired Resistance Setting. <i>Cancers</i> , 2020, 12, 1080.	3.7	5
22	Cellular and Molecular Changes of Brain Metastases-Associated Myeloid Cells during Disease Progression and Therapeutic Response. <i>IScience</i> , 2020, 23, 101178.	4.1	32
23	Fractionation-Dependent Radiosensitization by Molecular Targeting of Nek1. <i>Cells</i> , 2020, 9, 1235.	4.1	5
24	Low-dose radiation therapy for COVID-19 pneumopathy: what is the evidence?. <i>Strahlentherapie Und Onkologie</i> , 2020, 196, 679-682.	2.0	39
25	Editorial: Radioimmunotherapy—Translational Opportunities and Challenges. <i>Frontiers in Oncology</i> , 2020, 10, 190.	2.8	4
26	Testing of the Survivin Suppressant YM155 in a Large Panel of Drug-Resistant Neuroblastoma Cell Lines. <i>Cancers</i> , 2020, 12, 577.	3.7	7
27	Acute organ toxicity correlates with better clinical outcome after chemoradiotherapy in patients with anal carcinoma. <i>Radiotherapy and Oncology</i> , 2020, 149, 168-173.	0.6	4
28	Radiobiological Principles of Radiotherapy for Benign Diseases. , 2020, , 1-15.		0
29	Ionizing radiation reduces the capacity of activated macrophages to induce T-cell proliferation, but does not trigger dendritic cell-mediated non-targeted effects. <i>International Journal of Radiation Biology</i> , 2019, 95, 33-43.	1.8	12
30	Association of Polo-Like Kinase 3 and PhosphoT273 Caspase 8 Levels With Disease-Related Outcomes Among Cervical Squamous Cell Carcinoma Patients Treated With Chemoradiation and Brachytherapy. <i>Frontiers in Oncology</i> , 2019, 9, 742.	2.8	5
31	Targeted Therapies and Immune-Checkpoint Inhibition in Head and Neck Squamous Cell Carcinoma: Where Do We Stand Today and Where to Go?. <i>Cancers</i> , 2019, 11, 472.	3.7	24
32	Blocking Mitotic Exit of Ovarian Cancer Cells by Pharmaceutical Inhibition of the Anaphase-Promoting Complex Reduces Chromosomal Instability. <i>Neoplasia</i> , 2019, 21, 363-375.	5.3	27
33	Arsenic Trioxide and (âˆ—)-Gossypol Synergistically Target Glioma Stem-Like Cells via Inhibition of Hedgehog and Notch Signaling. <i>Cancers</i> , 2019, 11, 350.	3.7	29
34	NMDA Receptor-Mediated Signaling Pathways Enhance Radiation Resistance, Survival and Migration in Glioblastoma Cells—A Potential Target for Adjuvant Radiotherapy. <i>Cancers</i> , 2019, 11, 503.	3.7	28
35	C-Reactive Protein-to-Albumin Ratio as Prognostic Marker for Anal Squamous Cell Carcinoma Treated With Chemoradiotherapy. <i>Frontiers in Oncology</i> , 2019, 9, 1200.	2.8	19
36	Evaluating Magnetic Resonance Spectroscopy as a Tool for Monitoring Therapeutic Response of Whole Brain Radiotherapy in a Mouse Model for Breast-to-Brain Metastasis. <i>Frontiers in Oncology</i> , 2019, 9, 1324.	2.8	13

#	ARTICLE	IF	CITATIONS
37	Modulation of radiation sensitivity and antitumor immunity by viral pathogenic factors: Implications for radio-immunotherapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2019, 1871, 126-137.	7.4	12
38	Anal squamous cell carcinoma – State of the art management and future perspectives. <i>Cancer Treatment Reviews</i> , 2018, 65, 11-21.	7.7	37
39	Prognostic impact of RITA expression in patients with anal squamous cell carcinoma treated with chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2018, 126, 214-221.	0.6	7
40	Heat shock protein 70 and tumor-infiltrating NK cells as prognostic indicators for patients with squamous cell carcinoma of the head and neck after radiochemotherapy: A multicentre retrospective study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>International Journal of Cancer</i> , 2018, 142, 1911-1925.	5.1	50
41	Ionizing Radiation Induces Morphological Changes and Immunological Modulation of Jurkat Cells. <i>Frontiers in Immunology</i> , 2018, 9, 922.	4.8	25
42	Radiation Sensitization of Basal Cell and Head and Neck Squamous Cell Carcinoma by the Hedgehog Pathway Inhibitor Vismodegib. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2485.	4.1	25
43	Silencing of the mRNA-binding protein HuR increases the sensitivity of colorectal cancer cells to ionizing radiation through upregulation of caspase-2. <i>Cancer Letters</i> , 2017, 393, 103-112.	7.2	31
44	Combined p16 and p53 expression in cervical cancer of unknown primary and other prognostic parameters. <i>Strahlentherapie Und Onkologie</i> , 2017, 193, 305-314.	2.0	7
45	The PD-1/PD-L1 axis and human papilloma virus in patients with head and neck cancer after adjuvant chemoradiotherapy: A multicentre study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>International Journal of Cancer</i> , 2017, 141, 594-603.	5.1	91
46	The immune microenvironment and HPV in anal cancer: Rationale to complement chemoradiation with immunotherapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2017, 1868, 221-230.	7.4	23
47	Human papilloma virus load and PD-1/PD-L1, CD8 <sup>+</sup> and FOXP3 in anal cancer patients treated with chemoradiotherapy: Rationale for immunotherapy. <i>OncImmunity</i> , 2017, 6, e1288331.	4.6	79
48	Interference with the HSF1/HSP70/BAG3 Pathway Primes Glioma Cells to Matrix Detachment and BH3 Mimetic-Induced Apoptosis. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 156-168.	4.1	57
49	Basics of Radiation Biology When Treating Hyperproliferative Benign Diseases. <i>Frontiers in Immunology</i> , 2017, 8, 519.	4.8	26
50	Measuring Leukocyte Adhesion to (Primary) Endothelial Cells after Photon and Charged Particle Exposure with a Dedicated Laminar Flow Chamber. <i>Frontiers in Immunology</i> , 2017, 8, 627.	4.8	14
51	A Two-Phase Expansion Protocol Combining Interleukin (IL)-15 and IL-21 Improves Natural Killer Cell Proliferation and Cytotoxicity against Rhabdomyosarcoma. <i>Frontiers in Immunology</i> , 2017, 8, 676.	4.8	70
52	Peripheral Leukocytosis Is Inversely Correlated with Intratumoral CD8 <sup>+</sup> T-Cell Infiltration and Associated with Worse Outcome after Chemoradiotherapy in Anal Cancer. <i>Frontiers in Immunology</i> , 2017, 8, 1225.	4.8	29
53	Introduction to Radiation Biology When Treating Hyperproliferative Benign Diseases. , 2017, , 333-339.		0
54	Ligand stimulation of CD95 induces activation of Plk3 followed by phosphorylation of caspase-8. <i>Cell Research</i> , 2016, 26, 914-934.	12.0	35

#	ARTICLE	IF	CITATIONS
55	Effects of YM155 on survivin levels and viability in neuroblastoma cells with acquired drug resistance. <i>Cell Death and Disease</i> , 2016, 7, e2410-e2410.	6.3	40
56	CD8+ tumour-infiltrating lymphocytes in relation to HPV status and clinical outcome in patients with head and neck cancer after postoperative chemoradiotherapy: A multicentre study of the German cancer consortium radiation oncology group (DKTK-ROG). <i>International Journal of Cancer</i> , 2016, 138, 171-181.	5.1	184
57	Polo-like kinase 3 and phosphoT273 caspase-8 are associated with improved local tumor control and survival in patients with anal carcinoma treated with concomitant chemoradiotherapy. <i>Oncotarget</i> , 2016, 7, 53339-53349.	1.8	12
58	Anti-epidermal growth factor receptor immunotherapy in combination with cisplatin chemoradiation for patients with advanced head and neck carcinoma—biological and clinical limitations of the triple treatment. <i>Translational Cancer Research</i> , 2016, 5, 199-202.	1.0	2
59	The SMAC mimetic BV6 sensitizes colorectal cancer cells to ionizing radiation by interfering with DNA repair processes and enhancing apoptosis. <i>Radiation Oncology</i> , 2015, 10, 198.	2.7	27
60	Modulation of inflammation by low and high doses of ionizing radiation: Implications for benign and malign diseases. <i>Cancer Letters</i> , 2015, 368, 230-237.	7.2	108
61	The role of recent nanotechnology in enhancing the efficacy of radiation therapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2015, 1856, 130-143.	7.4	46
62	Study of the anti-inflammatory effects of low-dose radiation. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 742-749.	2.0	55
63	DEGRO practical guidelines for radiotherapy of non-malignant disorders. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 701-709.	2.0	32
64	Re-irradiation with cetuximab or cisplatin-based chemotherapy for recurrent squamous cell carcinoma of the head and neck. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 656-664.	2.0	25
65	Contribution of the immune system to bystander and non-targeted effects of ionizing radiation. <i>Cancer Letters</i> , 2015, 356, 105-113.	7.2	113
66	Human papillomavirus DNA load and p16 <sup>INK4a</sup> expression predict for local control in patients with anal squamous cell carcinoma treated with chemoradiotherapy. <i>International Journal of Cancer</i> , 2015, 136, 278-288.	5.1	75
67	Tumor-infiltrating lymphocytes favor the response to chemoradiotherapy of head and neck cancer. <i>Oncolimmunology</i> , 2014, 3, e27403.	4.6	61
68	Kill and spread the word: stimulation of antitumor immune responses in the context of radiotherapy. <i>Immunotherapy</i> , 2014, 6, 597-610.	2.0	63
69	Radiation sensitivity of human and murine peripheral blood lymphocytes, stem and progenitor cells. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2014, 1846, 121-129.	7.4	137
70	A non-linear detection of phospho-histone H2AX in EA.hy926 endothelial cells following low-dose X-irradiation is modulated by reactive oxygen species. <i>Radiation Oncology</i> , 2014, 9, 80.	2.7	21
71	Double targeting of Survivin and XIAP radiosensitizes 3D grown human colorectal tumor cells and decreases migration. <i>Radiotherapy and Oncology</i> , 2013, 108, 32-39.	0.6	29
72	Targeting by cmHsp70.1-antibody coated and survivin miRNA plasmid loaded nanoparticles to radiosensitize glioblastoma cells. <i>Journal of Controlled Release</i> , 2013, 172, 201-206.	9.9	49

#	ARTICLE	IF	CITATIONS
73	Reduced secretion of the inflammatory cytokine IL-1 <sup>β</sup> by stimulated peritoneal macrophages of radiosensitive Balb/c mice after exposure to 0.5 or 0.7Gy of ionizing radiation. <i>Autoimmunity</i> , 2013, 46, 323-328.	2.6	26
74	Epidermal Growth Factor Receptor Expression As Prognostic Marker in Patients With Anal Carcinoma Treated With Concurrent Chemoradiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 901-907.	0.8	8
75	Frontiers Research Topic: Radiation-Induced Effects and the Immune System. <i>Frontiers in Oncology</i> , 2013, 3, 55.	2.8	7
76	Immunomodulatory Properties and Molecular Effects in Inflammatory Diseases of Low-Dose X-Irradiation. <i>Frontiers in Oncology</i> , 2012, 2, 120.	2.8	97
77	A radiosensitizing effect of artesunate in glioblastoma cells is associated with a diminished expression of the inhibitor of apoptosis protein survivin. <i>Radiotherapy and Oncology</i> , 2012, 103, 394-401.	0.6	46
78	Low dose ionising radiation leads to a NF- $\kappa$ B dependent decreased secretion of active IL-1 <sup>β</sup> by activated macrophages with a discontinuous dose-dependency. <i>International Journal of Radiation Biology</i> , 2012, 88, 727-734.	1.8	70
79	XIAP as a Radioresistance Factor and Prognostic Marker for Radiotherapy in Human Rectal Adenocarcinoma. <i>American Journal of Pathology</i> , 2012, 181, 1271-1278.	3.8	38
80	Combined treatment of human colorectal tumor cell lines with chemotherapeutic agents and ionizing irradiation can <i>in vitro</i> induce tumor cell death forms with immunogenic potential. <i>Journal of Immunotoxicology</i> , 2012, 9, 301-313.	1.7	39
81	Survivin-miRNA-loaded nanoparticles as auxiliary tools for radiation therapy: preparation, characterisation, drug release, cytotoxicity and therapeutic effect on colorectal cancer cells. <i>Journal of Microencapsulation</i> , 2012, 29, 685-694.	2.8	21
82	Failure of Downregulation of Survivin Following Neoadjuvant Radiochemotherapy in Rectal Cancer Is Associated with Distant Metastases and Shortened Survival. <i>Clinical Cancer Research</i> , 2011, 17, 1623-1631.	7.0	37
83	Survivin inhibition and DNA double-strand break repair: A molecular mechanism to overcome radioresistance in glioblastoma. <i>Radiotherapy and Oncology</i> , 2011, 101, 51-58.	0.6	70
84	NF- $\kappa$ B Is Required for Smac Mimetic-Mediated Sensitization of Glioblastoma Cells for $\beta$ -Irradiation-Induced Apoptosis. <i>Molecular Cancer Therapeutics</i> , 2011, 10, 1867-1875.	4.1	63
85	Radiation-Induced Survivin Nuclear Accumulation is Linked to DNA Damage Repair. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 226-234.	0.8	53
86	Discontinuous induction of X-linked inhibitor of apoptosis in EA.hy.926 endothelial cells is linked to NF- $\kappa$ B activation and mediates the anti-inflammatory properties of low-dose ionising-radiation. <i>Radiotherapy and Oncology</i> , 2010, 97, 346-351.	0.6	44
87	Polo-Like Kinase 1 as Predictive Marker and Therapeutic Target for Radiotherapy in Rectal Cancer. <i>American Journal of Pathology</i> , 2010, 177, 918-929.	3.8	58
88	Caveolin-1 as a Prognostic Marker for Local Control After Preoperative Chemoradiation Therapy in Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 73, 846-852.	0.8	15
89	Activator protein 1 shows a biphasic induction and transcriptional activity after low dose X-irradiation in EA.hy.926 endothelial cells. <i>Autoimmunity</i> , 2009, 42, 343-345.	2.6	26
90	The Anti-Inflammatory Effect of Low-Dose Radiation Therapy Involves a Diminished CCL20 Chemokine Expression and Granulocyte/Endothelial Cell Adhesion. <i>Strahlentherapie Und Onkologie</i> , 2008, 184, 41-47.	2.0	54

#	ARTICLE	IF	CITATIONS
91	Survivin Antisense Oligonucleotides Effectively Radiosensitize Colorectal Cancer Cells in Both Tissue Culture and Murine Xenograft Models. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 71, 247-255.	0.8	96
92	Stromal SPARC expression and patient survival after chemoradiation for non-resectable pancreatic adenocarcinoma. <i>Cancer Biology and Therapy</i> , 2008, 7, 1806-1815.	3.4	98
93	The Tumor Gene Survivin Is Highly Expressed in Adult Renal Tubular Cells. <i>American Journal of Pathology</i> , 2007, 171, 1483-1498.	3.8	52
94	The Role of Survivin for Radiation Therapy. <i>Strahlentherapie Und Onkologie</i> , 2007, 183, 593-599.	2.0	74
95	Survivin as a Radioresistance Factor, and Prognostic and Therapeutic Target for Radiotherapy in Rectal Cancer. <i>Cancer Research</i> , 2005, 65, 4881-4887.	0.9	248
96	The Induction of TGF- $\beta$ 1 and NF- $\kappa$ B Parallels a Biphasic Time Course of Leukocyte/Endothelial Cell Adhesion Following Low-Dose X-Irradiation. <i>Strahlentherapie Und Onkologie</i> , 2004, 180, 194-200.	2.0	60
97	Spontaneous and radiation-induced apoptosis in colorectal carcinoma cells with different intrinsic radiosensitivities: Survivin as a radioresistance factor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 55, 1341-1347.	0.8	146
98	High Survivin Expression is Associated with Reduced Apoptosis in Rectal Cancer and May Predict Disease-Free Survival after Preoperative Radiochemotherapy and Surgical Resection. <i>Strahlentherapie Und Onkologie</i> , 2002, 178, 426-435.	2.0	94
99	Apoptosis as a cellular predictor for histopathologic response to neoadjuvant radiochemotherapy in patients with rectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 52, 294-303.	0.8	119