

Victor Ambros

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5058741/victor-ambros-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63
papers

27,638
citations

33
h-index

74
g-index

74
ext. papers

30,370
ext. citations

16.5
avg, IF

7.74
L-index

#	Paper	IF	Citations
63	Critical contribution of 3' non-seed base pairing to the in vivo function of the evolutionarily conserved let-7a microRNA. <i>Cell Reports</i> , 2022 , 39, 110745	10.6	1
62	A cohort of Caenorhabditis species lacking the highly conserved let-7 microRNA. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	3
61	Development: Keeping Time with Transcription. <i>Current Biology</i> , 2021 , 31, R212-R214	6.3	0
60	C. elegans LIN-28 controls temporal cell fate progression by regulating LIN-46 expression via the 5' UTR of lin-46 mRNA. <i>Cell Reports</i> , 2021 , 36, 109670	10.6	0
59	Pseudomonas aeruginosa cleaves the decoding center of Caenorhabditis elegans ribosomes. <i>PLoS Biology</i> , 2020 , 18, e3000969	9.7	3
58	RNA-seq with RNase H-based ribosomal RNA depletion specifically designed for. <i>MicroPublication Biology</i> , 2020 , 2020,	0.8	1
57	Circulating microRNA Profiles in Acetaminophen Toxicity. <i>Journal of Medical Toxicology</i> , 2020 , 16, 177-187	1.6	2
56	Extracellular microRNAs in human circulation are associated with miRISC complexes that are accessible to anti-AGO2 antibody and can bind target mimic oligonucleotides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 24213-24223	11.5	32
55	Pseudomonas aeruginosa cleaves the decoding center of Caenorhabditis elegans ribosomes 2020 , 18, e3000969		
54	Pseudomonas aeruginosa cleaves the decoding center of Caenorhabditis elegans ribosomes 2020 , 18, e3000969		
53	Pseudomonas aeruginosa cleaves the decoding center of Caenorhabditis elegans ribosomes 2020 , 18, e3000969		
52	Pseudomonas aeruginosa cleaves the decoding center of Caenorhabditis elegans ribosomes 2020 , 18, e3000969		
51	Pseudomonas aeruginosa cleaves the decoding center of Caenorhabditis elegans ribosomes 2020 , 18, e3000969		
50	Pseudomonas aeruginosa cleaves the decoding center of Caenorhabditis elegans ribosomes 2020 , 18, e3000969		
49	Mathematics of microRNAs: stabilizing gene regulatory networks. <i>National Science Review</i> , 2019 , 6, 1189-1190	1.90	0
48	Pheromones and Nutritional Signals Regulate the Developmental Reliance on let-7 Family MicroRNAs in C. elegans. <i>Current Biology</i> , 2019 , 29, 1735-1745.e4	6.3	16
47	The heterochronic gene coordinates the timing of hypodermal and somatic gonadal programs for hermaphrodite reproductive system morphogenesis. <i>Development (Cambridge)</i> , 2019 , 146,	6.6	1

46	Regulation of nuclear-cytoplasmic partitioning by the - pathway reinforces microRNA repression of HBL-1 to confer robust cell-fate progression in. <i>Development (Cambridge)</i> , 2019 , 146,	6.6	7
45	Trans-splicing of the primary transcript developmentally regulates microRNA biogenesis and family microRNA activity. <i>Development (Cambridge)</i> , 2019 , 146,	6.6	9
44	The <i>Pseudomonas aeruginosa</i> accessory genome elements influence virulence towards <i>Caenorhabditis elegans</i> . <i>Genome Biology</i> , 2019 , 20, 270	18.3	17
43	Recent Molecular Genetic Explorations of MicroRNAs. <i>Genetics</i> , 2018 , 209, 651-673	4	27
42	A microRNA family exerts maternal control on sex determination in. <i>Genes and Development</i> , 2017 , 31, 422-437	12.6	33
41	Staufen Negatively Modulates MicroRNA Activity in <i>Caenorhabditis elegans</i> . <i>G3: Genes, Genomes, Genetics</i> , 2016 , 6, 1227-37	3.2	9
40	Biodistribution and function of extracellular miRNA-155 in mice. <i>Scientific Reports</i> , 2015 , 5, 10721	4.9	93
39	An efficient and sensitive method for preparing cDNA libraries from scarce biological samples. <i>Nucleic Acids Research</i> , 2015 , 43, e1	20.1	15
38	Robust Distal Tip Cell Pathfinding in the Face of Temperature Stress Is Ensured by Two Conserved microRNAs in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 2015 , 200, 1201-18	4	20
37	miR-14 regulates autophagy during developmental cell death by targeting ip3-kinase 2. <i>Molecular Cell</i> , 2014 , 56, 376-388	17.6	43
36	Mutations in conserved residues of the <i>C. elegans</i> microRNA Argonaute ALG-1 identify separable functions in ALG-1 miRISC loading and target repression. <i>PLoS Genetics</i> , 2014 , 10, e1004286	6	20
35	The embryonic mir-35 family of microRNAs promotes multiple aspects of fecundity in <i>Caenorhabditis elegans</i> . <i>G3: Genes, Genomes, Genetics</i> , 2014 , 4, 1747-54	3.2	39
34	Developmental decline in neuronal regeneration by the progressive change of two intrinsic timers. <i>Science</i> , 2013 , 340, 372-376	33.3	104
33	Circulating Cell and Plasma microRNA Profiles Differ between Non-ST-Segment and ST-Segment-Elevation Myocardial Infarction. <i>Family Medicine & Medical Science Research</i> , 2013 , 2, 108		48
32	Dauer larva quiescence alters the circuitry of microRNA pathways regulating cell fate progression in <i>C. elegans</i> . <i>Development (Cambridge)</i> , 2012 , 139, 2177-86	6.6	31
31	MicroRNAs and developmental timing. <i>Current Opinion in Genetics and Development</i> , 2011 , 21, 511-7	4.9	231
30	Effect of life history on microRNA expression during <i>C. elegans</i> development. <i>Rna</i> , 2011 , 17, 639-51	5.8	53
29	The developmental timing regulator HBL-1 modulates the dauer formation decision in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 2011 , 187, 345-53	4	9

28	MicroRNAs: genetically sensitized worms reveal new secrets. <i>Current Biology</i> , 2010 , 20, R598-600	6.3	19
27	A feedback circuit involving let-7-family miRNAs and DAF-12 integrates environmental signals and developmental timing in <i>Caenorhabditis elegans</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 18668-73	11.5	118
26	Systematic analysis of dynamic miRNA-target interactions during <i>C. elegans</i> development. <i>Development (Cambridge)</i> , 2009 , 136, 3043-55	6.6	40
25	nhl-2 Modulates microRNA activity in <i>Caenorhabditis elegans</i> . <i>Cell</i> , 2009 , 136, 926-38	56.2	136
24	The evolution of our thinking about microRNAs. <i>Nature Medicine</i> , 2008 , 14, 1036-40	50.5	144
23	mirWIP: microRNA target prediction based on microRNA-containing ribonucleoprotein-enriched transcripts. <i>Nature Methods</i> , 2008 , 5, 813-9	21.6	177
22	<i>Drosophila</i> let-7 microRNA is required for remodeling of the neuromusculature during metamorphosis. <i>Genes and Development</i> , 2008 , 22, 1591-6	12.6	177
21	Interacting endogenous and exogenous RNAi pathways in <i>Caenorhabditis elegans</i> . <i>Rna</i> , 2006 , 12, 589-975.8		149
20	The let-7 MicroRNA family members mir-48, mir-84, and mir-241 function together to regulate developmental timing in <i>Caenorhabditis elegans</i> . <i>Developmental Cell</i> , 2005 , 9, 403-14	10.2	379
19	The <i>Caenorhabditis elegans</i> heterochronic regulator LIN-14 is a novel transcription factor that controls the developmental timing of transcription from the insulin/insulin-like growth factor gene <i>ins-33</i> by direct DNA binding. <i>Molecular and Cellular Biology</i> , 2005 , 25, 11059-72	4.8	45
18	The <i>C. elegans</i> heterochronic gene <i>lin-46</i> affects developmental timing at two larval stages and encodes a relative of the scaffolding protein gephyrin. <i>Development (Cambridge)</i> , 2004 , 131, 2049-59	6.6	35
17	Identification of microRNAs and other tiny noncoding RNAs by cDNA cloning. <i>Methods in Molecular Biology</i> , 2004 , 265, 131-58	1.4	136
16	The functions of animal microRNAs. <i>Nature</i> , 2004 , 431, 350-5	50.4	8644
15	A short history of a short RNA. <i>Cell</i> , 2004 , 116, S89-92, 1 p following S96	56.2	122
14	MicroRNAs and other tiny endogenous RNAs in <i>C. elegans</i> . <i>Current Biology</i> , 2003 , 13, 807-18	6.3	596
13	MicroRNA pathways in flies and worms: growth, death, fat, stress, and timing. <i>Cell</i> , 2003 , 113, 673-6	56.2	1059
12	Temporal regulation of microRNA expression in <i>Drosophila melanogaster</i> mediated by hormonal signals and broad-Complex gene activity. <i>Developmental Biology</i> , 2003 , 259, 9-18	3.1	255
11	An extensive class of small RNAs in <i>Caenorhabditis elegans</i> . <i>Science</i> , 2001 , 294, 862-4	33.3	2325

10	The lin-41 RBCC gene acts in the C. elegans heterochronic pathway between the let-7 regulatory RNA and the LIN-29 transcription factor. <i>Molecular Cell</i> , 2000 , 5, 659-69	17.6	606
9	The lin-4 regulatory RNA controls developmental timing in <i>Caenorhabditis elegans</i> by blocking LIN-14 protein synthesis after the initiation of translation. <i>Developmental Biology</i> , 1999 , 216, 671-80	3.1	968
8	The cold shock domain protein LIN-28 controls developmental timing in C. elegans and is regulated by the lin-4 RNA. <i>Cell</i> , 1997 , 88, 637-46	56.2	678
7	Heterochronic genes control cell cycle progress and developmental competence of C. elegans vulva precursor cells. <i>Cell</i> , 1996 , 84, 667-76	56.2	88
6	The C. elegans heterochronic gene lin-4 encodes small RNAs with antisense complementarity to lin-14. <i>Cell</i> , 1993 , 75, 843-54	56.2	9299
5	Alternative temporal control systems for hypodermal cell differentiation in <i>Caenorhabditis elegans</i> . <i>Nature</i> , 1991 , 350, 162-5	50.4	50
4	A hierarchy of regulatory genes controls a larva-to-adult developmental switch in C. elegans. <i>Cell</i> , 1989 , 57, 49-57	56.2	292
3	C. elegans LIN-28 controls temporal cell-fate progression by regulating LIN-46 expression via the 5'UTR of lin-46 mRNA		2
2	A microRNA family exerts maternal control on sex determination in C. elegans		1
1	Critical contribution of 3'non-seed base pairing to the in vivo function of the evolutionarily conserved let-7a microRNA		2