Hitoshi Shimano

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5058757/hitoshi-shimano-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24,627 383 145 77 h-index g-index citations papers 6.49 6.4 27,253 417 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
383	ELOVL2 promotes cancer progression by inhibiting cell apoptosis in renal cell carcinoma. <i>Oncology Reports</i> , 2022 , 47,	3.5	4
382	Morphological and functional adaptation of pancreatic islet blood vessels to insulin resistance is impaired in diabetic db/db mice <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022 , 1868, 166339	6.9	1
381	TDP-43 regulates cholesterol biosynthesis by inhibiting sterol regulatory element-binding protein 2 Scientific Reports, 2022 , 12, 7988	4.9	O
380	The transcriptional corepressor CtBP2 serves as a metabolite sensor orchestrating hepatic glucose and lipid homeostasis. <i>Nature Communications</i> , 2021 , 12, 6315	17.4	1
379	FoxO-KLF15 pathway switches the flow of macronutrients under the control of insulin <i>IScience</i> , 2021 , 24, 103446	6.1	1
378	Relationships between Cognitive Function and Odor Identification, Balance Capability, and Muscle Strength in Middle-Aged Persons with and without Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2021 , 2021, 9961612	3.9	3
377	High protein diet-induced metabolic changes are transcriptionally regulated via KLF15-dependent and independent pathways. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 582, 35-42	3.4	1
376	Severity of hypertension as a predictor of initiation of dialysis among study participants with and without diabetes mellitus. <i>Journal of Investigative Medicine</i> , 2021 , 69, 724-729	2.9	O
375	Macrophages rely on extracellular serine to suppress aberrant cytokine production. <i>Scientific Reports</i> , 2021 , 11, 11137	4.9	3
374	Starvation-induced transcription factor CREBH negatively governs body growth by controlling GH signaling. <i>FASEB Journal</i> , 2021 , 35, e21663	0.9	2
373	Enterohepatic Transcription Factor CREB3L3 Protects Atherosclerosis via SREBP Competitive Inhibition. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021 , 11, 949-971	7.9	3
372	Oxidative stress and Liver X Receptor agonist induce hepatocellular carcinoma in Non-alcoholic steatohepatitis model. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 800-810	4	5
371	Elucidating the Efficacy of Clinical Drugs Using FMO 2021 , 323-339		
370	Hepatocellular carcinoma development in diabetic patients: a nationwide survey in Japan. <i>Journal of Gastroenterology</i> , 2021 , 56, 261-273	6.9	10
369	CtBP2 confers protection against oxidative stress through interactions with NRF1 and NRF2. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 562, 146-153	3.4	2
368	Rapid manipulation of mitochondrial morphology in a living cell with iCMM <i>Cell Reports Methods</i> , 2021 , 1, 100052		1
367	Serum lactate dehydrogenase level as a possible predictor of treatment preference in psoriasis. Journal of Dermatological Science, 2021, 103, 109-115	4.3	1

(2019-2021)

366	Different impacts of metabolic profiles on future risk of cardiovascular disease between diabetes with and without established cardiovascular disease: the Japan diabetes complication and its prevention prospective study 7 (JDCP study 7). <i>Acta Diabetologica</i> , 2021 , 1	3.9	
365	Protocol for rapid manipulation of mitochondrial morphology in living cells using inducible counter mitochondrial morphology (iCMM). <i>STAR Protocols</i> , 2021 , 2, 100721	1.4	Ο
364	Prolonged caloric restriction ameliorates age-related atrophy in slow and fast muscle fibers of rat soleus muscle. <i>Experimental Gerontology</i> , 2021 , 154, 111519	4.5	1
363	Altered microbiota by a high-fat diet accelerates lethal myeloid hematopoiesis associated with systemic SOCS3 deficiency. <i>IScience</i> , 2021 , 24, 103117	6.1	
362	Deciphering genetic signatures by whole exome sequencing in a case of co-prevalence of severe renal hypouricemia and diabetes with impaired insulin secretion. <i>BMC Medical Genetics</i> , 2020 , 21, 91	2.1	3
361	CREBH Improves Diet-Induced Obesity, Insulin Resistance, and Metabolic Disturbances by FGF21-Dependent and FGF21-Independent Mechanisms. <i>IScience</i> , 2020 , 23, 100930	6.1	8
360	Handgrip strength predicts new prediabetes cases among adults: A prospective cohort study. <i>Preventive Medicine Reports</i> , 2020 , 17, 101056	2.6	8
359	Elucidation of Molecular Mechanism of a Selective PPARIModulator, Pemafibrate, through Combinational Approaches of X-ray Crystallography, Thermodynamic Analysis, and First-Principle Calculations. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	14
358	Cathepsin B overexpression induces degradation of perilipin 1 to cause lipid metabolism dysfunction in adipocytes. <i>Scientific Reports</i> , 2020 , 10, 634	4.9	15
357	New perspective on type 2 diabetes, dyslipidemia and non-alcoholic fatty liver disease. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 532-534	3.9	11
356	Guidelines on the Clinical Evaluation of Medicinal Products for Treatment of Dyslipidemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 1246-1254	4	1
355	Transcriptional co-repressor CtBP2 orchestrates epithelial-mesenchymal transition through a novel transcriptional holocomplex with OCT1. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 523, 354-360	3.4	4
354	Srebp-1c/Fgf21/Pgc-1lAxis Regulated by Leptin Signaling in Adipocytes-Possible Mechanism of Caloric Restriction-Associated Metabolic Remodeling of White Adipose Tissue. <i>Nutrients</i> , 2020 , 12,	6.7	4
353	Diabetes mellitus and risk of new-onset and recurrent heart failure: a systematic review and meta-analysis. <i>ESC Heart Failure</i> , 2020 , 7, 2146-2174	3.7	13
352	Advanced Oxidation Protein Products Contribute to Renal Tubulopathy Perturbation of Renal Fatty Acids <i>Kidney360</i> , 2020 , 1, 781-796	1.8	4
351	Hepatocyte ELOVL Fatty Acid Elongase 6 Determines Ceramide Acyl-Chain Length and Hepatic Insulin Sensitivity in Mice. <i>Hepatology</i> , 2020 , 71, 1609-1625	11.2	15
350	Glucocorticoid receptor suppresses gene expression of Rev-erb[(Nr1d1) through interaction with the CLOCK complex. <i>FEBS Letters</i> , 2019 , 593, 423-432	3.8	13
349	The selective peroxisome proliferator-activated receptor alpha modulator (SPPARMI) paradigm: conceptual framework and therapeutic potential: A consensus statement from the International Atherosclerosis Society (IAS) and the Residual Risk Reduction Initiative (R3i) Foundation.	8.7	64

348	Residual vascular risk in diabetes - Will the SPPARM alpha concept hold the key?. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019 , 13, 2723-2725	8.9	2
347	Octacosanol and policosanol prevent high-fat diet-induced obesity and metabolic disorders by activating brown adipose tissue and improving liver metabolism. <i>Scientific Reports</i> , 2019 , 9, 5169	4.9	17
346	Rho-associated, coiled-coil-containing protein kinase as a new player in the regulation of hepatic lipogenesis. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 1165-1167	3.9	4
345	Exercise training reduces ventricular arrhythmias through restoring calcium handling and sympathetic tone in myocardial infarction mice. <i>Physiological Reports</i> , 2019 , 7, e13972	2.6	8
344	Association between Lysosomal Dysfunction and Obesity-Related Pathology: A Key Knowledge to Prevent Metabolic Syndrome. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	14
343	Transcriptome network analysis identifies protective role of the LXR/SREBP-1c axis in murine pulmonary fibrosis. <i>JCI Insight</i> , 2019 , 4,	9.9	17
342	Higher pulse pressure predicts initiation of dialysis in Japanese patients with diabetes. Diabetes/Metabolism Research and Reviews, 2019, 35, e3120	7.5	6
341	Epigenetic modulation of Fgf21 in the perinatal mouse liver ameliorates diet-induced obesity in adulthood. <i>Nature Communications</i> , 2018 , 9, 636	17.4	45
340	Saturated Fatty Acids Undergo Intracellular Crystallization and Activate the NLRP3 Inflammasome in Macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 744-756	9.4	66
339	Relationships among cardiorespiratory fitness, muscular fitness, and cardiometabolic risk factors in Japanese adolescents: Niigata screening for and preventing the development of non-communicable disease study-Agano (NICE EVIDENCE Study-Agano) 2. <i>Pediatric Diabetes</i> , 2018 ,	3.6	7
338	Novel non-alcoholic steatohepatitis model with histopathological and insulin-resistant features. Pathology International, 2018 , 68, 12-22	1.8	13
337	A candidate functional SNP rs7074440 in TCF7L2 alters gene expression through C-FOS in hepatocytes. <i>FEBS Letters</i> , 2018 , 592, 422-433	3.8	8
336	Molecular association model of PPARland its new specific and efficient ligand, pemafibrate: Structural basis for SPPARM[]Biochemical and Biophysical Research Communications, 2018 , 499, 239-245	3.4	34
335	Age-dependent changes in dynamic standing-balance ability evaluated quantitatively using a stabilometer. <i>Journal of Physical Therapy Science</i> , 2018 , 30, 86-91	1	6
334	The Peroxisome Proliferator-Activated Receptor [PPAR] Agonist Pemafibrate Protects against Diet-Induced Obesity in Mice. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	28
333	Quantitative Relationship Between Cumulative Risk Alleles Based on Genome-Wide Association Studies and Type 2 Diabetes Mellitus: A Systematic Review and Meta-analysis. <i>Journal of Epidemiology</i> , 2018 , 28, 3-18	3.4	8
332	CREBH Regulates Systemic Glucose and Lipid Metabolism. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	33
331	Relationship between intake of fruit separately from vegetables and triglycerides - A meta-analysis. <i>Clinical Nutrition ESPEN</i> , 2018 , 27, 53-58	1.3	5

330	Transgenic Mice Overexpressing SREBP-1a in Male ob/ob Mice Exhibit Lipodystrophy and Exacerbate Insulin Resistance. <i>Endocrinology</i> , 2018 , 159, 2308-2323	4.8	11
329	Brg1 regulates pro-lipogenic transcription by modulating SREBP activity in hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 2881-2889	6.9	41
328	Malondialdehyde-modified LDL-related variables are associated with diabetic kidney disease in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018 , 141, 237-243	7.4	8
327	Evaluation of safety for hepatectomy in a novel mouse model with nonalcoholic-steatohepatitis. <i>World Journal of Gastroenterology</i> , 2018 , 24, 1622-1631	5.6	4
326	Computational design and molecular mechanism in oligomerization of C-terminal binding protein 2. <i>FASEB Journal</i> , 2018 , 32, 798.22	0.9	
325	A Rare Coexistence of Pheochromocytoma and Parkinson® Disease With Diagnostic Challenges. <i>Internal Medicine</i> , 2018 , 57, 979-985	1.1	1
324	Elovl6 regulates mechanical damage-induced keratinocyte death and skin inflammation. <i>Cell Death and Disease</i> , 2018 , 9, 1181	9.8	6
323	Protein Residue Networks from Energetic and Geometric Data: Are They Identical?. <i>Journal of Chemical Theory and Computation</i> , 2018 , 14, 6623-6631	6.4	16
322	Network meta-analysis of the relative efficacy of bariatric surgeries for diabetes remission. <i>Obesity Reviews</i> , 2018 , 19, 1621-1629	10.6	26
321	Unstable bodyweight and incident type 2 diabetes mellitus: A meta-analysis. <i>Journal of Diabetes Investigation</i> , 2017 , 8, 501-509	3.9	16
320	Selective peroxisome proliferator-activated receptor-Imodulator K-877 efficiently activates the peroxisome proliferator-activated receptor-Ipathway and improves lipid metabolism in mice. <i>Journal of Diabetes Investigation</i> , 2017 , 8, 446-452	3.9	28
319	Elovl6 Deficiency Improves Glycemic Control in Diabetic / Mice by Expanding ECell Mass and Increasing Insulin Secretory Capacity. <i>Diabetes</i> , 2017 , 66, 1833-1846	0.9	15
318	Critical role of CREBH-mediated induction of transforming growth factor 2 by hepatitis C virus infection in fibrogenic responses in hepatic stellate cells. <i>Hepatology</i> , 2017 , 66, 1430-1443	11.2	18
317	Association between all-cause mortality and severity of depressive symptoms in patients with type 2 diabetes: Analysis from the Japan Diabetes Complications Study (JDCS). <i>Journal of Psychosomatic Research</i> , 2017 , 99, 34-39	4.1	7
316	Effects of K-877, a novel selective PPARImodulator, on small intestine contribute to the amelioration of hyperlipidemia in low-density lipoprotein receptor knockout mice. <i>Journal of Pharmacological Sciences</i> , 2017 , 133, 214-222	3.7	30
315	A key role of nuclear factor Y in the refeeding response of fatty acid synthase in adipocytes. <i>FEBS Letters</i> , 2017 , 591, 965-978	3.8	11
314	SREBP1 Contributes to Resolution of Pro-inflammatory TLR4 Signaling by Reprogramming Fatty Acid Metabolism. <i>Cell Metabolism</i> , 2017 , 25, 412-427	24.6	140
313	Effect of sodium-glucose cotransporter 2 (SGLT2) inhibition on weight loss is partly mediated by liver-brain-adipose neurocircuitry. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 493, 40-4	43 ⁴	16

312	SREBP-regulated lipid metabolism: convergent physiology - divergent pathophysiology. <i>Nature Reviews Endocrinology</i> , 2017 , 13, 710-730	15.2	368
311	Mitochondrial intermediate peptidase is a novel regulator of sirtuin-3 activation by caloric restriction. <i>FEBS Letters</i> , 2017 , 591, 4067-4073	3.8	9
310	A distinct function of the retinoblastoma protein in the control of lipid composition identified by lipidomic profiling. <i>Oncogenesis</i> , 2017 , 6, e350	6.6	17
309	Comparison of baseline characteristics and clinical course in Japanese patients with type 2 diabetes among whom different types of oral hypoglycemic agents were chosen by diabetes specialists as initial monotherapy (JDDM 42). <i>Medicine (United States)</i> , 2017 , 96, e6122	1.8	15
308	Role of Hormone-sensitive Lipase in Leptin-Promoted Fat Loss and Glucose Lowering. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017 , 24, 1105-1116	4	4
307	Utility of nonblood-based risk assessment for predicting type 2 diabetes mellitus: A meta-analysis. <i>Preventive Medicine</i> , 2016 , 91, 180-187	4.3	2
306	Hyperlipidemia and hepatitis in liver-specific CREB3L3 knockout mice generated using a one-step CRISPR/Cas9 system. <i>Scientific Reports</i> , 2016 , 6, 27857	4.9	25
305	Loss of SDHB Elevates Catecholamine Synthesis and Secretion Depending on ROS Production and HIF Stabilization. <i>Neurochemical Research</i> , 2016 , 41, 696-706	4.6	17
304	In Search of the Ideal Resistance Training Program to Improve Glycemic Control and its Indication for Patients with Type 2 Diabetes Mellitus: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2016 , 46, 67-77	10.6	45
303	Different Effects of Eicosapentaenoic and Docosahexaenoic Acids on Atherogenic High-Fat Diet-Induced Non-Alcoholic Fatty Liver Disease in Mice. <i>PLoS ONE</i> , 2016 , 11, e0157580	3.7	40
302	Comparative Binding Analysis of Dipeptidyl Peptidase IV (DPP-4) with Antidiabetic Drugs - An Ab Initio Fragment Molecular Orbital Study. <i>PLoS ONE</i> , 2016 , 11, e0166275	3.7	38
301	Crucial Role of Elovl6 in Chondrocyte Growth and Differentiation during Growth Plate Development in Mice. <i>PLoS ONE</i> , 2016 , 11, e0159375	3.7	7
300	Meta-analytic research on the relationship between cumulative risk alleles and risk of type 2 diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32, 178-86	7.5	1
299	Elongation of Long-Chain Fatty Acid Family Member 6 (Elovl6)-Driven Fatty Acid Metabolism Regulates Vascular Smooth Muscle Cell Phenotype Through AMP-Activated Protein Kinase/Krppel-Like Factor 4 (AMPK/KLF4) Signaling. <i>Journal of the American Heart Association</i> ,	6	20
298	CREB3L3 controls fatty acid oxidation and ketogenesis in synergy with PPAR\(\textit{\textit{Scientific Reports}}\), 2016 , 6, 39182	4.9	27
297	Association of eating three meals irregularly with changes in BMI and weight among young Japanese men and women: A 2-year follow-up. <i>Physiology and Behavior</i> , 2016 , 163, 81-87	3.5	4
296	KLF15 Enables Rapid Switching between Lipogenesis and Gluconeogenesis during Fasting. <i>Cell Reports</i> , 2016 , 16, 2373-86	10.6	<u> </u>
295	Intestinal CREBH overexpression prevents high-cholesterol diet-induced hypercholesterolemia by reducing expression. <i>Molecular Metabolism</i> , 2016 , 5, 1092-1102	8.8	19

294	Quantitative assessment of genetic testing for type 2 diabetes mellitus based on findings of genome-wide association studies. <i>Annals of Epidemiology</i> , 2016 , 26, 816-818.e6	6.4	O
293	Novel role for the CRTC2 in lipid homeostasis. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 677-9	3.9	4
292	Comparison of clinical characteristics in patients with type 2 diabetes among whom different antihyperglycemic agents were prescribed as monotherapy or combination therapy by diabetes specialists. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 260-9	3.9	10
291	Logistic regression analysis for identifying the factors affecting development of non-invasive blood glucose calibration model by near-infrared spectroscopy. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2015 , 148, 128-133	3.8	13
290	Identification of human ELOVL5 enhancer regions controlled by SREBP. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 465, 857-63	3.4	15
289	Skeletal muscle-specific HMG-CoA reductase knockout mice exhibit rhabdomyolysis: A model for statin-induced myopathy. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 466, 536-40	3.4	49
288	Subendocardial Systolic Dysfunction in Asymptomatic Normotensive Diabetic Patients. <i>Circulation Journal</i> , 2015 , 79, 1749-55	2.9	41
287	A common genetic variant of the chromogranin A-derived peptide catestatin is associated with atherogenesis and hypertension in a Japanese population. <i>Endocrine Journal</i> , 2015 , 62, 797-804	2.9	10
286	Circulating malondialdehyde-modified LDL-related variables and coronary artery stenosis in asymptomatic patients with type 2 diabetes. <i>Journal of Diabetes Research</i> , 2015 , 2015, 507245	3.9	5
285	Ligand-activated PPAREdependent DNA demethylation regulates the fatty acid Ebxidation genes in the postnatal liver. <i>Diabetes</i> , 2015 , 64, 775-84	0.9	38
284	Absence of Elovl6 attenuates steatohepatitis but promotes gallstone formation in a lithogenic diet-fed Ldlr(-/-) mouse model. <i>Scientific Reports</i> , 2015 , 5, 17604	4.9	15
283	Comparison of different aspects of BMI history to identify undiagnosed diabetes in Japanese men and women: Toranomon Hospital Health Management Center Study 12 (TOPICS 12). <i>Diabetic Medicine</i> , 2014 , 31, 1378-86	3.5	6
282	Estrogen receptor ligands ameliorate fatty liver through a nonclassical estrogen receptor/Liver X receptor pathway in mice. <i>Hepatology</i> , 2014 , 59, 1791-802	11.2	52
281	MafB promotes atherosclerosis by inhibiting foam-cell apoptosis. <i>Nature Communications</i> , 2014 , 5, 3147	' 17.4	69
280	High risk of failing eradication of Helicobacter pylori in patients with diabetes: a meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, 81-7	7.4	28
279	Ablation of Elovl6 protects pancreatic islets from high-fat diet-induced impairment of insulin secretion. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 450, 318-23	3.4	13
278	Plasma free metanephrines in the diagnosis of pheochromocytoma: diagnostic accuracy and strategies for Japanese patients. <i>Endocrine Journal</i> , 2014 , 61, 667-73	2.9	8
277	MicroRNA-33b knock-in mice for an intron of sterol regulatory element-binding factor 1 (Srebf1) exhibit reduced HDL-C in vivo. <i>Scientific Reports</i> , 2014 , 4, 5312	4.9	32

276	Comparison of the Framingham risk score, UK Prospective Diabetes Study (UKPDS) Risk Engine, Japanese Atherosclerosis Longitudinal Study-Existing Cohorts Combine (JALS-ECC) and maximum carotid intima-media thickness for predicting coronary artery stenosis in patients with	4	23
275	Utility of the triglyceride level for predicting incident diabetes mellitus according to the fasting status and body mass index category: the Ibaraki Prefectural Health Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014 , 21, 1152-69	4	13
274	New liver-Etell axis that controls insulin secretory capacity. <i>Journal of Diabetes Investigation</i> , 2014 , 5, 276-7	3.9	2
273	Hepatic CREB3L3 controls whole-body energy homeostasis and improves obesity and diabetes. <i>Endocrinology</i> , 2014 , 155, 4706-19	4.8	34
272	Association of Helicobacter pylori infection with glycemic control in patients with diabetes: a meta-analysis. <i>Journal of Diabetes Research</i> , 2014 , 2014, 250620	3.9	15
271	A novel processing system of sterol regulatory element-binding protein-1c regulated by polyunsaturated fatty acid. <i>Journal of Biochemistry</i> , 2014 , 155, 301-13	3.1	21
270	Association between physical activity and risk of all-cause mortality and cardiovascular disease in patients with diabetes: a meta-analysis. <i>Diabetes Care</i> , 2013 , 36, 471-9	14.6	114
269	Use of high-normal levels of haemoglobin A(1C) and fasting plasma glucose for diabetes screening and for prediction: a meta-analysis. <i>Diabetes/Metabolism Research and Reviews</i> , 2013 , 29, 680-92	7.5	17
268	Distinct regulation of plasma LDL cholesterol by eicosapentaenoic acid and docosahexaenoic acid in high fat diet-fed hamsters: participation of cholesterol ester transfer protein and LDL receptor. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013 , 88, 281-8	2.8	31
267	TFE3 inhibits myoblast differentiation in C2C12 cells via down-regulating gene expression of myogenin. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 430, 664-9	3.4	9
266	MicroRNA-33 regulates sterol regulatory element-binding protein 1 expression in mice. <i>Nature Communications</i> , 2013 , 4, 2883	17.4	147
265	TFE3 controls lipid metabolism in adipose tissue of male mice by suppressing lipolysis and thermogenesis. <i>Endocrinology</i> , 2013 , 154, 3577-88	4.8	26
264	Glycogen shortage during fasting triggers liver-brain-adipose neurocircuitry to facilitate fat utilization. <i>Nature Communications</i> , 2013 , 4, 2316	17.4	60
263	Development of a screening score for undiagnosed diabetes and its application in estimating absolute risk of future type 2 diabetes in Japan: Toranomon Hospital Health Management Center Study 10 (TOPICS 10). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1051-60	5.6	19
262	Role of alcohol drinking pattern in type 2 diabetes in Japanese men: the Toranomon Hospital Health Management Center Study 11 (TOPICS 11). <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 561-	8 7	27
261	Deranged fatty acid composition causes pulmonary fibrosis in Elovl6-deficient mice. <i>Nature Communications</i> , 2013 , 4, 2563	17.4	50
260	The Relationship between Diabetic Neuropathy and Sleep Apnea Syndrome: A Meta-Analysis. <i>Sleep Disorders</i> , 2013 , 2013, 150371	1.7	24
259	Quality and accuracy of Internet information concerning a healthy diet. <i>International Journal of Food Sciences and Nutrition</i> , 2013 , 64, 1007-13	3.7	12

(2012-2013)

258	SREBP-1c Tg mice fed high-fat and high-fructose diet. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 305, E1415-25	6	52
257	Insulin-dependent and -independent regulation of sterol regulatory element-binding protein-1c. <i>Journal of Diabetes Investigation</i> , 2013 , 4, 411-2	3.9	10
256	Association of living alone with the presence of undiagnosed diabetes in Japanese men: the role of modifiable risk factors for diabetes: Toranomon Hospital Health Management Center Study 13 (TOPICS 13). <i>Diabetic Medicine</i> , 2013 , 30, 1355-9	3.5	3
255	Diabetes and risk of hearing impairment in adults: a meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 51-8	5.6	141
254	Effect of postmenopausal status and age at menopause on type 2 diabetes and prediabetes in Japanese individuals: Toranomon Hospital Health Management Center Study 17 (TOPICS 17). <i>Diabetes Care</i> , 2013 , 36, 4007-14	14.6	64
253	Inhibition of autophagy enhances sunitinib-induced cytotoxicity in rat pheochromocytoma PC12 cells. <i>Journal of Pharmacological Sciences</i> , 2013 , 121, 67-73	3.7	35
252	Carotid artery plaque and LDL-to-HDL cholesterol ratio predict atherosclerotic status in coronary arteries in asymptomatic patients with type 2 diabetes mellitus. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013 , 20, 452-64	4	29
251	Identical germline mutations in the TMEM127 gene in two unrelated Japanese patients with bilateral pheochromocytoma. <i>Clinical Endocrinology</i> , 2012 , 77, 707-14	3.4	11
250	High normal HbA(1c) levels were associated with impaired insulin secretion without escalating insulin resistance in Japanese individuals: the Toranomon Hospital Health Management Center Study 8 (TOPICS 8). <i>Diabetic Medicine</i> , 2012 , 29, 1285-90	3.5	22
249	Screening for pre-diabetes to predict future diabetes using various cut-off points for HbA(1c) and impaired fasting glucose: the Toranomon Hospital Health Management Center Study 4 (TOPICS 4). <i>Diabetic Medicine</i> , 2012 , 29, e279-85	3.5	49
248	Elovl6 promotes nonalcoholic steatohepatitis. <i>Hepatology</i> , 2012 , 56, 2199-208	11.2	120
247	GLUT12: a second insulin-responsive glucose transporters as an emerging target for type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2012 , 3, 130-1	3.9	5
246	Novel qualitative aspects of tissue fatty acids related to metabolic regulation: lessons from Elovl6 knockout. <i>Progress in Lipid Research</i> , 2012 , 51, 267-71	14.3	35
245	Dicer has a crucial role in the early stage of adipocyte differentiation, but not in lipid synthesis, in 3T3-L1 cells. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 420, 931-6	3.4	13
244	Longitudinal trajectories of HbA1c and fasting plasma glucose levels during the development of type 2 diabetes: the Toranomon Hospital Health Management Center Study 7 (TOPICS 7). <i>Diabetes Care</i> , 2012 , 35, 1050-2	14.6	32
243	Low lung function and risk of type 2 diabetes in Japanese men: the Toranomon Hospital Health Management Center Study 9 (TOPICS 9). <i>Mayo Clinic Proceedings</i> , 2012 , 87, 853-61	6.4	25
242	Development of a new scoring system for predicting the 5lyear incidence of type 2 diabetes in Japan: the Toranomon Hospital Health Management Center Study 6 (TOPICS 6). <i>Diabetologia</i> , 2012 , 55, 3213-23	10.3	33
241	Fasting and post-challenge glucose as quantitative cardiovascular risk factors: a meta-analysis. Journal of Atherosclerosis and Thrombosis, 2012, 19, 385-96	4	17

240	HbA(1c) variability and the development of microalbuminuria in type 2 diabetes: Tsukuba Kawai Diabetes Registry 2. <i>Diabetologia</i> , 2012 , 55, 2128-31	10.3	75
239	Sunitinib inhibits catecholamine synthesis and secretion in pheochromocytoma tumor cells by blocking VEGF receptor 2 via PLC-Frelated pathways. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 303, E1006-14	6	16
238	A case of acute adrenal insufficiency unmasked during sunitinib treatment for metastatic renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 764-6	2.8	7
237	Impact of psychological stress caused by the Great East Japan Earthquake on glycemic control in patients with diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012 , 120, 560-3	2.3	32
236	Sunitinib induces apoptosis in pheochromocytoma tumor cells by inhibiting VEGFR2/Akt/mTOR/S6K1 pathways through modulation of Bcl-2 and BAD. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 302, E615-25	6	37
235	TFE3 regulates muscle metabolic gene expression, increases glycogen stores, and enhances insulin sensitivity in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 302, E896-902	6	26
234	Comparison of various lipid variables as predictors of coronary heart disease in Japanese men and women with type 2 diabetes: subanalysis of the Japan Diabetes Complications Study. <i>Diabetes Care</i> , 2012 , 35, 1150-7	14.6	38
233	Comparisons of the strength of associations with future type 2 diabetes risk among anthropometric obesity indicators, including waist-to-height ratio: a meta-analysis. <i>American Journal of Epidemiology</i> , 2012 , 176, 959-69	3.8	150
232	Effect of Web-based lifestyle modification on weight control: a meta-analysis. <i>International Journal of Obesity</i> , 2012 , 36, 675-85	5.5	98
231	Quality of Internet information related to the Mediterranean diet. <i>Public Health Nutrition</i> , 2012 , 15, 885	5- <u>9.3</u>	25
230	Self-reported fast eating is a potent predictor of development of impaired glucose tolerance in Japanese men and women: Tsukuba Medical Center Study. <i>Diabetes Research and Clinical Practice</i> , 2011 , 94, e72-4	7.4	7
229	Molecular mechanisms involved in hepatic steatosis and insulin resistance. <i>Journal of Diabetes Investigation</i> , 2011 , 2, 170-5	3.9	43
228	HbA1c 517-614% and impaired fasting plasma glucose for diagnosis of prediabetes and risk of progression to diabetes in Japan (TOPICS 3): a longitudinal cohort study. <i>Lancet, The</i> , 2011 , 378, 147-55	40	167
227	Skipping breakfast and prevalence of overweight and obesity in Asian and Pacific regions: a meta-analysis. <i>Preventive Medicine</i> , 2011 , 53, 260-7	4.3	155
226	Suppression of the pancreatic duodenal homeodomain transcription factor-1 (Pdx-1) promoter by sterol regulatory element-binding protein-1c (SREBP-1c). <i>Journal of Biological Chemistry</i> , 2011 , 286, 279	οδ2 ¹ 14	8
225	Macrophage Elovl6 deficiency ameliorates foam cell formation and reduces atherosclerosis in low-density lipoprotein receptor-deficient mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 1973-9	9.4	20
224	Sterol regulatory element-binding protein-1 determines plasma remnant lipoproteins and accelerates atherosclerosis in low-density lipoprotein receptor-deficient mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 1788-95	9.4	33
223	Inhibition of ubiquitin ligase F-box and WD repeat domain-containing 7[Fbw7]causes hepatosteatosis through Krppel-like factor 5 (KLF5)/peroxisome proliferator-activated receptor [2] (PPAR[2]) pathway but not SREBP-1c protein in mice. <i>Journal of Biological Chemistry</i> , 2011 , 286, 40835-	5.4 46	22

222	Efficacy and safety of pitavastatin in Japanese patients with hypercholesterolemia: LIVES study and subanalysis. <i>Expert Review of Cardiovascular Therapy</i> , 2011 , 9, 555-62	2.5	29
221	Effects of pitavastatin (LIVALO tablet) on the estimated glomerular filtration rate (eGFR) in hypercholesterolemic patients with chronic kidney disease. Sub-analysis of the LIVALO Effectiveness and Safety (LIVES) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 601-9	4	48
220	New evidence on pitavastatin: efficacy and safety in clinical studies. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 817-28	4	39
219	Polyunsaturated fatty acids selectively suppress sterol regulatory element-binding protein-1 through proteolytic processing and autoloop regulatory circuit. <i>Journal of Biological Chemistry</i> , 2010 , 285, 11681-91	5.4	103
218	Protein kinase Cbeta mediates hepatic induction of sterol-regulatory element binding protein-1c by insulin. <i>Journal of Lipid Research</i> , 2010 , 51, 1859-70	6.3	26
217	Scleraxis and E47 cooperatively regulate the Sox9-dependent transcription. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 148-56	5.6	51
216	The liver-enriched transcription factor CREBH is nutritionally regulated and activated by fatty acids and PPARalpha. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 391, 1222-7	3.4	53
215	Development of a bioassay to screen for chemicals mimicking the anti-aging effects of calorie restriction. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 401, 213-8	3.4	12
214	Cide-a and Cide-c are induced in the progression of hepatic steatosis and inhibited by eicosapentaenoic acid. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2010 , 83, 75-81	2.8	15
213	Thunderclap headache without hypertension in a patient with pheochromocytoma. <i>Journal of Headache and Pain</i> , 2010 , 11, 441-4	8.8	4
212	Adiponectin and adiponectin receptors in human pheochromocytoma. <i>Journal of Atherosclerosis and Thrombosis</i> , 2009 , 16, 442-7	4	11
211	Effects of pitavastatin (LIVALO Tablet) on high density lipoprotein cholesterol (HDL-C) in hypercholesterolemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2009 , 16, 654-61	4	55
210	Influence of fat and carbohydrate proportions on the metabolic profile in patients with type 2 diabetes: a meta-analysis. <i>Diabetes Care</i> , 2009 , 32, 959-65	14.6	119
209	Cardiorespiratory fitness as a quantitative predictor of all-cause mortality and cardiovascular events in healthy men and women: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 2024-35	27.4	1725
208	SCAP is required for timely and proper myelin membrane synthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 21383-8	11.5	75
207	ApoAII controversy still in rabbit?. Arteriosclerosis, Thrombosis, and Vascular Biology, 2009, 29, 1984-5	9.4	2
206	Elovl6: a new player in fatty acid metabolism and insulin sensitivity. <i>Journal of Molecular Medicine</i> , 2009 , 87, 379-84	5.5	110
205	TGF-beta activates Akt kinase through a microRNA-dependent amplifying circuit targeting PTEN. Nature Cell Biology, 2009 , 11, 881-9	23.4	482

204	SREBPs: novel aspects of SREBPs in the regulation of lipid synthesis. FEBS Journal, 2009, 276, 615	5.7	12
203	SREBPs: physiology and pathophysiology of the SREBP family. FEBS Journal, 2009, 276, 616-21	5.7	124
202	Nuclear SREBP-1a causes loss of pancreatic beta-cells and impaired insulin secretion. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 378, 545-50	3.4	15
201	The up-regulation of microRNA-335 is associated with lipid metabolism in liver and white adipose tissue of genetically obese mice. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 385, 492-	6 ^{3.4}	148
200	Hormone-sensitive lipase deficiency suppresses insulin secretion from pancreatic islets of Lep ob/ob mice. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 387, 511-5	3.4	5
199	SPARC is a major secretory gene expressed and involved in the development of proliferative diabetic retinopathy. <i>Journal of Atherosclerosis and Thrombosis</i> , 2009 , 16, 69-76	4	16
198	Mouse Elovl-6 promoter is an SREBP target. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 368, 261-6	3.4	77
197	Induction of ABCA1 by overexpression of hormone-sensitive lipase in macrophages. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 376, 111-5	3.4	11
196	Activation of sterol regulatory element-binding protein 1c and fatty acid synthase transcription by hepatitis C virus non-structural protein 2. <i>Journal of General Virology</i> , 2008 , 89, 1225-1230	4.9	90
195	Palmitate impairs and eicosapentaenoate restores insulin secretion through regulation of SREBP-1c in pancreatic islets. <i>Diabetes</i> , 2008 , 57, 2382-92	0.9	72
194	Cyclin-dependent kinase inhibitor, p21WAF1/CIP1, is involved in adipocyte differentiation and hypertrophy, linking to obesity, and insulin resistance. <i>Journal of Biological Chemistry</i> , 2008 , 283, 21220	-5 ·4	68
193	Hormone-sensitive lipase is involved in hepatic cholesteryl ester hydrolysis. <i>Journal of Lipid Research</i> , 2008 , 49, 1829-38	6.3	46
192	Cholesterol accumulation and diabetes in pancreatic beta-cell-specific SREBP-2 transgenic mice: a new model for lipotoxicity. <i>Journal of Lipid Research</i> , 2008 , 49, 2524-34	6.3	71
191	SREBP1 is required for the induction by glucose of pancreatic beta-cell genes involved in glucose sensing. <i>Journal of Lipid Research</i> , 2008 , 49, 814-22	6.3	22
190	Diffusion tensor imaging in chronic subdural hematoma: correlation between clinical signs and fractional anisotropy in the pyramidal tract. <i>American Journal of Neuroradiology</i> , 2008 , 29, 1159-63	4.4	29
189	Parasympathetic response in chick myocytes and mouse heart is controlled by SREBP. <i>Journal of Clinical Investigation</i> , 2008 , 118, 259-71	15.9	126
188	Proposed guidelines for hypertriglyceridemia in Japan with non-HDL cholesterol as the second target. <i>Journal of Atherosclerosis and Thrombosis</i> , 2008 , 15, 116-21	4	46
187	Crucial role of a long-chain fatty acid elongase, Elovl6, in obesity-induced insulin resistance. <i>Nature Medicine</i> , 2007 , 13, 1193-202	50.5	380

(2006-2007)

186	Sterol regulatory element-binding protein-1c and pancreatic beta-cell dysfunction. <i>Diabetes, Obesity and Metabolism</i> , 2007 , 9 Suppl 2, 133-9	6.7	26
185	A transcription factor of lipid synthesis, sterol regulatory element-binding protein (SREBP)-1a causes G(1) cell-cycle arrest after accumulation of cyclin-dependent kinase (cdk) inhibitors. <i>FEBS Journal</i> , 2007 , 274, 4440-52	5.7	31
184	Risk imparted by various parameters of smoking in Japanese men with type 2 diabetes on their development of microalbuminuria: analysis from the Tsukuba Kawai Diabetes Registry. <i>Diabetes Care</i> , 2007 , 30, 1286-8	14.6	9
183	SREBP-1-independent regulation of lipogenic gene expression in adipocytes. <i>Journal of Lipid Research</i> , 2007 , 48, 1581-91	6.3	90
182	Effect of aerobic exercise training on serum levels of high-density lipoprotein cholesterol: a meta-analysis. <i>Archives of Internal Medicine</i> , 2007 , 167, 999-1008		379
181	Protein kinase A suppresses sterol regulatory element-binding protein-1C expression via phosphorylation of liver X receptor in the liver. <i>Journal of Biological Chemistry</i> , 2007 , 282, 11687-95	5.4	79
180	Even low-intensity and low-volume exercise training may improve insulin resistance in the elderly. <i>Internal Medicine</i> , 2007 , 46, 1071-7	1.1	31
179	In vivo promoter analysis on refeeding response of hepatic sterol regulatory element-binding protein-1c expression. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 363, 329-35	3.4	16
178	Involvement of glomerular SREBP-1c in diabetic nephropathy. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 364, 502-8	3.4	47
177	SREBP-1c expression in Schwann cells is affected by diabetes and nutritional status. <i>Molecular and Cellular Neurosciences</i> , 2007 , 35, 525-34	4.8	29
176	SREBP-1c and TFE3, energy transcription factors that regulate hepatic insulin signaling. <i>Journal of Molecular Medicine</i> , 2007 , 85, 437-44	5.5	39
175	Abdominal Irradiation Ameliorates Obesity in ob/ob Mice. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2007 , 40, 123-30	3.1	9
174	Identification of ISG12b as a putative interferon-inducible adipocytokine which is highly expressed in white adipose tissue. <i>Journal of Atherosclerosis and Thrombosis</i> , 2007 , 14, 179-84	4	6
173	Antioxidants and an inhibitor of advanced glycation ameliorate death of retinal microvascular cells in diabetic retinopathy. <i>Diabetes/Metabolism Research and Reviews</i> , 2006 , 22, 38-45	7.5	40
172	Increased cholesterol biosynthesis and hypercholesterolemia in mice overexpressing squalene synthase in the liver. <i>Journal of Lipid Research</i> , 2006 , 47, 1950-8	6.3	27
171	Regulation of hepatic cholesterol synthesis by a novel protein (SPF) that accelerates cholesterol biosynthesis. <i>FASEB Journal</i> , 2006 , 20, 2642-4	0.9	21
170	Identification of a novel member of the carboxylesterase family that hydrolyzes triacylglycerol: a potential role in adipocyte lipolysis. <i>Diabetes</i> , 2006 , 55, 2091-7	0.9	69
169	Granuphilin is activated by SREBP-1c and involved in impaired insulin secretion in diabetic mice. <i>Cell Metabolism</i> , 2006 , 4, 143-54	24.6	55

168	SREBP inhibits VEGF expression in human smooth muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 342, 354-60	3.4	13
167	MafK overexpression in pancreatic beta-cells caused impairment of glucose-stimulated insulin secretion. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 346, 671-80	3.4	11
166	Distinct effects of pravastatin, atorvastatin, and simvastatin on insulin secretion from a beta-cell line, MIN6 cells. <i>Journal of Atherosclerosis and Thrombosis</i> , 2006 , 13, 329-35	4	61
165	TFE3 transcriptionally activates hepatic IRS-2, participates in insulin signaling and ameliorates diabetes. <i>Nature Medicine</i> , 2006 , 12, 107-13	50.5	124
164	Transgenic mice overexpressing SREBP-1a under the control of the PEPCK promoter exhibit insulin resistance, but not diabetes. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2005 , 1740, 427-3	3 4.9	18
163	Plasma chloride concentration as a new diagnostic indicator of insulin insufficiency. <i>Diabetes Research and Clinical Practice</i> , 2005 , 67, 137-43	7.4	0
162	Co-ordinate activation of lipogenic enzymes in hepatocellular carcinoma. <i>European Journal of Cancer</i> , 2005 , 41, 1316-22	7.5	183
161	Effects of atorvastatin on glucose metabolism and insulin resistance in KK/Ay mice. <i>Journal of Atherosclerosis and Thrombosis</i> , 2005 , 12, 77-84	4	38
160	Receptor-type protein tyrosine phosphatase epsilon (PTPepsilonM) is a negative regulator of insulin signaling in primary hepatocytes and liver. <i>Zoological Science</i> , 2005 , 22, 169-75	0.8	30
159	Lipid synthetic transcription factor SREBP-1a activates p21WAF1/CIP1, a universal cyclin-dependent kinase inhibitor. <i>Molecular and Cellular Biology</i> , 2005 , 25, 8938-47	4.8	50
158	High mobility group protein-B1 interacts with sterol regulatory element-binding proteins to enhance their DNA binding. <i>Journal of Biological Chemistry</i> , 2005 , 280, 27523-32	5.4	28
157	Sterol regulatory element-binding proteins activate insulin gene promoter directly and indirectly through synergy with BETA2/E47. <i>Journal of Biological Chemistry</i> , 2005 , 280, 34577-89	5.4	23
156	Transgenic mice overexpressing nuclear SREBP-1c in pancreatic beta-cells. <i>Diabetes</i> , 2005 , 54, 492-9	0.9	73
155	Insulin-independent induction of sterol regulatory element-binding protein-1c expression in the livers of streptozotocin-treated mice. <i>Diabetes</i> , 2004 , 53, 560-9	0.9	151
154	SREBP-1 interacts with hepatocyte nuclear factor-4 alpha and interferes with PGC-1 recruitment to suppress hepatic gluconeogenic genes. <i>Journal of Biological Chemistry</i> , 2004 , 279, 12027-35	5.4	120
153	p53 involvement in the pathogenesis of fatty liver disease. <i>Journal of Biological Chemistry</i> , 2004 , 279, 20571-5	5.4	87
152	Absence of hormone-sensitive lipase inhibits obesity and adipogenesis in Lep ob/ob mice. <i>Journal of Biological Chemistry</i> , 2004 , 279, 15084-90	5.4	45
151	Scavenger receptor expressed by endothelial cells I (SREC-I) mediates the uptake of acetylated low density lipoproteins by macrophages stimulated with lipopolysaccharide. <i>Journal of Biological Chemistry</i> , 2004 , 279, 30938-44	5.4	52

150	SREBPs suppress IRS-2-mediated insulin signalling in the liver. <i>Nature Cell Biology</i> , 2004 , 6, 351-7	23.4	260
149	Statins downregulate ATP-binding-cassette transporter A1 gene expression in macrophages. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 316, 790-4	3.4	51
148	WGEF is a novel RhoGEF expressed in intestine, liver, heart, and kidney. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 324, 1053-8	3.4	18
147	Microarray Analyses of SREBP-1 Target Genes 2004 , 237-248		
146	p57Kip2 regulates actin dynamics by binding and translocating LIM-kinase 1 to the nucleus. <i>Journal of Biological Chemistry</i> , 2003 , 278, 52919-23	5.4	88
145	p53 Activation in adipocytes of obese mice. <i>Journal of Biological Chemistry</i> , 2003 , 278, 25395-400	5.4	155
144	FEEL-1 and FEEL-2 are endocytic receptors for advanced glycation end products. <i>Journal of Biological Chemistry</i> , 2003 , 278, 12613-7	5.4	138
143	Cross-talk between peroxisome proliferator-activated receptor (PPAR) alpha and liver X receptor (LXR) in nutritional regulation of fatty acid metabolism. I. PPARs suppress sterol regulatory element binding protein-1c promoter through inhibition of LXR signaling. <i>Molecular Endocrinology</i> ,		214
142	Effect of thiazolidinediones and metformin on LDL oxidation and aortic endothelium relaxation in diabetic GK rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 284, E1125-30	6	50
141	Polyunsaturated fatty acids ameliorate hepatic steatosis in obese mice by SREBP-1 suppression. Hepatology, 2003 , 38, 1529-39	11.2	251
140	Mouse MafA, homologue of zebrafish somite Maf 1, contributes to the specific transcriptional activity through the insulin promoter. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 312, 831-42	3.4	57
139	Physiological changes in circulating mannose levels in normal, glucose-intolerant, and diabetic subjects. <i>Metabolism: Clinical and Experimental</i> , 2003 , 52, 1019-27	12.7	35
138	Cross-talk between peroxisome proliferator-activated receptor (PPAR) alpha and liver X receptor (LXR) in nutritional regulation of fatty acid metabolism. II. LXRs suppress lipid degradation gene promoters through inhibition of PPAR signaling. <i>Molecular Endocrinology</i> , 2003 , 17, 1255-67		140
137	Sterol regulatory element-binding protein-2 interacts with hepatocyte nuclear factor-4 to enhance sterol isomerase gene expression in hepatocytes. <i>Journal of Biological Chemistry</i> , 2003 , 278, 36176-82	5.4	58
136	Early embryonic lethality caused by targeted disruption of the 3-hydroxy-3-methylglutaryl-CoA reductase gene. <i>Journal of Biological Chemistry</i> , 2003 , 278, 42936-41	5.4	77
135	Hepatic Akt activation induces marked hypoglycemia, hepatomegaly, and hypertriglyceridemia with sterol regulatory element binding protein involvement. <i>Diabetes</i> , 2003 , 52, 2905-13	0.9	132
134	PKClambda in liver mediates insulin-induced SREBP-1c expression and determines both hepatic lipid content and overall insulin sensitivity. <i>Journal of Clinical Investigation</i> , 2003 , 112, 935-44	15.9	79
133	PKCIIn liver mediates insulin-induced SREBP-1c expression and determines both hepatic lipid content and overall insulin sensitivity. <i>Journal of Clinical Investigation</i> , 2003 , 112, 935-944	15.9	136

132	Transcriptional activities of nuclear SREBP-1a, -1c, and -2 to different target promoters of lipogenic and cholesterogenic genes. <i>Journal of Lipid Research</i> , 2002 , 43, 1220-1235	6.3	262
131	Absence of sterol regulatory element-binding protein-1 (SREBP-1) ameliorates fatty livers but not obesity or insulin resistance in Lep(ob)/Lep(ob) mice. <i>Journal of Biological Chemistry</i> , 2002 , 277, 19353	-7 ^{5.4}	284
130	Lipolysis in the absence of hormone-sensitive lipase: evidence for a common mechanism regulating distinct lipases. <i>Diabetes</i> , 2002 , 51, 3368-75	0.9	98
129	Cerebral hemorrhagic infarction after radiation for pituitary adenoma. <i>Internal Medicine</i> , 2002 , 41, 834	-8 _{1.1}	5
128	Elimination of cholesterol ester from macrophage foam cells by adenovirus-mediated gene transfer of hormone-sensitive lipase. <i>Journal of Biological Chemistry</i> , 2002 , 277, 31893-9	5.4	32
127	Acetyl-coenzyme A synthetase is a lipogenic enzyme controlled by SREBP-1 and energy status. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002 , 282, E222-30	6	67
126	A kindred of familial acromegaly without evidence for linkage to MEN-1 locus. <i>Endocrine Journal</i> , 2002 , 49, 425-31	2.9	3
125	Insulin inhibits apoptosis of macrophage cell line, THP-1 cells, via phosphatidylinositol-3-kinase-dependent pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 380-6	9.4	48
124	Polyunsaturated fatty acids suppress sterol regulatory element-binding protein 1c promoter activity by inhibition of liver X receptor (LXR) binding to LXR response elements. <i>Journal of Biological Chemistry</i> , 2002 , 277, 1705-11	5.4	299
123	Sterol regulatory element-binding protein family as global regulators of lipid synthetic genes in energy metabolism. <i>Vitamins and Hormones</i> , 2002 , 65, 167-94	2.5	99
122	Resistin is regulated by C/EBPs, PPARs, and signal-transducing molecules. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 299, 291-8	3.4	54
121	PPAR gamma ligands, troglitazone and pioglitazone, up-regulate expression of HMG-CoA synthase and HMG-CoA reductase gene in THP-1 macrophages. <i>FEBS Letters</i> , 2002 , 520, 177-81	3.8	35
120	HMG-CoA reductase inhibitor decreases small dense low-density lipoprotein and remnant-like particle cholesterol in patients with type-2 diabetes. <i>Life Sciences</i> , 2002 , 71, 2403-12	6.8	36
119	Dual regulation of mouse B- and B-desaturase gene expression by SREBP-1 and PPAR[] <i>Journal of Lipid Research</i> , 2002 , 43, 107-114	6.3	229
118	Cloning and characterization of a mammalian fatty acyl-CoA elongase as a lipogenic enzyme regulated by SREBPs. <i>Journal of Lipid Research</i> , 2002 , 43, 911-920	6.3	142
117	Dual regulation of mouse Delta(5)- and Delta(6)-desaturase gene expression by SREBP-1 and PPARalpha. <i>Journal of Lipid Research</i> , 2002 , 43, 107-14	6.3	206
116	Cloning and characterization of a mammalian fatty acyl-CoA elongase as a lipogenic enzyme regulated by SREBPs. <i>Journal of Lipid Research</i> , 2002 , 43, 911-20	6.3	123
115	Transcriptional activities of nuclear SREBP-1a, -1c, and -2 to different target promoters of lipogenic and cholesterogenic genes. <i>Journal of Lipid Research</i> , 2002 , 43, 1220-35	6.3	115

(2000-2001)

114	Insulin up-regulates tumor necrosis factor-alpha production in macrophages through an extracellular-regulated kinase-dependent pathway. <i>Journal of Biological Chemistry</i> , 2001 , 276, 32531-7	5.4	44
113	Severe hypercholesterolemia, hypertriglyceridemia, and atherosclerosis in mice lacking both leptin and the low density lipoprotein receptor. <i>Journal of Biological Chemistry</i> , 2001 , 276, 37402-8	5.4	166
112	Troglitazone inhibits atherosclerosis in apolipoprotein E-knockout mice: pleiotropic effects on CD36 expression and HDL. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 372-7	9.4	301
111	Asialoglycoprotein receptor deficiency in mice lacking the major receptor subunit. Its obligate requirement for the stable expression of oligomeric receptor. <i>Journal of Biological Chemistry</i> , 2001 , 276, 12624-8	5.4	64
110	Identification of liver X receptor-retinoid X receptor as an activator of the sterol regulatory element-binding protein 1c gene promoter. <i>Molecular and Cellular Biology</i> , 2001 , 21, 2991-3000	4.8	433
109	Effects of probucol on atherosclerosis of apoE-deficient or LDL receptor-deficient mice. <i>Hormone and Metabolic Research</i> , 2001 , 33, 472-9	3.1	13
108	Neutralization of vascular endothelial growth factor prevents collagen-induced arthritis and ameliorates established disease in mice. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 281, 562-8	3.4	104
107	Sterol regulatory element-binding proteins induce an entire pathway of cholesterol synthesis. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 286, 176-83	3.4	164
106	Sterol regulatory element-binding proteins (SREBPs): transcriptional regulators of lipid synthetic genes. <i>Progress in Lipid Research</i> , 2001 , 40, 439-52	14.3	534
105	Elevated levels of vascular endothelial growth factor in the sera of patients with rheumatoid arthritis correlation with disease activity. <i>Life Sciences</i> , 2001 , 69, 1861-9	6.8	47
105		6.8	47
·	arthritis correlation with disease activity. <i>Life Sciences</i> , 2001 , 69, 1861-9	6.8	47 65
104	arthritis correlation with disease activity. <i>Life Sciences</i> , 2001 , 69, 1861-9 Sterol regulation by SREBPs in vivo. <i>The Journal of Japan Atherosclerosis Society</i> , 2001 , 28, 133-136 Sterol regulatory element-binding protein-1 as a dominant transcription factor for gene regulation		
104	arthritis correlation with disease activity. <i>Life Sciences</i> , 2001 , 69, 1861-9 Sterol regulation by SREBPs in vivo. <i>The Journal of Japan Atherosclerosis Society</i> , 2001 , 28, 133-136 Sterol regulatory element-binding protein-1 as a dominant transcription factor for gene regulation of lipogenic enzymes in the liver. <i>Trends in Cardiovascular Medicine</i> , 2000 , 10, 275-8 Promoter analysis of the mouse sterol regulatory element-binding protein-1c gene. <i>Journal of</i>	6.9	65
104	Sterol regulation by SREBPs in vivo. <i>The Journal of Japan Atherosclerosis Society</i> , 2001 , 28, 133-136 Sterol regulatory element-binding protein-1 as a dominant transcription factor for gene regulation of lipogenic enzymes in the liver. <i>Trends in Cardiovascular Medicine</i> , 2000 , 10, 275-8 Promoter analysis of the mouse sterol regulatory element-binding protein-1c gene. <i>Journal of Biological Chemistry</i> , 2000 , 275, 31078-85 Absence of ACAT-1 attenuates atherosclerosis but causes dry eye and cutaneous xanthomatosis in	6.9	65 198
104 103 102	Sterol regulation by SREBPs in vivo. <i>The Journal of Japan Atherosclerosis Society</i> , 2001 , 28, 133-136 Sterol regulatory element-binding protein-1 as a dominant transcription factor for gene regulation of lipogenic enzymes in the liver. <i>Trends in Cardiovascular Medicine</i> , 2000 , 10, 275-8 Promoter analysis of the mouse sterol regulatory element-binding protein-1c gene. <i>Journal of Biological Chemistry</i> , 2000 , 275, 31078-85 Absence of ACAT-1 attenuates atherosclerosis but causes dry eye and cutaneous xanthomatosis in mice with congenital hyperlipidemia. <i>Journal of Biological Chemistry</i> , 2000 , 275, 21324-30 Transcriptional regulation of the ATP citrate-lyase gene by sterol regulatory element-binding	6.9 5.4 5.4	65 198 143
104 103 102 101	Sterol regulation by SREBPs in vivo. <i>The Journal of Japan Atherosclerosis Society</i> , 2001 , 28, 133-136 Sterol regulatory element-binding protein-1 as a dominant transcription factor for gene regulation of lipogenic enzymes in the liver. <i>Trends in Cardiovascular Medicine</i> , 2000 , 10, 275-8 Promoter analysis of the mouse sterol regulatory element-binding protein-1c gene. <i>Journal of Biological Chemistry</i> , 2000 , 275, 31078-85 Absence of ACAT-1 attenuates atherosclerosis but causes dry eye and cutaneous xanthomatosis in mice with congenital hyperlipidemia. <i>Journal of Biological Chemistry</i> , 2000 , 275, 21324-30 Transcriptional regulation of the ATP citrate-lyase gene by sterol regulatory element-binding proteins. <i>Journal of Biological Chemistry</i> , 2000 , 275, 12497-502 Sterol regulatory element-binding protein-1 is regulated by glucose at the transcriptional level.	6.95.45.4	65 198 143 98

96	Sterol regulatory element-binding protein-1 as a key transcription factor for nutritional induction of lipogenic enzyme genes. <i>Journal of Biological Chemistry</i> , 1999 , 274, 35832-9	5.4	523
95	A crucial role of sterol regulatory element-binding protein-1 in the regulation of lipogenic gene expression by polyunsaturated fatty acids. <i>Journal of Biological Chemistry</i> , 1999 , 274, 35840-4	5.4	272
94	Absence of Cd36 mutation in the original spontaneously hypertensive rats with insulin resistance. <i>Nature Genetics</i> , 1999 , 22, 226-8	36.3	54
93	Disruption of LDL receptor gene in transgenic SREBP-1a mice unmasks hyperlipidemia resulting from production of lipid-rich VLDL. <i>Journal of Clinical Investigation</i> , 1999 , 103, 1067-76	15.9	148
92	Approaches to extra low voltage DRAM operation by SOI-DRAM. <i>IEEE Transactions on Electron Devices</i> , 1998 , 45, 1000-1009	2.9	14
91	Nuclear sterol regulatory element-binding proteins activate genes responsible for the entire program of unsaturated fatty acid biosynthesis in transgenic mouse liver. <i>Journal of Biological Chemistry</i> , 1998 , 273, 35299-306	5.4	283
90	Regulation of sterol regulatory element binding proteins in livers of fasted and refed mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 5987-92	11.5	543
89	Cholesterol lowering in low density lipoprotein receptor knockout mice overexpressing apolipoprotein E. <i>Journal of Clinical Investigation</i> , 1998 , 102, 386-94	15.9	17
88	Activation of cholesterol synthesis in preference to fatty acid synthesis in liver and adipose tissue of transgenic mice overproducing sterol regulatory element-binding protein-2. <i>Journal of Clinical Investigation</i> , 1998 , 101, 2331-9	15.9	537
87	Effect of macrophage colony stimulating factor on the advanced atherosclerosis in Watanabe heritable hyperlipidemic rabbits. <i>Hormone and Metabolic Research</i> , 1997 , 29, 507-9	3.1	6
86	Suppression of neutral cholesterol ester hydrolase activity by antisense DNA of hormone-sensitive lipase. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 233, 655-7	3.4	10
85	Cholesterol feeding reduces nuclear forms of sterol regulatory element binding proteins in hamster liver. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 12354-9	11.5	127
84	Differential expression of exons 1a and 1c in mRNAs for sterol regulatory element binding protein-1 in human and mouse organs and cultured cells. <i>Journal of Clinical Investigation</i> , 1997 , 99, 838-	4 5 5.9	601
83	Isoform 1c of sterol regulatory element binding protein is less active than isoform 1a in livers of transgenic mice and in cultured cells. <i>Journal of Clinical Investigation</i> , 1997 , 99, 846-54	15.9	632
82	Elevated levels of SREBP-2 and cholesterol synthesis in livers of mice homozygous for a targeted disruption of the SREBP-1 gene. <i>Journal of Clinical Investigation</i> , 1997 , 100, 2115-24	15.9	342
81	Overproduction of cholesterol and fatty acids causes massive liver enlargement in transgenic mice expressing truncated SREBP-1a. <i>Journal of Clinical Investigation</i> , 1996 , 98, 1575-84	15.9	655
80	Transgenic mouse and gene therapy. <i>Diabetes</i> , 1996 , 45 Suppl 3, S129-32	0.9	7
79	Dose-dependent effect of niceritrol on plasma lipoprotein-a. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1996 , 56, 359-65	2	8

Diet and Hyperlipidemia in Transgenic Mouse. The Journal of Japan Atherosclerosis Society, 1996, 78 23, 419-422 Roles of Apolipoprotein E in Lipoprotein Metabolism and Atherosclerosis: Insights From Transgenic 77 Mice. Medical Science Symposia Series, 1996, 271-279 Effects of platelet-derived growth factor on the synthesis of lipoprotein lipase in human 76 17 9.4 monocyte-derived macrophages. Arteriosclerosis, Thrombosis, and Vascular Biology, 1995, 15, 522-8 Role of apolipoprotein E in lipoprotein metabolism and in the process of atherosclerosis. Journal of 75 4 Atherosclerosis and Thrombosis, 1995, 2 Suppl 1, S29-33 Overexpression of apolipoprotein E prevents development of diabetic hyperlipidemia in transgenic 18 0.9 74 mice. Diabetes, 1995, 44, 580-5 CTG triplet repeat in mouse growth inhibitory factor/metallothionein III gene promoter represses the transcriptional activity of the heterologous promoters. Journal of Biological Chemistry, 1995, 28 73 5.4 270, 20898-900 Inhibition of diet-induced atheroma formation in transgenic mice expressing apolipoprotein E in 72 110 15.9 the arterial wall. Journal of Clinical Investigation, 1995, 95, 469-76 Overexpression of apolipoprotein E prevents development of diabetic hyperlipidemia in transgenic 0.9 4 mice. Diabetes, 1995, 44, 580-585 Role of ApoE in the Metabolism of Triglyceride-rich Lipoproteins: Transgenic Mice Overexpressing 70 Apolipoprotein E. The Journal of Japan Atherosclerosis Society, 1995, 22, 815-818 Induction of LDL receptor-related protein during the differentiation of monocyte-macrophages. Possible involvement in the atherosclerotic process. Arteriosclerosis and Thrombosis: A Journal of 69 42 Vascular Biology, 1994, 14, 1000-6 Increased risk factors for coronary artery disease in Japanese subjects with hyperinsulinemia or 68 14.6 49 glucose intolerance. Diabetes Care, 1994, 17, 107-14 Metabolism of chylomicron remnants in transgenic mice expressing apolipoprotein E in the 67 2 3.4 intestine. Biochemical and Biophysical Research Communications, 1994, 200, 716-21 Regulation of low density lipoprotein receptor activity in Chinese hamster ovary cells transfected 66 3.8 with the c-fms gene. FEBS Letters, 1994, 356, 72-5 Dextran sulfate, a competitive inhibitor for scavenger receptor, prevents the progression of 65 3.1 15 atherosclerosis in Watanabe heritable hyperlipidemic rabbits. Atherosclerosis, 1994, 106, 43-50 Overexpression of human lipoprotein lipase enhances uptake of lipoproteins containing apolipoprotein B-100 in transfected cells. Arteriosclerosis and Thrombosis: A Journal of Vascular 64 17 Biology, 1994, 14, 235-42 Secretion-recapture process of apolipoprotein E in hepatic uptake of chylomicron remnants in 63 15.9 50 transgenic mice. Journal of Clinical Investigation, 1994, 93, 2215-23 Establishment of enzyme-linked immunosorbent assays for lipoprotein lipase with newly 62 6.3 10 developed antibodies.. Journal of Lipid Research, 1994, 35, 1688-1697 Cholesteryl ester transfer protein deficiency caused by a nonsense mutation detected in the 61 37 patientB macrophage mRNA. Biochemical and Biophysical Research Communications, 1993, 194, 519-24 $^{-3.4}$

60	Apolipoprotein E polymorphism is associated with plasma cholesterol response in a 7-day hospitalization study for metabolic and dietary control in NIDDM. <i>Diabetes Care</i> , 1993 , 16, 564-9	14.6	21
59	Apolipoprotein E metabolism in sciatic nerves of diabetic rats. Implication for diabetic neuropathy. <i>Hormone and Metabolic Research</i> , 1993 , 25, 82-7	3.1	6
58	Effect of macrophage colony-stimulating factor on the development of diabetes mellitus in BB rats. Hormone and Metabolic Research, 1993 , 25, 323-4	3.1	2
57	Expression of platelet-derived growth factor beta receptor on human monocyte-derived macrophages and effects of platelet-derived growth factor BB dimer on the cellular function. <i>Journal of Biological Chemistry</i> , 1993 , 268, 24353-60	5.4	38
56	Overexpression of human lipoprotein lipase in transgenic mice. Resistance to diet-induced hypertriglyceridemia and hypercholesterolemia. <i>Journal of Biological Chemistry</i> , 1993 , 268, 17924-9	5.4	74
55	Macrophage colony-stimulating factor regulates both activities of neutral and acidic cholesteryl ester hydrolases in human monocyte-derived macrophages. <i>Journal of Clinical Investigation</i> , 1993 , 92, 750-7	15.9	34
54	Overexpression of human lipoprotein lipase in transgenic mice. Resistance to diet-induced hypertriglyceridemia and hypercholesterolemia <i>Journal of Biological Chemistry</i> , 1993 , 268, 17924-1792	295.4	93
53	Expression of platelet-derived growth factor beta receptor on human monocyte-derived macrophages and effects of platelet-derived growth factor BB dimer on the cellular function <i>Journal of Biological Chemistry</i> , 1993 , 268, 24353-24360	5.4	42
52	Mutational analysis of human lipoprotein lipase by carboxy-terminal truncation. <i>Journal of Lipid Research</i> , 1993 , 34, 1765-1772	6.3	61
51	Role of monocyte colony-stimulating factor in foam cell generation. <i>Experimental Biology and Medicine</i> , 1992 , 200, 240-4	3.7	17
50	Overexpression of apolipoprotein E in transgenic mice: marked reduction in plasma lipoproteins except high density lipoprotein and resistance against diet-induced hypercholesterolemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 1750-4	11.5	122
49	Macrophage colony stimulating factor prevents the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbits. <i>Atherosclerosis</i> , 1992 , 93, 245-54	3.1	60
48	A newly identified null allelic mutation in the human lipoprotein lipase (LPL) gene of a compound heterozygote with familial LPL deficiency. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1992 , 1138, 353-6	6.9	16
47	Platelet-derived growth factor BB-dimer suppresses the expression of macrophage colony-stimulating factor in human vascular smooth muscle cells. <i>Journal of Biological Chemistry</i> , 1992 , 267, 15455-8	5.4	12
46	Expression of M-CSF receptor encoded by c-fms on smooth muscle cells derived from arteriosclerotic lesion. <i>Journal of Biological Chemistry</i> , 1992 , 267, 5693-9	5.4	51
45	Platelet-derived growth factor induces c-fms and scavenger receptor genes in vascular smooth muscle cells. <i>Journal of Biological Chemistry</i> , 1992 , 267, 13107-12	5.4	44
44	Apolipoprotein E prevents the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbits. <i>Journal of Clinical Investigation</i> , 1992 , 89, 706-11	15.9	74
43	Plasma lipoprotein metabolism in transgenic mice overexpressing apolipoprotein E. Accelerated clearance of lipoproteins containing apolipoprotein B. <i>Journal of Clinical Investigation</i> , 1992 , 90, 2084-9	1 ^{15.9}	84

42	Platelet-derived growth factor induces c-fms and scavenger receptor genes in vascular smooth muscle cells <i>Journal of Biological Chemistry</i> , 1992 , 267, 13107-13112	5.4	43	
41	Expression of M-CSF receptor encoded by c-fms on smooth muscle cells derived from arteriosclerotic lesion <i>Journal of Biological Chemistry</i> , 1992 , 267, 5693-5699	5.4	52	
40	Platelet-derived growth factor BB-dimer suppresses the expression of macrophage colony-stimulating factor in human vascular smooth muscle cells <i>Journal of Biological Chemistry</i> , 1992 , 267, 15455-15458	5.4	16	
39	Detection of three separate DNA polymorphisms in the human lipoprotein lipase gene by gene amplification and restriction endonuclease digestion <i>Journal of Lipid Research</i> , 1992 , 33, 1067-1072	6.3	33	
38	Effect of Niceritrol (Perycit®) on Serum Levels of Lipoprotein (a): Assessing the Effect of Gradually Increased Dosages. <i>The Journal of Japan Atherosclerosis Society</i> , 1992 , 20, 625-633			
37	The Effects of Monocyte Colony Stimulating Factor (M-CSF) on Plasma Lipoprotein Metabolism and Atherogenesis. <i>The Journal of Japan Atherosclerosis Society</i> , 1992 , 20, 505-509			
36	Effects of human recombinant macrophage colony-stimulating factor on the secretion of lipoprotein lipase from macrophages. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1991 , 11, 1315-21		26	
35	Overexpression of low density lipoprotein receptor on Chinese hamster ovary cells generates foam cells. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1991 , 11, 1310-4		6	
34	Differential phenotypic expression by three mutant alleles in familial lecithin:cholesterol acyltransferase deficiency. <i>Lancet, The</i> , 1991 , 338, 778-81	40	60	
33	The effect of apo E secretion on lipoprotein uptake in transfected cells. <i>Lipids and Lipid Metabolism</i> , 1991 , 1086, 245-54		17	
32	The enhanced cellular uptake of very-low-density lipoprotein enriched in apolipoprotein E. <i>Lipids and Lipid Metabolism</i> , 1991 , 1082, 63-70		25	
31	Hepatic and renal expression of rat apolipoprotein E under control of the metallothionein promoter in transgenic mice. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1991 , 1090, 91-4		17	
30	Occurrence of multiple aberrantly spliced mRNAs upon a donor splice site mutation that causes familial lipoprotein lipase deficiency. <i>Journal of Biological Chemistry</i> , 1991 , 266, 24757-62	5.4	29	
29	Oxidation-labile subfraction of human plasma low density lipoprotein isolated by ion-exchange chromatography. <i>Journal of Lipid Research</i> , 1991 , 32, 763-73	6.3	50	
28	Heterogeneous mutations in the human lipoprotein lipase gene in patients with familial lipoprotein lipase deficiency. <i>Journal of Clinical Investigation</i> , 1991 , 88, 1856-64	15.9	99	
27	Occurrence of multiple aberrantly spliced mRNAs upon a donor splice site mutation that causes familial lipoprotein lipase deficiency <i>Journal of Biological Chemistry</i> , 1991 , 266, 24757-24762	5.4	33	
26	Oxidation-labile subfraction of human plasma low density lipoprotein isolated by ion-exchange chromatography. <i>Journal of Lipid Research</i> , 1991 , 32, 763-774	6.3	51	
25	Effect of Large Dose of Niceritrol (Perycit®) on Hypercholesterolemia-by Administering Gradually Increasing Doses. <i>The Journal of Japan Atherosclerosis Society</i> , 1991 , 19, 199-208			

24	Plasma cholesterol-lowering activity of monocyte colony-stimulating factor (M-CSF). <i>Annals of the New York Academy of Sciences</i> , 1990 , 587, 362-70	6.5	14
23	The release of hepatic triglyceride lipase from rat monolayered hepatocytes in primary culture. <i>Endocrinologia Japonica</i> , 1990 , 37, 437-42		4
22	Effect of exogenous apo E on the cellular binding of lipoproteins. <i>Gerontology</i> , 1990 , 36 Suppl 1, 42-8	5.5	5
21	Cholesterol-free diet with a high ratio of polyunsaturated to saturated fatty acids in heterozygous familial hypercholesterolemia: significant lowering effect on plasma cholesterol. <i>Hormone and Metabolic Research</i> , 1990 , 22, 246-51	3.1	8
20	Characterization of Low Density Lipoprotein Receptors in Normal and Watanabe Heritable Hyperlipidemic Rabbits. <i>Annals of the New York Academy of Sciences</i> , 1990 , 598, 496-497	6.5	
19	Cholesterol-Free Diet in Heterozygous Familial Hypercholesterolemia. <i>Annals of the New York Academy of Sciences</i> , 1990 , 598, 525-526	6.5	
18	Effect of Monocyte Colony-Stimulating Factor (M-CSF) on Lipoprotein Metabolism. <i>Annals of the New York Academy of Sciences</i> , 1990 , 598, 556-557	6.5	1
17	Effect of tumor necrosis factor/cachectin on the activity of the low density lipoprotein receptor on human skin fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1990 , 172, 1022-7	3.4	11
16	Human monocyte colony-stimulating factor enhances the clearance of lipoproteins containing apolipoprotein B-100 via both low density lipoprotein receptor-dependent and -independent pathways in rabbits. <i>Journal of Biological Chemistry</i> , 1990 , 265, 12869-75	5.4	38
15	Monocyte colony-stimulating factor enhances uptake and degradation of acetylated low density lipoproteins and cholesterol esterification in human monocyte-derived macrophages. <i>Journal of Biological Chemistry</i> , 1990 , 265, 14109-17	5.4	102
14	Apolipoprotein E and lipoprotein lipase secreted from human monocyte-derived macrophages modulate very low density lipoprotein uptake. <i>Journal of Biological Chemistry</i> , 1990 , 265, 3040-7	5.4	47
13	Monocyte colony-stimulating factor enhances uptake and degradation of acetylated low density lipoproteins and cholesterol esterification in human monocyte-derived macrophages <i>Journal of Biological Chemistry</i> , 1990 , 265, 14109-14117	5.4	108
12	Human monocyte colony-stimulating factor enhances the clearance of lipoproteins containing apolipoprotein B-100 via both low density lipoprotein receptor-dependent and -independent pathways in rabbits <i>Journal of Biological Chemistry</i> , 1990 , 265, 12869-12875	5.4	45
11	Apolipoprotein E and lipoprotein lipase secreted from human monocyte-derived macrophages modulate very low density lipoprotein uptake <i>Journal of Biological Chemistry</i> , 1990 , 265, 3040-3047	5.4	62
10	Enhanced lipoprotein lipase secretion from human monocyte-derived macrophages caused by hypertriglyceridemic very low density lipoproteins. <i>Arteriosclerosis (Dallas, Tex)</i> , 1989 , 9, 650-5		15
9	A neonatal case of apolipoprotein C-II deficiency. European Journal of Pediatrics, 1989, 148, 550-2	4.1	4
8	Plasma apolipoproteins in patients with multi-infarct dementia. <i>Atherosclerosis</i> , 1989 , 79, 257-60	3.1	64
7	Increased clearance of plasma cholesterol after injection of apolipoprotein E into Watanabe heritable hyperlipidemic rabbits. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 665-9	11.5	81

LIST OF PUBLICATIONS

6	Composition of very-low-density lipoproteins in non-insulin-dependent diabetes mellitus <i>Clinical Chemistry</i> , 1989 , 35, 808-812	5.5	10
5	Enhanced synthesis and secretion of apolipoprotein E from sciatic nerves of streptozotocin-induced diabetic rats after injury. <i>Biochemical and Biophysical Research Communications</i> , 1988 , 155, 283-8	3.4	3
4	Down-regulation of hepatic LDL receptor protein and messenger RNA in fasted rabbits. <i>Journal of Biochemistry</i> , 1988 , 104, 712-6	3.1	8
3	High-cholesterol diet-induced lipoproteins stimulate lipoprotein lipase secretion in cultured rat alveolar macrophages. <i>Lipids and Lipid Metabolism</i> , 1987 , 922, 103-10		11
2	A 1 V 46 ns 16 Mb SOI-DRAM with body control technique		13
1	A built-in self-test circuit with timing margin test function in a 1 Gbit synchronous DRAM		6