

# Elzbieta Kierzek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5058983/publications.pdf>

Version: 2024-02-01

61  
papers

2,145  
citations

257357

24  
h-index

243529

44  
g-index

65  
all docs

65  
docs citations

65  
times ranked

2481  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nuclear Magnetic Resonance reveals a two hairpin equilibrium near the 3'-splice site of Influenza A segment 7 mRNA that can be shifted by oligonucleotides. <i>Rna</i> , 2022, , rna.078951.121.	1.6	1
2	Secondary Structure of Subgenomic RNA M of SARS-CoV-2. <i>Viruses</i> , 2022, 14, 322.	1.5	3
3	Secondary Structure of Influenza A Virus Genomic Segment 8 RNA Folded in a Cellular Environment. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2452.	1.8	3
4	Secondary structure prediction for RNA sequences including N6-methyladenosine. <i>Nature Communications</i> , 2022, 13, 1271.	5.8	27
5	A Test and Refinement of Folding Free Energy Nearest Neighbor Parameters for RNA Including N6-Methyladenosine. <i>Journal of Molecular Biology</i> , 2022, 434, 167632.	2.0	8
6	Structural variants and modifications of hammerhead ribozymes targeting influenza A virus conserved structural motifs. <i>Molecular Therapy - Nucleic Acids</i> , 2022, 29, 64-74.	2.3	3
7	Conserved Structural Motifs of Two Distant IAV Subtypes in Genomic Segment 5 RNA. <i>Viruses</i> , 2021, 13, 525.	1.5	4
8	Universal and strain specific structure features of segment 8 genomic RNA of influenza A virus – application of 4-thiouridine photocrosslinking. <i>Journal of Biological Chemistry</i> , 2021, 297, 101245.	1.6	9
9	RNA Secondary Structure Motifs of the Influenza A Virus as Targets for siRNA-Mediated RNA Interference. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 19, 627-642.	2.3	23
10	Organization of the Influenza A Virus Genomic RNA in the Viral Replication Cycle – Structure, Interactions, and Implications for the Emergence of New Strains. <i>Pathogens</i> , 2020, 9, 951.	1.2	8
11	RNA Secondary Structure as a First Step for Rational Design of the Oligonucleotides towards Inhibition of Influenza A Virus Replication. <i>Pathogens</i> , 2020, 9, 925.	1.2	17
12	Anti-Influenza Strategies Based on Nanoparticle Applications. <i>Pathogens</i> , 2020, 9, 1020.	1.2	14
13	Conscious uncoupling of riboswitch functions. <i>Journal of Biological Chemistry</i> , 2020, 295, 2568-2569.	1.6	3
14	Secondary structure of the segment 5 genomic RNA of influenza A virus and its application for designing antisense oligonucleotides. <i>Scientific Reports</i> , 2019, 9, 3801.	1.6	26
15	A Short Chemically Modified dsRNA-Binding PNA (dbPNA) Inhibits Influenza Viral Replication by Targeting Viral RNA Panhandle Structure. <i>Bioconjugate Chemistry</i> , 2019, 30, 931-943.	1.8	44
16	Modified RNA triplexes: Thermodynamics, structure and biological potential. <i>Scientific Reports</i> , 2018, 8, 13023.	1.6	10
17	Studying the influence of stem composition in pH-sensitive molecular beacons onto their sensing properties. <i>Analytica Chimica Acta</i> , 2017, 990, 157-167.	2.6	14
18	Influenza virus segment 5 (+)RNA - secondary structure and new targets for antiviral strategies. <i>Scientific Reports</i> , 2017, 7, 15041.	1.6	13

#	ARTICLE	IF	CITATIONS
19	Self-Folding of Naked Segment 8 Genomic RNA of Influenza A Virus. PLoS ONE, 2016, 11, e0148281.	1.1	31
20	Secondary structure model of the naked segment 7 influenza A virus genomic RNA. Biochemical Journal, 2016, 473, 4327-4348.	1.7	23
21	Antisense Oligonucleotides Targeting Influenza A Segment 8 Genomic RNA Inhibit Viral Replication. Nucleic Acid Therapeutics, 2016, 26, 277-285.	2.0	34
22	TMV mutants with poly(A) tracts of different lengths demonstrate structural variations in 3' UTR affecting viral RNAs accumulation and symptom expression. Scientific Reports, 2015, 5, 18412.	1.6	9
23	A Tandem Oligonucleotide Approach for SNP-Selective RNA Degradation Using Modified Antisense Oligonucleotides. PLoS ONE, 2015, 10, e0142139.	1.1	10
24	Structural Aspects of the Antiparallel and Parallel Duplexes Formed by DNA, 2'-O-Methyl RNA and RNA Oligonucleotides. PLoS ONE, 2015, 10, e0143354.	1.1	11
25	Microarrays for identifying binding sites and probing structure of RNAs. Nucleic Acids Research, 2015, 43, 1-12.	6.5	250
26	Structural determinants for alternative splicing regulation of the MAPT pre-mRNA. RNA Biology, 2015, 12, 330-342.	1.5	21
27	A Conserved Secondary Structural Element in the Coding Region of the Influenza A Virus Nucleoprotein (NP) mRNA Is Important for the Regulation of Viral Proliferation. PLoS ONE, 2015, 10, e0141132.	1.1	15
28	The contribution of pseudouridine to stabilities and structure of RNAs. Nucleic Acids Research, 2014, 42, 3492-3501.	6.5	177
29	Interplay of LNA and 2'-O-Methyl RNA in the Structure and Thermodynamics of RNA Hybrid Systems: A Molecular Dynamics Study Using the Revised AMBER Force Field and Comparison with Experimental Results. Journal of Physical Chemistry B, 2014, 118, 14177-14187.	1.2	46
30	Secondary Structure of a Conserved Domain in an Intron of Influenza A M1 mRNA. Biochemistry, 2014, 53, 5236-5248.	1.2	24
31	Recognition of RNA duplexes by chemically modified triplex-forming oligonucleotides. Nucleic Acids Research, 2013, 41, 6664-6673.	6.5	56
32	Secondary Structure of a Conserved Domain in the Intron of Influenza A NS1 mRNA. PLoS ONE, 2013, 8, e70615.	1.1	26
33	The 3' Splice Site of Influenza A Segment 7 mRNA Can Exist in Two Conformations: A Pseudoknot and a Hairpin. PLoS ONE, 2012, 7, e38323.	1.1	39
34	Isoenergetic Microarrays To Study the Structure and Interactions of DsrA and OxyS RNAs in Two- and Three-Component Complexes. Biochemistry, 2011, 50, 7647-7665.	1.2	12
35	Structural Diversity of Triplet Repeat RNAs. Journal of Biological Chemistry, 2010, 285, 12755-12764.	1.6	110
36	The Spontaneous Rearrangement of 2,4-Dinitrophenyl Substituent in Ribonucleosides Under Neutral Conditions. Nucleosides, Nucleotides and Nucleic Acids, 2010, 29, 684-697.	0.4	0

#	ARTICLE	IF	CITATIONS
37	Comparisons between Chemical Mapping and Binding to Isoenergetic Oligonucleotide Microarrays Reveal Unexpected Patterns of Binding to the <i>Bacillus subtilis</i> RNase P RNA Specificity Domain. <i>Biochemistry</i> , 2010, 49, 8155-8168.	1.2	10
38	Chemical Synthesis of LNA-2-thiouridine and Its Influence on Stability and Selectivity of Oligonucleotide Binding to RNA. <i>Biochemistry</i> , 2009, 48, 10882-10893.	1.2	21
39	Contributions of Stacking, Preorganization, and Hydrogen Bonding to the Thermodynamic Stability of Duplexes between RNA and 2'-O-Methyl RNA with Locked Nucleic Acids. <i>Biochemistry</i> , 2009, 48, 4377-4387.	1.2	43
40	Secondary Structures for 5' Regions of R2 Retrotransposon RNAs Reveal a Novel Conserved Pseudoknot and Regions that Evolve under Different Constraints. <i>Journal of Molecular Biology</i> , 2009, 390, 428-442.	2.0	35
41	LNA-Modified Primers Drastically Improve Hybridization to Target RNA and Reverse Transcription. <i>Biochemistry</i> , 2009, 48, 514-516.	1.2	25
42	Binding of Short Oligonucleotides to RNA: Studies of the Binding of Common RNA Structural Motifs to Isoenergetic Microarrays. <i>Biochemistry</i> , 2009, 48, 11344-11356.	1.2	23
43	The Thermodynamics of 3'-Terminal Pyrene and Guanosine for the Design of Isoenergetic 2'-O-Methyl-RNA-LNA Chimeric Oligonucleotide Probes of RNA Structure. <i>Biochemistry</i> , 2008, 47, 1249-1258.	1.2	25
44	Isoenergetic microarray mapping reveals differences in structure between tRNA <sup>iMet</sup> and tRNA <sup>mMet</sup> from <i>Lupinus luteus</i> . <i>Nucleic Acids Symposium Series</i> , 2008, 52, 215-216.	0.3	4
45	Isoenergetic microarray mapping - the advantages of this method in studying the structure of <i>Saccharomyces cerevisiae</i> tRNA <sup>Phe</sup> . <i>Nucleic Acids Symposium Series</i> , 2008, 52, 219-220.	0.3	6
46	Isoenergetic penta- and hexanucleotide microarray probing and chemical mapping provide a secondary structure model for an RNA element orchestrating R2 retrotransposon protein function. <i>Nucleic Acids Research</i> , 2008, 36, 1770-1782.	6.5	37
47	A chemical synthesis of LNA-2,6-diaminopurine riboside, and the influence of 2'-O-methyl-2,6-diaminopurine and LNA-2,6-diaminopurine ribosides on the thermodynamic properties of 2'-O-methyl RNA/RNA heteroduplexes. <i>Nucleic Acids Research</i> , 2007, 35, 4055-4063.	6.5	34
48	A Conformationally Restricted Guanosine Analog Reveals the Catalytic Relevance of Three Structures of an RNA Enzyme. <i>Chemistry and Biology</i> , 2007, 14, 23-30.	6.2	24
49	Facilitating RNA Structure Prediction with Microarrays. <i>Biochemistry</i> , 2006, 45, 581-593.	1.2	42
50	Exploring the Energy Landscape of a Small RNA Hairpin. <i>Journal of the American Chemical Society</i> , 2006, 128, 1523-1530.	6.6	129
51	Nearest neighbor parameters for Watson-Crick complementary heteroduplexes formed between 2'-O-methyl RNA and RNA oligonucleotides. <i>Nucleic Acids Research</i> , 2006, 34, 3609-3614.	6.5	36
52	The influence of locked nucleic acid residues on the thermodynamic properties of 2'-O-methyl RNA/RNA heteroduplexes. <i>Nucleic Acids Research</i> , 2005, 33, 5082-5093.	6.5	104
53	Thermodynamic Stability of RNA Structures Formed by CNG Trinucleotide Repeats. Implication for Prediction of RNA Structure. <i>Biochemistry</i> , 2005, 44, 10873-10882.	1.2	48
54	Folding Thermodynamics and Kinetics of YNMG RNA Hairpins: A Specific Incorporation of 8-Bromoguanosine Leads to Stabilization by Enhancement of the Folding Rate. <i>Biochemistry</i> , 2004, 43, 14004-14014.	1.2	80

#	ARTICLE	IF	CITATIONS
55	Synthesis of Oligoribonucleotides Containing N <sup>6</sup> -Alkyladenosine and 2-Methylthio-N <sup>6</sup> -Alkyladenosine. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2004, 17, Unit 4.23.	0.5	1
56	Restricting the Conformational Heterogeneity of RNA by Specific Incorporation of 8-Bromoguanosine. <i>Journal of the American Chemical Society</i> , 2003, 125, 2390-2391.	6.6	32
57	The synthesis of oligoribonucleotides containing N <sup>6</sup> -alkyladenosines and 2-methylthio-N <sup>6</sup> -alkyladenosines via post-synthetic modification of precursor oligomers. <i>Nucleic Acids Research</i> , 2003, 31, 4461-4471.	6.5	48
58	The thermodynamic stability of RNA duplexes and hairpins containing N <sup>6</sup> -alkyladenosines and 2-methylthio-N <sup>6</sup> -alkyladenosines. <i>Nucleic Acids Research</i> , 2003, 31, 4472-4480.	6.5	168
59	The influence of various modified nucleotides placed as 3'-dangling end on thermal stability of RNA duplexes. <i>Biophysical Chemistry</i> , 2002, 97, 243-249.	1.5	11
60	The thermal stability of RNA duplexes containing modified base pairs placed at internal and terminal positions of the oligoribonucleotides. <i>Biophysical Chemistry</i> , 2002, 97, 233-241.	1.5	22
61	Influence of N <sup>6</sup> -isopentenyladenosine (i <sup>6</sup> A) on thermal stability of RNA duplexes. <i>Biophysical Chemistry</i> , 2001, 91, 135-140.	1.5	6