

# Ola Ekholm

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5059347/publications.pdf>

Version: 2024-02-01

96  
papers

2,408  
citations

201385

27  
h-index

233125

45  
g-index

96  
all docs

96  
docs citations

96  
times ranked

3391  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Danish National Health Survey 2010. Study design and respondent characteristics. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 391-397.	1.2	179
2	The study design and characteristics of the Danish national health interview surveys. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 758-765.	1.2	116
3	Trends in socioeconomic inequalities in self-assessed health in 17 European countries between 1990 and 2010. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 644-652.	2.0	112
4	Associations between perceived stress, socioeconomic status, and health-risk behaviour in deprived neighbourhoods in Denmark: a cross-sectional study. <i>BMC Public Health</i> , 2018, 18, 250.	1.2	112
5	Disease-Specific as Well as Generic Quality of Life Is Widely Impacted in Autoimmune Hypothyroidism and Improves during the First Six Months of Levothyroxine Therapy. <i>PLoS ONE</i> , 2016, 11, e0156925.	1.1	109
6	The burden of chronic pain: A cross-sectional survey focussing on diseases, immigration, and opioid use. <i>Pain</i> , 2012, 153, 2332-2338.	2.0	91
7	Chronic pain, opioid prescriptions, and mortality in Denmark: A population-based cohort study. <i>Pain</i> , 2014, 155, 2486-2490.	2.0	91
8	What is wrong with non-respondents? Alcohol-, drug- and smoking-related mortality and morbidity in a 12-year follow-up study of respondents and non-respondents in the Danish Health and Morbidity Survey. <i>Addiction</i> , 2015, 110, 1505-1512.	1.7	88
9	The effect of health, socio-economic position, and mode of data collection on non-response in health interview surveys. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 699-706.	1.2	79
10	Alcohol and smoking behavior in chronic pain patients: The role of opioids. <i>European Journal of Pain</i> , 2009, 13, 606-612.	1.4	77
11	Social isolation, loneliness, socioeconomic status, and health-risk behaviour in deprived neighbourhoods in Denmark: A cross-sectional study. <i>SSM - Population Health</i> , 2020, 10, 100546.	1.3	64
12	The effect of multiple reminders on response patterns in a Danish health survey. <i>European Journal of Public Health</i> , 2015, 25, 156-161.	0.1	60
13	Neighbour and traffic noise annoyance: a nationwide study of associated mental health and perceived stress. <i>European Journal of Public Health</i> , 2018, 28, 1050-1055.	0.1	57
14	Quality-of-Life Impairments Persist Six Months After Treatment of Graves' Hyperthyroidism and Toxic Nodular Goiter: A Prospective Cohort Study. <i>Thyroid</i> , 2016, 26, 1010-1018.	2.4	55
15	The Danish health and morbidity surveys: study design and participant characteristics. <i>BMC Medical Research Methodology</i> , 2019, 19, 91.	1.4	49
16	Psychometric properties of the Danish Hospital Anxiety and Depression Scale in patients with cardiac disease: results from the DenHeart survey. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 9.	1.0	48
17	Significantly increased risk of all-cause mortality among cardiac patients feeling lonely. <i>Heart</i> , 2020, 106, 140-146.	1.2	47
18	Why Is Per Capita Consumption Underestimated in Alcohol Surveys? Results from 39 Surveys in 23 European Countries. <i>Alcohol and Alcoholism</i> , 2020, 55, 554-563.	0.9	46

#	ARTICLE	IF	CITATIONS
19	The Prevalence of Problem Gambling in Denmark in 2005 and 2010: A Sociodemographic and Socioeconomic Characterization. <i>Journal of Gambling Studies</i> , 2014, 30, 1-10.	1.1	45
20	Cannabis increased the risk of primary spontaneous pneumothorax in tobacco smokers: a caseâ€“control study. <i>European Journal of Cardio-thoracic Surgery</i> , 2017, 52, 679-685.	0.6	43
21	Trends in educational inequalities in obesity in 15 European countries between 1990 and 2010. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 63.	2.0	42
22	DenHeart: Differences in physical and mental health across cardiac diagnoses at hospital discharge. <i>Journal of Psychosomatic Research</i> , 2017, 94, 1-9.	1.2	40
23	Diabetes Is Associated with Musculoskeletal Pain, Osteoarthritis, Osteoporosis, and Rheumatoid Arthritis. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-6.	1.0	39
24	Problem Gambling Associated with Violent and Criminal Behaviour: A Danish Population-Based Survey and Register Study. <i>Journal of Gambling Studies</i> , 2016, 32, 25-34.	1.1	38
25	Patient-reported outcomes are independent predictors of one-year mortality and cardiac events across cardiac diagnoses: Findings from the national DenHeart survey. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 624-637.	0.8	38
26	Patient-reported outcomes at hospital discharge from Heart Centres, a national cross-sectional survey with a register-based follow-up: the DenHeart study protocol. <i>BMJ Open</i> , 2014, 4, e004709.	0.8	35
27	Neighbour noise annoyance is associated with various mental and physical health symptoms: results from a nationwide study among individuals living in multi-storey housing. <i>BMC Public Health</i> , 2019, 19, 1508.	1.2	35
28	Anxiety and Depression in Bereaved Parents After Losing a Child due to Life-Limiting Diagnoses: A Danish Nationwide Questionnaire Survey. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 596-604.	0.6	29
29	Estimates of prediabetes and undiagnosed type 2 diabetes in Denmark: The end of an epidemic or a diagnostic artefact?. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 106-112.	1.2	29
30	Both mental and physical health predicts one year mortality and readmissions in patients with implantable cardioverter defibrillators: findings from the national DenHeart study. <i>European Journal of Cardiovascular Nursing</i> , 2019, 18, 96-105.	0.4	26
31	Decreasing mental well-being during the COVID-19 pandemic: A longitudinal study among Danes before and during the pandemic. <i>Journal of Psychiatric Research</i> , 2021, 144, 151-157.	1.5	23
32	Cost-Effectiveness of Preventive Interventions to Reduce Alcohol Consumption in Denmark. <i>PLoS ONE</i> , 2014, 9, e88041.	1.1	22
33	Health Behaviour and Body Mass Index Among Problem Gamblers: Results from a Nationwide Survey. <i>Journal of Gambling Studies</i> , 2015, 31, 547-556.	1.1	21
34	Associations between daily musicking and health: Results from a nationwide survey in Denmark. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 726-732.	1.2	21
35	Associations between music and health-related outcomes in adult non-musicians, amateur musicians and professional musiciansâ€”Results from a nationwide Danish study. <i>Nordic Journal of Music Therapy</i> , 2018, 27, 262-282.	0.7	21
36	Effect of early, individualised and intensified follow-up after open heart valve surgery on unplanned cardiac hospital readmissions and all-cause mortality. <i>International Journal of Cardiology</i> , 2019, 289, 30-36.	0.8	19

#	ARTICLE	IF	CITATIONS
37	Health-risk behaviour among residents in deprived neighbourhoods compared with those of the general population in Denmark: A cross-sectional study. <i>Health and Place</i> , 2017, 45, 189-198.	1.5	18
38	Mental health is a risk factor for poor outcomes in cardiac patients: Findings from the national DenHeart survey. <i>Journal of Psychosomatic Research</i> , 2018, 112, 66-72.	1.2	17
39	A nationwide Danish survey on the use of green spaces by people with mobility disabilities. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 597-605.	1.2	16
40	Cross-national comparisons of non-harmonized indicators may lead to more confusion than clarification. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 661-663.	1.2	15
41	Patient-reported outcomes predict high readmission rates among patients with cardiac diagnoses. Findings from the DenHeart study. <i>International Journal of Cardiology</i> , 2020, 300, 268-275.	0.8	14
42	Associations Between Multiple Leisure Activities, Mental Health and Substance Use Among Adolescents in Denmark: A Nationwide Cross-Sectional Study. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 593340.	1.0	14
43	All-cause mortality rates and home deaths decreased in children with life-limiting diagnoses in Denmark between 1994 and 2014. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 1781-1785.	0.7	12
44	Chronic Pain, Opioid Therapy, Sexual Desire, and Satisfaction in Sexual Life: A Population-Based Survey. <i>Pain Medicine</i> , 2019, 20, 1132-1140.	0.9	12
45	Substance use among Danish psychiatric patients: a cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 130-136.	0.7	11
46	Social inequality in lifestyle, motivation to change lifestyle and received health advice in individuals with diabetes: A nationwide study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 847-854.	1.2	11
47	Alcohol consumption among patients with diabetes: a survey-based cross-sectional study of Danish adults with diabetes. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 517-524.	1.2	10
48	The impact of non-response weighting in health surveys for estimates on primary health care utilization. <i>European Journal of Public Health</i> , 2022, , .	0.1	10
49	Patient-reported outcomes after aortic and mitral valve surgery – results from the DenHeart Study. <i>European Journal of Cardiovascular Nursing</i> , 2018, 17, 246-254.	0.4	9
50	Consistency in Adults' Self-Reported Lifetime Use of Illicit Drugs: A Follow-Up Study Over 13 Years. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 490-494.	0.6	9
51	Alcohol's harms to others: the self-rated health of those with a heavy drinker in their lives. <i>European Journal of Public Health</i> , 2019, 29, 1130-1135.	0.1	9
52	The Danish Health and Wellbeing Survey: Study design, response proportion and respondent characteristics. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 959-967.	1.2	9
53	Higher levels of mental wellbeing predict lower risk of common mental disorders in the Danish general population. <i>Mental Health and Prevention</i> , 2022, 26, 200233.	0.7	9
54	A nationwide study of health-related quality of life, stress, pain or discomfort and the use of medicine among problem gamblers. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 514-521.	1.2	8

#	ARTICLE	IF	CITATIONS
55	What to expect after open heart valve surgery? Changes in health-related quality of life. <i>Quality of Life Research</i> , 2020, 29, 1247-1258.	1.5	8
56	&lt;p&gt;Pain Prevalence, Localization, and Intensity in Adults with and without COPD: Results from the Danish Health and Morbidity Survey (a Self-reported Survey)&lt;/p&gt;. <i>International Journal of COPD</i> , 2020, Volume 15, 3303-3311.	0.9	8
57	Increasing prevalence of chronic nonâ€œcancer pain in Denmark from 2000 to 2017: A populationâ€œbased survey. <i>European Journal of Pain</i> , 2022, 26, 624-633.	1.4	8
58	Sociodemographic, Clinical and Patient-Reported Outcomes and Readmission After Heart Valve Surgery. <i>Journal of Heart Valve Disease</i> , 2018, 27, 78-86.	0.5	8
59	Tramadol use in Norway: A registerâ€œbased population study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 54-61.	0.9	7
60	Comparing older peopleâ€™s drinking habits in four Nordic countries: Summary of the thematic issue. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2020, 37, 434-443.	0.7	7
61	Trends in dentate status and preventive dental visits of the adult population in Denmark over 30 years (1987â€œ2017). <i>European Journal of Oral Sciences</i> , 2021, 129, e12809.	0.7	7
62	Socioeconomic Variations in Use of Prescription Medicines for COPD: A Register-Based Study. <i>Respiratory Care</i> , 2016, 61, 943-949.	0.8	6
63	Early follow-up after open heart valve surgery reduces healthcare costs: a propensity matched study. <i>Open Heart</i> , 2019, 6, e001122.	0.9	6
64	Cognitive impairment and psychopathology in out-of-hospital cardiac arrest survivors in Denmark: The REVIVAL cohort study protocol. <i>BMJ Open</i> , 2020, 10, e038633.	0.8	6
65	Consistency in Adults' Self-Reported Lifetime Use of Illicit Drugs: A Follow-Up Study Over 13 Years. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 490-494.	0.6	6
66	Activities to Alleviate Stress and the Association with Leisure Time Activities, Socioeconomic Status, and General Health. <i>Journal of Applied Biobehavioral Research</i> , 2010, 15, 161-174.	2.0	5
67	End-of-life communication: a nationwide study of bereaved parentsâ€™ perceptions. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, e616-e622.	0.8	5
68	The association between self-reported health status and adverse events: a comparison among coronary arteryÂbypass grafting (CABG) versus percutaneous coronary intervention (PCI). <i>Quality of Life Research</i> , 2020, 29, 3017-3029.	1.5	5
69	Association between frailty and self-reported health following heart valve surgery. <i>IJC Heart and Vasculature</i> , 2020, 31, 100671.	0.6	5
70	Inconsistencies in self-reported health conditions: results of a nationwide panel study. <i>International Journal of Public Health</i> , 2019, 64, 1243-1246.	1.0	4
71	Data on an intervention to reduce readmissions after open heart valve surgery. <i>Data in Brief</i> , 2019, 24, 103926.	0.5	4
72	Paediatric end-of-life care â€œ symptoms and problems: parent assessment. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e327-e333.	0.8	4

#	ARTICLE	IF	CITATIONS
73	Exploring the use of psychotropic medication in cardiac patients with and without anxiety and its association with 1-year mortality. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 612-619.	0.4	4
74	Type 2 diabetes and risk of diverticular disease: a Danish cohort study. <i>BMJ Open</i> , 2022, 12, e059852.	0.8	4
75	Subgroup Differences and Determinants of Patient-Reported Mental and Physical Health in Patients With Ischemic Heart Disease. <i>Journal of Cardiovascular Nursing</i> , 2019, 34, E11-E21.	0.6	3
76	Employment status before and after open heart valve surgery: A cohort study. <i>PLoS ONE</i> , 2020, 15, e0240210.	1.1	3
77	Trends in alcohol consumption among older adults in Denmark in the 21st century. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2020, 37, 481-490.	0.7	3
78	Educational inequality in patient-reported outcomes but not mortality among cardiac patients: Results from the national DenHeart survey with register follow-up. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 781-790.	1.2	3
79	Reference intervals for trace elements in the general Danish population and their dependence on serum proteins. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 523-531.	0.6	3
80	Occurrence and predictors of pericardial effusion requiring invasive treatment following heart valve surgery. <i>Open Heart</i> , 2022, 9, e001880.	0.9	3
81	Response to Fergusson & Boden (2015): The importance of considering the impacts of survey non-participation. <i>Addiction</i> , 2015, 110, 1514-1515.	1.7	2
82	Increased risk of mortality and readmission associated with lower SF-12 scores in cardiac patients: Results from the national DenHeart study. <i>European Journal of Cardiovascular Nursing</i> , 2020, 19, 330-338.	0.4	2
83	Patient-reported outcomes, sociodemographic and clinical factors are associated with 1-year mortality in patients with ischemic heart disease—findings from the DenHeart cohort study. <i>Quality of Life Research</i> , 2022, 31, 389-402.	1.5	2
84	Prevalence and Trends in Problem Gambling in Denmark with Special Focus on Country of Origin: Results from the Danish Health and Morbidity Surveys. <i>Journal of Gambling Studies</i> , 2022, 38, 1157-1171.	1.1	2
85	Losing a child due to a life-limiting diagnosis—parental well-being and quality of life: nationwide survey. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2021-003251.	0.8	2
86	Data on patient-reported outcomes and the risk of readmission following a cardiac diagnosis. <i>Data in Brief</i> , 2020, 28, 104859.	0.5	1
87	Patient-reported outcomes at hospital discharge among patients with arrhythmia: Results from the national DenHeart survey. <i>European Journal of Cardiovascular Nursing</i> , 2020, 19, 248-259.	0.4	1
88	Therapy-dependent inconsistencies in self-reported use of complementary and alternative medicine in the general population: findings from a longitudinal study. <i>BMJ Open</i> , 2021, 11, e051647.	0.8	1
89	Patient-reported outcome is associated with health care costs in patients with ischaemic heart disease and arrhythmia. <i>European Journal of Cardiovascular Nursing</i> , 2023, 22, 23-32.	0.4	1
90	Reply to S. McMorn et al. <i>Journal of Clinical Oncology</i> , 2011, 29, 4343-4344.	0.8	0

#	ARTICLE	IF	CITATIONS
91	Statins and risk of diverticular disease: Nested case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 770-778.	0.9	0
92	Are patient-reported outcomes at discharge associated with employment status after cardiac hospitalization? Results from the national DenHeart study. <i>European Journal of Cardiovascular Nursing</i> , 2021, , .	0.4	0
93	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
94	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
95	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
96	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0