
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5059347/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Paediatric end-of-life care – symptoms and problems: parent assessment. BMJ Supportive and Palliative Care, 2023, 13, e327-e333.	1.6	4
2	Patient-reported outcome is associated with health care costs in patients with ischaemic heart disease and arrhythmia. European Journal of Cardiovascular Nursing, 2023, 22, 23-32.	0.9	1
3	End-of-life communication: a nationwide study of bereaved parents' perceptions. BMJ Supportive and Palliative Care, 2022, 12, e616-e622.	1.6	5
4	The Danish Health and Wellbeing Survey: Study design, response proportion and respondent characteristics. Scandinavian Journal of Public Health, 2022, 50, 959-967.	2.3	9
5	Patient-reported outcomes, sociodemographic and clinical factors are associated with 1-year mortality in patients with ischemic heart disease—findings from the DenHeart cohort study. Quality of Life Research, 2022, 31, 389-402.	3.1	2
6	Increasing prevalence of chronic nonâ€cancer pain in Denmark from 2000 to 2017: A populationâ€based survey. European Journal of Pain, 2022, 26, 624-633.	2.8	8
7	Exploring the use of psychotropic medication in cardiac patients with and without anxiety and its association with 1-year mortality. European Journal of Cardiovascular Nursing, 2022, 21, 612-619.	0.9	4
8	Occurrence and predictors of pericardial effusion requiring invasive treatment following heart valve surgery. Open Heart, 2022, 9, e001880.	2.3	3
9	Prevalence and Trends in Problem Gambling in Denmark with Special Focus on Country of Origin: Results from the Danish Health and Morbidity Surveys. Journal of Gambling Studies, 2022, 38, 1157-1171.	1.6	2
10	Type 2 diabetes and risk of diverticular disease: a Danish cohort study. BMJ Open, 2022, 12, e059852.	1.9	4
11	The impact of non-response weighting in health surveys for estimates on primary health care utilization. European Journal of Public Health, 2022, , .	0.3	10
12	Higher levels of mental wellbeing predict lower risk of common mental disorders in the Danish general population. Mental Health and Prevention, 2022, 26, 200233.	1.3	9
13	Statins and risk of diverticular disease: Nested case–control study. Pharmacoepidemiology and Drug Safety, 2021, 30, 770-778.	1.9	0
14	Trends in dentate status and preventive dental visits of the adult population in Denmark over 30 years (1987–2017). European Journal of Oral Sciences, 2021, 129, e12809.	1.5	7
15	Reference intervals for trace elements in the general Danish population and their dependence on serum proteins. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 523-531.	1.2	3
16	Are patient-reported outcomes at discharge associated with employment status after cardiac hospitalization? Results from the national DenHeart study. European Journal of Cardiovascular Nursing, 2021, , .	0.9	0
17	Decreasing mental well-being during the COVID-19 pandemic: A longitudinal study among Danes before and during the pandemic. Journal of Psychiatric Research, 2021, 144, 151-157.	3.1	23
18	Therapy-dependent inconsistencies in self-reported use of complementary and alternative medicine in the general population: findings from a longitudinal study. BMJ Open, 2021, 11, e051647.	1.9	1

#	Article	IF	CITATIONS
19	Losing a child due to a life-limiting diagnosis—parental well-being and quality of life: nationwide survey. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2021-003251.	1.6	2
20	Estimates of prediabetes and undiagnosed type 2 diabetes in Denmark: The end of an epidemic or a diagnostic artefact?. Scandinavian Journal of Public Health, 2020, 48, 106-112.	2.3	29
21	Patient-reported outcomes predict high readmission rates among patients with cardiac diagnoses. Findings from the DenHeart study. International Journal of Cardiology, 2020, 300, 268-275.	1.7	14
22	Significantly increased risk of all-cause mortality among cardiac patients feeling lonely. Heart, 2020, 106, 140-146.	2.9	47
23	Increased risk of mortality and readmission associated with lower SF-12 scores in cardiac patients: Results from the national DenHeart study. European Journal of Cardiovascular Nursing, 2020, 19, 330-338.	0.9	2
24	Psychometric properties of the Danish Hospital Anxiety and Depression Scale in patients with cardiac disease: results from the DenHeart survey. Health and Quality of Life Outcomes, 2020, 18, 9.	2.4	48
25	What to expect after open heart valve surgery? Changes in health-related quality of life. Quality of Life Research, 2020, 29, 1247-1258.	3.1	8
26	Data on patient-reported outcomes and the riskÂof readmission following a cardiac diagnosis. Data in Brief, 2020, 28, 104859.	1.0	1
27	Patient-reported outcomes at hospital discharge among patients with arrhythmia: Results from the national DenHeart survey. European Journal of Cardiovascular Nursing, 2020, 19, 248-259.	0.9	1
28	Social inequality in lifestyle, motivation to change lifestyle and received health advice in individuals with diabetes: A nationwide study. Scandinavian Journal of Public Health, 2020, 48, 847-854.	2.3	11
29	Comparing older people's drinking habits in four Nordic countries: Summary of the thematic issue. NAD Nordic Studies on Alcohol and Drugs, 2020, 37, 434-443.	1.3	7
30	Employment status before and after open heart valve surgery: A cohort study. PLoS ONE, 2020, 15, e0240210.	2.5	3
31	Trends in alcohol consumption among older adults in Denmark in the 21st century. NAD Nordic Studies on Alcohol and Drugs, 2020, 37, 481-490.	1.3	3
32	Why Is Per Capita Consumption Underestimated in Alcohol Surveys? Results from 39 Surveys in 23 European Countries. Alcohol and Alcoholism, 2020, 55, 554-563.	1.6	46
33	Cognitive impairment and psychopathology in out-of-hospital cardiac arrest survivors in Denmark: The REVIVAL cohort study protocol. BMJ Open, 2020, 10, e038633.	1.9	6
34	The association between self-reported health status and adverse events: a comparison among coronary arteryÂbypass grafting (CABG) versus percutaneous coronary intervention (PCI). Quality of Life Research, 2020, 29, 3017-3029.	3.1	5
35	<p>Pain Prevalence, Localization, and Intensity in Adults with and without COPD: Results from the Danish Health and Morbidity Survey (a Self-reported Survey)</p> . International Journal of COPD, 2020, Volume 15, 3303-3311.	2.3	8
36	Associations Between Multiple Leisure Activities, Mental Health and Substance Use Among Adolescents in Denmark: A Nationwide Cross-Sectional Study. Frontiers in Behavioral Neuroscience, 2020, 14, 593340.	2.0	14

#	Article	IF	CITATIONS
37	Association between frailty and self-reported health following heart valve surgery. IJC Heart and Vasculature, 2020, 31, 100671.	1.1	5
38	Educational inequality in patient-reported outcomes but not mortality among cardiac patients: Results from the national DenHeart survey with register follow-up. Scandinavian Journal of Public Health, 2020, 48, 781-790.	2.3	3
39	Social isolation, loneliness, socioeconomic status, and health-risk behaviour in deprived neighbourhoods in Denmark: A cross-sectional study. SSM - Population Health, 2020, 10, 100546.	2.7	64
40	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
41	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		Ο
42	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
43	Employment status before and after open heart valve surgery: A cohort study. , 2020, 15, e0240210.		0
44	Chronic Pain, Opioid Therapy, Sexual Desire, and Satisfaction in Sexual Life: A Population-Based Survey. Pain Medicine, 2019, 20, 1132-1140.	1.9	12
45	Both mental and physical health predicts one year mortality and readmissions in patients with implantable cardioverter defibrillators: findings from the national DenHeart study. European Journal of Cardiovascular Nursing, 2019, 18, 96-105.	0.9	26
46	Tramadol use in Norway: A registerâ€based population study. Pharmacoepidemiology and Drug Safety, 2019, 28, 54-61.	1.9	7
47	Inconsistencies in self-reported health conditions: results of a nationwide panel study. International Journal of Public Health, 2019, 64, 1243-1246.	2.3	4
48	Alcohol's harms to others: the self-rated health of those with a heavy drinker in their lives. European Journal of Public Health, 2019, 29, 1130-1135.	0.3	9
49	Anxiety and Depression in Bereaved Parents After Losing a Child due to Life-Limiting Diagnoses: A Danish Nationwide Questionnaire Survey. Journal of Pain and Symptom Management, 2019, 58, 596-604.	1.2	29
50	Data on an intervention to reduce readmissions after open heart valve surgery. Data in Brief, 2019, 24, 103926.	1.0	4
51	The Danish health and morbidity surveys: study design and participant characteristics. BMC Medical Research Methodology, 2019, 19, 91.	3.1	49
52	Effect of early, individualised and intensified follow-up after open heart valve surgery on unplanned cardiac hospital readmissions and all-cause mortality. International Journal of Cardiology, 2019, 289, 30-36.	1.7	19
53	Early follow-up after open heart valve surgery reduces healthcare costs: a propensity matched study. Open Heart, 2019, 6, e001122.	2.3	6
54	Neighbour noise annoyance is associated with various mental and physical health symptoms: results from a nationwide study among individuals living in multi-storey housing. BMC Public Health, 2019, 19, 1508.	2.9	35

#	Article	IF	CITATIONS
55	Diabetes Is Associated with Musculoskeletal Pain, Osteoarthritis, Osteoporosis, and Rheumatoid Arthritis. Journal of Diabetes Research, 2019, 2019, 1-6.	2.3	39
56	Subgroup Differences and Determinants of Patient-Reported Mental and Physical Health in Patients With Ischemic Heart Disease. Journal of Cardiovascular Nursing, 2019, 34, E11-E21.	1.1	3
57	Patient-reported outcomes are independent predictors of one-year mortality and cardiac events across cardiac diagnoses: Findings from the national DenHeart survey. European Journal of Preventive Cardiology, 2019, 26, 624-637.	1.8	38
58	Allâ€cause mortality rates and home deaths decreased in children with lifeâ€limiting diagnoses in Denmark between 1994 and 2014. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1781-1785.	1.5	12
59	A nationwide Danish survey on the use of green spaces by people with mobility disabilities. Scandinavian Journal of Public Health, 2018, 46, 597-605.	2.3	16
60	Associations between perceived stress, socioeconomic status, and health-risk behaviour in deprived neighbourhoods in Denmark: a cross-sectional study. BMC Public Health, 2018, 18, 250.	2.9	112
61	Patient-reported outcomes after aortic and mitral valve surgery – results from the DenHeart Study. European Journal of Cardiovascular Nursing, 2018, 17, 246-254.	0.9	9
62	A nationwide study of health-related quality of life, stress, pain or discomfort and the use of medicine among problem gamblers. Scandinavian Journal of Public Health, 2018, 46, 514-521.	2.3	8
63	Substance use among Danish psychiatric patients: a cross-sectional study. Nordic Journal of Psychiatry, 2018, 72, 130-136.	1.3	11
64	Neighbour and traffic noise annoyance: a nationwide study of associated mental health and perceived stress. European Journal of Public Health, 2018, 28, 1050-1055.	0.3	57
65	Associations between music and health-related outcomes in adult non-musicians, amateur musicians and professional musicians—Results from a nationwide Danish study. Nordic Journal of Music Therapy, 2018, 27, 262-282.	1.1	21
66	Mental health is a risk factor for poor outcomes in cardiac patients: Findings from the national DenHeart survey. Journal of Psychosomatic Research, 2018, 112, 66-72.	2.6	17
67	Consistency in Adults' Self-Reported Lifetime Use of Illicit Drugs: A Follow-Up Study Over 13 Years. Journal of Studies on Alcohol and Drugs, 2018, 79, 490-494.	1.0	9
68	Consistency in Adults' Self-Reported Lifetime Use of Illicit Drugs: A Follow-Up Study Over 13 Years. Journal of Studies on Alcohol and Drugs, 2018, 79, 490-494.	1.0	6
69	Sociodemographic, Clinical and Patient-Reported Outcomes and Readmission After Heart Valve Surgery. Journal of Heart Valve Disease, 2018, 27, 78-86.	0.5	8
70	Health-risk behaviour among residents in deprived neighbourhoods compared with those of the general population in Denmark: A cross-sectional study. Health and Place, 2017, 45, 189-198.	3.3	18
71	Trends in educational inequalities in obesity in 15 European countries between 1990 and 2010. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 63.	4.6	42
72	Cannabis increased the risk of primary spontaneous pneumothorax in tobacco smokers: a case–control study. European Journal of Cardio-thoracic Surgery, 2017, 52, 679-685.	1.4	43

#	Article	IF	CITATIONS
73	DenHeart: Differences in physical and mental health across cardiac diagnoses at hospital discharge. Journal of Psychosomatic Research, 2017, 94, 1-9.	2.6	40
74	Alcohol consumption among patients with diabetes: a survey-based cross-sectional study of Danish adults with diabetes. Scandinavian Journal of Public Health, 2016, 44, 517-524.	2.3	10
75	Associations between daily musicking and health: Results from a nationwide survey in Denmark. Scandinavian Journal of Public Health, 2016, 44, 726-732.	2.3	21
76	Quality-of-Life Impairments Persist Six Months After Treatment of Graves' Hyperthyroidism and Toxic Nodular Goiter: A Prospective Cohort Study. Thyroid, 2016, 26, 1010-1018.	4.5	55
77	Trends in socioeconomic inequalities in self-assessed health in 17 European countries between 1990 and 2010. Journal of Epidemiology and Community Health, 2016, 70, 644-652.	3.7	112
78	Socioeconomic Variations in Use of Prescription Medicines for COPD: A Register-Based Study. Respiratory Care, 2016, 61, 943-949.	1.6	6
79	Problem Gambling Associated with Violent and Criminal Behaviour: A Danish Population-Based Survey and Register Study. Journal of Gambling Studies, 2016, 32, 25-34.	1.6	38
80	Disease-Specific as Well as Generic Quality of Life Is Widely Impacted in Autoimmune Hypothyroidism and Improves during the First Six Months of Levothyroxine Therapy. PLoS ONE, 2016, 11, e0156925.	2.5	109
81	What is wrong with non-respondents? Alcohol-, drug- and smoking-related mortality and morbidity in a 12-year follow-up study of respondents and non-respondents in the Danish Health and Morbidity Survey. Addiction, 2015, 110, 1505-1512.	3.3	88
82	Response to Fergusson & Boden (2015): The importance of considering the impacts of survey non-participation. Addiction, 2015, 110, 1514-1515.	3.3	2
83	The effect of multiple reminders on response patterns in a Danish health survey. European Journal of Public Health, 2015, 25, 156-161.	0.3	60
84	Health Behaviour and Body Mass Index Among Problem Gamblers: Results from a Nationwide Survey. Journal of Gambling Studies, 2015, 31, 547-556.	1.6	21
85	Patient-reported outcomes at hospital discharge from Heart Centres, a national cross-sectional survey with a register-based follow-up: the DenHeart study protocol. BMJ Open, 2014, 4, e004709.	1.9	35
86	Chronic pain, opioid prescriptions, and mortality in Denmark: A population-based cohort study. Pain, 2014, 155, 2486-2490.	4.2	91
87	The Prevalence of Problem Gambling in Denmark in 2005 and 2010: A Sociodemographic and Socioeconomic Characterization. Journal of Gambling Studies, 2014, 30, 1-10.	1.6	45
88	Cost-Effectiveness of Preventive Interventions to Reduce Alcohol Consumption in Denmark. PLoS ONE, 2014, 9, e88041.	2.5	22
89	The burden of chronic pain: A cross-sectional survey focussing on diseases, immigration, and opioid use. Pain, 2012, 153, 2332-2338.	4.2	91
90	The Danish National Health Survey 2010. Study design and respondent characteristics. Scandinavian Journal of Public Health, 2012, 40, 391-397.	2.3	179

#	Article	IF	CITATIONS
91	Reply to S. McMorn et al. Journal of Clinical Oncology, 2011, 29, 4343-4344.	1.6	ο
92	Activities to Alleviate Stress and the Association with Leisure Time Activities, Socioeconomic Status, and General Health. Journal of Applied Biobehavioral Research, 2010, 15, 161-174.	2.0	5
93	The effect of health, socio-economic position, and mode of data collection on non-response in health interview surveys. Scandinavian Journal of Public Health, 2010, 38, 699-706.	2.3	79
94	Cross-national comparisons of non-harmonized indicators may lead to more confusion than clarification. Scandinavian Journal of Public Health, 2009, 37, 661-663.	2.3	15
95	The study design and characteristics of the Danish national health interview surveys. Scandinavian Journal of Public Health, 2009, 37, 758-765.	2.3	116
96	Alcohol and smoking behavior in chronic pain patients: The role of opioids. European Journal of Pain, 2009, 13, 606-612.	2.8	77