Angela K Hodges

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5060297/angela-k-hodges-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31	2,102 citations	15	41
papers		h-index	g-index
41 ext. papers	3,442 ext. citations	12.2 avg, IF	3.15 L-index

#	Paper	IF	Citations
31	Dysregulated expression levels of APH1B in peripheral blood are associated with brain atrophy and amyloid-Ideposition in Alzheimer's disease. <i>Alzheimer Research and Therapy</i> , 2021 , 13, 183	9	1
30	Altered nuclear architecture in blood cells from Huntington's disease patients. <i>Neurological Sciences</i> , 2021 , 1	3.5	0
29	Genome sequencing analysis identifies new loci associated with Lewy body dementia and provides insights into its genetic architecture. <i>Nature Genetics</i> , 2021 , 53, 294-303	36.3	31
28	A genome-wide association study with 1,126,563 individuals identifies new risk loci for Alzheimer's disease. <i>Nature Genetics</i> , 2021 , 53, 1276-1282	36.3	40
27	Dysregulated Fc gamma receptor-mediated phagocytosis pathway in Alzheimer's disease: network-based gene expression analysis. <i>Neurobiology of Aging</i> , 2020 , 88, 24-32	5.6	6
26	Association of blood-based transcriptional risk scores with biomarkers for Alzheimer disease. <i>Neurology: Genetics</i> , 2020 , 6, e517	3.8	3
25	An epigenome-wide association study of Alzheimer's disease blood highlights robust DNA hypermethylation in the HOXB6 gene. <i>Neurobiology of Aging</i> , 2020 , 95, 26-45	5.6	17
24	Genome-wide transcriptome analysis identifies novel dysregulated genes implicated in Alzheimer's pathology. <i>Alzheimer</i> and <i>Dementia</i> , 2020 , 16, 1213-1223	1.2	8
23	Integrated lipidomics and proteomics network analysis highlights lipid and immunity pathways associated with Alzheimer's disease. <i>Translational Neurodegeneration</i> , 2020 , 9, 36	10.3	15
22	Transcriptomic analysis of probable asymptomatic and symptomatic alzheimer brains. <i>Brain, Behavior, and Immunity,</i> 2019 , 80, 644-656	16.6	27
21	ALSgeneScanner: a pipeline for the analysis and interpretation of DNA sequencing data of ALS patients. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2019 , 20, 207-215	3.6	6
20	Regional mitochondrial DNA and cell-type changes in post-mortem brains of non-diabetic Alzheimer's disease are not present in diabetic Alzheimer's disease. <i>Scientific Reports</i> , 2019 , 9, 11386	4.9	10
19	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates AD tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019 , 51, 414-430	36.3	917
18	Plasma levels of soluble TREM2 and neurofilament light chain in TREM2 rare variant carriers. <i>Alzheimer Research and Therapy</i> , 2019 , 11, 94	9	15
17	Loss of Trem2 in microglia leads to widespread disruption of cell coexpression networks in mouse brain. <i>Neurobiology of Aging</i> , 2018 , 69, 151-166	5.6	17
16	Mitochondrial genes are altered in blood early in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 53, 36-47	5.6	78
15	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017 , 49, 1373-1384	36.3	508

LIST OF PUBLICATIONS

14	[P2 0 98]: TSPO IMMUNOSTAINING IN AD CASES WITH/WITHOUT AN AD-ASSOCIATED TREM2 VARIANT 2017 , 13, P644-P645		
13	[P1 0 20]: SCREENING FDA-APPROVED COMPOUNDS IN A TREM2 CELL MODEL OF ALZHEIMER'S DISEASE 2017 , 13, P240		
12	[O2l13l06]: ASSESSING TREM2 FUNCTION IN ALZHEIMER's DISEASE WITH RNA-SEQ 2017 , 13, P590		
11	A Pathway Based Classification Method for Analyzing Gene Expression for Alzheimer's Disease Diagnosis. <i>Journal of Alzheimer</i> Disease, 2016 , 49, 659-69	4.3	26
10	IC-P-072: Gene Expression Of ABCA7 Dysregulated in Peripheral Blood is Associated With Decreased Metabolic Activity in Hippocampus 2016 , 12, P56-P58		
9	IC-P-074: Genome-Wide Meta-Analysis of Transcriptome Profiling Identifies Novel Dysregulated Genes Implicated in Alzheimer Disease 2016 , 12, P58-P60		
8	P3-087: Gene Expression of ABCA7 Dysregulated in Peripheral Blood is Associated With Decreased Metabolic Activity in Hippocampus 2016 , 12, P851-P853		
7	O2-06-02: Genome-Wide Meta-Analysis of Transcriptome Profiling Identifies Novel Dysregulated Genes Implicated in Alzheimer's Disease 2016 , 12, P238-P239		
6	P1-002: AD-Associated TREM2 Variants Lead to Some Subpopulations of Microglia to be Less Abundant But More Activated 2016 , 12, P397-P397		
5	P4-321: Using Gene Expression and Genetics to Predict Amyloid Burden Before Dementia 2016 , 12, P1	157-P1	157
4	A novel multi-tissue RNA diagnostic of healthy ageing relates to cognitive health status. <i>Genome Biology</i> , 2015 , 16, 185	18.3	112
3	No Evidence to Suggest that the Use of Acetylcholinesterase Inhibitors Confounds the Results of Two Blood-Based Biomarker Studies in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2015 , 47, 741-50	4.3	2
2	Alzheimer's disease biomarker discovery using SOMAscan multiplexed protein technology. <i>Alzheimer</i> and Dementia, 2014 , 10, 724-34	1.2	133
1	Mitochondrial dysfunction and immune activation are detectable in early Alzheimer's disease blood. <i>Journal of Alzheimer</i> Disease, 2012 , 30, 685-710	4.3	104