

Asada Leelahavanichkul

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5060770/publications.pdf>

Version: 2024-02-01

132
papers

6,667
citations

126708

33
h-index

71532

76
g-index

137
all docs

137
docs citations

137
times ranked

8220
citing authors

#	ARTICLE	IF	CITATIONS
1	Bone marrow stromal cells attenuate sepsis via prostaglandin E2-dependent reprogramming of host macrophages to increase their interleukin-10 production. <i>Nature Medicine</i> , 2009, 15, 42-49.	15.2	2,165
2	Animal models of sepsis and sepsis-induced kidney injury. <i>Journal of Clinical Investigation</i> , 2009, 119, 2868-2878.	3.9	450
3	Reduced Production of Creatinine Limits Its Use as Marker of Kidney Injury in Sepsis. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1217-1221.	3.0	342
4	Urinary exosomal transcription factors, a new class of biomarkers for renal disease. <i>Kidney International</i> , 2008, 74, 613-621.	2.6	238
5	Angiotensin II overcomes strain-dependent resistance of rapid CKD progression in a new remnant kidney mouse model. <i>Kidney International</i> , 2010, 78, 1136-1153.	2.6	139
6	Chronic kidney disease worsens sepsis and sepsis-induced acute kidney injury by releasing High Mobility Group Box Protein-1. <i>Kidney International</i> , 2011, 80, 1198-1211.	2.6	130
7	Pre-existing renal disease promotes sepsis-induced acute kidney injury and worsens outcome. <i>Kidney International</i> , 2008, 74, 1017-1025.	2.6	99
8	Additional <i>Candida albicans</i> administration enhances the severity of dextran sulfate solution induced colitis mouse model through leaky gut-enhanced systemic inflammation and gut-dysbiosis but attenuated by <i>Lactobacillus rhamnosus</i> L34. <i>Gut Microbes</i> , 2020, 11, 465-480.	4.3	92
9	Over-expression of miR-223 induces M2 macrophage through glycolysis alteration and attenuates LPS-induced sepsis mouse model, the cell-based therapy in sepsis. <i>PLoS ONE</i> , 2020, 15, e0236038.	1.1	81
10	Gastrointestinal Leakage Detected by Serum (1 \rightarrow 3)- β -D-Glucan in Mouse Models and a Pilot Study in Patients with Sepsis. <i>Shock</i> , 2016, 46, 506-518.	1.0	76
11	Class B Scavenger Receptor Types I and II and CD36 Mediate Bacterial Recognition and Proinflammatory Signaling Induced by <i>Escherichia coli</i> , Lipopolysaccharide, and Cytosolic Chaperonin 60. <i>Journal of Immunology</i> , 2012, 188, 1371-1380.	0.4	75
12	Methyl-2-acetamidoacrylate, an ethyl pyruvate analog, decreases sepsis-induced acute kidney injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F1825-F1835.	1.3	72
13	Gut Leakage of Fungal-Derived Inflammatory Mediators: Part of a Gut-Liver-Kidney Axis in Bacterial Sepsis. <i>Digestive Diseases and Sciences</i> , 2019, 64, 2416-2428.	1.1	72
14	Leaky-gut enhanced lupus progression in the Fc gamma receptor-IIb deficient and pristane-induced mouse models of lupus. <i>Scientific Reports</i> , 2020, 10, 777.	1.6	65
15	Gold nanoparticles attenuates bacterial sepsis in cecal ligation and puncture mouse model through the induction of M2 macrophage polarization. <i>BMC Microbiology</i> , 2018, 18, 85.	1.3	63
16	Endotoxemia and circulating bacteriome in severe COVID-19 patients. <i>Intensive Care Medicine Experimental</i> , 2020, 8, 72.	0.9	62
17	The Synergy of Endotoxin and (1 \rightarrow 3)- β -D-Glucan, from Gut Translocation, Worsens Sepsis Severity in a Lupus Model of Fc Gamma Receptor IIb-Deficient Mice. <i>Journal of Innate Immunity</i> , 2018, 10, 189-201.	1.8	61
18	Urinary exosomal activating transcriptional factor 3 as the early diagnostic biomarker for sepsis-induced acute kidney injury. <i>BMC Nephrology</i> , 2017, 18, 10.	0.8	60

#	ARTICLE	IF	CITATIONS
19	Oral Candida administration in a Clostridium difficile mouse model worsens disease severity but is attenuated by Bifidobacterium. PLoS ONE, 2019, 14, e0210798.	1.1	58
20	Oral administration of live- or heat-killed Candida albicans worsened cecal ligation and puncture sepsis in a murine model possibly due to an increased serum (1 α 3)- β -D-glucan. PLoS ONE, 2017, 12, e0181439.	1.1	58
21	Exosomes in Urine Biomarker Discovery. Advances in Experimental Medicine and Biology, 2015, 845, 43-58.	0.8	57
22	Class B Scavenger Receptor Types I and II and CD36 Targeting Improves Sepsis Survival and Acute Outcomes in Mice. Journal of Immunology, 2012, 188, 2749-2758.	0.4	56
23	Serum miRNA β 22 in acute liver injury induced by kidney injury and sepsis in CD β 1 mouse models. Hepatology Research, 2015, 45, 1341-1352.	1.8	55
24	Lactobacillus rhamnosus L34 Attenuates Gut Translocation-Induced Bacterial Sepsis in Murine Models of Leaky Gut. Infection and Immunity, 2018, 86, .	1.0	54
25	Fluorometric Paper-Based, Loop-Mediated Isothermal Amplification Devices for Quantitative Point-of-Care Detection of Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA). ACS Sensors, 2021, 6, 742-751.	4.0	53
26	Gastrointestinal Colonization of Candida Albicans Increases Serum (1 α 3)- β -D-Glucan, without Candidemia, and Worsens Cecal Ligation and Puncture Sepsis in Murine Model. Shock, 2018, 49, 62-70.	1.0	50
27	The epidemiology and characteristics of acute kidney injury in the Southeast Asia intensive care unit: a prospective multicentre study. Nephrology Dialysis Transplantation, 2020, 35, 1729-1738.	0.4	49
28	Lactobacillus acidophilus LA5 improves saturated fat-induced obesity mouse model through the enhanced intestinal Akkermansia muciniphila. Scientific Reports, 2021, 11, 6367.	1.6	49
29	STING Mediates Lupus via the Activation of Conventional Dendritic Cell Maturation and Plasmacytoid Dendritic Cell Differentiation. IScience, 2020, 23, 101530.	1.9	47
30	Comparison of serum creatinine and serum cystatin C as biomarkers to detect sepsis-induced acute kidney injury and to predict mortality in CD-1 mice. American Journal of Physiology - Renal Physiology, 2014, 307, F939-F948.	1.3	45
31	Gut leakage enhances sepsis susceptibility in iron-overloaded β -thalassemia mice through macrophage hyperinflammatory responses. American Journal of Physiology - Renal Physiology, 2020, 318, G966-G979.	1.6	44
32	Plasma miR-370-3P as a Biomarker of Sepsis-Associated Encephalopathy, the Transcriptomic Profiling Analysis of MicroRNA-Arrays From Mouse Brains. Shock, 2020, 54, 347-357.	1.0	41
33	Lipocalin-2 (Lcn-2) Attenuates Polymicrobial Sepsis with LPS Preconditioning (LPS Tolerance) in Fc γ RIIb Deficient Lupus Mice. Cells, 2019, 8, 1064.	1.8	38
34	Administration of Candida Albicans to Dextran Sulfate Solution Treated Mice Causes Intestinal Dysbiosis, Emergence and Dissemination of Intestinal Pseudomonas Aeruginosa and Lethal Sepsis. Shock, 2020, 53, 189-198.	1.0	37
35	Fc Gamma Receptor IIB Deficient Mice. Shock, 2017, 47, 743-752.	1.0	36
36	The Impact of Macro-and Micronutrients on Predicting Outcomes of Critically Ill Patients Requiring Continuous Renal Replacement Therapy. PLoS ONE, 2016, 11, e0156634.	1.1	35

#	ARTICLE	IF	CITATIONS
37	Gigantol Targets Cancer Stem Cells and Destabilizes Tumors via the Suppression of the PI3K/AKT and JAK/STAT Pathways in Ectopic Lung Cancer Xenografts. <i>Cancers</i> , 2019, 11, 2032.	1.7	33
38	Tracking COVID-19 with wastewater to understand asymptomatic transmission. <i>International Journal of Infectious Diseases</i> , 2021, 108, 296-299.	1.5	32
39	Dysregulation of Lipid Metabolism in Macrophages Is Responsible for Severe Endotoxin Tolerance in FcγRIIB-Deficient Lupus Mice. <i>Frontiers in Immunology</i> , 2020, 11, 959.	2.2	31
40	Acute Kidney Injury Induced Lupus Exacerbation Through the Enhanced Neutrophil Extracellular Traps (and Apoptosis) in Fcγr2b Deficient Lupus Mice With Renal Ischemia Reperfusion Injury. <i>Frontiers in Immunology</i> , 2021, 12, 669162.	2.2	30
41	Halogenated Baicalein as a Promising Antiviral Agent toward SARS-CoV-2 Main Protease. <i>Journal of Chemical Information and Modeling</i> , 2022, 62, 1498-1509.	2.5	30
42	High-dose ascorbate with low-dose amphotericin B attenuates severity of disease in a model of the reappearance of candidemia during sepsis in the mouse. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R223-R234.	0.9	29
43	Regulatory landscape of AGE-RAGE-oxidative stress axis and its modulation by PPAR δ activation in high fructose diet-induced metabolic syndrome. <i>Nutrition and Metabolism</i> , 2017, 14, 5.	1.3	29
44	Pathogen-Associated Molecules from Gut Translocation Enhance Severity of Cecal Ligation and Puncture Sepsis in Iron-Overload β -Thalassemia Mice. <i>Journal of Inflammation Research</i> , 2020, Volume 13, 719-735.	1.6	29
45	LPS Tolerance Inhibits Cellular Respiration and Induces Global Changes in the Macrophage Secretome. <i>Biomolecules</i> , 2021, 11, 164.	1.8	29
46	Agreement and Precision Analyses of Various Estimated Glomerular Filtration Rate Formulae in Cancer Patients. <i>Scientific Reports</i> , 2019, 9, 19356.	1.6	28
47	Candida Administration Worsens Cecal Ligation and Puncture-Induced Sepsis in Obese Mice Through Gut Dysbiosis Enhanced Systemic Inflammation, Impact of Pathogen-Associated Molecules From Gut Translocation and Saturated Fatty Acid. <i>Frontiers in Immunology</i> , 2020, 11, 561652.	2.2	28
48	Syk Inhibitor Attenuates Polymicrobial Sepsis in FcγRIIb-Deficient Lupus Mouse Model, the Impact of Lupus Characteristics in Sepsis. <i>Journal of Innate Immunity</i> , 2020, 12, 461-479.	1.8	28
49	(1 \rightarrow 3)- β -D-glucan and galactomannan testing for the diagnosis of fungal peritonitis in peritoneal dialysis patients, a pilot study. <i>Medical Mycology</i> , 2015, 53, 338-346.	0.3	27
50	Blockade Of PD-1 Attenuated Postsepsis Aspergillosis Via The Activation of IFN- γ and The Dampening of IL-10. <i>Shock</i> , 2020, 53, 514-524.	1.0	27
51	Lactobacillus rhamnosus attenuates Thai chili extracts induced gut inflammation and dysbiosis despite capsaicin bactericidal effect against the probiotics, a possible toxicity of high dose capsaicin. <i>PLoS ONE</i> , 2021, 16, e0261189.	1.1	27
52	Syk inhibitor attenuates inflammation in lupus mice from FcγRIIb deficiency but not in pristane induction: the influence of lupus pathogenesis on the therapeutic effect. <i>Lupus</i> , 2020, 29, 1248-1262.	0.8	26
53	Candida Administration Worsens Uremia-Induced Gut Leakage in Bilateral Nephrectomy Mice, an Impact of Gut Fungi and Organismal Molecules in Uremia. <i>MSystems</i> , 2021, 6, .	1.7	26
54	Increased susceptibility to dextran sulfate-induced mucositis of iron-overload β -thalassemia mice, another endogenous cause of septicemia in thalassemia. <i>Clinical Science</i> , 2021, 135, 1467-1486.	1.8	26

#	ARTICLE	IF	CITATIONS
55	Decreased Protein Kinase C- β Type II Associated with the Prominent Endotoxin Exhaustion in the Macrophage of Fc γ RIIb $^{-/-}$ Lupus Prone Mice is Revealed by Phosphoproteomic Analysis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1354.	1.8	25
56	Prominent Indomethacin-Induced Enteropathy in Fc γ RIIb Deficient lupus Mice: An Impact of Macrophage Responses and Immune Deposition in Gut. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1377.	1.8	24
57	Candida Administration in Bilateral Nephrectomy Mice Elevates Serum (1 \rightarrow 3)- β -D-glucan That Enhances Systemic Inflammation Through Energy Augmentation in Macrophages. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5031.	1.8	24
58	B α cell activating factor, a predictor of antibody mediated rejection in kidney transplantation recipients. <i>Nephrology</i> , 2018, 23, 169-174.	0.7	23
59	Evaluation of gastrointestinal leakage using serum (1 \rightarrow 3)- β -D-glucan in a Clostridium difficile murine model. <i>FEMS Microbiology Letters</i> , 2016, 363, fnw204.	0.7	22
60	Defective Neutrophil Function in Patients with Sepsis Is Mostly Restored by ex vivo Ascorbate Incubation. <i>Journal of Inflammation Research</i> , 2020, Volume 13, 263-274.	1.6	22
61	A Synergy Between Endotoxin and (1 \rightarrow 3)-Beta-D-Glucan Enhanced Neutrophil Extracellular Traps in Candida Administered Dextran Sulfate Solution Induced Colitis in Fc γ RIIb $^{-/-}$ Lupus Mice, an Impact of Intestinal Fungi in Lupus. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 2333-2352.	1.6	22
62	Rituximab for recurrent IgA nephropathy in kidney transplantation: A report of three cases and proposed mechanisms. <i>Nephrology</i> , 2017, 22, 65-71.	0.7	21
63	The role of macrophages in the susceptibility of Fc gamma receptor IIb deficient mice to Cryptococcus neoformans. <i>Scientific Reports</i> , 2017, 7, 40006.	1.6	21
64	Novel colistin-EDTA combination for successful eradication of colistin-resistant Klebsiella pneumoniae catheter-related biofilm infections. <i>Scientific Reports</i> , 2021, 11, 21676.	1.6	21
65	Urine neutrophil gelatinase-associated lipocalin to predict renal response after induction therapy in active lupus nephritis. <i>BMC Nephrology</i> , 2017, 18, 263.	0.8	20
66	Coexistence of Pseudomonas aeruginosa With Candida albicans Enhances Biofilm Thickness Through Alginate-Related Extracellular Matrix but Is Attenuated by N-acetyl-L-cysteine. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 594336.	1.8	20
67	BAM15, a Mitochondrial Uncoupling Agent, Attenuates Inflammation in the LPS Injection Mouse Model: An Adjunctive Anti-Inflammation on Macrophages and Hepatocytes. <i>Journal of Innate Immunity</i> , 2021, 13, 359-375.	1.8	20
68	Transcriptomic profiling in human mesangial cells using patient-derived lupus autoantibodies identified miR-10a as a potential regulator of IL8. <i>Scientific Reports</i> , 2017, 7, 14517.	1.6	19
69	Uremia-Induced Gut Barrier Defect in 5/6 Nephrectomized Mice Is Worsened by Candida Administration through a Synergy of Uremic Toxin, Lipopolysaccharide, and (1 \rightarrow 3)- β -D-Glucan, but Is Attenuated by Lactobacillus rhamnosus L34. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2511.	1.8	19
70	Cyperenoic acid suppresses osteoclast differentiation and delays bone loss in a senile osteoporosis mouse model by inhibiting non-canonical NF- κ B pathway. <i>Scientific Reports</i> , 2018, 8, 5625.	1.6	18
71	Interference on Cytosolic DNA Activation Attenuates Sepsis Severity: Experiments on Cyclic GMP \rightarrow cAMP Synthase (cGAS) Deficient Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11450.	1.8	18
72	Lactobacillus rhamnosus L34 attenuates chronic kidney disease progression in a 5/6 nephrectomy mouse model through the excretion of anti-inflammatory molecules. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1429-1442.	0.4	18

#	ARTICLE	IF	CITATIONS
73	Lactiplantibacillus plantarum dfa1 Outperforms Enterococcus faecium dfa1 on Anti-Obesity in High Fat-Induced Obesity Mice Possibly through the Differences in Gut Dysbiosis Attenuation, despite the Similar Anti-Inflammatory Properties. <i>Nutrients</i> , 2022, 14, 80.	1.7	18
74	Monitoring Anti- <i>Pythium insidiosum</i> IgG Antibodies and (1 α '3)- β -D-Glucan in Vascular Pythiosis. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	17
75	Macrophage depletion alters bacterial gut microbiota partly through fungal overgrowth in feces that worsens cecal ligation and puncture sepsis mice. <i>Scientific Reports</i> , 2022, 12, .	1.6	17
76	Biomarkers for Refractory Lupus Nephritis: A Microarray Study of Kidney Tissue. <i>International Journal of Molecular Sciences</i> , 2015, 16, 14276-14290.	1.8	16
77	Serum Neutrophil Gelatinase Associated Lipocalin (NGAL) Outperforms Serum Creatinine in Detecting Sepsis-Induced Acute Kidney Injury, Experiments on Bilateral Nephrectomy and Bilateral Ureter Obstruction Mouse Models. <i>Shock</i> , 2016, 45, 570-576.	1.0	16
78	Dibromopinocembrin and Dibromopinostrobin Are Potential Anti-Dengue Leads with Mild Animal Toxicity. <i>Molecules</i> , 2020, 25, 4154.	1.7	16
79	Cilostazol attenuates intimal hyperplasia in a mouse model of chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0187872.	1.1	16
80	Enhanced Bacteremia in Dextran Sulfate-Induced Colitis in Splenectomy Mice Correlates with Gut Dysbiosis and LPS Tolerance. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1676.	1.8	16
81	Blood Bacteria-Free DNA in Septic Mice Enhances LPS-Induced Inflammation in Mice through Macrophage Response. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1907.	1.8	16
82	Neutrophil Extracellular Traps in Severe SARS-CoV-2 Infection: A Possible Impact of LPS and (1 α '3)- β -D-glucan in Blood from Gut Translocation. <i>Cells</i> , 2022, 11, 1103.	1.8	16
83	Urinary podocalyxin, the novel biomarker for detecting early renal change in obesity. <i>Journal of Nephrology</i> , 2016, 29, 37-44.	0.9	15
84	Repurposing of High-Dose Erythropoietin as a Potential Drug Attenuates Sepsis in Preconditioning Renal Injury. <i>Cells</i> , 2021, 10, 3133.	1.8	15
85	A Comparison Between 1 Day versus 7 Days of Sepsis in Mice with the Experiments on LPS-Activated Macrophages Support the Use of Intravenous Immunoglobulin for Sepsis Attenuation. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 7243-7263.	1.6	15
86	The prominent impairment of liver/intestinal cytochrome P450 and intestinal drug transporters in sepsis-induced acute kidney injury over acute and chronic renal ischemia, a mouse model comparison. <i>Renal Failure</i> , 2019, 41, 314-325.	0.8	14
87	Lipopolysaccharide-Enhanced Responses against Aryl Hydrocarbon Receptor in FcgRIIb-Deficient Macrophages, a Profound Impact of an Environmental Toxin on a Lupus-Like Mouse Model. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4199.	1.8	14
88	MicroRNA-21 in plasma exosome, but not from whole plasma, as a biomarker for the severe interstitial fibrosis and tubular atrophy (IF/TA) in post-renal transplantation. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2020, . .	0.2	14
89	Leaky Gut Syndrome Is Associated with Endotoxemia and Serum (1 α '3)- β -D-Glucan in Severe Dengue Infection. <i>Microorganisms</i> , 2021, 9, 2390.	1.6	14
90	Profile of Histone H3 Lysine 4 Trimethylation and the Effect of Lipopolysaccharide/Immune Complex-Activated Macrophages on Endotoxemia. <i>Frontiers in Immunology</i> , 2019, 10, 2956.	2.2	13

#	ARTICLE	IF	CITATIONS
91	More Prominent Inflammatory Response to Pachyman than to Whole-Glucan Particle and Oat- β -Glucans in Dextran Sulfate-Induced Mucositis Mice and Mouse Injection through Proinflammatory Macrophages. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4026.	1.8	13
92	Sepsis Encephalopathy Is Partly Mediated by miR370-3p-Induced Mitochondrial Injury but Attenuated by BAM15 in Cecal Ligation and Puncture Sepsis Male Mice. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5445.	1.8	13
93	Increased susceptibility against <i>Cryptococcus neoformans</i> of lupus mouse models (pristane-induction) Tj ETQq1 1 0.784314 rgBT /Ov Journal of Microbiology, 2019, 57, 45-53.	1.3	12
94	Solid Composite Material for Delivering Viable Cells into Skin Tissues <i>via</i> Detachable Dissolvable Microneedles. <i>ACS Applied Bio Materials</i> , 2020, 3, 4581-4589.	2.3	11
95	Presence of <i>Candida tropicalis</i> on <i>Staphylococcus epidermidis</i> Biofilms Facilitated Biofilm Production and <i>Candida</i> Dissemination: An Impact of Fungi on Bacterial Biofilms. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 763239.	1.8	11
96	<i>Lactobacillus casei</i> Strain T21 Attenuates <i>Clostridioides difficile</i> Infection in a Murine Model Through Reduction of Inflammation and Gut Dysbiosis With Decreased Toxin Lethality and Enhanced Mucin Production. <i>Frontiers in Microbiology</i> , 2021, 12, 745299.	1.5	11
97	Abnormal Blood Bacteriome, Gut Dysbiosis, and Progression to Severe Dengue Disease. <i>Frontiers in Cellular and Infection Microbiology</i> , 0, 12, .	1.8	11
98	<i>Candida</i> Worsens <i>Klebsiella pneumoniae</i> Induced-Sepsis in a Mouse Model with Low Dose Dextran Sulfate Solution through Gut Dysbiosis and Enhanced Inflammation. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7050.	1.8	11
99	(β -D-Glucan and Galactomannan for Differentiating Chemical & Black Particles and Fungal Particles Inside Peritoneal Dialysis Tubing. <i>Peritoneal Dialysis International</i> , 2016, 36, 402-409.	1.1	10
100	Pharmacokinetics of sirolimus in Thai healthy volunteers. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2005, 88 Suppl 4, S157-62.	0.4	10
101	Anti-Inflammatory Effects and Decreased Formation of Neutrophil Extracellular Traps by Enoxaparin in COVID-19 Patients. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4805.	1.8	10
102	Alteration of macrophage immune phenotype in a murine sepsis model is associated with susceptibility to secondary fungal infection. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2021, , .	0.2	9
103	& Administration Worsens Neutrophil Extracellular Traps in Renal Ischemia Reperfusion Injury Mice: An Impact of Gut Fungi on Acute Kidney Injury. <i>Journal of Innate Immunity</i> , 2022, 14, 502-517.	1.8	8
104	Going Micro in Leptospirosis Kidney Disease. <i>Cells</i> , 2022, 11, 698.	1.8	8
105	Nanoparticle enhanced blue light therapy. <i>Advanced Drug Delivery Reviews</i> , 2022, 184, 114198.	6.6	8
106	<i>Helicobacter pylori</i> Infection Increased Anti-dsDNA and Enhanced Lupus Severity in Symptomatic Fc γ RIIb-Deficient Lupus Mice. <i>Frontiers in Microbiology</i> , 2018, 9, 1488.	1.5	7
107	Cortical Bone Loss in a Spontaneous Murine Model of Systemic Lupus Erythematosus. <i>Calcified Tissue International</i> , 2018, 103, 686-697.	1.5	7
108	Interaction Between Dendritic Cells and <i>Candida krusei</i> β -Glucan Partially Depends on Dectin-1 and It Promotes High IL-10 Production by T Cells. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 566661.	1.8	7

#	ARTICLE	IF	CITATIONS
109	Durability of Antibody Response Against the Hepatitis B Virus in Kidney Transplant Recipients: A Proposed Immunization Guideline From a 3-Year Follow-up Clinical Study. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofy342.	0.4	6
110	Lupus-like Disease in FcÎ³RIIB ^{-/-} Mice Induces Osteopenia. <i>Scientific Reports</i> , 2019, 9, 17342.	1.6	6
111	Etanercept prevents TNF-Î± mediated mandibular bone loss in FcÎ³RIIB ^{-/-} lupus model. <i>PLoS ONE</i> , 2021, 16, e0250215.	1.1	6
112	Non-Thermal Atmospheric Pressure Argon-Sourced Plasma Flux Promotes Wound Healing of Burn Wounds and Burn Wounds with Infection in Mice through the Anti-Inflammatory Macrophages. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5343.	1.3	6
113	Identification of candidate regulators of mandibular bone loss in FcÎ³RIIB ^{-/-} Mice. <i>Scientific Reports</i> , 2021, 11, 18726.	1.6	6
114	Delta-like ligand 4 in hepatocellular carcinoma intrinsically promotes tumour growth and suppresses hepatitis B virus replication. <i>World Journal of Gastroenterology</i> , 2018, 24, 3861-3870.	1.4	6
115	Innate Immunity Response to BK Virus Infection in Polyomavirus-Associated Nephropathy in Kidney Transplant Recipients. <i>Transplantology</i> , 2022, 3, 20-32.	0.3	5
116	Rhodococcus induced false-positive galactomannan (GM), a biomarker of fungal presentation, in patients with peritoneal dialysis: case reports. <i>BMC Nephrology</i> , 2019, 20, 445.	0.8	4
117	Serum Galactomannan Index for the Rapid Diagnosis of Fungal Peritonitis in Patients With Peritoneal Dialysis. <i>Kidney International Reports</i> , 2020, 5, 530-534.	0.4	4
118	Social restriction versus herd immunity policies in the early phase of the SARS-CoV-2 pandemic: A mathematical modelling study. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2022, , .	0.2	4
119	HydroZitLa inhibits calcium oxalate stone formation in nephrolithic rats and promotes longevity in nematode <i>Caenorhabditis elegans</i> . <i>Scientific Reports</i> , 2022, 12, 5102.	1.6	4
120	High phosphate intake induces bone loss in nephrectomized thalassemic mice. <i>PLoS ONE</i> , 2022, 17, e0268732.	1.1	4
121	The culture from peritoneal dialysis catheter enhances yield of microorganism identification in peritoneal dialysis-related peritonitis. <i>Peritoneal Dialysis International</i> , 2020, 40, 93-95.	1.1	3
122	Kidney Transplantation From Hepatitis B Surface Antigen (HBsAg)â€“Positive Living Donors to HBsAg-Negative Recipients: Benefits and Risks. <i>Clinical Infectious Diseases</i> , 2021, 72, 720-721.	2.9	3
123	Comparative Long-Term Renal Allograft Outcomes of Recurrent Immunoglobulin A with Severe Activity in Kidney Transplant Recipients with and without Rituximab: An Observational Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3939.	1.0	3
124	Delivery and diffusion of retinal in dermis and epidermis through the combination of prodrug nanoparticles and detachable dissolvable microneedles. <i>Drug Delivery and Translational Research</i> , 2022, 12, 2751-2761.	3.0	3
125	Alteration of urinary neutrophil gelatinaseâ€“associated lipocalin as a predictor of tacrolimus-induced chronic renal allograft fibrosis in tacrolimus dose adjustments following kidney transplantation. <i>PLoS ONE</i> , 2018, 13, e0209708.	1.1	2
126	Peritoneal Dialysis-Related Peritonitis due to Melioidosis: A Potentially Devastating Condition. <i>Peritoneal Dialysis International</i> , 2017, 37, 183-190.	1.1	1

#	ARTICLE	IF	CITATIONS
127	Natural Thermoresponsive Rice Granules as Biocompatible Drug Carriers. ACS Omega, 2019, 4, 7911-7918.	1.6	1
128	Nephrectomy Does not Exacerbate Cancellous Bone loss in Thalassemic Mice. Scientific Reports, 2020, 10, 7786.	1.6	1
129	The first report of kidney transplantation in a human immunodeficiency virus“positive recipient in Thailand and literature review: Encouragement for developing countries in Southeast Asia. SAGE Open Medical Case Reports, 2021, 9, 2050313X2110244.	0.2	1
130	Protein-Bound Uremic Toxins Lowering Effect of Sevelamer in Pre-Dialysis Chronic Kidney Disease Patients with Hyperphosphatemia: A Randomized Controlled Trial. Toxins, 2021, 13, 688.	1.5	1
131	Sepsis-associated Acute Kidney Injury. , 2017, , .		0
132	The cooperation of pharmacologic-dose ascorbate with ceftriaxone against Staphylococcus aureus through bactericidal synergy and enhanced macrophage killing activity. Asian Pacific Journal of Allergy and Immunology, 2019, 37, 94-101.	0.2	0