
Bastian Höchst

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5061005/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Regulatory myeloid cells paralyze T cells through cell–cell transfer of the metabolite methylglyoxal. Nature Immunology, 2020, 21, 555-566.	14.5	147
2	Age-Related Gliosis Promotes Central Nervous System Lymphoma through CCL19-Mediated Tumor Cell Retention. Cancer Cell, 2019, 36, 250-267.e9.	16.8	25
3	SAT-382-Crosstalk between liver NKT cells and liver sinusoidal endothelial cells. Journal of Hepatology, 2019, 70, e803.	3.7	0
4	Myeloid-derived suppressor cells control B cell accumulation in the central nervous system during autoimmunity. Nature Immunology, 2018, 19, 1341-1351.	14.5	82
5	Checkpoint Inhibition in Head and Neck Cancer: Immune Therapeutic Options, Limitations, and Beyond. Orl, 2017, 79, 24-33.	1.1	6
6	Spatiotemporally restricted arenavirus replication induces immune surveillance and type I interferon-dependent tumour regression. Nature Communications, 2017, 8, 14447.	12.8	22
7	Targeting myeloid derived suppressor cells with all-trans retinoic acid is highly time-dependent in therapeutic tumor vaccination. Oncolmmunology, 2017, 6, e1338995.	4.6	24
8	Kupffer Cell-Derived Tnf Triggers Cholangiocellular Tumorigenesis through JNK due to Chronic Mitochondrial Dysfunction and ROS. Cancer Cell, 2017, 31, 771-789.e6.	16.8	140
9	Pancreatic Premalignant Lesions Secrete Tissue Inhibitor of Metalloproteinases-1, Which Activates Hepatic Stellate Cells ViaÂCD63 Signaling to Create a Premetastatic Niche in the Liver. Gastroenterology, 2016, 151, 1011-1024.e7.	1.3	93
10	The induction of human myeloid derived suppressor cells through hepatic stellate cells is dose-dependently inhibited by the tyrosine kinase inhibitors nilotinib, dasatinib and sorafenib, but not sunitinib. Cancer Immunology, Immunotherapy, 2016, 65, 273-282.	4.2	37
11	Impact of NKT Cells and LFA-1 on Liver Regeneration under Subseptic Conditions. PLoS ONE, 2016, 11, e0168001.	2.5	2
12	Differential Induction of Ly6G and Ly6C Positive Myeloid Derived Suppressor Cells in Chronic Kidney and Liver Inflammation and Fibrosis. PLoS ONE, 2015, 10, e0119662.	2.5	43
13	Functional classification of memory CD8+ T cells by CX3CR1 expression. Nature Communications, 2015, 6, 8306.	12.8	231
14	The NTPase/helicase domain of hepatitis C virus nonstructural protein 3 inhibits protein kinase C independently of its NTPase activity. Cellular and Molecular Biology Letters, 2013, 18, 447-58.	7.0	3
15	Activated human hepatic stellate cells induce myeloid derived suppressor cells from peripheral blood monocytes in a CD44-dependent fashion. Journal of Hepatology, 2013, 59, 528-535.	3.7	117
16	Liver-Primed Memory T Cells Generated under Noninflammatory Conditions Provide Anti-infectious Immunity. Cell Reports, 2013, 3, 779-795.	6.4	65
17	Antigen shedding into the circulation contributes to tumor immune escape. Oncolmmunology, 2012, 1, 1620-1622.	4.6	7
18	Liver sinusoidal endothelial cells contribute to CD8 T cell tolerance toward circulating carcinoembryonic antigen in mice. Hepatology, 2012, 56, 1924-1933.	7.3	49

Bastian Höchst

#	Article	IF	CITATIONS
19	Low-dose Cyclophosphamide Treatment Impairs Regulatory T Cells and Unmasks AFP-specific CD4+ T-cell Responses in Patients With Advanced HCC. Journal of Immunotherapy, 2010, 33, 211-218.	2.4	122
20	Immune Responses in Hepatocellular Carcinoma. Digestive Diseases, 2010, 28, 150-154.	1.9	38
21	Immunotherapy of hepatocellular carcinoma. Expert Review of Gastroenterology and Hepatology, 2010, 4, 345-353.	3.0	17
22	Myeloid derived suppressor cells inhibit natural killer cells in patients with hepatocellular carcinoma via the NKp30 receptor. Hepatology, 2009, 50, 799-807.	7.3	532