

Ronald Cools

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5061218/publications.pdf>

Version: 2024-02-01

102
papers

2,468
citations

257101

24
h-index

214527

47
g-index

106
all docs

106
docs citations

106
times ranked

1082
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Fast component-by-component construction of lattice algorithms for multivariate approximation with POD and SPOD weights. <i>Mathematics of Computation</i> , 2020, 90, 787-812. | 1.1 | 3 |
| 2 | The Analysis of Vertex Modified Lattice Rules in a Non-periodic Sobolev Space. , 2018, , 979-999. | | 0 |
| 3 | Tent-transformed lattice rules for integration and approximation of multivariate non-periodic functions. <i>Journal of Complexity</i> , 2016, 36, 166-181. | 0.7 | 18 |
| 4 | Reconstruction and Collocation of a Class of Non-periodic Functions by Sampling Along Tent-Transformed Rank-1 Lattices. <i>Journal of Fourier Analysis and Applications</i> , 2016, 22, 187-214. | 0.5 | 8 |
| 5 | CHEBINT. <i>ACM Transactions on Mathematical Software</i> , 2013, 40, 1-13. | 1.6 | 7 |
| 6 | Extended exponentially fitted interpolation formulas for oscillatory functions. <i>Applied Mathematics and Computation</i> , 2013, 224, 178-195. | 1.4 | 4 |
| 7 | Conditional Sampling for Barrier Option Pricing under the LT Method. <i>SIAM Journal on Financial Mathematics</i> , 2013, 4, 327-352. | 0.7 | 16 |
| 8 | Conditional Sampling for Barrier Option Pricing Under the Heston Model. <i>Springer Proceedings in Mathematics and Statistics</i> , 2013, , 253-269. | 0.1 | 9 |
| 9 | Error handling in Fortran 2003. <i>ACM SIGPLAN Fortran Forum</i> , 2012, 31, 7-19. | 0.5 | 0 |
| 10 | In Search for Good Chebyshev Lattices. <i>Springer Proceedings in Mathematics and Statistics</i> , 2012, , 639-654. | 0.1 | 2 |
| 11 | Chebyshev lattices, a unifying framework for cubature with Chebyshev weight function. <i>BIT Numerical Mathematics</i> , 2011, 51, 275-288. | 1.0 | 14 |
| 12 | Extremal lattices and the construction of lattice rules. <i>Applied Mathematics and Computation</i> , 2011, 217, 4397-4407. | 1.4 | 1 |
| 13 | Constructing lattice rules based on weighted degree of exactness and worst case error. <i>Computing (Vienna/New York)</i> , 2010, 87, 63-89. | 3.2 | 21 |
| 14 | An adaptive approach to cube-based quasi-Monte Carlo integration on. <i>Mathematics and Computers in Simulation</i> , 2010, 80, 1104-1117. | 2.4 | 0 |
| 15 | On the convergence of quasi-random sampling/importance resampling. <i>Mathematics and Computers in Simulation</i> , 2010, 81, 490-505. | 2.4 | 5 |
| 16 | Computational investigations of scrambled Faure sequences. <i>Mathematics and Computers in Simulation</i> , 2010, 81, 522-535. | 2.4 | 5 |
| 17 | Minimum classification error training in example based speech and pattern recognition using sparse weight matrices. <i>Journal of Computational and Applied Mathematics</i> , 2010, 234, 1303-1311. | 1.1 | 6 |
| 18 | Higher Order Quasi-Monte Carlo Methods: A Comparison. , 2010, , . | | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Recent topics in numerical integration. International Journal of Quantum Chemistry, 2009, 109, 1748-1755. | 1.0 | 6 |
| 20 | On Generalized Gaussian Quadrature Rules for Singular and Nearly Singular Integrals. SIAM Journal on Numerical Analysis, 2009, 47, 719-739. | 1.1 | 9 |
| 21 | Extensions of Fibonacci Lattice Rules. , 2009, , 259-270. | | 2 |
| 22 | The Birth of Numerical Analysis. , 2009, , . | | 5 |
| 23 | On obtaining higher order convergence for smooth periodic functions. Journal of Complexity, 2008, 24, 328-340. | 0.7 | 5 |
| 24 | Integrating products of Bessel functions with an additional exponential or rational factor. Computer Physics Communications, 2008, 178, 578-590. | 3.0 | 24 |
| 25 | A Belgian View on Lattice Rules. , 2008, , 3-21. | | 15 |
| 26 | Constructions of copy rules. AIP Conference Proceedings, 2007, , . | 0.3 | 0 |
| 27 | Quasi-random integration in high dimensions. Mathematics and Computers in Simulation, 2007, 73, 309-319. | 2.4 | 16 |
| 28 | On the convergence of quasi-random sampling importance resampling. Proceedings in Applied Mathematics and Mechanics, 2007, 7, 1022401-1022402. | 0.2 | 1 |
| 29 | An overview of fast componentâ€”component constructions of lattice rules and lattice sequences. Proceedings in Applied Mathematics and Mechanics, 2007, 7, 1022609-1022610. | 0.2 | 2 |
| 30 | Template-Based Continuous Speech Recognition. IEEE Transactions on Audio Speech and Language Processing, 2007, 15, 1377-1390. | 3.8 | 110 |
| 31 | Note on "Electromagnetic Response of a Large Circular Loop Source on a Layered Earth: A New Computation Method" by N. P. Singh and T. Mogi. Pure and Applied Geophysics, 2007, 164, 1107-1111. | 0.8 | 4 |
| 32 | On obtaining quadratic and cubic error convergence using weighted Kronecker-sequences. Computing (Vienna/New York), 2007, 80, 75-94. | 3.2 | 2 |
| 33 | Algorithm 858. ACM Transactions on Mathematical Software, 2006, 32, 580-596. | 1.6 | 19 |
| 34 | Constructing Embedded Lattice Rules for Multivariate Integration. SIAM Journal of Scientific Computing, 2006, 28, 2162-2188. | 1.3 | 84 |
| 35 | Numerical integration in logistic-normal models. Computational Statistics and Data Analysis, 2006, 51, 1535-1548. | 0.7 | 24 |
| 36 | Good permutations for deterministic scrambled Halton sequences in terms of $\langle \text{mml:math altimg="si69.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/co$ | 1.1 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Using the $\langle \mathbb{m} \rangle$ algorithm to compute bounds for the star discrepancy. Journal of Complexity, 2005, 21, 320-323. | 1.1 | 4 |
| 38 | A stable recurrence for the incomplete gamma function with imaginary second argument. Numerische Mathematik, 2006, 104, 445-456. | 0.9 | 2 |
| 39 | Fast component-by-component construction of rank-1 lattice rules with a non-prime number of points. Journal of Complexity, 2006, 22, 4-28. | 0.7 | 71 |
| 40 | Fast algorithms for component-by-component construction of rank- s lattice rules in shift-invariant reproducing kernel Hilbert spaces. Mathematics of Computation, 2006, 75, 903-921. | 1.1 | 178 |
| 41 | Using Box-Muller with Low Discrepancy Points. Lecture Notes in Computer Science, 2006, , 780-788. | 1.0 | 3 |
| 42 | Fast Component-by-Component Construction, a Reprise for Different Kernels. , 2006, , 373-387. | | 24 |
| 43 | A note on E. ThiÅ©mard's algorithm to compute bounds for the star discrepancy. Journal of Complexity, 2005, 21, 320-323. | 0.7 | 4 |
| 44 | Transforming low-discrepancy sequences from a cube to a simplex. Journal of Computational and Applied Mathematics, 2005, 174, 29-42. | 1.1 | 8 |
| 45 | 2. Assessment of Accuracy and Reliability. , 2005, , 13-32. | | 2 |
| 46 | 3. Approximating Integrals, Estimating Errors, and Giving the Wrong Solution for a Deceptively Easy Problem. , 2005, , 33-42. | | 0 |
| 47 | A theoretical view on transforming low-discrepancy sequences from a cube to a simplex. Monte Carlo Methods and Applications, 2004, 10, . | 0.3 | 2 |
| 48 | Extrapolation and Adaptivity in Software for Automatic Numerical Integration on a Cube. Numerical Algorithms, 2003, 34, 259-269. | 1.1 | 5 |
| 49 | Five- and six-dimensional lattice rules generated by structured matrices. Journal of Complexity, 2003, 19, 715-729. | 0.7 | 14 |
| 50 | Extended quadrature rules for oscillatory integrands. Applied Numerical Mathematics, 2003, 46, 59-73. | 1.2 | 28 |
| 51 | An encyclopaedia of cubature formulas. Journal of Complexity, 2003, 19, 445-453. | 0.7 | 198 |
| 52 | On the (non)-existence of some cubature formulas: gaps between a theory and its applications. Journal of Complexity, 2003, 19, 403-405. | 0.7 | 7 |
| 53 | An adaptive numerical cubature algorithm for simplices. ACM Transactions on Mathematical Software, 2003, 29, 297-308. | 1.6 | 33 |
| 54 | Algorithm 824. ACM Transactions on Mathematical Software, 2003, 29, 287-296. | 1.6 | 61 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Cubature Formulas of a Nonalgebraic Degree of Precision. <i>Constructive Approximation</i> , 2002, 18, 223-240. | 1.8 | 1 |
| 56 | Quadrature rules using first derivatives for oscillatory integrands. <i>Journal of Computational and Applied Mathematics</i> , 2002, 140, 479-497. | 1.1 | 34 |
| 57 | Advances in multidimensional integration. <i>Journal of Computational and Applied Mathematics</i> , 2002, 149, 1-12. | 1.1 | 72 |
| 58 | Spherical Product Algorithms and the Integration of Smooth Functions with One Singular Point. <i>SIAM Journal on Numerical Analysis</i> , 2001, 39, 1132-1145. | 1.1 | 5 |
| 59 | Three- and four-dimensional K -optimal lattice rules of moderate trigonometric degree. <i>Mathematics of Computation</i> , 2001, 70, 1549-1568. | 1.1 | 23 |
| 60 | Cubature formulae and orthogonal polynomials. <i>Journal of Computational and Applied Mathematics</i> , 2001, 127, 121-152. | 1.1 | 37 |
| 61 | Rotation invariant cubature formulas over the n -dimensional unit cube. <i>Journal of Computational and Applied Mathematics</i> , 2001, 132, 15-32. | 1.1 | 10 |
| 62 | Decomposing the Secondary Cayley Polytope. <i>Discrete and Computational Geometry</i> , 2000, 23, 367-380. | 0.4 | 9 |
| 63 | Monomial cubature rules since "Stroud" a compilation" part 2. <i>Journal of Computational and Applied Mathematics</i> , 1999, 112, 21-27. | 1.1 | 126 |
| 64 | Smolyak's Construction of Cubature Formulas of Arbitrary Trigonometric Degree. <i>Computing (Vienna/New York)</i> , 1999, 62, 147-162. | 3.2 | 13 |
| 65 | Computing zeros of analytic mappings: A logarithmic residue approach. <i>BIT Numerical Mathematics</i> , 1998, 38, 583-596. | 1.0 | 2 |
| 66 | Constructing cubature formulae: the science behind the art. <i>Acta Numerica</i> , 1997, 6, 1-54. | 6.3 | 155 |
| 67 | Algorithm 764: Cubpack++. <i>ACM Transactions on Mathematical Software</i> , 1997, 23, 1-15. | 1.6 | 25 |
| 68 | Different Quality Indexes for Lattice Rules. <i>Journal of Complexity</i> , 1997, 13, 235-258. | 0.7 | 9 |
| 69 | An interactive program to approximate double integrals. <i>ACM SIGNUM Newsletter</i> , 1997, 32, 2-8. | 0.2 | 1 |
| 70 | Minimal cubature formulae of trigonometric degree. <i>Mathematics of Computation</i> , 1996, 65, 1583-1601. | 1.1 | 29 |
| 71 | Mixed-volume computation by dynamic lifting applied to polynomial system solving. <i>Discrete and Computational Geometry</i> , 1996, 16, 69-112. | 0.4 | 42 |
| 72 | The role of embedded integration rules in Bayesian statistics. <i>Statistics and Computing</i> , 1996, 6, 245-250. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The Newton-Raphson method. International Journal of Mathematical Education in Science and Technology, 1995, 26, 177-193. | 0.8 | 56 |
| 74 | An imbedded family of cubature formulae for n-dimensional product regions. Journal of Computational and Applied Mathematics, 1994, 51, 251-260. | 1.1 | 12 |
| 75 | Symmetric homotopy construction. Journal of Computational and Applied Mathematics, 1994, 50, 575-592. | 1.1 | 19 |
| 76 | Homotopies Exploiting Newton Polytopes for Solving Sparse Polynomial Systems. SIAM Journal on Numerical Analysis, 1994, 31, 915-930. | 1.1 | 163 |
| 77 | Proof of a conjectured asymptotic expansion for the approximation of surface integrals. Mathematics of Computation, 1994, 63, 717-717. | 1.1 | 3 |
| 78 | Symbolic homotopy construction. Applicable Algebra in Engineering, Communications and Computing, 1993, 4, 169-183. | 0.3 | 28 |
| 79 | Monomial cubature rules since Stroud: a compilation. Journal of Computational and Applied Mathematics, 1993, 48, 309-326. | 1.1 | 197 |
| 80 | Algorithm 720: An algorithm for adaptive cubature over a collection of 3-dimensional simplices. ACM Transactions on Mathematical Software, 1993, 19, 320-332. | 1.6 | 8 |
| 81 | Mean-field theory for the Q-state Potts-glass neural network with biased patterns. Journal of Physics A, 1993, 26, 549-562. | 1.6 | 20 |
| 82 | A relation between cubature formulae of trigonometric degree and lattice rules. , 1993, , 13-24. | | 8 |
| 83 | A new lower bound for the number of nodes in cubature formulae of degree $4n + 1$ for some circularly symmetric integrals. , 1993, , 57-66. | | 11 |
| 84 | On cubature formulae of degree $4k+1$ attaining Müller's lower bound for integrals with circular symmetry. Numerische Mathematik, 1992, 61, 395-407. | 0.9 | 27 |
| 85 | Nonlinear reduction for solving deficient polynomial systems by continuation methods. Numerische Mathematik, 1992, 63, 263-282. | 0.9 | 7 |
| 86 | A Survey of Methods for Constructing Cubature Formulae. , 1992, , 1-24. | | 8 |
| 87 | A lower bound for the number of function evaluations in an error estimate for numerical integration. Constructive Approximation, 1990, 6, 353-361. | 1.8 | 2 |
| 88 | The Construction of Cubature Formulae Using Continuation and Bifurcation Software. , 1990, , 319-333. | | 1 |
| 89 | On the construction of multi-dimensional embedded cubature formulae. Numerische Mathematik, 1989, 55, 735-745. | 0.9 | 11 |
| 90 | Minimal cubature formulae of degree $2k+1$ for two classical functionals. Computing (Vienna/New) 10 Tf 50 | 3.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | An embedded pair of cubature formulae of degree 5 and 7 for the triangle. BIT Numerical Mathematics, 1988, 28, 357-359. | 1.0 | 5 |
| 92 | Why do so many cubature formulae have so many positive weights?. BIT Numerical Mathematics, 1988, 28, 791-802. | 1.0 | 5 |
| 93 | Another step forward in searching for cubature formulae with a minimal number of knots for the square. Computing (Vienna/New York), 1988, 40, 139-146. | 3.2 | 12 |
| 94 | The construction of cubature formulae for a family of integrals: A bifurcation problem. Computing (Vienna/New York), 1988, 40, 337-346. | 3.2 | 6 |
| 95 | Construction of Symmetric Cubature Formulae with the Number of Knots (Almost) Equal to MÃ¶ller's Lower Bound. International Series of Numerical Mathematics, 1988, , 25-36. | 1.0 | 11 |
| 96 | Construction of fully symmetric cubature formulae of degree $4k + 3$ for fully symmetric planar regions. Journal of Computational and Applied Mathematics, 1987, 17, 173-180. | 1.1 | 14 |
| 97 | Automatic computation of knots and weights of cubature formulae for circular symmetric planar regions. Journal of Computational and Applied Mathematics, 1987, 20, 153-158. | 1.1 | 11 |
| 98 | Construction of Sequences of Embedded Cubature Formulae for Circular Symmetric Planar Regions. , 1987, , 165-172. | | 5 |
| 99 | Construction of Three-Dimensional Cubature Formulae with Points on Regular and Semi-Regular Polytopes. , 1987, , 153-163. | | 0 |
| 100 | Optimal addition of knots to cubature formulae for planar regions. Numerische Mathematik, 1986, 49, 269-274. | 0.9 | 8 |
| 101 | A discriminative locally weighted distance measure for speaker independent template based speech recognition. , 0, , . | | 6 |
| 102 | A minimum classification error based distance measure for template based speech recognition. , 0, , . | | 1 |