

Chiara Neto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/506257/publications.pdf>

Version: 2024-02-01

97
papers

4,448
citations

159525

30
h-index

106281

65
g-index

97
all docs

97
docs citations

97
times ranked

4507
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanobubbles explain the large slip observed on lubricant-infused surfaces. Nature Communications, 2022, 13, 351.	5.8	34
2	Design Optimization of Perfluorinated Liquid-Infused Surfaces for Blood-Contacting Applications. Advanced Materials Interfaces, 2022, 9, .	1.9	8
3	Pressure Drop Measurements in Microfluidic Devices: A Review on the Accurate Quantification of Interfacial Slip. Advanced Materials Interfaces, 2022, 9, .	1.9	9
4	Pressure Drop Measurements in Microfluidic Devices: A Review on the Accurate Quantification of Interfacial Slip (Adv. Mater. Interfaces 5/2022). Advanced Materials Interfaces, 2022, 9, .	1.9	0
5	Design Optimization of Perfluorinated Liquid-Infused Surfaces for Blood-Contacting Applications (Adv. Tj ETQq1,1 0.784314 rgBT (C	1.9	1
6	Quantification of Nucleation Site Density as a Function of Surface Wettability on Smooth Surfaces. Advanced Materials Interfaces, 2022, 9, .	1.9	12
7	Enhancing Spontaneous Droplet Motion on Structured Surfaces with Tailored Wedge Design. Advanced Materials Interfaces, 2021, 8, 2000520.	1.9	8
8	Safer emulsion explosives resulting from NOx inhibition. Chemical Engineering Journal, 2021, 403, 125713.	6.6	4
9	Ultra-thin patchy polymer-coated graphene oxide as a novel anticancer drug carrier. Polymer Chemistry, 2021, 12, 92-104.	1.9	5
10	Antifouling Properties of Liquid-Infused Riblets Fabricated by Direct Contactless Microfabrication. Advanced Engineering Materials, 2021, 23, .	1.6	5
11	Droplet Transport: Enhancing Spontaneous Droplet Motion on Structured Surfaces with Tailored Wedge Design (Adv. Mater. Interfaces 2/2021). Advanced Materials Interfaces, 2021, 8, 2170010.	1.9	0
12	Depletion of the Lubricant from Lubricant-Infused Surfaces due to an Air/Water Interface. Langmuir, 2021, 37, 3025-3037.	1.6	25
13	Convergent evolution of skin surface microarchitecture and increased skin hydrophobicity in semi-aquatic anole lizards. Journal of Experimental Biology, 2021, 224, .	0.8	5
14	Evaluating medical device and material thrombosis under flow: current and emerging technologies. Biomaterials Science, 2020, 8, 5824-5845.	2.6	29
15	Soft-hard Janus nanoparticles for polymer encapsulation of solid particulate. Polymer Chemistry, 2020, 11, 5610-5618.	1.9	6
16	Large Effective Slip on Lubricated Surfaces Measured with Colloidal Probe AFM. Langmuir, 2020, 36, 6033-6040.	1.6	17
17	Life and death of liquid-infused surfaces: a review on the choice, analysis and fate of the infused liquid layer. Chemical Society Reviews, 2020, 49, 3688-3715.	18.7	200
18	Ultralow surface energy self-assembled monolayers of iodo-perfluorinated alkanes on silica driven by halogen bonding. Nanoscale, 2019, 11, 2401-2411.	2.8	8

#	ARTICLE	IF	CITATIONS
19	Effect of Pore Size, Lubricant Viscosity, and Distribution on the Slippery Properties of Infused Cement Surfaces. <i>Journal of Physical Chemistry C</i> , 2019, 123, 2987-2995.	1.5	24
20	How Slippery are SLIPS? Measuring Effective Slip on Lubricated Surfaces with Colloidal Probe Atomic Force Microscopy. <i>Langmuir</i> , 2019, 35, 2976-2982.	1.6	34
21	Effect of repeated immersions and contamination on plastron stability in superhydrophobic surfaces. <i>Physics of Fluids</i> , 2019, 31, .	1.6	19
22	Chemical Curiosity on Campus: An Undergraduate Project on the Structure and Wettability of Natural Surfaces. <i>Journal of Chemical Education</i> , 2019, 96, 1998-2002.	1.1	3
23	Host-guest interactions of catechol and 4-ethylcatechol with surface-immobilized blue-box molecules. <i>Journal of Materials Chemistry A</i> , 2019, 7, 12713-12722.	5.2	1
24	Sol-Gel Dewetting: Fabrication of Biomimetic Micropatterned Surfaces by Sol-Gel Dewetting (Adv.) <i>Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50</i>	1.9	10
25	Halogen-bond driven self-assembly of perfluorocarbon monolayers on silicon nitride. <i>Journal of Materials Chemistry A</i> , 2019, 7, 24445-24453.	5.2	10
26	Fabrication of Biomimetic Micropatterned Surfaces by Sol-Gel Dewetting. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801629.	1.9	12
27	Marine Antifouling Behavior of Lubricant-Infused Nanowrinkled Polymeric Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 4173-4182.	4.0	163
28	The mechanism of the spontaneous detonation of ammonium nitrate in reactive grounds. <i>Journal of Environmental Chemical Engineering</i> , 2018, 6, 281-288.	3.3	18
29	Mapping Depletion of Lubricant Films on Antibiofouling Wrinkled Slippery Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 33669-33677.	4.0	69
30	Aligned Droplet Patterns by Dewetting of Polymer Bilayers. <i>Macromolecules</i> , 2018, 51, 5485-5493.	2.2	9
31	Influence of long-range forces and capillarity on the function of underwater superoleophobic wrinkled surfaces. <i>Soft Matter</i> , 2018, 14, 6627-6634.	1.2	12
32	A review on the mechanical and thermodynamic robustness of superhydrophobic surfaces. <i>Advances in Colloid and Interface Science</i> , 2017, 246, 133-152.	7.0	101
33	Patterned Polymer Coatings Increase the Efficiency of Dew Harvesting. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 13676-13684.	4.0	67
34	Receding Contact Line Motion on Nanopatterned and Micropatterned Polymer Surfaces. <i>Langmuir</i> , 2017, 33, 12602-12608.	1.6	4
35	Mechanical properties of Ropaque hollow nanoparticles. <i>Polymer</i> , 2017, 131, 10-16.	1.8	7
36	Functional patterned coatings by thin polymer film dewetting. <i>Journal of Colloid and Interface Science</i> , 2017, 507, 453-469.	5.0	26

#	ARTICLE	IF	CITATIONS
37	Synthesis and Applications of Polymeric Janus Nanoparticles. , 2017, , 31-68.		2
38	Waterborne, all-polymeric, colloidal "raspberry"™ particles with controllable hydrophobicity and water droplet adhesion properties. Thin Solid Films, 2016, 603, 69-74.	0.8	4
39	"The Good, the Bad, and the Slippery" A Tale of Three Solvents in Polymer Film Dewetting. Macromolecules, 2016, 49, 6590-6598.	2.2	21
40	High Glass Transition Temperature Fluoropolymers for Hydrophobic Surface Coatings via RAFT Copolymerization. Australian Journal of Chemistry, 2016, 69, 725.	0.5	7
41	Chain Collapse and Interfacial Slip of Polystyrene Films in Good/Nonsolvent Vapor Mixtures. Macromolecules, 2016, 49, 1344-1352.	2.2	12
42	Durable Superhydrophobic Surfaces via Spontaneous Wrinkling of Teflon AF. ACS Applied Materials & Interfaces, 2016, 8, 6743-6750.	4.0	72
43	Boundary flow on end-grafted PEG brushes. Soft Matter, 2016, 12, 1906-1914.	1.2	22
44	Colloidal Crystals: Guiding the Dewetting of Thin Polymer Films by Colloidal Imprinting (Adv. Mater.)	1.9	6
45	Guiding the Dewetting of Thin Polymer Films by Colloidal Imprinting. Advanced Materials Interfaces, 2015, 2, 1500068.	1.9	5
46	Control of nanoparticle formation using the constrained dewetting of polymer brushes. Nanoscale, 2015, 7, 2894-2899.	2.8	5
47	Micropatterned Surfaces for Atmospheric Water Condensation via Controlled Radical Polymerization and Thin Film Dewetting. ACS Applied Materials & Interfaces, 2015, 7, 21562-21570.	4.0	35
48	Premature detonation of an NH4NO3 emulsion in reactive ground. Journal of Hazardous Materials, 2015, 283, 314-320.	6.5	12
49	Protein Micropatterns by PEG Grafting on Dewetted PLGA Films. Langmuir, 2014, 30, 11714-11722.	1.6	17
50	Interfacial slip on rough, patterned and soft surfaces: A review of experiments and simulations. Advances in Colloid and Interface Science, 2014, 210, 21-38.	7.0	123
51	Mimicking the Wettability of the Rose Petal using Self-assembly of Waterborne Polymer Particles. Chemistry of Materials, 2013, 25, 3472-3479.	3.2	45
52	Robust grafting of PEG-methacrylate brushes from polymeric coatings. Polymer, 2013, 54, 5490-5498.	1.8	7
53	Micron-sized polystyrene particles by surfactant-free emulsion polymerization in air: Synthesis and mechanism. Journal of Polymer Science Part A, 2013, 51, 3997-4002.	2.5	44
54	Patterned chemisorption of proteins by thin polymer film dewetting. Soft Matter, 2013, 9, 2598.	1.2	17

#	ARTICLE	IF	CITATIONS
55	Tunable Nanopatterns via the Constrained Dewetting of Polymer Brushes. <i>Macromolecules</i> , 2013, 46, 6326-6335.	2.2	9
56	Micropatterning of Polymer Brushes: Grafting from Dewetting Polymer Films for Biological Applications. <i>Biomacromolecules</i> , 2012, 13, 2989-2996.	2.6	32
57	Reliable Measurements of Interfacial Slip by Colloid Probe Atomic Force Microscopy. III. Shear-Rate-Dependent Slip. <i>Langmuir</i> , 2012, 28, 3465-3473.	1.6	27
58	Micropatterned substrates made by polymer bilayer dewetting and collagen nanoscale assembly support endothelial cell adhesion. <i>Soft Matter</i> , 2012, 8, 9996.	1.2	20
59	Reconciling Slip Measurements in Symmetric and Asymmetric Systems. <i>Langmuir</i> , 2012, 28, 7768-7774.	1.6	24
60	Interfacial Flow of Simple Liquids on Polymer Brushes: Effect of Solvent Quality and Grafting Density. <i>Macromolecules</i> , 2012, 45, 6241-6252.	2.2	12
61	Early and Intermediate Stages of Guided Dewetting in Polystyrene Thin Films. <i>Langmuir</i> , 2012, 28, 10147-10151.	1.6	25
62	Uptake of water droplets by non-wetting capillaries. <i>Soft Matter</i> , 2011, 7, 2357-2363.	1.2	29
63	Reliable Measurements of Interfacial Slip by Colloid Probe Atomic Force Microscopy. I. Mathematical Modeling. <i>Langmuir</i> , 2011, 27, 6701-6711.	1.6	21
64	Reliable Measurements of Interfacial Slip by Colloid Probe Atomic Force Microscopy. II. Hydrodynamic Force Measurements. <i>Langmuir</i> , 2011, 27, 6712-6719.	1.6	44
65	Competition between Dewetting and Cross-Linking in Poly(<i>N</i> -vinylpyrrolidone)/Polystyrene Bilayer Films. <i>Langmuir</i> , 2011, 27, 14207-14217.	1.6	10
66	Biomimetic Surface Coatings for Atmospheric Water Capture Prepared by Dewetting of Polymer Films. <i>Advanced Materials</i> , 2011, 23, 3718-3722.	11.1	179
67	Thermally Cross-Linked PNVP Films As Antifouling Coatings for Biomedical Applications. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 2399-2408.	4.0	73
68	Interplay between Dewetting and Layer Inversion in Poly(4-vinylpyridine)/Polystyrene Bilayers. <i>Langmuir</i> , 2010, 26, 15989-15999.	1.6	22
69	On the Superhydrophobic Properties of Crystallized Stearic Acid. <i>Australian Journal of Chemistry</i> , 2010, 63, 525.	0.5	5
70	An experimental study of interactions between droplets and a nonwetting microfluidic capillary. <i>Faraday Discussions</i> , 2010, 146, 233.	1.6	20
71	Self-assembled porphyrin microrods and observation of structure-induced iridescence. <i>Journal of Materials Chemistry</i> , 2010, 20, 2310.	6.7	9
72	Rapid photochromic nanopatterns from block copolymers. <i>Soft Matter</i> , 2010, 6, 909-914.	1.2	19

#	ARTICLE	IF	CITATIONS
73	Processing waveguide photonic components into self-assembled organic films. , 2009, , .		0
74	Focused ion beam processing and engineering of devices in self-assembled supramolecular structures. Nanotechnology, 2009, 20, 485301.	1.3	4
75	Ordered Microphase Separation in Thin Films of PMMA~PBA Synthesized by RAFT: Effect of Block Polydispersity. Macromolecules, 2009, 42, 3138-3146.	2.2	41
76	On the superhydrophobic properties of nickel nanocarpet. Physical Chemistry Chemical Physics, 2009, 11, 9537.	1.3	24
77	On the Composition of the Top Layer of Microphase Separated Thin PS-PEO Films. Macromolecules, 2009, 42, 4801-4808.	2.2	39
78	Supramolecular porphyrin wires and post-processing. , 2009, , .		0
79	Long self-assembled organic molecular optical wires. , 2008, , .		0
80	A novel approach to the micropatterning of proteins using dewetting of polymer bilayers. Physical Chemistry Chemical Physics, 2007, 9, 149-155.	1.3	34
81	Micropatterning of proteins using dewetting. , 2006, , .		0
82	Self-assembly of magnetic nanoparticles into complex superstructures: Spokes and spirals. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2005, 269, 96-100.	2.3	25
83	Dynamics and structure formation in thin polymer melt films. Journal of Physics Condensed Matter, 2005, 17, S267-S290.	0.7	135
84	Boundary slip in Newtonian liquids: a review of experimental studies. Reports on Progress in Physics, 2005, 68, 2859-2897.	8.1	946
85	The effect of surfactant adsorption on liquid boundary slippage. Physica A: Statistical Mechanics and Its Applications, 2004, 339, 60-65.	1.2	38
86	Dynamics of hole growth in dewetting polystyrene films. Physica A: Statistical Mechanics and Its Applications, 2004, 339, 66-71.	1.2	28
87	Evidence of shear-dependent boundary slip in newtonian liquids. European Physical Journal E, 2003, 12, 71-74.	0.7	89
88	Correlated dewetting patterns in thin polystyrene films. Journal of Physics Condensed Matter, 2003, 15, S421-S426.	0.7	21
89	Satellite hole formation during dewetting: experiment and simulation. Journal of Physics Condensed Matter, 2003, 15, 3355-3366.	0.7	43
90	A New Way to Prepare Nanostructured Materials:~ Flame Spraying of Microemulsions. Journal of Physical Chemistry B, 2002, 106, 6178-6183.	1.2	66

#	ARTICLE	IF	CITATIONS
91	Colloidal Particles of Ca(OH) ₂ : Properties and Applications to Restoration of Frescoes. Langmuir, 2001, 17, 4251-4255.	1.6	184
92	Stable dispersions of Ca(OH) ₂ in aliphatic alcohols: properties and application in cultural heritage conservation. , 2001, , 68-72.		24
93	Colloid Probe Characterization: Radius and Roughness Determination. Langmuir, 2001, 17, 2097-2099.	1.6	97
94	In Situ Calibration of Colloid Probe Cantilevers in Force Microscopy: Hydrodynamic Drag on a Sphere Approaching a Wall. Langmuir, 2001, 17, 6018-6022.	1.6	86
95	Shear-Dependent Boundary Slip in an Aqueous Newtonian Liquid. Physical Review Letters, 2001, 87, 054504.	2.9	441
96	Imaging Soft Matter with the Atomic Force Microscope: Cubosomes and Hexosomes. Journal of Physical Chemistry B, 1999, 103, 3896-3899.	1.2	77
97	Morphological Characterization of H Aggregates in Langmuir-Blodgett Films of Pyridinium Dicyanomethanide Dyes. Langmuir, 1999, 15, 2149-2151.	1.6	21