

Mojgan Daneshmand

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/50640/mojgan-daneshmand-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

2,708
citations

27
h-index

41
g-index

184
ext. papers

3,349
ext. citations

3.5
avg, IF

6.1
L-index

#	Paper	IF	Citations
168	A planar microwave resonator with odd resonance for calibration in permanent moisture sensing applications. <i>Applied Physics Letters</i> , 2021 , 118, 144104	3.4	1
167	Highly Sensitive Microwave Sensor for High Precision Sensing of Water Contamination in Mineral Oil. <i>IEEE Sensors Journal</i> , 2021 , 21, 13247-13254	4	6
166	Non-contact real-time water and brine concentration monitoring in crude oil based on multi-variable analysis of microwave resonators. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021 , 177, 109286	4.6	2
165	Printed concave-like slot for bandwidth enhancement of inset-fed patch antenna on metallic surfaces. <i>Microwave and Optical Technology Letters</i> , 2021 , 63, 1745-1752	1.2	
164	Non-recovery moisture sensor for breach integrity using the degenerate mode of planar microwave ring resonator. <i>Sensors and Actuators A: Physical</i> , 2021 , 328, 112775	3.9	1
163	Noninvasive Glucose Sensing in Aqueous Solutions Using an Active Split-Ring Resonator. <i>IEEE Sensors Journal</i> , 2021 , 21, 18742-18755	4	26
162	Artificial Intelligence Assisted Noncontact Microwave Sensor for Multivariable Biofuel Analysis. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 11492-11500	8.9	12
161	High-Dynamic-Range Chipless Microwave Resonator-Based Strain Sensor. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021 , 70, 1-7	5.2	6
160	Selective Measurement of Water Content in Multivariable Biofuel Using Microstrip Split Ring Resonators 2020 ,		4
159	Miniaturized 4 × Butler Matrix and Tunable Phase Shifter Using Ridged Half-Mode Substrate Integrated Waveguide. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 3379-3388	4.1	13
158	Selective Volume Fraction Sensing Using Resonant- Based Microwave Sensor and its Harmonics. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 3958-3968	4.1	12
157	Stepped-impedance slotted microstrip-fed patch antenna for on-metal radio frequency identification applications. <i>Microwave and Optical Technology Letters</i> , 2020 , 62, 3324-3332	1.2	3
156	Microfabrication of a Monolithic Air-Filled Half-Mode Waveguide for Millimeter-Wave Applications. <i>IEEE Microwave and Wireless Components Letters</i> , 2020 , 30, 343-346	2.6	
155	Monitoring pH Level Using High-Resolution Microwave Sensor for Mitigation of Stress Corrosion Cracking in Steel Pipelines. <i>IEEE Sensors Journal</i> , 2020 , 20, 7033-7043	4	13
154	Exploiting Sensitivity Enhancement in Micro-wave Planar Sensors Using Intermodulation Products With Phase Noise Analysis. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2020 , 67, 4382-4395	3.9	19
153	Miniaturized Folded Ridged Quarter-Mode Substrate Integrated Waveguide RF MEMS Tunable Bandpass Filter. <i>IEEE Access</i> , 2020 , 8, 115837-115847	3.5	4
152	Multifunctional Ultrahigh Sensitive Microwave Planar Sensor to Monitor Mechanical Motion: Rotation, Displacement and Stretch. <i>Sensors</i> , 2020 , 20,	3.8	15

151	Microfabrication of monolithic wafer-level miniaturized millimeter-wave air-filled half-mode waveguide filter based on the inward curving split ring resonator array. <i>Nanotechnology</i> , 2020 , 31, 1952024	3.4	1
150	Long Array of Microwave Sensors for Real-Time Coating Defect Detection. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 2856-2866	4.1	13
149	A novel miniaturized asymmetric CPW split ring resonator with extended field distribution pattern for sensing applications. <i>Sensors and Actuators A: Physical</i> , 2020 , 304, 111769	3.9	8
148	Multiresonant Chipless RFID Array System for Coating Defect Detection and Corrosion Prediction. <i>IEEE Transactions on Industrial Electronics</i> , 2020 , 67, 8868-8877	8.9	40
147	Noncontact high sensitivity chipless tag microwave resonator for bitumen concentration measurement at high temperatures. <i>Fuel</i> , 2020 , 265, 116916	7.1	17
146	Real-Time Non-Contact Integrated Chipless RF Sensor for Disposable Microfluidic Applications. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2020 , 4, 171-178	2.8	9
145	Investigation on planar microwave sensors with enhanced sensitivity from microfluidic integration. <i>Sensors and Actuators A: Physical</i> , 2020 , 301, 111752	3.9	22
144	Planar microwave resonator with electrodeposited ZnO thin film for ultraviolet detection. <i>Semiconductor Science and Technology</i> , 2020 , 35, 025003	1.8	6
143	Non-invasive continuous-time glucose monitoring system using a chipless printable sensor based on split ring microwave resonators. <i>Scientific Reports</i> , 2020 , 10, 12980	4.9	52
142	A Temperature-Compensated High-Resolution Microwave Sensor Using Artificial Neural Network. <i>IEEE Microwave and Wireless Components Letters</i> , 2020 , 30, 919-922	2.6	15
141	High-Resolution Chipless Tag RF Sensor. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 4855-4864	4.1	16
140	Dual-Band Microwave Circuits for Selective Binary Gas Sensing System. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 4206-4219	4.1	24
139	Miniaturized Tunable Phase Shifter using a Periodically Loaded Ridged Half-Mode Substrate Integrated Waveguide 2019 ,		2
138	Sensitive Spectroscopy Using DSRR Array and Linvill Negative Impedance 2019 ,		5
137	Sensitivity Optimization in SRRs Using Interferometry Phase Cancellation 2019 ,		3
136	Miniaturized Reconfigurable Dual-Band Bandstop Filter with Independent Stopband Control using Folded Ridged Quarter-Mode Substrate Integrated Waveguide 2019 ,		4
135	Miniaturized Folded Ridged Half-Mode and Quarter-Mode Substrate Integrated Waveguides for Filter Design. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 3414-3426	4.1	15
134	Monolithic Millimeter-Wave Air-Filled Waveguide Resonator for Filter Applications. <i>IEEE Microwave and Wireless Components Letters</i> , 2019 , 29, 379-381	2.6	8

133	Locally Strong-Coupled Microwave Resonator Using PEMC Boundary for Distant Sensing Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 4130-4139	4.1	23
132	Discrete Microwave Spectroscopy using Planar Resonator 2019 ,		4
131	A Frequency Selective Resorber With Three Transmission Bands and Three Absorption Bands. <i>IEEE Access</i> , 2019 , 7, 160973-160981	3.5	8
130	Monitoring the residual capacity of activated carbon in an emission abatement system using a non-contact, high resolution microwave resonator sensor. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 218-224	8.5	14
129	Toward Automated Manufacturing of RF Coils: Microstrip Resonators for 4.7 T Using 3D-Printed Dielectrics and Conductors. <i>Applied Magnetic Resonance</i> , 2019 , 50, 663-675	0.8	0
128	Ultraviolet sensing using a TiO nanotube integrated high resolution planar microwave resonator device. <i>Nanoscale</i> , 2018 , 10, 4882-4889	7.7	21
127	Gap-Coupled Excitation for Evanescent-Mode Substrate Integrated Waveguide Filters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018 , 66, 3028-3035	4.1	11
126	Strongly Enhanced Sensitivity in Planar Microwave Sensors Based on Metamaterial Coupling. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018 , 66, 1843-1855	4.1	135
125	Noncontact and Nonintrusive Microwave-Microfluidic Flow Sensor for Energy and Biomedical Engineering. <i>Scientific Reports</i> , 2018 , 8, 139	4.9	89
124	. <i>IEEE Microwave and Wireless Components Letters</i> , 2018 , 28, 837-839	2.6	14
123	A Dual-Mode Split-Ring Resonator to Eliminate Relative Humidity Impact. <i>IEEE Microwave and Wireless Components Letters</i> , 2018 , 28, 939-941	2.6	21
122	Out-of-Sight Salt-Water Concentration Sensing Using Chipless- RFID for Pipeline Coating Integrity 2018 ,		6
121	Contactless pH Measurement Based on High Resolution Enhanced Q Microwave Resonator 2018 ,		9
120	Sensitivity enhancement in planar microwave active-resonator using metal organic framework for CO2 detection. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 1561-1568	8.5	50
119	A Microwave Ring Resonator Sensor for Early Detection of Breaches in Pipeline Coatings. <i>IEEE Transactions on Industrial Electronics</i> , 2018 , 65, 1626-1635	8.9	66
118	Single-Layer Substrate-Integrated Waveguide Evanescent-Mode Filter. <i>IEEE Microwave and Wireless Components Letters</i> , 2018 , 28, 1107-1109	2.6	7
117	SilicaGel-Integrated Chipless RF Tag for Humidity Sensing 2018 ,		10
116	A 4 GHz Near-Field Monitoring Planar Oscillator Sensor 2018 ,		3

115	Solar Panel Integrated Circular Polarized Aperture-Coupled Patch Antenna for CubeSat Applications. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 1895-1899	3.8	26
114	The Microfabrication of Monolithic Miniaturized Ridged Half-Mode Waveguides for 5G Millimeter-Wave Communication Systems 2018 ,		2
113	Distinguishing between Deep Trapping Transients of Electrons and Holes in TiO Nanotube Arrays Using Planar Microwave Resonator Sensor. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 29857-29865	8.5	7
112	High-Resolution RFID Liquid Sensing Using a Chipless Tag. <i>IEEE Microwave and Wireless Components Letters</i> , 2017 , 27, 311-313	2.6	33
111	A K-Band Reflective Waveguide Switch Using Liquid Metal. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017 , 1-1	3.8	6
110	Wireless passive RFID sensor for pipeline integrity monitoring. <i>Sensors and Actuators A: Physical</i> , 2017 , 261, 24-29	3.9	43
109	Flexible Microdisplacement Sensor for Wearable/ Implantable Biomedical Applications. <i>IEEE Sensors Journal</i> , 2017 , 17, 3873-3883	4	14
108	A Novel Technique for Determining the Adsorption Capacity and Breakthrough Time of Adsorbents Using a Noncontact High-Resolution Microwave Resonator Sensor. <i>Environmental Science & Technology</i> , 2017 , 51, 427-435	10.3	12
107	Positive bias and vacuum chamber wall effect on total electron yield measurement: A re-consideration of the sample current method. <i>Journal of Applied Physics</i> , 2017 , 121, 074902	2.5	6
106	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 2310-2320	4.1	23
105	A Fully 3-D Printed Waveguide and Its Application as Microfluidically Controlled Waveguide Switch. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2017 , 7, 70-80	1.7	24
104	Monitoring Solid Particle Deposition in Lossy Medium Using Planar Resonator Sensor. <i>IEEE Sensors Journal</i> , 2017 , 17, 7981-7989	4	35
103	Dual Active Resonator for Dispersion Coefficient Measurement of Asphaltene Nano-Particles. <i>IEEE Sensors Journal</i> , 2017 , 17, 7248-7256	4	22
102	Miniaturized Quarter-Mode Substrate Integrated Cavity Resonators for Humidity Sensing. <i>IEEE Microwave and Wireless Components Letters</i> , 2017 , 27, 612-614	2.6	32
101	Contactless Asphaltene Detection Using an Active Planar Microwave Resonator Sensor. <i>Energy & Fuels</i> , 2017 , 31, 8784-8791	4.1	19
100	Study of multipactor suppression of microwave components using perforated waveguide technology for space applications. <i>Physics of Plasmas</i> , 2017 , 24, 052109	2.1	11
99	A passive non-contact microwave loop resonance sensor for liquid interface. <i>Sensors and Actuators B: Chemical</i> , 2017 , 241, 96-98	8.5	12
98	A non-contact microwave sensor for monitoring the interaction of zeolite 13X with CO2 and CH4 in gaseous streams. <i>Sensors and Actuators B: Chemical</i> , 2017 , 238, 1240-1247	8.5	47

97	Robust Ultra-High Resolution Microwave Planar Sensor Using Fuzzy Neural Network Approach. <i>IEEE Sensors Journal</i> , 2017 , 17, 323-332	4	29
96	Flexible coupled microwave ring resonators for contactless microbead assisted volatile organic compound detection 2017 ,		14
95	Miniaturized folded ridged half-mode substrate integrated waveguide 2017 ,		3
94	Developing microfluidically controlled SPDT waveguide switch using 3D printing. <i>Electronics Letters</i> , 2017 , 53, 480-482	1.1	
93	Highly sensitive microwave split ring resonator sensor using gap extension for glucose sensing 2017 ,		13
92	Enhanced Q double resonant active sensor for humidity and moisture effect elimination 2016 ,		12
91	Substrate choice impact on microwave sensor 2016 ,		2
90	Wireless Communication in Feedback-Assisted Active Sensors. <i>IEEE Sensors Journal</i> , 2016 , 16, 8151-8157		24
89	Bulk disc resonators radial and wineglass mode resonance characterization for mass sensing applications. <i>Microsystem Technologies</i> , 2016 , 22, 1013-1020	1.7	3
88	Selective microwave sensors exploiting the interaction of analytes with trap states in TiO ₂ nanotube arrays. <i>Nanoscale</i> , 2016 , 8, 7466-73	7.7	60
87	Liquid sensing in aquatic environment using high quality planar microwave resonator. <i>Sensors and Actuators B: Chemical</i> , 2016 , 225, 517-521	8.5	47
86	Microwave ring resonator-based non-contact interface sensor for oil sands applications. <i>Sensors and Actuators B: Chemical</i> , 2016 , 224, 632-639	8.5	61
85	Microwave resonator sensor integrated with nanostructured semiconductor membranes for photodetection and carrier lifetime measurement 2016 ,		1
84	Contactless asphaltene solid particle deposition monitoring using active microwave resonators 2016 ,		2
83	Wide dynamic range microwave planar coupled ring resonator for sensing applications. <i>Applied Physics Letters</i> , 2016 , 108, 232906	3.4	39
82	Sensitivity enhancement of split ring resonator based liquid sensors 2016 ,		18
81	. <i>IEEE Nanotechnology Magazine</i> , 2016 , 10, 19-24	1.7	
80	Particle size characterization using a high resolution planar resonator sensor in a lossy medium. <i>Sensors and Actuators B: Chemical</i> , 2016 , 234, 332-337	8.5	25

79	Miniaturized Slotted Bandpass Filter Design Using a Ridged Half-Mode Substrate Integrated Waveguide. <i>IEEE Microwave and Wireless Components Letters</i> , 2016 , 26, 334-336	2.6	12
78	Effect of phosphonate monolayer adsorbate on the microwave photoresponse of TiO ₂ nanotube membranes mounted on a planar double ring resonator. <i>Nanotechnology</i> , 2016 , 27, 375201	3.4	31
77	The Characterization of a Ridged Half-Mode Substrate-Integrated Waveguide and Its Application in Coupler Design. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016 , 64, 3580-3591	4.1	19
76	Micro-fabrication considerations for MEMS-based reconfigurable antenna apertures: with emphasis on DC bias network. <i>Journal of Micromechanics and Microengineering</i> , 2016 , 26, 117001	2	1
75	Microfluidically Reconfigurable Rectangular Waveguide Filter Using Liquid Metal Posts. <i>IEEE Microwave and Wireless Components Letters</i> , 2016 , 26, 801-803	2.6	20
74	Compact beam-reconfigurable feed for large aperture antennas. <i>IET Microwaves, Antennas and Propagation</i> , 2016 , 10, 1159-1166	1.6	6
73	Monolithic-Integrated MEMS-Tunable Reflective Cell for Ku-Band Mobile Satellite Two-Way Connectivity. <i>IEEE Transactions on Antennas and Propagation</i> , 2015 , 63, 1384-1392	4.9	3
72	Monolithic Millimeter-Wave MEMS Waveguide Switch. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015 , 63, 340-351	4.1	18
71	High resolution microwave microstrip resonator for sensing applications. <i>Sensors and Actuators A: Physical</i> , 2015 , 233, 224-230	3.9	50
70	Time-Resolved Microwave Photoconductivity (TRMC) Using Planar Microwave Resonators: Application to the Study of Long-Lived Charge Pairs in Photoexcited Titania Nanotube Arrays. <i>Journal of Physical Chemistry C</i> , 2015 , 150615093503007	3.8	42
69	Integrated Magnetic Nanoinductors. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2015 , 5, 675-684	1.7	5
68	Bonding PMMA microfluidics using commercial microwave ovens. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 085008	2	21
67	Analysis of radiation of antennas with a phase-gradient partially reflective surface. <i>IET Microwaves, Antennas and Propagation</i> , 2015 , 9, 1323-1330	1.6	2
66	A new type of capacitively-loaded half-mode substrate integrated waveguide for miniaturized guided wave applications 2015 ,		4
65	Liquid Sensing Using Active Feedback Assisted Planar Microwave Resonator. <i>IEEE Microwave and Wireless Components Letters</i> , 2015 , 25, 621-623	2.6	53
64	Microbead-assisted high resolution microwave planar ring resonator for organic-vapor sensing. <i>Applied Physics Letters</i> , 2015 , 106, 062903	3.4	45
63	Detection of Volatile Organic Compounds Using Microwave Sensors. <i>IEEE Sensors Journal</i> , 2015 , 15, 248-254	4.5	51
62	Design and fabrication of a square shape bulk mode MEMS resonators. <i>Microsystem Technologies</i> , 2015 , 21, 2455-2462	1.7	1

61	MEMS-Tunable Half Phase Gradient Partially Reflective Surface for Beam-Shaping. <i>IEEE Transactions on Antennas and Propagation</i> , 2015 , 63, 369-373	4.9	33
60	Non-contact liquid sensing using high resolution microwave microstrip resonator 2015 ,		19
59	Experimental verification of SNR and parallel imaging improvements using composite arrays. <i>NMR in Biomedicine</i> , 2015 , 28, 141-53	4.4	14
58	Efficient Microwave Susceptor Design for Localized Heating on Substrate. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2015 , 5, 570-578	1.7	5
57	Highly sensitive miniaturized bio-sensor using 2-layer double split ring resonators 2015 ,		3
56	Monolithic Wafer-Level Rectangular Waveguide and Its Transition to Coplanar Waveguide Line Using a Simplified 3-D Fabrication Process. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2014 , 4, 168-176	1.7	9
55	Compact MEMS-Based Ultrawide-Band CPW Band-Pass Filters With Single/Double Tunable Notch-Bands. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2014 , 4, 1451-1460	1.7	15
54	2014 ,		19
53	THB-filled monolithic rectangular waveguides for millimeter wave applications. <i>IET Microwaves, Antennas and Propagation</i> , 2014 , 8, 377-385	1.6	2
52	Comparison of high-density composite and surface coil arrays for MRI of spherical imaging volumes 2014 ,		2
51	A novel triple notch-bands ultra wide-band band-pass filters using parallel multi-mode resonators and CSRRs. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2014 , 24, 375-381	1.5	9
50	Developing single-layer ultra-wideband band-pass filter with multiple (triple and quadruple) notches. <i>IET Microwaves, Antennas and Propagation</i> , 2013 , 7, 612-620	1.6	17
49	A low-cost rapid prototyping method for metal electrode fabrication using a CO2 laser cutter. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 047001	2	11
48	Parasitic capacitance in MRI coil arrays: Models and application to array decoupling 2013 ,		1
47	Stray Capacitance Between Magnetic Resonance Imaging Coil Elements: Models and Application to Array Decoupling. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2013 , 61, 4667-4677	4.1	10
46	Single-layer partially reflective surface for an orthogonally-polarised dual-band high-gain resonant cavity antenna. <i>IET Microwaves, Antennas and Propagation</i> , 2013 , 7, 656-662	1.6	20
45	A novel ultra wideband (UWB) filter with double tunable notch-bands using MEMS capacitors 2013 ,		8
44	Study of Contact Resistance for Curled-Up Beams in Waveguide Switch. <i>IEEE Microwave and Wireless Components Letters</i> , 2012 , 22, 586-588	2.6	2

43	Compact microstrip ultra-wideband double/single notch-band band-pass filter based on wavelet cancellation theory. <i>IET Microwaves, Antennas and Propagation</i> , 2012 , 6, 862	1.6	19
42	Orthogonally-polarized dual-band MEMS-tunable double-slotted unit cell for reflectarray applications 2012 ,		3
41	Dual-band high-gain resonant cavity antenna with orthogonal polarisation using slotted patch partially reflective superstrate. <i>Electronics Letters</i> , 2012 , 48, 897	1.1	5
40	Microwave susceptor design for wafer bonding applications 2012 ,		2
39	Dual-band MEMS-tunable slotted-cross reflective unit cell with orthogonal polarization 2012 ,		3
38	Half-phase-gradient Partially Reflective Surface for a reconfigurable dual-beam scanning cavity antenna 2012 ,		5
37	RF MEMS Devices for Communication Systems. <i>Advances in Imaging and Electron Physics</i> , 2012 , 174, 349-390	3.0	2
36	Dual-wideband branch-line coupler based on a loaded N-segment SIR. <i>Microwave and Optical Technology Letters</i> , 2012 , 54, 2300-2303	1.2	
35	Monolithic on-wafer rectangular waveguide and its transition to CPW lines 2012 ,		2
34	RF MEMS Satellite Switch Matrices. <i>IEEE Microwave Magazine</i> , 2011 , 12, 92-109	1.2	65
33	A Dual-Band High-Gain Resonant Cavity Antenna With Orthogonal Polarizations. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2011 , 10, 1220-1223	3.8	34
32	Dual-band dual-polarized high-gain Resonant Cavity Antenna 2011 ,		4
31	Novel low-temperature variable inductors using porous anodic alumina. <i>IET Microwaves, Antennas and Propagation</i> , 2011 , 5, 1274	1.6	2
30	Compact reconfigurable waveguide circular polarizer 2011 ,		8
29	Novel compact dual-narrow/wideband branch-line couplers using T-Shaped stepped-impedance-stub lines. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2011 , 21, 642-649	1.5	9
28	A new wafer-level CPW to waveguide transition for millimeter-wave applications 2011 ,		3
27	Thermally-actuated latching RF MEMS switch 2009 ,		15
26	Scalable RF MEMS Switch Matrices: Methodology and Design. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2009 , 57, 1612-1621	4.1	25

25	Thermally Actuated Latching RF MEMS Switch and Its Characteristics. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2009 , 57, 3229-3238	4.1	79
24	Low temperature variable inductor using Porous Anodic Alumina 2008 ,		4
23	Monolithic crossbar MEMS switch matrix 2008 ,		5
22	Monolithic MEMS T-type Switch for Redundancy Switch Matrix Applications 2008 ,		5
21	Monolithic MEMS T-type Switch for Redundancy Switch Matrix Applications 2008 ,		1
20	Novel Beam Design for Compact RF MEMS Series Switches 2007 ,		10
19	Thermally Actuated Multiport RF MEMS Switches and Their Performance in a Vacuumed Environment. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2007 , 55, 1229-1236	4.1	19
18	. <i>Journal of Microelectromechanical Systems</i> , 2007 , 16, 296-303	2.5	30
17	RF-MEMS switches with new beam geometries: improvement of yield and lowering of actuation voltage 2007 ,		3
16	Hybrid integration of RF MEMS multiport switches. <i>Canadian Journal of Electrical and Computer Engineering</i> , 2006 , 31, 65-70	1.4	1
15	Monolithic RF MEMS Switch Matrix Integration 2006 ,		17
14	C-type and R-type RF MEMS Switches for Redundancy Switch Matrix Applications 2006 ,		13
13	Phase shift bandwidth and scan range in microstrip arrays by the element frequency tuning. <i>IEEE Transactions on Antennas and Propagation</i> , 2006 , 54, 1467-1473	4.9	8
12	Integrated interconnect networks for RF switch matrix applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2005 , 53, 12-21	4.1	20
11	Multiport MEMS-based waveguide and coaxial switches. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2005 , 53, 3531-3537	4.1	23
10	Multi-port RF MEMS waveguide switch 2005 ,		3
9	RF MEMS waveguide switch. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2004 , 52, 2651-2657	4.1	26
8	Gaussian-beam analysis of a large adaptive reflector antenna (LAR) using a feed-reflector. <i>IET Microwaves Antennas and Propagation</i> , 2003 , 150, 43		0

7	Characteristics and design of the LAR offset system with feed-reflector. <i>IEEE Transactions on Antennas and Propagation</i> , 2003 , 51, 1462-1475	4.9	0
6	Array beam scanning by element frequency tuning. <i>Microwave and Optical Technology Letters</i> , 2002 , 35, 430-434	1.2	1
5	Fabrication and modeling of an SP3T RF MEMS switch		2
4	RF MEMS waveguide switch		6
3	RF MEMS devices		14
2	Investigation on phase properties of circular microstrip antenna		2
1	Antenna and phased array implementations using engineered substrates		1