

Kate E Webster

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5064011/kate-e-webster-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

13,000
citations

53
h-index

109
g-index

231
ext. papers

15,433
ext. citations

4.5
avg, IF

7.1
L-index

#	Paper	IF	Citations
221	Rates and Determinants of Returning to Australian Rules Football in Male Nonprofessional Athletes After Anterior Cruciate Ligament Reconstruction.. <i>Orthopaedic Journal of Sports Medicine</i> , 2022 , 10, 23259671221074999	3.5	0
220	Return to Sport After Anterior Cruciate Ligament Reconstruction: Criteria-Based Rehabilitation and Return to Sport Testing 2022 , 83-93		1
219	Understanding the psychological mechanisms of return to sports readiness after anterior cruciate ligament reconstruction.. <i>PLoS ONE</i> , 2022 , 17, e0266029	3.7	0
218	Are they really motor learning therapies? A scoping review of evidence-based, task-focused models of upper limb therapy for children with unilateral cerebral palsy.. <i>Disability and Rehabilitation</i> , 2022 , 1-13 ^{2,4}		
217	Is There an Association in Young Patients Between Quadriceps or Hamstring Strength After ACL Reconstruction and Graft Rupture?. <i>Orthopaedic Journal of Sports Medicine</i> , 2022 , 10, 2325967122110103 ⁵	3.5	2
216	Association Between Knee Moments During Stair Navigation and Participant-Related Factors in Individuals With Anterior Cruciate Ligament Reconstruction: A Cross-Sectional Study. <i>Journal of Sport Rehabilitation</i> , 2021 , 1-7	1.7	0
215	Effect of COVID-19 Social Isolation Policies on Rehabilitation After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2021 , 9, 23259671211047216	3.5	1
214	Knee muscle strength after quadriceps tendon autograft anterior cruciate ligament reconstruction: systematic review and meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 2918-2933 ⁵	5.5	18
213	Anterior Cruciate Ligament Injuries in Australian Rules Football: Incidence, Prevention and Return to Play Outcomes. <i>Open Access Journal of Sports Medicine</i> , 2021 , 12, 33-41	2.9	4
212	Preservation of the Tibial Stump During Anterior Cruciate Ligament Reconstruction Surgery Did Not Increase the Rate of Surgery For Symptomatic Cyclops Lesions. <i>Orthopaedic Journal of Sports Medicine</i> , 2021 , 9, 2325967121992517	3.5	2
211	Knee strength deficits following anterior cruciate ligament reconstruction differ between quadriceps and hamstring tendon autografts. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 1	5.5	7
210	Factor Structure of the Shoulder Instability Return to Sport After Injury Scale: Performance Confidence, Reinjury Fear and Risk, Emotions, Rehabilitation and Surgery. <i>American Journal of Sports Medicine</i> , 2021 , 49, 2737-2742	6.8	0
209	A longitudinal investigation of landing biomechanics following anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2021 , 50, 36-41	3	1
208	Psychological readiness is related to return to sport following hip arthroscopy and can be assessed by the Hip-Return to Sport after Injury scale (Hip-RSI). <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 1353-1361	5.5	1
207	Strength deficits and flexion range of motion following primary anterior cruciate ligament reconstruction differ between quadriceps and hamstring autografts. <i>Journal of ISAKOS</i> , 2021 , 6, 88-93	1.1	4
206	Low knee-related quality of life and persistent physical asymmetries in participants up to 10 years post-ACL reconstruction - A cross-sectional study. <i>Physical Therapy in Sport</i> , 2021 , 48, 35-42	3	2
205	Time of Season and Game Segment Is Not Related to Likelihood of Lower-Limb Injuries: A Meta-Analysis. <i>Clinical Journal of Sport Medicine</i> , 2021 , 31, 304-312	3.2	6

204	Return to Sport and Reinjury Rates in Elite Female Athletes After Anterior Cruciate Ligament Rupture. <i>Sports Medicine</i> , 2021 , 51, 653-660	10.6	3
203	Second ACL Injury Rates in Younger Athletes Who Were Advised to Delay Return to Sport Until 12 Months After ACL Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2021 , 9, 2325967120985636	3.5	3
202	Evaluation of the Responsiveness of the Anterior Cruciate Ligament Return to Sport After Injury (ACL-RSI) Scale. <i>Orthopaedic Journal of Sports Medicine</i> , 2021 , 9, 23259671211031240	3.5	2
201	Augmentation of Primary ACL Reconstruction With a Modified Ellison Lateral Extra-articular Tenodesis in High-Risk Patients: A Pilot Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021 , 9, 23259671211021351	3.5	1
200	Lower limb kinematics differ at the time of foot contact between successful and unsuccessful single limb landings following anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2021 , 51, 17-21	3	0
199	Knee biomechanics while navigating steps in participants with anterior cruciate ligament reconstruction, between 2 and 10 years following surgery. <i>Physical Therapy in Sport</i> , 2020 , 46, 70-76	3	6
198	Radiological Identification of Injury to the Kaplan Fibers of the Iliotibial Band in Association With Anterior Cruciate Ligament Injury. <i>American Journal of Sports Medicine</i> , 2020 , 48, 2213-2220	6.8	13
197	Return to Sport After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967120930829	3.5	12
196	The Japanese version of the anterior cruciate ligament-return to sport after injury (ACL-RSI) scale has acceptable validity and reliability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 2519-2525	5.5	13
195	Is There Value and Validity for the Use of Return to Sport Test Batteries After Anterior Cruciate Ligament Injury and Reconstruction?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020 , 36, 1500-1501	5.4	1
194	Current Perspectives of the Australian Knee Society on Rehabilitation and Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2020 , 29, 970-975	1.7	4
193	Who Passes Return-to-Sport Tests, and Which Tests Are Most Strongly Associated With Return to Play After Anterior Cruciate Ligament Reconstruction?. <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967120969425	3.5	13
192	Factors Associated With an Increased Risk of Recurrence After a First-Time Patellar Dislocation: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2020 , 48, 2552-2562	6.8	46
191	Psychometric Properties of the Hip-Return to Sport After Injury Scale (Short Form) for Evaluating Psychological Readiness to Return to Sports After Arthroscopic Hip Surgery. <i>American Journal of Sports Medicine</i> , 2020 , 48, 376-384	6.8	5
190	No Relationship Between Strength and Power Scores and Anterior Cruciate Ligament Return to Sport After Injury Scale 9 Months After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2020 , 48, 78-84	6.8	22
189	Clinical outcomes after anterior cruciate ligament injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Journal of ISAKOS</i> , 2020 , 5, 281-294	1.1	1
188	The effectiveness of preoperative rehabilitation programmes on postoperative outcomes following anterior cruciate ligament (ACL) reconstruction: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 647	2.8	9
187	Back IN the Game (BANG) - a smartphone application to help athletes return to sport following anterior cruciate ligament reconstruction: protocol for a multi-centre, randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 523	2.8	7

186	Clinical outcomes after anterior cruciate ligament injury: panther symposium ACL injury clinical outcomes consensus group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 2415-2434	5.5	14
185	Clinical Outcomes After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967120934751	3.5	5
184	Single-Leg Squat After Anterior Cruciate Ligament Reconstruction: An Analysis of the Knee Valgus Angle at 6 and 12 Months. <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967120946328	3.5	5
183	Translation, cross-cultural adaptation, validation, and measurement properties of the Spanish version of the anterior cruciate ligament-return to sport after injury (ACL-RSI-Sp) scale. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 833-839	5.5	13
182	Anterior cruciate ligament grafts display differential maturation patterns on magnetic resonance imaging following reconstruction: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 2124-2138	5.5	11
181	No long-term tunnel enlargement following anterior cruciate ligament reconstruction using autograft hamstring tendon with dual suspensory fixation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 2157-2162	5.5	4
180	The Kaplan Fibers of the Iliotibial Band Can Be Identified on Routine Knee Magnetic Resonance Imaging. <i>American Journal of Sports Medicine</i> , 2019 , 47, 2895-2903	6.8	18
179	Revised Approach to the Role of Fatigue in Anterior Cruciate Ligament Injury Prevention: A Systematic Review with Meta-Analyses. <i>Sports Medicine</i> , 2019 , 49, 565-586	10.6	45
178	Incorporating hip abductor strengthening exercises into a rehabilitation program did not improve outcomes in people following total knee arthroplasty: a randomised trial. <i>Journal of Physiotherapy</i> , 2019 , 65, 136-143	2.9	5
177	Is Fatigue a Risk Factor for Anterior Cruciate Ligament Rupture?. <i>Sports Medicine</i> , 2019 , 49, 1629-1635	10.6	31
176	The association of psychological readiness to return to sport after anterior cruciate ligament reconstruction and hip and knee landing kinematics. <i>Clinical Biomechanics</i> , 2019 , 68, 104-108	2.2	9
175	Reply to Koller and Schobersberger: Comment on: "Revised Approach to the Role of Fatigue in Anterior Cruciate Ligament Injury Prevention: A Systematic Review with Meta-analyses". <i>Sports Medicine</i> , 2019 , 49, 1305-1306	10.6	1
174	Playing Performance After Anterior Cruciate Ligament Reconstruction Among Australian Football League Players From 1999 to 2013. <i>American Journal of Sports Medicine</i> , 2019 , 47, 1550-1556	6.8	2
173	Anterior Cruciate Ligament Injury Risk in Sport: A Systematic Review and Meta-Analysis of Injury Incidence by Sex and Sport Classification. <i>Journal of Athletic Training</i> , 2019 , 54, 472-482	4	49
172	What is the Evidence for and Validity of Return-to-Sport Testing after Anterior Cruciate Ligament Reconstruction Surgery? A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2019 , 49, 917-929	10.6	106
171	A research update on the state of play for return to sport after anterior cruciate ligament reconstruction. <i>Journal of Orthopaedics and Traumatology</i> , 2019 , 20, 10	5	25
170	Early Abnormal Biomechanics May Lead to Increased Risk of Osteoarthritis and Poorer Outcomes After Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019 , 35, 1012-1013	5.4	1
169	Musculoskeletal Injury Risk After Sport-Related Concussion: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2019 , 47, 1754-1762	6.8	76

168	Factors Associated With a Return to Preinjury Level of Sport Performance After Anterior Cruciate Ligament Reconstruction Surgery. <i>American Journal of Sports Medicine</i> , 2019 , 47, 2557-2562	6.8	40
167	Clinical Tests Can Be Used to Screen for Second Anterior Cruciate Ligament Injury in Younger Patients Who Return to Sport. <i>Orthopaedic Journal of Sports Medicine</i> , 2019 , 7, 2325967119863003	3.5	15
166	Increased Radiographic Posterior Tibial Slope Is Associated With Subsequent Injury Following Revision Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2019 , 7, 2325967119879373	3.5	39
165	Risk of Secondary ACL Injury in Adolescents Prescribed Functional Bracing After ACL Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2019 , 7, 2325967119879880	3.5	8
164	Single-Leg Squat Performance and Its Relationship to Extensor Mechanism Strength After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019 , 47, 3423-3428	6.8	10
163	Individuals' Experiences of the consequences of anterior cruciate ligament reconstruction surgery. <i>New Zealand Journal of Physiotherapy</i> , 2019 , 47, 76-93	1.4	2
162	Smaller Change in Psychological Readiness to Return to Sport Is Associated With Second Anterior Cruciate Ligament Injury Among Younger Patients. <i>American Journal of Sports Medicine</i> , 2019 , 47, 1209-1215	6.8	30
161	Psychological Readiness to Return to Sport Is Associated With Second Anterior Cruciate Ligament Injuries. <i>American Journal of Sports Medicine</i> , 2019 , 47, 857-862	6.8	79
160	Knee extensor strength and hop test performance following anterior cruciate ligament reconstruction. <i>Knee</i> , 2019 , 26, 149-154	2.6	29
159	Expectations for Return to Preinjury Sport Before and After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019 , 47, 578-583	6.8	44
158	Current perspectives of Australian therapists on rehabilitation and return to sport after anterior cruciate ligament reconstruction: A survey. <i>Physical Therapy in Sport</i> , 2019 , 35, 139-145	3	19
157	Low Rates of Return to Preinjury Sport After Bilateral Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019 , 47, 334-338	6.8	11
156	A data integration platform for patient-centered e-healthcare and clinical decision support. <i>Future Generation Computer Systems</i> , 2019 , 92, 996-1008	7.5	24
155	Systematic Selection of Key Logistic Regression Variables for Risk Prediction Analyses: A Five-Factor Maximum Model. <i>Clinical Journal of Sport Medicine</i> , 2019 , 29, 78-85	3.2	21
154	Perceptions about participation in a 12-week walking program for people with severe knee osteoarthritis: a qualitative analysis. <i>Disability and Rehabilitation</i> , 2019 , 41, 779-785	2.4	6
153	'What's my risk of sustaining an ACL injury while playing football (soccer)?' A systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2019 , 53, 1333-1340	10.3	29
152	Strength Testing After Anterior Cruciate Ligament Reconstruction: A Prospective Cohort Study Investigating Overlap of Tests. <i>Journal of Strength and Conditioning Research</i> , 2019 , 33, 3145-3150	3.2	2
151	"What's my risk of sustaining an ACL injury while playing sports?" A systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2019 , 53, 1003-1012	10.3	62

150	Medial meniscal and chondral pathology at the time of revision anterior cruciate ligament reconstruction results in inferior mid-term patient-reported outcomes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018 , 26, 1059-1064	5.5	21
149	Development and Validation of a Short Version of the Anterior Cruciate Ligament Return to Sport After Injury (ACL-RSI) Scale. <i>Orthopaedic Journal of Sports Medicine</i> , 2018 , 6, 2325967118763763	3.5	43
148	Revision Anterior Cruciate Ligament Reconstruction Outcomes in Younger Patients: Medial Meniscal Pathology and High Rates of Return to Sport Are Associated With Third ACL Injuries. <i>American Journal of Sports Medicine</i> , 2018 , 46, 1137-1142	6.8	35
147	Factors Associated With Psychological Readiness to Return to Sport After Anterior Cruciate Ligament Reconstruction Surgery. <i>American Journal of Sports Medicine</i> , 2018 , 46, 1545-1550	6.8	84
146	Psychological Factors Influencing Return to Sport After Anterior Cruciate Ligament Reconstruction 2018 , 73-83		3
145	Eighty-three per cent of elite athletes return to preinjury sport after anterior cruciate ligament reconstruction: a systematic review with meta-analysis of return to sport rates, graft rupture rates and performance outcomes. <i>British Journal of Sports Medicine</i> , 2018 , 52, 128-138	10.3	196
144	Sex Differences in Gait After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018 , 33, 897-902	4.4	6
143	Return to Level I Sports After Anterior Cruciate Ligament Reconstruction: Evaluation of Age, Sex, and Readiness to Return Criteria. <i>Orthopaedic Journal of Sports Medicine</i> , 2018 , 6, 2325967118788045	3.5	50
142	Meta-analysis of meta-analyses of anterior cruciate ligament injury reduction training programs. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 2696-2708	3.8	115
141	Lower Limb Biomechanics During Single-Leg Landings Following Anterior Cruciate Ligament Reconstruction: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2018 , 48, 2103-2126	10.6	31
140	"I never made it to the pros" Return to sport and becoming an elite athlete after pediatric and adolescent anterior cruciate ligament injury-Current evidence and future directions. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018 , 26, 1011-1018	5.5	12
139	Clinical Outcomes in Revision Anterior Cruciate Ligament Reconstruction: A Meta-analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018 , 34, 289-300	5.4	34
138	Fifteen-Year Audit of Anterior Cruciate Ligament Reconstructions in the Australian Football League From 1999 to 2013: Return to Play and Subsequent ACL Injury. <i>American Journal of Sports Medicine</i> , 2018 , 46, 3353-3360	6.8	31
137	Isolated Posterior Cruciate Reconstruction Results in Improved Functional Outcome but Low Rates of Return to Preinjury Level of Sport: A Systematic Review and Meta-analysis. <i>Orthopaedic Journal of Sports Medicine</i> , 2018 , 6, 2325967118804478	3.5	12
136	High or low return to sport rates following hip arthroscopy is a matter of definition?. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1475-1476	10.3	15
135	Proprioception and Anterior Cruciate Ligament Reconstruction 2018 , 455-459.e2		0
134	Anterior Cruciate Ligament Reconstruction Outcomes as a Function of Age 2018 , 490-493.e2		
133	Sensory detection of threshold intensity resistive loads in severe obstructive sleep apnoea. <i>Respiratory Physiology and Neurobiology</i> , 2017 , 236, 29-41	2.8	11

132	Hamstring Autograft versus Patellar Tendon Autograft for ACL Reconstruction: Is There a Difference in Graft Failure Rate? A Meta-analysis of 47,613 Patients. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 2459-2468	2.2	166
131	Patients with total knee arthroplasty do not use all of their available range of knee flexion during functional activities. <i>Clinical Biomechanics</i> , 2017 , 43, 74-78	2.2	11
130	Total knee arthroplasty with computer-assisted navigation more closely replicates normal knee biomechanics than conventional surgery. <i>Knee</i> , 2017 , 24, 651-656	2.6	19
129	Current state of concussion prevention strategies: a systematic review and meta-analysis of prospective, controlled studies. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1473-1482	10.3	44
128	Surgical treatments of cartilage defects of the knee: Systematic review of randomised controlled trials. <i>Knee</i> , 2017 , 24, 508-517	2.6	87
127	Graft Rupture and Failure After ACL Reconstruction 2017 , 477-489		1
126	MRI is not reliable in diagnosing of concomitant anterolateral ligament and anterior cruciate ligament injuries of the knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017 , 25, 1345-1351	5.5	28
125	Quadriceps strengthening with and without blood flow restriction in the treatment of patellofemoral pain: a double-blind randomised trial. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1688-1694	10.3	81
124	Return to Sport in the Younger Patient With Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2017 , 5, 2325967117703399	3.5	41
123	Combined anterior cruciate ligament reconstruction and lateral extra-articular tenodesis does not result in an increased rate of osteoarthritis: a systematic review and best evidence synthesis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017 , 25, 1149-1160	5.5	65
122	Minding the Body: An interdisciplinary theory of optimal posture for musicians. <i>Psychology of Music</i> , 2017 , 45, 821-838	1.2	2
121	A walking program for people with severe knee osteoarthritis did not reduce pain but may have benefits for cardiovascular health: a phase II randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1969-1979	6.2	20
120	Standing balance and inter-limb balance asymmetry at one year post primary anterior cruciate ligament reconstruction: Sex differences in a cohort study of 414 patients. <i>Gait and Posture</i> , 2017 , 52, 318-324	2.6	9
119	The Role of Lateral Extra-articular Tenodesis in Primary Anterior Cruciate Ligament Reconstruction: A Systematic Review With Meta-analysis and Best-Evidence Synthesis. <i>Orthopaedic Journal of Sports Medicine</i> , 2017 , 5, 2325967117731767	3.5	42
118	Knee Stability and Movement Coordination Impairments: Knee Ligament Sprain Revision 2017. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, A1-A47	4.2	48
117	Translation, cultural adaptation and validation of simplified Chinese version of the anterior cruciate ligament return to sport after injury (ACL-RSI) scale. <i>PLoS ONE</i> , 2017 , 12, e0183095	3.7	14
116	Younger Patients and Men Achieve Higher Outcome Scores Than Older Patients and Women After Anterior Cruciate Ligament Reconstruction. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 2472-2480	2.2	29
115	Comparison of the Source and Quality of Information on the Internet Between Anterolateral Ligament Reconstruction and Anterior Cruciate Ligament Reconstruction: An Australian Experience. <i>Orthopaedic Journal of Sports Medicine</i> , 2017 , 5, 2325967117741887	3.5	7

114	Return to Sport following ACL Reconstruction: The Australian Experience 2017 , 413-426		1
113	Reliability of measuring hip abductor strength following total knee arthroplasty using a hand-held dynamometer. <i>Disability and Rehabilitation</i> , 2016 , 38, 597-600	2.4	7
112	Risk of Secondary Injury in Younger Athletes After Anterior Cruciate Ligament Reconstruction: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2016 , 44, 1861-76	6.8	541
111	A multiple regression normalization approach to evaluation of gait in total knee arthroplasty patients. <i>Clinical Biomechanics</i> , 2016 , 32, 92-101	2.2	6
110	Comparison of the short form-12 (SF-12) health status questionnaire with the SF-36 in patients with knee osteoarthritis who have replacement surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 2620-6	5.5	36
109	Return-to-Sport Outcomes After Revision Anterior Cruciate Ligament Reconstruction Surgery. <i>American Journal of Sports Medicine</i> , 2016 , 44, 580-4	6.8	55
108	Comparison of Patellar Tendon and Hamstring Tendon Anterior Cruciate Ligament Reconstruction: A 15-Year Follow-up of a Randomized Controlled Trial. <i>American Journal of Sports Medicine</i> , 2016 , 44, 83-90	6.8	104
107	Psychological Aspects of Anterior Cruciate Ligament Injuries. <i>Operative Techniques in Sports Medicine</i> , 2016 , 24, 77-83	0.4	50
106	Exploring the High Reinjury Rate in Younger Patients Undergoing Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2016 , 44, 2827-2832	6.8	267
105	Computer assisted alignment of opening wedge high tibial osteotomy provides limited improvement of radiographic outcomes compared to fluoroscopic alignment. <i>Knee</i> , 2016 , 23, 289-94	2.6	27
104	Satisfaction With Knee Function After Primary Anterior Cruciate Ligament Reconstruction Is Associated With Self-Efficacy, Quality of Life, and Returning to the Preinjury Physical Activity. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016 , 32, 1631-1638.e3	5.4	50
103	Movement Patterns of the Knee During Gait Following ACL Reconstruction: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2016 , 46, 1869-1895	10.6	66
102	Atrophy of the Quadriceps Is Not Isolated to the Vastus Medialis Oblique in Individuals With Patellofemoral Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 613-9	4.2	28
101	The maximum tolerated dose of walking for people with severe osteoarthritis of the knee: a phase I trial. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1285-93	6.2	16
100	Can ultrasound measurements of muscle thickness be used to measure the size of individual quadriceps muscles in people with patellofemoral pain?. <i>Physical Therapy in Sport</i> , 2015 , 16, 45-52	3	40
99	Associations of isokinetic knee steadiness with hop performance in patients with ACL deficiency. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015 , 23, 2185-2195	5.5	12
98	Symmetry of squatting and the effect of fatigue following anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015 , 23, 3208-13	5.5	22
97	Sports participation 2 years after anterior cruciate ligament reconstruction in athletes who had not returned to sport at 1 year: a prospective follow-up of physical function and psychological factors in 122 athletes. <i>American Journal of Sports Medicine</i> , 2015 , 43, 848-56	6.8	165

96	Assessment of standing balance deficits in people who have undergone anterior cruciate ligament reconstruction using traditional and modern analysis methods. <i>Journal of Biomechanics</i> , 2014 , 47, 1134-7 ^{2.9}	2.9	22
95	Factors associated with stair climbing ability in patients with knee osteoarthritis and knee arthroplasty: a systematic review. <i>Disability and Rehabilitation</i> , 2014 , 36, 1051-60	2.4	23
94	The impact of psychological readiness to return to sport and recreational activities after anterior cruciate ligament reconstruction. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1613-9	10.3	223
93	Lower limb strength following total knee arthroplasty: a systematic review. <i>Knee</i> , 2014 , 21, 12-20	2.6	72
92	A pre-operative group rehabilitation programme provided limited benefit for people with severe hip and knee osteoarthritis. <i>Disability and Rehabilitation</i> , 2014 , 36, 2085-90	2.4	11
91	Patterns in the knee flexion-extension moment profile during stair ascent and descent in patients with total knee arthroplasty. <i>Journal of Biomechanics</i> , 2014 , 47, 1816-21	2.9	21
90	Younger patients are at increased risk for graft rupture and contralateral injury after anterior cruciate ligament reconstruction. <i>American Journal of Sports Medicine</i> , 2014 , 42, 641-7	6.8	291
89	Fifty-five per cent return to competitive sport following anterior cruciate ligament reconstruction surgery: an updated systematic review and meta-analysis including aspects of physical functioning and contextual factors. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1543-52	10.3	648
88	Comparable improvements achieved in chronic obstructive pulmonary disease through pulmonary rehabilitation with and without a structured educational intervention: a randomized controlled trial. <i>Respirology</i> , 2014 , 19, 193-202	3.6	35
87	The effects of a concurrent motor task on walking in Alzheimer's disease. <i>Gait and Posture</i> , 2014 , 39, 291-6	2.6	18
86	Use of the short form health surveys as an outcome measure for anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014 , 22, 1142-8	5.5	7
85	Clinic-based assessment of weight-bearing asymmetry during squatting in people with anterior cruciate ligament reconstruction using Nintendo Wii Balance Boards. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 1156-61	2.8	17
84	The effect of anterior cruciate ligament graft orientation on rotational knee kinematics. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013 , 21, 2113-20	5.5	15
83	What proportion of people with hip and knee osteoarthritis meet physical activity guidelines? A systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1648-59	6.2	163
82	Return to sport following anterior cruciate ligament reconstruction. <i>International Orthopaedics</i> , 2013 , 37, 285-90	3.8	61
81	A systematic review of the psychological factors associated with returning to sport following injury. <i>British Journal of Sports Medicine</i> , 2013 , 47, 1120-6	10.3	230
80	The assessment of postural control and the influence of a secondary task in people with anterior cruciate ligament reconstructed knees using a Nintendo Wii Balance Board. <i>British Journal of Sports Medicine</i> , 2013 , 47, 914-9	10.3	31
79	Rhythmic auditory cueing to improve walking in patients with neurological conditions other than Parkinson's disease--what is the evidence?. <i>Disability and Rehabilitation</i> , 2013 , 35, 164-76	2.4	44

78	Gait analysis of walking before and after medial opening wedge high tibial osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013 , 21, 74-81	5.5	47
77	Reproducibility of gait variability measures in people with Alzheimer's disease. <i>Gait and Posture</i> , 2013 , 38, 507-10	2.6	14
76	Music and metronome cues produce different effects on gait spatiotemporal measures but not gait variability in healthy older adults. <i>Gait and Posture</i> , 2013 , 37, 219-22	2.6	61
75	Effect of rhythmic auditory cueing on gait in people with Alzheimer disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 718-24	2.8	24
74	Trunk muscle action compensates for reduced quadriceps force during walking after total knee arthroplasty. <i>Gait and Posture</i> , 2013 , 38, 79-85	2.6	35
73	Does quadriceps atrophy exist in individuals with patellofemoral pain? A systematic literature review with meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013 , 43, 766-76	4.2	41
72	Factors Related to Return to Sport After ACL Reconstruction: When Is It Safe? 2013 , 169-181		
71	Psychological responses matter in returning to preinjury level of sport after anterior cruciate ligament reconstruction surgery. <i>American Journal of Sports Medicine</i> , 2013 , 41, 1549-58	6.8	310
70	Return of normal gait as an outcome measurement in acl reconstructed patients. A systematic review. <i>International Journal of Sports Physical Therapy</i> , 2013 , 8, 441-51	1.4	34
69	The knee adduction moment in hamstring and patellar tendon anterior cruciate ligament reconstructed knees. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012 , 20, 2214-9	5.5	42
68	Gender differences in the knee adduction moment after anterior cruciate ligament reconstruction surgery. <i>British Journal of Sports Medicine</i> , 2012 , 46, 355-9	10.3	41
67	Fear of re-injury in people who have returned to sport following anterior cruciate ligament reconstruction surgery. <i>Journal of Science and Medicine in Sport</i> , 2012 , 15, 488-95	4.4	105
66	Tibial rotation during pivoting in anterior cruciate ligament reconstructed knees using a single bundle technique. <i>Clinical Biomechanics</i> , 2012 , 27, 480-4	2.2	8
65	Tibial rotation in anterior cruciate ligament reconstructed knees during single limb hop and drop landings. <i>Clinical Biomechanics</i> , 2012 , 27, 475-9	2.2	20
64	The relationship between rearfoot, tibial and hip kinematics in individuals with patellofemoral pain syndrome. <i>Clinical Biomechanics</i> , 2012 , 27, 702-5	2.2	60
63	Longitudinal changes in knee joint biomechanics during level walking following anterior cruciate ligament reconstruction surgery. <i>Gait and Posture</i> , 2012 , 36, 167-71	2.6	57
62	Validity of the Microsoft Kinect for assessment of postural control. <i>Gait and Posture</i> , 2012 , 36, 372-7	2.6	464
61	Effect of fatigue on landing biomechanics after anterior cruciate ligament reconstruction surgery. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 910-6	1.2	39

60	Return-to-sport outcomes at 2 to 7 years after anterior cruciate ligament reconstruction surgery. <i>American Journal of Sports Medicine</i> , 2012 , 40, 41-8	6.8	272
59	Greater peak rearfoot eversion predicts foot orthoses efficacy in individuals with patellofemoral pain syndrome. <i>British Journal of Sports Medicine</i> , 2011 , 45, 697-701	10.3	50
58	Return to sport following anterior cruciate ligament reconstruction surgery: a systematic review and meta-analysis of the state of play. <i>British Journal of Sports Medicine</i> , 2011 , 45, 596-606	10.3	715
57	Alterations in joint kinematics during walking following hamstring and patellar tendon anterior cruciate ligament reconstruction surgery. <i>Clinical Biomechanics</i> , 2011 , 26, 175-80	2.2	62
56	Walking kinematics in individuals with patellofemoral pain syndrome: a case-control study. <i>Gait and Posture</i> , 2011 , 33, 286-91	2.6	50
55	Return to the preinjury level of competitive sport after anterior cruciate ligament reconstruction surgery: two-thirds of patients have not returned by 12 months after surgery. <i>American Journal of Sports Medicine</i> , 2011 , 39, 538-43	6.8	416
54	Knee kinematics during walking at different speeds in people who have undergone total knee replacement. <i>Knee</i> , 2011 , 18, 151-5	2.6	70
53	Is postural control restored following anterior cruciate ligament reconstruction? A systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011 , 19, 1168-77	5.5	61
52	Relationships between the Foot Posture Index and foot kinematics during gait in individuals with and without patellofemoral pain syndrome. <i>Journal of Foot and Ankle Research</i> , 2011 , 4, 10	3.2	47
51	The effect of fatigue on lower-limb biomechanics during single-limb landings: a systematic review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2010 , 40, 464-73	4.2	74
50	Outcome of surgery for recurrent patellar dislocation based on the distance of the tibial tuberosity to the trochlear groove. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010 , 92, 1376-80		50
49	Alternative modelling procedures for pelvic marker occlusion during motion analysis. <i>Gait and Posture</i> , 2010 , 31, 415-9	2.6	19
48	A longitudinal study of measures of walking in people with Alzheimer's Disease. <i>Gait and Posture</i> , 2010 , 32, 113-7	2.6	45
47	Knee kinetics during walking at different speeds in people who have undergone total knee replacement. <i>Gait and Posture</i> , 2010 , 32, 205-10	2.6	29
46	Three dimensional motion analysis of within and between day repeatability of tibial rotation during pivoting. <i>Knee</i> , 2010 , 17, 329-33	2.6	19
45	Tibial bone tunnel widening is reduced by polylactate/hydroxyapatite interference screws compared to metal screws after ACL reconstruction with hamstring grafts. <i>Knee</i> , 2009 , 16, 447-51	2.6	29
44	A prospective longitudinal study to assess psychological changes following anterior cruciate ligament reconstruction surgery. <i>British Journal of Sports Medicine</i> , 2009 , 43, 377-81	10.3	211
43	The application of support vector machines for detecting recovery from knee replacement surgery using spatio-temporal gait parameters. <i>Gait and Posture</i> , 2009 , 29, 91-6	2.6	35

42	Variability of walking and other daily activities in patients with total knee replacement. <i>Gait and Posture</i> , 2009 , 30, 288-95	2.6	14
41	Kinematic gait characteristics associated with patellofemoral pain syndrome: a systematic review. <i>Gait and Posture</i> , 2009 , 30, 405-16	2.6	130
40	Bone tunnel widening after anterior cruciate ligament reconstruction using EndoButton or EndoButton continuous loop. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2009 , 25, 1275-80	5.4	47
39	Development and preliminary validation of a scale to measure the psychological impact of returning to sport following anterior cruciate ligament reconstruction surgery. <i>Physical Therapy in Sport</i> , 2008 , 9, 9-15	3	329
38	Asymmetric knee loading at heel contact during walking in patients with unilateral knee replacement. <i>Knee</i> , 2008 , 15, 456-60	2.6	17
37	Test-retest reliability of spatial and temporal gait parameters of people with Alzheimer's disease. <i>Gait and Posture</i> , 2008 , 28, 392-6	2.6	48
36	Evaluation of the scope and quality of systematic reviews on nonpharmacological conservative treatment for patellofemoral pain syndrome. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2008 , 38, 529-41	4.2	32
35	Timing variability during gait initiation is increased in people with Alzheimer's disease compared to controls. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 26, 277-83	2.6	19
34	Volume of physical activity and injury occurrence in young basketball players. <i>Journal of Sports Science and Medicine</i> , 2008 , 7, 139-43	2.7	7
33	Gait analysis of patients following total knee replacement: a systematic review. <i>Knee</i> , 2007 , 14, 253-63	2.6	179
32	Support Vector Machines for detecting recovery from knee replacement surgery using quantitative gait measures. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 4875-8		13
31	Physiological falls risk assessment in older people with Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 24, 260-5	2.6	30
30	Quantitative gait analysis in patients with dementia with Lewy bodies and Alzheimer's disease. <i>Gait and Posture</i> , 2007 , 26, 414-9	2.6	39
29	Kinematic patterns associated with accuracy of the drop punt kick in Australian Football. <i>Journal of Science and Medicine in Sport</i> , 2006 , 9, 292-8	4.4	26
28	The effect of topical wheatgrass cream on chronic plantar fasciitis: a randomized, double-blind, placebo-controlled trial. <i>Complementary Therapies in Medicine</i> , 2006 , 14, 3-9	3.5	6
27	Balance confidence and function after knee-replacement surgery. <i>Journal of Aging and Physical Activity</i> , 2006 , 14, 181-91	1.6	7
26	Gait variability in community dwelling adults with Alzheimer disease. <i>Alzheimer Disease and Associated Disorders</i> , 2006 , 20, 37-40	2.5	85
25	Anterior cruciate ligament reconstruction in females: a comparison of hamstring tendon and patellar tendon autografts. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2006 , 14, 1070-6	5.5	33

24	Validity of the GAITRite walkway system for the measurement of averaged and individual step parameters of gait. <i>Gait and Posture</i> , 2005 , 22, 317-21	2.6	374
23	Gait patterns after anterior cruciate ligament reconstruction are related to graft type. <i>American Journal of Sports Medicine</i> , 2005 , 33, 247-54	6.8	81
22	Impact of measurement error in the analysis of bone tunnel enlargement after anterior cruciate ligament reconstruction. <i>American Journal of Sports Medicine</i> , 2005 , 33, 1680-7	6.8	32
21	Sustained hypoxia depresses sensory processing of respiratory resistive loads. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005 , 172, 1047-54	10.2	28
20	Effect of physiotherapy attendance on outcome after anterior cruciate ligament reconstruction: a pilot study. <i>British Journal of Sports Medicine</i> , 2004 , 38, 74-7	10.3	19
19	Dynamic joint loading following hamstring and patellar tendon anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2004 , 12, 15-21	5.5	48
18	Anthropometry, physical performance, and ultrasound patellar tendon abnormality in elite junior basketball players: a cross-sectional study. <i>British Journal of Sports Medicine</i> , 2004 , 38, 206-9	10.3	85
17	Biomechanical differences in landing with and without shoe wear after anterior cruciate ligament reconstruction. <i>Clinical Biomechanics</i> , 2004 , 19, 978-81	2.2	12
16	P300 from inspiratory occlusion reflects orienting but not startle. <i>Biological Psychology</i> , 2004 , 66, 21-33	3.2	10
15	A comparison of bone tunnel measurements made using computed tomography and digital plain radiography after anterior cruciate ligament reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2004 , 20, 946-50	5.4	37
14	A randomized comparison of patellar tendon and hamstring tendon anterior cruciate ligament reconstruction. <i>American Journal of Sports Medicine</i> , 2003 , 31, 564-73	6.8	385
13	Quantitative gait analysis after medial unicompartmental knee arthroplasty for osteoarthritis. <i>Journal of Arthroplasty</i> , 2003 , 18, 751-9	4.4	35
12	Concurrent related validity of the GAITRite walkway system for quantification of the spatial and temporal parameters of gait. <i>Gait and Posture</i> , 2003 , 17, 68-74	2.6	570
11	Measure of beliefs about improvements in mood associated with exercise. <i>Psychological Reports</i> , 2002 , 90, 834-40	1.6	10
10	P3-specific amplitude reductions to respiratory and auditory stimuli in subjects with asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002 , 166, 47-52	10.2	36
9	Current Australian trends in rehabilitation following anterior cruciate ligament reconstruction. <i>Knee</i> , 2002 , 9, 121-6	2.6	30
8	Bone tunnel enlargement following anterior cruciate ligament reconstruction: a randomised comparison of hamstring and patellar tendon grafts with 2-year follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2001 , 9, 86-91	5.5	205
7	Early post-operative morbidity following anterior cruciate ligament reconstruction: patellar tendon versus hamstring graft. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2001 , 9, 260-6	5.5	73

6	The roles of vertex sharp waves and K-complexes in the generation of N300 in auditory and respiratory-related evoked potentials during early stage 2 NREM sleep. <i>Sleep</i> , 2000 , 23, 97-106	1.1	15
5	The N550 component of the evoked K-complex: a modality non-specific response?. <i>Journal of Sleep Research</i> , 1999 , 8, 273-80	5.8	54
4	Source dipole analysis of the early components of the RREP. <i>Brain Topography</i> , 1998 , 11, 153-64	4.3	53
3	Multichannel EEG analysis of respiratory evoked-potential components during wakefulness and NREM sleep. <i>Journal of Applied Physiology</i> , 1998 , 85, 1727-35	3.7	59
2	Developing a psychological support intervention to help injured athletes get Back in the Game		2
1	Choice of Patient-Reported Outcome Measures for Midterm Assessment After Anterior Cruciate Ligament Reconstruction Surgery. <i>American Journal of Sports Medicine</i> , 036354652210994	6.8	