List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5064028/publications.pdf Version: 2024-02-01



YING HAN

#	Article	IF	CITATIONS
1	Mental Health and Psychosocial Problems of Medical Health Workers during the COVID-19 Epidemic in China. Psychotherapy and Psychosomatics, 2020, 89, 242-250.	4.0	1,108
2	The characterisation of subjective cognitive decline. Lancet Neurology, The, 2020, 19, 271-278.	4.9	627
3	The cost of Alzheimer's disease in China and reâ€estimation of costs worldwide. Alzheimer's and Dementia, 2018, 14, 483-491.	0.4	404
4	Frequency-dependent changes in the amplitude of low-frequency fluctuations in amnestic mild cognitive impairment: A resting-state fMRI study. NeuroImage, 2011, 55, 287-295.	2.1	399
5	Disrupted Functional Brain Connectome in Individuals at Risk for Alzheimer's Disease. Biological Psychiatry, 2013, 73, 472-481.	0.7	378
6	An open science resource for establishing reliability and reproducibility in functional connectomics. Scientific Data, 2014, 1, 140049.	2.4	349
7	The prevalence of dementia in urban and rural areas of China. Alzheimer's and Dementia, 2014, 10, 1-9.	0.4	322
8	The prevalence of mild cognitive impairment and its etiological subtypesÂin elderly Chinese. Alzheimer's and Dementia, 2014, 10, 439-447.	0.4	144
9	Gradual Disturbances of the Amplitude of Low-Frequency Fluctuations (ALFF) and Fractional ALFF in Alzheimer Spectrum. Frontiers in Neuroscience, 2018, 12, 975.	1.4	135
10	Anatomical and Functional Deficits in Patients with Amnestic Mild Cognitive Impairment. PLoS ONE, 2012, 7, e28664.	1.1	75
11	Abnormal Changes of Multidimensional Surface Features Using Multivariate Pattern Classification in Amnestic Mild Cognitive Impairment Patients. Journal of Neuroscience, 2014, 34, 10541-10553.	1.7	72
12	Abnormal Resting-State Functional Connectivity Strength in Mild Cognitive Impairment and Its Conversion to Alzheimer's Disease. Neural Plasticity, 2016, 2016, 1-12.	1.0	69
13	Prevalence, Risk Factors, and Complaints Screening Tool Exploration of Subjective Cognitive Decline in a Large Cohort of the Chinese Population. Journal of Alzheimer's Disease, 2017, 60, 371-388.	1.2	62
14	Sino Longitudinal Study on Cognitive Decline (SILCODE): protocol for a Chinese longitudinal observational study to develop risk prediction models of conversion to mild cognitive impairment in in individuals with subjective cognitive decline. BMJ Open, 2019, 9, e028188.	0.8	62
15	Corticosteroids for preventing postherpetic neuralgia. , 2013, , CD005582.		56
16	Cortical Inflammation is Increased in a DSS-Induced Colitis Mouse Model. Neuroscience Bulletin, 2018, 34, 1058-1066.	1.5	56
17	Altered Functional Connectivity of Insular Subregions in Alzheimer's Disease. Frontiers in Aging Neuroscience, 2018, 10, 107.	1.7	56
18	Selective Changes of Resting-State Brain Oscillations in aMCI: An fMRI Study Using ALFF. BioMed Research International, 2014, 2014, 1-7.	0.9	52

#	Article	IF	CITATIONS
19	Subjective cognitive decline: preclinical manifestation of Alzheimer's disease. Neurological Sciences, 2019, 40, 41-49.	0.9	50
20	Alterations of White Matter Integrity and Hippocampal Functional Connectivity in Type 2 Diabetes Without Mild Cognitive Impairment. Frontiers in Neuroanatomy, 2018, 12, 21.	0.9	49
21	Chinese guidelines on the management of liver cirrhosis (abbreviated version). World Journal of Gastroenterology, 2020, 26, 7088-7103.	1.4	49
22	Disrupted Regional Cerebral Blood Flow, Functional Activity and Connectivity in Alzheimer's Disease: A Combined ASL Perfusion and Resting State fMRI Study. Frontiers in Neuroscience, 2019, 13, 738.	1.4	48
23	The level of Alzheimer-associated neuronal thread protein in urine may be an important biomarker of mild cognitive impairment. Journal of Clinical Neuroscience, 2015, 22, 649-652.	0.8	43
24	Subjective Cognitive Decline and Related Cognitive Deficits. Frontiers in Neurology, 2020, 11, 247.	1.1	42
25	Neuronal Specificity of Acupuncture in Alzheimer's Disease and Mild Cognitive Impairment Patients: A Functional MRI Study. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-10.	0.5	39
26	Multiparametric imaging hippocampal neurodegeneration and functional connectivity with simultaneous PET/MRI in Alzheimer's disease. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 2440-2452.	3.3	34
27	Glucose metabolism in the right middle temporal gyrus could be a potential biomarker for subjective cognitive decline: a study of a Han population. Alzheimer's Research and Therapy, 2021, 13, 74.	3.0	33
28	Functional Connectivity Changes Across the Spectrum of Subjective Cognitive Decline, Amnestic Mild Cognitive Impairment and Alzheimer's Disease. Frontiers in Neuroinformatics, 2019, 13, 26.	1.3	31
29	Changes in Centrality Frequency of the Default Mode Network in Individuals With Subjective Cognitive Decline. Frontiers in Aging Neuroscience, 2019, 11, 118.	1.7	23
30	Development of a Novel Urine Alzheimerâ€Associated Neuronal Thread Protein ELISA Kit and Its Potential Use in the Diagnosis of Alzheimer's Disease. Journal of Clinical Laboratory Analysis, 2016, 30, 308-314.	0.9	21
31	White Matter Abnormalities in Two Different Subtypes of Amnestic Mild Cognitive Impairment. PLoS ONE, 2017, 12, e0170185.	1.1	20
32	Safety and Immunogenicity of Inactivated COVID-19 Vaccines Among People Living with HIV in China. Infection and Drug Resistance, 2022, Volume 15, 2091-2100.	1.1	18
33	Local-to-remote cortical connectivity in amnestic mild cognitive impairment. Neurobiology of Aging, 2017, 56, 138-149.	1.5	17
34	Plasma kinetics and biodistribution of water-soluble CdTe quantum dots in mice: a comparison between Cd and Te. Journal of Nanoparticle Research, 2011, 13, 5373-5380.	0.8	15
35	Middle Cerebral Artery Atherosclerotic Plaques in Recent Small Subcortical Infarction: A Three-Dimensional High-resolution MR Study. BioMed Research International, 2015, 2015, 1-7.	0.9	14
36	Regularity changes of the retinal nerve fiber layer and macular ganglion cell complex in patients with the amnestic mild cognitive impairment. International Journal of Neuroscience, 2018, 128, 849-853.	0.8	14

#	Article	IF	CITATIONS
37	Resting-state functional magnetic resonance imaging shows altered brain network topology in Type 2 diabetic patients without cognitive impairment. Oncotarget, 2017, 8, 104560-104570.	0.8	13
38	Abnormal global functional network connectivity and its relationship to medial temporal atrophy in patients with amnestic mild cognitive impairment. PLoS ONE, 2017, 12, e0179823.	1.1	13
39	Topological Properties of Large-Scale Cortical Networks Based on Multiple Morphological Features in Amnestic Mild Cognitive Impairment. Neural Plasticity, 2016, 2016, 1-14.	1.0	12
40	Urinary Alzheimer-Associated Neuronal Thread Protein is not Elevated in Patients with Subjective Cognitive Decline and Patients with Depressive State. Journal of Alzheimer's Disease, 2019, 71, 1115-1123.	1.2	10
41	The diagnosis of amnestic mild cognitive impairment by combining the characteristics of brain functional network and support vector machine classifier. Journal of Neuroscience Methods, 2021, 363, 109334.	1.3	10
42	White Matter Hyperintensities Relate to Basal Ganglia Functional Connectivity and Memory Performance in aMCI and SVMCI. Frontiers in Neuroscience, 2019, 13, 1204.	1.4	9
43	Combining Visual Rating Scales for Medial Temporal Lobe Atrophy and Posterior Atrophy to Identify Amnestic Mild Cognitive Impairment from Cognitively Normal Older Adults: Evidence Based on Two Cohorts. Journal of Alzheimer's Disease, 2020, 77, 323-337.	1.2	9
44	Cognitive Reserve, Brain Reserve, APOE ɛ4, and Cognition in Individuals with Subjective Cognitive Decline in the SILCODE Study. Journal of Alzheimer's Disease, 2020, 76, 249-260.	1.2	9
45	Cognition-tracking-based strategies for diagnosis and treatment of minimal hepatic encephalopathy. Metabolic Brain Disease, 2020, 35, 869-881.	1.4	8
46	Exploring brain glucose metabolic patterns in cognitively normal adults at risk of Alzheimer's disease: A cross-validation study with Chinese and ADNI cohorts. NeuroImage: Clinical, 2022, 33, 102900.	1.4	8
47	Relationship between Urinary Alzheimer-Associated Neuronal Thread Protein and Apolipoprotein Epsilon 4 Allele in the Cognitively Normal Population. Neural Plasticity, 2020, 2020, 1-10.	1.0	6
48	Loss of Wip1 aggravates brain injury after ischaemia/reperfusion by overactivating microglia. Stroke and Vascular Neurology, 2021, 6, 344-351.	1.5	6
49	Genomic Characteristics and Pan-Genome Analysis of Rhodococcus equi. Frontiers in Cellular and Infection Microbiology, 2022, 12, 807610.	1.8	6
50	Enhancing Working Memory Based on Mismatch Negativity Neurofeedback in Subjective Cognitive Decline Patients: A Preliminary Study. Frontiers in Aging Neuroscience, 2020, 12, 263.	1.7	5
51	The Impact of Study Setting on Clinical Characteristics in Older Chinese Adults with Subjective Cognitive Decline: Baseline Investigation of Convenience and Population-Based Samples. BioMed Research International, 2021, 2021, 1-9.	0.9	4
52	Inhibitor screening using microarray identifies the high capacity of neutralizing antibodies to Spike variants in SARS-CoV-2 infection and vaccination. Theranostics, 2022, 12, 2519-2534.	4.6	3
53	Short-term effect of PM2.5 on stroke in susceptible populations: A case-crossover study. International Journal of Stroke, 2023, 18, 312-321.	2.9	3
54	Close Homolog of L1 Deficiency Exacerbated Intestinal Epithelial Barrier Function in Mouse Model of Dextran Sulfate Sodium-Induced Colitis. Frontiers in Physiology, 2020, 11, 584508.	1.3	2

#	Article	IF	CITATIONS
55	Fluctuations of antimitochondrial antibodies and anti-gp210 antibody in a patient with primary biliary cholangitis and SjĶgren syndrome with subsequent autoimmune hemolytic anemia. Medicine (United) Tj ETQq1	1 @ #78431	4₂rgBT /Ove
56	Feature level-based group lasso method for amnestic mild cognitive impairment diagnosis. Computer Methods and Programs in Biomedicine, 2021, 208, 106286.	2.6	1
57	Sulcal morphology differences between mild cognitive impairment patients and normal elderly subjects. , 2011, , .		0
58	[P2–377]: MULTIâ€MODAL EVALUATION OF ALZHEIMER's DISEASE BY USING JOINT ICA ANALYSIS OF FMRI Alzheimer's and Dementia, 2017, 13, P771.	TL 0.4	0
59	[P3–335]: INTRINSIC BRAIN NETWORKS OF COGNITIVE COMPONENTS IN SUBJECTIVE COGNITIVE DECLINE. Alzheimer's and Dementia, 2017, 13, P1081.	0.4	0
60	[P1–425]: ABNORMAL BRAIN CONNECTIVITY DYNAMICS AND BRAIN ACTIVITY STATES IN ALZHEIMER'S DISEASI Alzheimer's and Dementia, 2017, 13, P442.	 0.4	0
61	[P4–554]: PREVALENCE, RISK FACTORS AND SCREENING TOOLS OF SUBJECTIVE COGNITIVE DECLINE IN BEIJING's SHUNYI DISTRICT. Alzheimer's and Dementia, 2017, 13, P1563.	0.4	0
62	Can plasma amyloidâ€beta levels be considered as a potential biomarker to discriminate preclinical Alzheimer's disease?. Alzheimer's and Dementia, 2020, 16, e042319.	0.4	0
63	A New Medical Image Fusion Approach Using Spatial Attention and Weighted Local Energy. , 2021, , .		Ο
64	Pharmacokinetics and Bioequivalence of Misoprostol Tablets: An Openâ€Label, Randomized, Singleâ€dose, Crossover Study With Healthy Chinese Volunteers. Clinical Pharmacology in Drug Development, 2022, , .	0.8	0