## Birgit Knebel

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5065005/birgit-knebel-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

1,895
citations

22
h-index

96
ext. papers

2,436
ext. citations

4.7
avg, IF

L-index

#	Paper	IF	Citations
87	Long-term adjustment of hepatic lipid metabolism after chronic stress and the role of FGF21.  Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2022, 1868, 166286	6.9	O
86	Hepatic energy metabolism in a family with a glucokinase gene mutation and dysglycemia <i>Diabetes Research and Clinical Practice</i> , <b>2022</b> , 185, 109779	7.4	O
85	Nudix hydrolase NUDT19 regulates mitochondrial function and ATP production in murine hepatocytes <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2022</b> , 1867, 159153	5	O
84	Alternative exon splicing and differential expression in pancreatic islets reveals candidate genes and pathways implicated in early diabetes development. <i>Mammalian Genome</i> , <b>2021</b> , 32, 153-172	3.2	О
83	Dapagliflozin reduces thrombin generation and platelet activation: implications for cardiovascular risk reduction in type 2 diabetes mellitus. <i>Diabetologia</i> , <b>2021</b> , 64, 1834-1849	10.3	1
82	Preparation of "Functional" Mitochondria: A Challenging Business. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2276, 31-39	1.4	1
81	Isolation and Quality Control of Functional Mitochondria. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2276, 41-	5 <b>5</b> .4	1
80	AKT/AMPK-mediated phosphorylation of TBC1D4 disrupts the interaction with insulin-regulated aminopeptidase. <i>Journal of Biological Chemistry</i> , <b>2021</b> , 296, 100637	5.4	2
79	Investigating the Adipose Tissue Secretome: A Protocol to Generate High-Quality Samples Appropriate for Comprehensive Proteomic Profiling. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2261, 421-431	1.4	O
78	Protein Profiling of Serum Extracellular Vesicles Reveals Qualitative and Quantitative Differences After Differential Ultracentrifugation and ExoQuick Isolation. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	5
77	Physiological Disturbance in Fatty Liver Energy Metabolism Converges on IGFBP2 Abundance and Regulation in Mice and Men. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	10
76	Role of Patatin-Like Phospholipase Domain-Containing 3 Gene for Hepatic Lipid Content and Insulin Resistance in Diabetes. <i>Diabetes Care</i> , <b>2020</b> , 43, 2161-2168	14.6	16
75	Rhein, a novel Histone Deacetylase (HDAC) inhibitor with antifibrotic potency in human myocardial fibrosis. <i>Scientific Reports</i> , <b>2020</b> , 10, 4888	4.9	7
74	542-P: Association of Cardiac Autonomic Dysfunction with Plasma Lipid Metabolites in Recent-Onset Type 2 Diabetes. <i>Diabetes</i> , <b>2020</b> , 69, 542-P	0.9	
73	581-P: Remnant Cholesterol: Association to Components of the Metabolic Syndrome or Triglyceride-Glucose Index in the LUPS Cohort. <i>Diabetes</i> , <b>2020</b> , 69, 581-P	0.9	
72	Lipodystrophies-Disorders of the Fatty Tissue. International Journal of Molecular Sciences, 2020, 21,	6.3	8
71	Histone deacetylase 5 regulates interleukin 6 secretion and insulin action in skeletal muscle. <i>Molecular Metabolism</i> , <b>2020</b> , 42, 101062	8.8	6

Synthetic interleukin 22 (IL-22) signaling reveals biological activity of homodimeric IL-10 receptor 2 70 and functional cross-talk with the IL-6 receptor gp130. Journal of Biological Chemistry, 2020, 295, 12378-12397 Development of the Metabolic Syndrome: Study Design and Baseline Data of the Lufthansa Prevention Study (LUPS), A Prospective Observational Cohort Survey. Experimental and Clinical 69 2.3 Endocrinology and Diabetes, 2020, 128, 777-787 Empagliflozin Effectively Lowers Liver Fat Content in Well-Controlled Type 2 Diabetes: A 68 14.6 86 Randomized, Double-Blind, Phase 4, Placebo-Controlled Trial. Diabetes Care, 2020, 43, 298-305 Correlates of Insulin-Stimulated Glucose Disposal in Recent-Onset Type 1 and Type 2 Diabetes. 67 5.6 6 Journal of Clinical Endocrinology and Metabolism, 2019, 104, 2295-2304 Decreased M1 macrophage polarization in dabigatran-treated Ldlr-deficient mice: Implications for 66 8 3.1 atherosclerosis and adipose tissue inflammation. Atherosclerosis, 2019, 287, 81-88 Adipokinome Signatures in Obese Mouse Models Reflect Adipose Tissue Health and Are Associated 65 6.3 4 with Serum Lipid Composition. International Journal of Molecular Sciences, 2019, 20, Cardiac Hyaluronan Synthesis Is Critically Involved in the Cardiac Macrophage Response and 64 25 15.7 Promotes Healing After Ischemia Reperfusion Injury. Circulation Research, 2019, 124, 1433-1447 A[Dligomer Elimination Restores Cognition in Transgenic Alzheimer & Mice with Full-blown 6.2 18 63 Pathology. Molecular Neurobiology, 2019, 56, 2211-2223 Identification of the Secreted Proteins Originated from Primary Human Hepatocytes and HepG2 8 62 6.7 Cells. Nutrients, 2019, 11, The adipokine sFRP4 induces insulin resistance and lipogenesis in the liver. Biochimica Et Biophysica 61 6.9 17 Acta - Molecular Basis of Disease, 2019, 1865, 2671-2684 Fatty Liver Due to Increased Lipogenesis: Alterations in the Hepatic Peroxisomal Proteome. 60 5.7 11 Frontiers in Cell and Developmental Biology, 2019, 7, 248 Erbgut beeinflusst Blutglukosereaktion. Diabetes Aktuell, 2019, 17, 102-103 59 275-OR: Higher Liver Fat and Whole-Body Insulin Sensitivity in Newly Diagnosed Type 2 Diabetes 58 Patients with a Variant in Transmembrane 6 Superfamily Member 2 Protein. *Diabetes*, **2019**, 68, 275-OR A variant of the glucose transporter gene SLC2A2 modifies the glycaemic response to metformin 57 10.3 14 therapy in recently diagnosed type 2 diabetes. Diabetologia, 2019, 62, 286-291 Exosomal proteins constitute an essential part of the human adipose tissue secretome. Biochimica 56 4 31 Et Biophysica Acta - Proteins and Proteomics, 2019, 1867, 140172 CDH13 abundance interferes with adipocyte differentiation and is a novel biomarker for adipose 55 5.5 9 tissue health. International Journal of Obesity, 2018, 42, 1039-1050 Alteration of Liver Peroxisomal and Mitochondrial Functionality in the NZO Mouse Model of 54 3.1 11 Metabolic Syndrome. Proteomics - Clinical Applications, 2018, 12, 1700028 Hyaluronan synthase 3 promotes plaque inflammation and atheroprogression. Matrix Biology, 2018, 11.4 19 53 66, 67-80

52	Protein levels of clusterin and glutathione synthetase in platelets allow for early detection of colorectal cancer. <i>Cellular and Molecular Life Sciences</i> , <b>2018</b> , 75, 323-334	10.3	12
51	Inactivation of SREBP-1a Phosphorylation Prevents Fatty Liver Disease in Mice: Identification of Related Signaling Pathways by Gene Expression Profiles in Liver and Proteomes of Peroxisomes. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	15
50	Metabolic Determinants of Impaired Pulmonary Function in Patients with Newly Diagnosed Type 2 Diabetes Mellitus. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2018</b> , 126, 584-589	2.3	11
49	Lower Hepatic Insulin Sensitivity in a Family with a Recently Described Glucokinase Gene Variant. <i>Diabetes</i> , <b>2018</b> , 67, 1509-P	0.9	1
48	Dissociation of Fatty Liver and Insulin Resistance in I148M PNPLA3 Carriers: Differences in Diacylglycerol (DAG) FA18:1 Lipid Species as a Possible Explanation. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	24
47	Insulin Resistance and Vulnerability to Cardiac Ischemia. <i>Diabetes</i> , <b>2018</b> , 67, 2695-2702	0.9	19
46	AKT and AMP-activated protein kinase regulate TBC1D1 through phosphorylation and its interaction with the cytosolic tail of insulin-regulated aminopeptidase IRAP. <i>Journal of Biological Chemistry</i> , <b>2018</b> , 293, 17853-17862	5.4	20
45	Reduced expression of stearoyl-CoA desaturase-1, but not free fatty acid receptor 2 or 4 in subcutaneous adipose tissue of patients with newly diagnosed type 2 diabetes mellitus. <i>Nutrition and Diabetes</i> , <b>2018</b> , 8, 49	4.7	9
44	Synthetic Cargo Internalization Receptor System for Nanoparticle Tracking of Individual Cell Populations by Fluorine Magnetic Resonance Imaging. <i>ACS Nano</i> , <b>2018</b> , 12, 11178-11192	16.7	12
43	Two Novel Candidate Genes for Insulin Secretion Identified by Comparative Genomics of Multiple Backcross Mouse Populations. <i>Genetics</i> , <b>2018</b> , 210, 1527-1542	4	10
42	Synthetic cytokine receptors transmit biological signals using artificial ligands. <i>Nature Communications</i> , <b>2018</b> , 9, 2034	17.4	19
41	FGF21 regulates insulin sensitivity following long-term chronic stress. <i>Molecular Metabolism</i> , <b>2018</b> , 16, 126-138	8.8	12
40	Mechanisms of Insulin Resistance in Primary and Secondary Nonalcoholic Fatty Liver. <i>Diabetes</i> , <b>2017</b> , 66, 2241-2253	0.9	89
39	Association between copy-number variation on metabolic phenotypes and HDL-C levels in patients with polycystic ovary syndrome. <i>Molecular Biology Reports</i> , <b>2017</b> , 44, 51-61	2.8	2
38	Association of transketolase polymorphisms with measures of polyneuropathy in patients with recently diagnosed diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2017</b> , 33, e2811	7.5	16
37	Novel Insights into the Adipokinome of Obese and Obese/Diabetic Mouse Models. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6.3	15
36	EB1 protein alteration characterizes sporadic but not ulcerative colitis associated colorectal cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 54939-54950	3.3	4
35	Oxygen and differentiation status modulate the effect of X-ray irradiation on physiology and mitochondrial proteome of human neuroblastoma cells. <i>Archives of Physiology and Biochemistry</i> , <b>2016</b> , 122, 257-265	2.2	2

34	Mass spectrometry in life science research. Archives of Physiology and Biochemistry, 2016, 122, 235	2.2	
33	Divergent phenotypes in siblings with identical novel mutations in the HNF-1Igene leading to maturity onset diabetes of the young type 3. <i>BMC Medical Genetics</i> , <b>2016</b> , 17, 36	2.1	3
32	Specific Metabolic Profiles and Their Relationship to Insulin Resistance in Recent-Onset Type 1 and Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 2130-40	5.6	36
31	Lipidomics-Reshaping the Analysis and Perception of Type 2 Diabetes. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17,	6.3	35
30	Metabolic flexibility and oxidative capacity independently associate with insulin sensitivity in individuals with newly diagnosed type 2 diabetes. <i>Diabetologia</i> , <b>2016</b> , 59, 2203-7	10.3	20
29	Variants in Genes Controlling Oxidative Metabolism Contribute to Lower Hepatic ATP Independent of Liver Fat Content in Type 1 Diabetes. <i>Diabetes</i> , <b>2016</b> , 65, 1849-57	0.9	18
28	Associations between explorative dietary patterns and serum lipid levels and their interactions with ApoA5 and ApoE haplotype in patients with recently diagnosed type 2 diabetes. <i>Cardiovascular Diabetology</i> , <b>2016</b> , 15, 138	8.7	11
27	Untargeted mass spectrometric approach in metabolic healthy offspring of patients with type 2 diabetes reveals medium-chain acylcarnitine as potential biomarker for lipid induced glucose intolerance (LGIT). <i>Archives of Physiology and Biochemistry</i> , <b>2016</b> , 122, 266-280	2.2	2
26	Peroxisomes compensate hepatic lipid overflow in mice with fatty liver. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2015</b> , 1851, 965-76	5	25
25	Deep serum discoveries: SDF-1land HSA fragments in myelodysplastic syndromes. <i>American Journal of Hematology</i> , <b>2015</b> , 90, E185-7	7.1	1
24	Preparation of "functional" mitochondria: a challenging business. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1264, 1-8	1.4	3
23	Investigating the adipose tissue secretome: a protocol to generate high-quality samples appropriate for comprehensive proteomic profiling. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1295, 43-53	1.4	4
22	Identification of novel adipokines differential regulated in C57BL/Ks and C57BL/6. <i>Archives of Physiology and Biochemistry</i> , <b>2014</b> , 120, 208-15	2.2	5
21	Tissue-specific differences in the development of insulin resistance in a mouse model for type 1 diabetes. <i>Diabetes</i> , <b>2014</b> , 63, 3856-67	0.9	41
20	Phosphorylation of sterol regulatory element-binding protein (SREBP)-1c by p38 kinases, ERK and JNK influences lipid metabolism and the secretome of human liver cell line HepG2. <i>Archives of Physiology and Biochemistry</i> , <b>2014</b> , 120, 216-27	2.2	30
19	Profiling of low molecular weight proteins in plasma from locally irradiated individuals. <i>Journal of Radiation Research</i> , <b>2014</b> , 55, 674-82	2.4	18
18	Secretome profiling of primary human skeletal muscle cells. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2014</b> , 1844, 1011-7	4	107
17	A mutation in the c-fos gene associated with congenital generalized lipodystrophy. <i>Orphanet Journal of Rare Diseases</i> , <b>2013</b> , 8, 119	4.2	24

16	2D-ToGo workflow: increasing feasibility and reproducibility of 2-dimensional gel electrophoresis. <i>Archives of Physiology and Biochemistry</i> , <b>2013</b> , 119, 108-13	2.2	7
15	So close and yet so far: mitochondria and peroxisomes are one but with specific talents. <i>Archives of Physiology and Biochemistry</i> , <b>2013</b> , 119, 126-35	2.2	8
14	Genetic variants in central metabolic genes influence some but not all relations of inflammatory markers in a collective with polycystic ovary syndrome. <i>Archives of Physiology and Biochemistry</i> , <b>2012</b> , 118, 219-29	2.2	4
13	Adipokines: a treasure trove for the discovery of biomarkers for metabolic disorders. <i>Proteomics - Clinical Applications</i> , <b>2012</b> , 6, 91-101	3.1	203
12	Genetic variations in SREBP-1 and LXRIare not directly associated to PCOS but contribute to the physiological specifics of the syndrome. <i>Molecular Biology Reports</i> , <b>2012</b> , 39, 6835-42	2.8	8
11	Identification and validation of novel adipokines released from primary human adipocytes. <i>Molecular and Cellular Proteomics</i> , <b>2012</b> , 11, M111.010504	7.6	160
10	Sex steroid-induced changes in circulating monocyte chemoattractant protein-1 levels may contribute to metabolic dysfunction in obese men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, E1187-91	5.6	19
9	Liver-specific expression of transcriptionally active SREBP-1c is associated with fatty liver and increased visceral fat mass. <i>PLoS ONE</i> , <b>2012</b> , 7, e31812	3.7	97
8	Preventing phosphorylation of sterol regulatory element-binding protein 1a by MAP-kinases protects mice from fatty liver and visceral obesity. <i>PLoS ONE</i> , <b>2012</b> , 7, e32609	3.7	36
7	Identification of a gene variant in the master regulator of lipid metabolism SREBP-1 in a family with a novel form of severe combined hypolipidemia. <i>Atherosclerosis</i> , <b>2011</b> , 218, 134-43	3.1	13
6	Phosphorylation of sterol regulatory element-binding protein (SREBP)-1a links growth hormone action to lipid metabolism in hepatocytes. <i>Atherosclerosis</i> , <b>2010</b> , 213, 156-65	3.1	31
5	Two novel mutations in the insulin binding subunit of the insulin receptor gene without insulin binding impairment in a patient with Rabson-Mendenhall syndrome. <i>Molecular Genetics and Metabolism</i> , <b>2008</b> , 94, 356-62	3.7	28
4	Effect of sterol regulatory element binding protein-1a on the mitochondrial protein pattern in human liver cells detected by 2D-DIGE. <i>Biochemistry</i> , <b>2005</b> , 44, 5117-28	3.2	27
3	Insulin-activated Erk-mitogen-activated protein kinases phosphorylate sterol regulatory element-binding Protein-2 at serine residues 432 and 455 in vivo. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 22404-11	5.4	79
2	Identification of major ERK-related phosphorylation sites in Gab1. <i>Biochemistry</i> , <b>2004</b> , 43, 12133-40	3.2	43
1	MAP kinases Erk1/2 phosphorylate sterol regulatory element-binding protein (SREBP)-1a at serine 117 in vitro. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 33302-7	5.4	124