

Martin Mller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5065012/martin-muller-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

988
citations

18
h-index

27
g-index

69
ext. papers

1,181
ext. citations

3.2
avg, IF

4.07
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 61 | Improving mobility and participation of older people with vertigo, dizziness and balance disorders in primary care using a care pathway: feasibility study and process evaluation. <i>BMC Family Practice</i> , 2021 , 22, 62 | 2.6 | 0 |
| 60 | Development of a complex intervention to improve mobility and participation of older people with vertigo, dizziness and balance disorders in primary care: a mixed methods study. <i>BMC Family Practice</i> , 2021 , 22, 89 | 2.6 | 0 |
| 59 | Barriers to and facilitators of the implementation of multi-disciplinary care pathways in primary care: a systematic review. <i>BMC Family Practice</i> , 2020 , 21, 113 | 2.6 | 10 |
| 58 | Die COVID-19-Pandemie im akutstationären Setting aus Sicht von Führungspersonen und Hygienefachkräften in der Pflege - Eine qualitative Studie. <i>Pflege</i> , 2020 , 33, 289-298 | 1.6 | 5 |
| 57 | Implementation of robotic devices in nursing care. Barriers and facilitators: an integrative review. <i>BMJ Open</i> , 2020 , 10, e038650 | 3 | 7 |
| 56 | Physical therapy interventions for older people with vertigo, dizziness and balance disorders addressing mobility and participation: a systematic review. <i>BMC Geriatrics</i> , 2020 , 20, 494 | 4.1 | 6 |
| 55 | Implementation of a complex intervention to improve participation in older people with joint contractures living in nursing homes: a process evaluation of a cluster-randomised pilot trial. <i>BMC Geriatrics</i> , 2020 , 20, 270 | 4.1 | 5 |
| 54 | Effectiveness of a complex intervention to improve participation and activities in nursing home residents with joint contractures (JointConEval): study protocol of a multicentre cluster-randomised controlled trial [DRKS-ID:DRKS00015185]. <i>Trials</i> , 2019 , 20, 305 | 2.8 | |
| 53 | Dynamic Cerebral Autoregulation Reproducibility Is Affected by Physiological Variability. <i>Frontiers in Physiology</i> , 2019 , 10, 865 | 4.6 | 17 |
| 52 | Improved participation of older people with joint contractures living in nursing homes: feasibility of study procedures in a cluster-randomised pilot trial. <i>Trials</i> , 2019 , 20, 411 | 2.8 | 3 |
| 51 | Cerebral Microcirculatory Blood Flow Dynamics During Rest and a Continuous Motor Task. <i>Frontiers in Physiology</i> , 2019 , 10, 1355 | 4.6 | 3 |
| 50 | Incomplete recovery of cerebral blood flow dynamics in sufficiently treated high blood pressure. <i>Journal of Hypertension</i> , 2019 , 37, 372-379 | 1.9 | 9 |
| 49 | Development of a complex intervention to improve participation of nursing home residents with joint contractures: a mixed-method study. <i>BMC Geriatrics</i> , 2018 , 18, 61 | 4.1 | 6 |
| 48 | RECAPDOC - a questionnaire for the documentation of rehabilitation care utilization in individuals with disorders of consciousness in long-term care in Germany: development and pretesting. <i>BMC Health Services Research</i> , 2018 , 18, 329 | 2.9 | 3 |
| 47 | Patient trajectories and their impact on mobility, social participation and quality of life in patients with vertigo/dizziness/balance disorders and osteoarthritis (Mobile-TRA): study protocol of an observational, practice-based cohort study. <i>BMJ Open</i> , 2018 , 8, e022970 | 3 | 1 |
| 46 | Systematic Review and Meta-analysis of the Effectiveness of Implementation Strategies for Non-communicable Disease Guidelines in Primary Health Care. <i>Journal of General Internal Medicine</i> , 2018 , 33, 1142-1154 | 4 | 22 |
| 45 | Usability of the Video Head Impulse Test: Lessons From the Population-Based Prospective KORA Study. <i>Frontiers in Neurology</i> , 2018 , 9, 659 | 4.1 | 8 |

| | | | |
|----|---|-----|----|
| 44 | Reproducibility of dynamic cerebral autoregulation parameters: a multi-centre, multi-method study. <i>Physiological Measurement</i> , 2018 , 39, 125002 | 2.9 | 19 |
| 43 | Interventions for the prevention and treatment of disability due to acquired joint contractures in older people: a systematic review. <i>Age and Ageing</i> , 2017 , 46, 373-382 | 3 | 9 |
| 42 | Outcome measures in older persons with acquired joint contractures: a systematic review and content analysis using the ICF (International Classification of Functioning, Disability and Health) as a reference. <i>BMC Geriatrics</i> , 2016 , 16, 40 | 4.1 | 8 |
| 41 | Examining Functioning and Contextual Factors in Individuals with Joint Contractures from the Health Professional Perspective Using the ICF: An International Internet-Based Qualitative Expert Survey. <i>Rehabilitation Nursing</i> , 2016 , 41, 170-8 | 1.3 | 12 |
| 40 | The development of the ICF vestibular environmental scale. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2016 , 26, 297-302 | 2.5 | 6 |
| 39 | The PaArticular Scales - A new outcome measure to quantify the impact of joint contractures on activities and participation in individuals in geriatric care: Development and Rasch analysis. <i>International Journal of Nursing Studies</i> , 2016 , 59, 107-17 | 5.8 | 6 |
| 38 | A high level of household physical activity compensates for lack of leisure time physical activity with regard to deficit accumulation: Results from the KORA-Age study. <i>Preventive Medicine</i> , 2016 , 86, 64-9 | 4.3 | 11 |
| 37 | Quality of life in older individuals with joint contractures in geriatric care settings. <i>Quality of Life Research</i> , 2016 , 25, 2269-81 | 3.7 | 8 |
| 36 | Development of an International Classification of Functioning, Disability and Health (ICF)-based standard set to describe the impact of joint contractures on participation of older individuals in geriatric care settings. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 61, 61-6 | 4 | 8 |
| 35 | Impact of joint contracture on older persons in a geriatric setting: A cross-sectional study. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2015 , 48, 625-32 | 2.7 | 13 |
| 34 | Quality of evidence of rehabilitation interventions in long-term care for people with severe disorders of consciousness after brain injury: A systematic review. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 577-85 | 3.4 | 11 |
| 33 | Subscales of the vestibular activities and participation questionnaire could be applied across cultures. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 211-9 | 5.7 | 20 |
| 32 | Developing and piloting a multifactorial intervention to address participation and quality of life in nursing home residents with joint contractures (JointConImprove): study protocol. <i>GMS German Medical Science</i> , 2015 , 13, Doc13 | 3.2 | 5 |
| 31 | Health services utilization of patients with vertigo in primary care: a retrospective cohort study. <i>Journal of Neurology</i> , 2014 , 261, 1492-8 | 5.5 | 68 |
| 30 | Burden of disability attributable to vertigo and dizziness in the aged: results from the KORA-Age study. <i>European Journal of Public Health</i> , 2014 , 24, 802-7 | 2.1 | 66 |
| 29 | Consequences of visual height intolerance for quality of life: a qualitative study. <i>Quality of Life Research</i> , 2014 , 23, 697-705 | 3.7 | 20 |
| 28 | Impact of vertigo and dizziness on self-perceived participation and autonomy in older adults: results from the KORA-Age study. <i>Quality of Life Research</i> , 2014 , 23, 2301-8 | 3.7 | 27 |
| 27 | Directed acyclic graphs helped to identify confounding in the association of disability and electrocardiographic findings: results from the KORA-Age study. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 199-206 | 5.7 | 11 |

| | | | |
|----|---|-----|----|
| 26 | Men benefit more from midlife leisure-time physical activity than women regarding the development of late-life disability--results of the KORA-Age study. <i>Preventive Medicine</i> , 2014 , 62, 8-13 | 4.3 | 9 |
| 25 | Self-efficacy beliefs are associated with visual height intolerance: a cross-sectional survey. <i>PLoS ONE</i> , 2014 , 9, e116220 | 3.7 | 8 |
| 24 | Patients' view on health-related aspects of functioning and disability of joint contractures: a qualitative interview study based on the International Classification of Functioning, Disability and Health (ICF). <i>Disability and Rehabilitation</i> , 2014 , 36, 2225-32 | 2.4 | 15 |
| 23 | Contractures with special reference in elderly: definition and risk factors - a systematic review with practical implications. <i>Disability and Rehabilitation</i> , 2014 , 36, 529-38 | 2.4 | 30 |
| 22 | Between-centre variability in transfer function analysis, a widely used method for linear quantification of the dynamic pressure-flow relation: the CARNet study. <i>Medical Engineering and Physics</i> , 2014 , 36, 620-7 | 2.4 | 42 |
| 21 | Impact of joint contractures on functioning and social participation in older individuals--development of a standard set (JointConFunctionSet): study protocol. <i>BMC Geriatrics</i> , 2013 , 13, 18 | 4.1 | 10 |
| 20 | Distribution and determinants of functioning and disability in aged adults--results from the German KORA-Age study. <i>BMC Public Health</i> , 2013 , 13, 137 | 4.1 | 36 |
| 19 | Using core sets of the international classification of functioning, disability and health (ICF) to measure disability in vestibular disorders: study protocol. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2013 , 23, 297-303 | 2.5 | 10 |
| 18 | Identification of aspects of functioning, disability and health relevant to patients experiencing vertigo: a qualitative study using the international classification of functioning, disability and health. <i>Health and Quality of Life Outcomes</i> , 2012 , 10, 75 | 3 | 28 |
| 17 | International Classification of Functioning, Disability and Health (ICF) Core Set for patients with vertigo, dizziness and balance disorders. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2012 , 22, 261-71 | 2.5 | 30 |
| 16 | Validation of the comprehensive ICF Core Sets for patients receiving rehabilitation interventions in the acute care setting. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 92-101 | 3.4 | 21 |
| 15 | Validation of the comprehensive ICF Core Sets for patients in early post-acute rehabilitation facilities. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 102-12 | 3.4 | 4 |
| 14 | Brief ICF Core Set for patients in geriatric post-acute rehabilitation facilities. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 139-44 | 3.4 | 15 |
| 13 | Patient goals in post-acute geriatric rehabilitation--goal attainment is an indicator for improved functioning. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 156-61 | 3.4 | 43 |
| 12 | The ICF forms a useful framework for classifying individual patient goals in post-acute rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 151-5 | 3.4 | 30 |
| 11 | Brief ICF Core Sets for the acute hospital. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 123-30 | 3.4 | 8 |
| 10 | ICF Core Sets for early post-acute rehabilitation facilities. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 131-8 | 3.4 | 13 |
| 9 | Validation of the comprehensive ICF Core Set for patients in geriatric post-acute rehabilitation facilities. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 102-12 | 3.4 | 17 |

| | | | |
|---|--|-----|----|
| 8 | The ICF and Florence Nightingale - bringing data to statistical proof. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 1041-2 | 3-4 | 3 |
| 7 | Goals of patients with rehabilitation needs in acute hospitals: goal achievement is an indicator for improved functioning. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 145-50 | 3-4 | 17 |
| 6 | Psychosocial factors associated with the effects of physiotherapy in the acute hospital. <i>Disability and Rehabilitation</i> , 2011 , 33, 2311-21 | 2-4 | 6 |
| 5 | Patients' functioning as predictor of nursing workload in acute hospital units providing rehabilitation care: a multi-centre cohort study. <i>BMC Health Services Research</i> , 2010 , 10, 295 | 2-9 | 16 |
| 4 | Functioning and health in patients with cancer on home-parenteral nutrition: a qualitative study. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 41 | 3 | 12 |
| 3 | Graphical models illustrated complex associations between variables describing human functioning. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 922-33 | 5-7 | 27 |
| 2 | Identification of ICF categories relevant for nursing in the situation of acute and early post-acute rehabilitation. <i>BMC Nursing</i> , 2008 , 7, 3 | 3-2 | 10 |
| 1 | Cellular distribution of c-Jun and c-Fos in rat lung before and after bleomycin induced injury. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1997 , 431, 441-8 | 5-1 | 23 |