

# Long Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/506670/publications.pdf>

Version: 2024-02-01

39

papers

88

citations

1937685

4

h-index

1872680

6

g-index

40

all docs

40

docs citations

40

times ranked

45

citing authors

#	ARTICLE	IF	CITATIONS
1	Generic recircumscription of <i>Parasenecio</i> (Asteraceae: Senecioneae) based on nuclear ribosomal and plastid DNA sequences, with descriptions of two new genera. <i>Botanical Journal of the Linnean Society</i> , 2017, 184, 418-443.	1.6	12
2	<i>Cremanthodium wumengshanicum</i> (Asteraceae, Senecioneae), a new species from Yunnan, China. <i>Phytotaxa</i> , 2015, 238, 265.	0.3	5
3	Circumscription and phylogenetic position of <i>Ligularia</i> sect. <i>Stenostegia</i> (Asteraceae) Tj ETQq1 1 0.784314 rgBT /Overloo 69, 739-755.	0.7	5
4	<i>Cremanthodium liangshanicum</i> (Asteraceae, Senecioneae), a new species from southwestern Sichuan, China. <i>Phytotaxa</i> , 2016, 286, 161.	0.3	4
5	Reinstatement of the Chinese species <i>Cremanthodium gypsophilum</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 284, 131.	0.3	4
6	<i>Cremanthodium botryocephalum</i> and <i>C. spathulifolium</i> are both merged with <i>Ligularia lagotis</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 247, 274.	0.3	4
7	Taxonomic and nomenclatural notes on <i>Ligularia ghatsukupa</i> , <i>L. leesicotal</i> and <i>L. rumicifolia</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 243, 260.	0.3	4
8	Two new species in <i>Cremanthodium</i> (Asteraceae, Senecioneae) from China. <i>Phytotaxa</i> , 2018, 360, 201.	0.3	4
9	Development and phylogenetic utilities of a new set of single-/low-copy nuclear genes in Senecioneae (Asteraceae), with new insights into the tribal position and the relationships within subtribe Tussilagininae. <i>Molecular Phylogenetics and Evolution</i> , 2021, 162, 107202.	2.7	4
10	Reinstatement of the specific status of <i>Ligularia shifangensis</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 283, 172.	0.3	3
11	Clarification of the confusing identity of <i>Cremanthodium atrocapitatum</i> (Asteraceae, Senecioneae), with a new combination and a new species in the genus. <i>Phytotaxa</i> , 2016, 288, 1.	0.3	3
12	A new combination in <i>Cremanthodium</i> (Asteraceae, Senecioneae) from Sichuan, China. <i>Phytotaxa</i> , 2016, 252, 137.	0.3	3
13	The identity of <i>Cremanthodium citriflorum</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2017, 297, 42.	0.3	3
14	<i>Ligularia muliensis</i> (Asteraceae, Senecioneae) is merged with <i>L. tsangchanensis</i> . <i>Phytotaxa</i> , 2017, 299, 169.	0.3	3
15	<i>Cremanthodium lingulatum</i> (Asteraceae, Senecioneae) is merged with <i>C. pseudo-oblongatum</i> . <i>Phytotaxa</i> , 2017, 311, 57.	0.3	3
16	Rediscovery of <i>Cremanthodium principis</i> (Asteraceae, Senecioneae) in northwestern Yunnan, China. <i>Phytotaxa</i> , 2018, 343, 277.	0.3	3
17	<i>Cremanthodium magnificum</i> (Asteraceae-Senecioneae), a new species from northern Myanmar. <i>Phytotaxa</i> , 2019, 409, 12-18.	0.3	3
18	<i>Ligularia dalaolingensis</i> sp. nov. (Asteraceaeâ€“Senecioneae) from central China. <i>Nordic Journal of Botany</i> , 2019, 37, .	0.5	3

#	ARTICLE	IF	CITATIONS
19	Cremanthodium nobile var. yanyuanense (Asteraceae, Senecioneae), a new epappose taxon from southwestern Sichuan, China. <i>Phytotaxa</i> , 2016, 286, 198.	0.3	2
20	The identity of <i>Senecio lancifer</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 282, 77.	0.3	2
21	Artemisia flaccida (Asteraceae, Anthemideae) is merged with <i>A. fulgens</i> , with transfer of <i>A. flaccida</i> var. <i>meiguensis</i> to <i>A. fulgens</i> . <i>Phytotaxa</i> , 2021, 514, 221-237.	0.3	2
22	<p><strong>Taxonomic notes on <em> <i>Artemisia waltonii</i> </em> (Asteraceae, Anthemideae), with reduction of<em> <i>A. kangmarense</i> </em>and <em> <i>A. conaensis</i> </em>to the synonymy of</strong><em> </em><strong>its type variety</strong></p>. <i>Phytotaxa</i> , 2020, 450, 149-172.	0.3	2
23	<i> <i>Ligularia pseudolamarum</i> </i> (Asteraceae, Senecioneae), a new species from southeastern Xizang, China. <i>Nordic Journal of Botany</i> , 2022, 2022, .	0.5	2
24	<i>Ligularia phoenicochaeta</i> (Franchet) Liu (1987) is a later isonym of <i>L. phoenicochaeta</i> (Franchet) Handel-Mazzetti (1925). <i>Phytotaxa</i> , 2017, 297, 287.	0.3	1
25	The identity of <i>Ligularia emeiensis</i> (Asteraceae, Senecioneae), a name overlooked since its publication. <i>Phytotaxa</i> , 2017, 299, 297.	0.3	1
26	The identity of <i>Ligularia chekiangensis</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2017, 317, 149.	0.3	1
27	Two new synonyms of <i>Ligularia nelumbifolia</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2017, 313, 151.	0.3	1
28	Clarification of morphological characters and geographical distribution of <i>Artemisia neosinensis</i> (Asteraceae, Anthemideae), a strikingly misunderstood species from China. <i>Phytotaxa</i> , 2022, 544, 11-36.	0.3	1
29	<i>Ligularia pyrifolia</i> var. <i>dissecta</i> (Asteraceae, Senecioneae), a remarkable new variety from southwestern Yunnan, China. <i>Phytotaxa</i> , 2018, 357, 225.	0.3	0
30	<i>Cremanthodium weixiense</i> (Asteraceae, Senecioneae), a new species from northwestern Yunnan, China. <i>Nordic Journal of Botany</i> , 2019, 37, .	0.5	0
31	(87–95) Requests for binding decisions on the descriptive statements associated with <i> <i>Diapensia brevistyla</i> </i>, <i> <i>Gentiana stragulata</i> </i>, <i> <i>G. tsarongensis</i> </i>, <i> <i>Leontopodium forrestianum</i> </i>, <i> <i>Rhododendron hardingii</i> </i>, <i> <i>R. humicola</i> </i>, <i> <i>R. lophogynum</i> </i>, <i> <i>R. meddianum</i> </i> var. <i> <i>atrokermesinum</i> </i>, and <i> <i>R. sericocalyx</i> </i>. <i>Taxon</i> . 2020. 69. 837-839.	0.7	0
32	<strong><em> <i>Artemisia taibaishanensis</i> </em> (Asteraceae, Anthemideae), a new synonym of <em> <i>A. qinlingensis</i> </em> from China</strong>. <i>Phytotaxa</i> , 2021, 487, 125-138.	0.3	0
33	Clarification of some morphological characters in <i>Artemisia anomala</i> (Asteraceae, Anthemideae), with reduction of var. <i>tomentella</i> and var. <i>acuminatissima</i> to the synonymy of the species. <i>Phytotaxa</i> , 2021, 520, 57-74.	0.3	0
34	<i>Senecio lisowskii</i> , a new name for <i>Senecio jeffreyanus</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2021, 522, 73-74.	0.3	0
35	The identity of <i>Ligularia yesoensis</i> var. <i>pulchella</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2021, 523, 199-202.	0.3	0
36	&lt;p&gt;&lt;strong&gt;Resurrection of &lt;em&gt; <i>Cremanthodium gracillimum</i> &lt;/em&gt;and &lt;em&gt; <i>C. wardii</i> &lt;/em&gt;(Asteraceae, Senecioneae), with notes on the genus in Myanmar&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 446, 183-198.	0.3	0

#	ARTICLE	IF	CITATIONS
37	&lt;p&gt;&lt;strong&gt;Lectotypification of &lt;em&gt; <i>Artemisia rutifolia</i> &lt;/em&gt; var. &lt;em&gt; <i>ruoqiangensis</i> &lt;/em&gt; (Asteraceae, Anthemideae)&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 453, 49-51.	0.3	0
38	&lt;p&gt;&lt;strong&gt;Clarification of morphological distinction between &lt;em&gt; <i>Artemisia sichuanensis</i> &lt;/em&gt;&lt;/strong&gt;&lt;em&gt; &lt;/em&gt;&lt;strong&gt;var. &lt;em&gt; <i>sichuanensis</i> &lt;/em&gt; (Asteraceae, Anthemideae) and &lt;em&gt; <i>A</i> &lt;/em&gt;.&lt;em&gt; <i>A</i> &lt;/em&gt; &lt;em&gt; <i>sichuanensis</i> &lt;/em&gt; var. &lt;em&gt; <i>tomentosa</i> &lt;/em&gt;, with reduction of &lt;em&gt; <i>A</i> &lt;/em&gt;&lt;/strong&gt;&lt;em&gt; to the synonymy of the latter	0.3	0
39	The identity of <i>Artemisia brevis</i> (Asteraceae, Anthemideae) from Xinjiang, China. <i>Phytotaxa</i> , 2022, 543, .	0.3	0