

# Long Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/506670/publications.pdf>

Version: 2024-02-01

39

papers

88

citations

1937685

4

h-index

1872680

6

g-index

40

all docs

40

docs citations

40

times ranked

45

citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Ligularia pseudolamarum</i> (Asteraceae, Senecioneae), a new species from southeastern Xizang, China. Nordic Journal of Botany, 2022, 2022, .	0.5	2
2	The identity of Artemisia brevis (Asteraceae, Anthemideae) from Xinjiang, China. Phytotaxa, 2022, 543, .	0.3	0
3	Clarification of morphological characters and geographical distribution of Artemisia neosinensis (Asteraceae, Anthemideae), a strikingly misunderstood species from China. Phytotaxa, 2022, 544, 11-36.	0.3	1
4	<strong><em>Artemisia taibaishanensis</em> (Asteraceae, Anthemideae), a new synonym of <em>A. qinlingensis</em> from China</strong>. Phytotaxa, 2021, 487, 125-138.	0.3	0
5	Artemisia flaccida (Asteraceae, Anthemideae) is merged with A. fulgens, with transfer of A. flaccida var. meiguensis to A. fulgens. Phytotaxa, 2021, 514, 221-237.	0.3	2
6	Development and phylogenetic utilities of a new set of single-/low-copy nuclear genes in Senecioneae (Asteraceae), with new insights into the tribal position and the relationships within subtribe Tussilagininae. Molecular Phylogenetics and Evolution, 2021, 162, 107202.	2.7	4
7	Clarification of some morphological characters in Artemisia anomala (Asteraceae, Anthemideae), with reduction of var. tomentella and var. acuminatissima to the synonymy of the species. Phytotaxa, 2021, 520, 57-74.	0.3	0
8	Senecio lisowskii, a new name for Senecio jeffreyanus (Asteraceae, Senecioneae). Phytotaxa, 2021, 522, 73-74.	0.3	0
9	The identity of Ligularia yesoensis var. pulchella (Asteraceae, Senecioneae). Phytotaxa, 2021, 523, 199-202.	0.3	0
10	Circumscription and phylogenetic position of <i>Ligularia</i> sect. <i>Stenostegia</i> (Asteraceae:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 69, 739-755.	0.7	5
11	(87â€“95) Requests for binding decisions on the descriptive statements associated with <i>Diapensia brevistyla</i>, <i>Gentiana stragulata</i>, <i>G. tsarongensis</i>, <i>Leontopodium forrestianum</i>, <i>Rhododendron hardingii</i>, <i>R. humicola</i>, <i>R. lophogynum</i>, <i>R. meddianum</i> var. <i>atrokermesinum</i>, and <i>R. sericocalyx</i>. Taxon, 2020, 69, 837-839.	0.7	0
12	&lt;p&gt;&lt;strong&gt;Resurrection of &lt;em&gt;Cremanthodium gracillimum &lt;/em&gt;and &lt;em&gt;C. wardii &lt;/em&gt;(<em>Asteraceae, Senecioneae</em>), with notes on the genus in Myanmar&lt;/strong&gt;&lt;/p&gt;. Phytotaxa, 2020, 446, 183-198.	0.3	0
13	<p><strong>Taxonomic notes on <em>Artemisia waltonii </em>(Asteraceae, Anthemideae), with reduction of<em> A. kangmarense </em>and <em>A. conaensis </em>to the synonymy of</strong><em> </em><strong>its type variety</strong></p>. Phytotaxa, 2020, 450, 149-172.	0.3	2
14	&lt;p&gt;&lt;strong&gt;Lectotypification of &lt;em&gt;Artemisia rutifolia&lt;/em&gt; var. &lt;em&gt;ruoqiangensis&lt;/em&gt; (<em>Asteraceae, Anthemideae</em>)&lt;/strong&gt;&lt;/p&gt;. Phytotaxa, 2020, 453, 49-51.	0.3	0
15	&lt;p&gt;&lt;strong&gt;Clarification of morphological distinction between &lt;em&gt;A. sichuanensis&lt;/em&gt; and &lt;em&gt;A. sichuanensis&lt;/em&gt; var. &lt;em&gt;sichuanensis&lt;/em&gt; (<em>Asteraceae, Anthemideae</em>) and &lt;em&gt;A. sichuanensis&lt;/em&gt; var. &lt;em&gt;tomentosa&lt;/em&gt;; with reduction of &lt;em&gt;A. sichuanensis&lt;/em&gt; var. &lt;em&gt;erlangshanensis&lt;/em&gt; to the synonymy of the latter.	0.3	0
16	Cremanthodium weixiene (Asteraceae, Senecioneae), a new species from northwestern Yunnan, China. Nordic Journal of Botany, 2019, 37, .	0.5	0
17	Cremanthodium magnificum (Asteraceae-Senecioneae), a new species from northern Myanmar. Phytotaxa, 2019, 409, 12-18.	0.3	3
18	<i>Ligularia dalaolingensis</i> sp. nov. (Asteraceaeâ€“Senecioneae) from central China. Nordic Journal of Botany, 2019, 37, .	0.5	3

#	ARTICLE	IF	CITATIONS
19	Ligularia pyrifolia var. dissecta (Asteraceae, Senecioneae), a remarkable new variety from southwestern Yunnan, China. <i>Phytotaxa</i> , 2018, 357, 225.	0.3	0
20	Two new species in Cremanthodium (Asteraceae, Senecioneae) from China. <i>Phytotaxa</i> , 2018, 360, 201.	0.3	4
21	Rediscovery of Cremanthodium principis (Asteraceae, Senecioneae) in northwestern Yunnan, China. <i>Phytotaxa</i> , 2018, 343, 277.	0.3	3
22	The identity of Cremanthodium citriflorum (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2017, 297, 42.	0.3	3
23	Ligularia phoenicochaeta (Franchet) Liu (1987) is a later isonym of L. phoenicochaeta (Franchet) Handel-Mazzetti (1925). <i>Phytotaxa</i> , 2017, 297, 287.	0.3	1
24	The identity of Ligularia emeiensis (Asteraceae, Senecioneae), a name overlooked since its publication. <i>Phytotaxa</i> , 2017, 299, 297.	0.3	1
25	Ligularia muliensis (Asteraceae, Senecioneae) is merged with L. tsangchanensis. <i>Phytotaxa</i> , 2017, 299, 169.	0.3	3
26	Generic recircumscription of Parasenecio (Asteraceae: Senecioneae) based on nuclear ribosomal and plastid DNA sequences, with descriptions of two new genera. <i>Botanical Journal of the Linnean Society</i> , 2017, 184, 418-443.	1.6	12
27	Cremanthodium lingulatum (Asteraceae, Senecioneae) is merged with C. pseudo-oblongatum. <i>Phytotaxa</i> , 2017, 311, 57.	0.3	3
28	The identity of Ligularia chekiangensis (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2017, 317, 149.	0.3	1
29	Two new synonyms of Ligularia nelumbifolia (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2017, 313, 151.	0.3	1
30	Cremanthodium liangshanicum (Asteraceae, Senecioneae), a new species from southwestern Sichuan, China. <i>Phytotaxa</i> , 2016, 286, 161.	0.3	4
31	Cremanthodium nobile var. yanyuanense (Asteraceae, Senecioneae), a new epappose taxon from southwestern Sichuan, China. <i>Phytotaxa</i> , 2016, 286, 198.	0.3	2
32	The identity of Senecio lancifer (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 282, 77.	0.3	2
33	Reinstatement of the specific status of Ligularia shifangensis (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 283, 172.	0.3	3
34	Reinstatement of the Chinese species Cremanthodium gypsophilum (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 284, 131.	0.3	4
35	Clarification of the confusing identity of Cremanthodium atrocapitatum (Asteraceae, Senecioneae), with a new combination and a new species in the genus. <i>Phytotaxa</i> , 2016, 288, 1.	0.3	3
36	Cremanthodium botryocephalum and C. spathulifolium are both merged with Ligularia lagotis (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 247, 274.	0.3	4

#	ARTICLE	IF	CITATIONS
37	Taxonomic and nomenclatural notes on <i>Ligularia ghatsukupa</i> , <i>L. leesicotal</i> and <i>L. rumicifolia</i> (Asteraceae, Senecioneae). <i>Phytotaxa</i> , 2016, 243, 260.	0.3	4
38	A new combination in <i>Cremanthodium</i> (Asteraceae, Senecioneae) from Sichuan, China. <i>Phytotaxa</i> , 2016, 252, 137.	0.3	3
39	<i>Cremanthodium wumengshanicum</i> (Asteraceae, Senecioneae), a new species from Yunnan, China. <i>Phytotaxa</i> , 2015, 238, 265.	0.3	5