

Janne H Liisanantti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5067307/publications.pdf>

Version: 2024-02-01

62
papers

726
citations

566801

15
h-index

642321

23
g-index

62
all docs

62
docs citations

62
times ranked

967
citing authors

#	ARTICLE	IF	CITATIONS
1	Nutrition delivery after emergency laparotomy in surgical ward: a retrospective cohort study. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 113-120.	0.8	1
2	Bioreactance and fourth-generation pulse contour methods in monitoring cardiac index during off-pump coronary artery bypass surgery. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 879-888.	0.7	4
3	Accuracy, Precision, and Trending Ability of Perioperative Central Venous Oxygen Saturation Compared to Mixed Venous Oxygen Saturation in Unselected Cardiac Surgical Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, 36, 1995-2001.	0.6	4
4	Factors associated with time delay to angiography in acute ST-elevation myocardial infarction - A retrospective cohort study in Northern Finland. <i>Australasian Emergency Care</i> , 2022, 25, 213-218.	0.7	1
5	Reliability of Bioreactance and Pulse-Power Analysis in Measuring Cardiac Index in Patients Undergoing Cardiac Surgery With Cardiopulmonary Bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, 36, 2446-2453.	0.6	2
6	Quality of life in head and neck cancer patients at 5 years after free flap reconstruction: a significant decline during the follow-up. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 4069-4075.	0.8	3
7	Quality of life after free flap reconstruction for the cancer of the head and neck: Comparison between five-year survivors and non-survivors. <i>Oral Oncology</i> , 2022, 128, 105855.	0.8	3
8	Alcohol consumption is associated with a later need for ICU admission: a Northern Finland Birth Cohort 1966 study. <i>Journal of Public Health</i> , 2021, 43, 551-557.	1.0	0
9	Causes of nutrition deficit during immediate postoperative period after free flap surgery for cancer of the head and neck. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 1171-1178.	0.8	3
10	Causes of death for intensive care survivors with and without acute kidney injury in 5-year follow-up. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 507-514.	0.7	0
11	Utilization of health care resources, long-term survival and causes of death after intensive care unit admission in relation to high-risk alcohol consumption. <i>Journal of Substance Use</i> , 2021, 26, 363-368.	0.3	0
12	Use of health care resources in relation to harmful alcohol use prior to intensive care unit admission. <i>Journal of Substance Use</i> , 2021, 26, 351-355.	0.3	0
13	Emergency department admission and mortality of the non-transported emergency medical service patients: a cohort study from Northern Finland. <i>Emergency Medicine Journal</i> , 2021, , emermed-2020-209914.	0.4	6
14	Early impact of the COVID-19 pandemic and social restrictions on ambulance missions. <i>European Journal of Public Health</i> , 2021, 31, 1090-1095.	0.1	41
15	Difference in postoperative opioid consumption after spinal versus general anaesthesia for ankle fracture surgery - A retrospective cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1109-1115.	0.7	2
16	Perioperative Risk Factors for One-Year Mortality in Patients With Free-Flap Reconstruction Due to Cancer of the Head and Neck. <i>Journal of Oral and Maxillofacial Surgery</i> , 2021, 79, 1384.e1-1384.e5.	0.5	3
17	Medical complications and outcome after endovascular therapy for acute ischemic stroke. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 623-631.	1.0	8
18	Treatment profile and long-term outcome of intensive care unit-admitted patients with liver cirrhosis or other liver disease in relation to alcohol consumption. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 180-187.	0.6	2

#	ARTICLE	IF	CITATIONS
19	The development of emergency medical services benefit score: a European Delphi study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 151.	1.1	0
20	Treatment Profile and 1-Year Mortality Among Nontraumatic Intensive Care Unit Patients With Alcohol-Related Health Problems. <i>Journal of Intensive Care Medicine</i> , 2020, 35, 244-250.	1.3	7
21	Factors associated with discrepancy between prescribed and administered enteral nutrition in general ICU. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 248-254.	1.3	4
22	Characteristics of subjects with alcoholic cardiomyopathy and sudden cardiac death. <i>Heart</i> , 2020, 106, 686-690.	1.2	8
23	How does socioeconomic status affect the incidence of hospital-treated poisonings? A retrospective study. <i>European Journal of Public Health</i> , 2020, 30, 568-572.	0.1	2
24	Persistent pain in intensive care survivors: a systematic review. <i>British Journal of Anaesthesia</i> , 2020, 125, 149-158.	1.5	19
25	Brain tight junction protein expression in sepsis in an autopsy series. <i>Critical Care</i> , 2020, 24, 385.	2.5	49
26	Use of prehospital emergency medical services according to income of residential area. <i>Emergency Medicine Journal</i> , 2020, 37, 429-433.	0.4	7
27	Nutrition deficit during intensive care stay: incidence, predisposing factors and outcomes. <i>Minerva Anestesiologica</i> , 2020, 86, 527-536.	0.6	5
28	School Performance After Pediatric Intensive Care—Association of Mental Well-Being, Chronic Illnesses, and Family Socioeconomic Status. <i>Pediatric Critical Care Medicine</i> , 2020, 21, e1099-e1105.	0.2	5
29	Elevated serum $\text{S}\hat{\text{a}}\text{O}_2$ in patients with septic shock is associated with delirium. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 69-73.	0.7	24
30	Pantoprazole in ICU patients at risk for gastrointestinal bleeding—1-year mortality in the SUPaICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1184-1190.	0.7	10
31	Factors associated with impaired physical functioning and mental health in working-age patients attending a post-intensive care follow-up clinic three months after hospital discharge. <i>Anaesthesia and Intensive Care</i> , 2019, 47, 160-168.	0.2	2
32	Short- and long-term mortality and causes of death after reconstruction of cancers of the head and neck with free flaps. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2019, 57, 21-28.	0.4	14
33	Prehospital and hospital delays for stroke patients treated with thrombolysis: A retrospective study from mixed rural—urban area in Northern Finland. <i>Australasian Emergency Care</i> , 2019, 22, 76-80.	0.7	16
34	Prophylactic pancreatic duct stenting in severe acute necrotizing pancreatitis: a prospective randomized study. <i>Endoscopy</i> , 2019, 51, 1027-1034.	1.0	24
35	Factors related to delayed intensive care unit admission from emergency department—A retrospective cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 939-946.	0.7	12
36	Strengths and Difficulties Questionnaire Assessment of Long-Term Psychological Outcome in Children After Intensive Care Admission*. <i>Pediatric Critical Care Medicine</i> , 2019, 20, e496-e502.	0.2	11

#	ARTICLE	IF	CITATIONS
37	Swallowing-related quality of life after free flap surgery due to cancer of the head and neck. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 821-826.	0.8	19
38	Long-term Outcome and Causes of Death for Working-age Patients Hospitalized Due to Acute Pancreatitis With a Median Follow-up of 10 Years. <i>Annals of Surgery</i> , 2019, 269, 932-936.	2.1	21
39	Alcohol and other substance abuse in trauma patients admitted to ICU in Northern Finland. <i>Journal of Substance Use</i> , 2018, 23, 14-19.	0.3	0
40	Spinal or general anaesthesia for lower-limb amputation in peripheral artery disease – a retrospective cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 226-233.	0.7	15
41	Five-Year Survival and Causes of Death in Children After Intensive Care – A National Registry Study*. <i>Pediatric Critical Care Medicine</i> , 2018, 19, e145-e151.	0.2	11
42	Quality of life after free flap surgery for cancer of the head and neck in patients with or without postoperative complications. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 2575-2584.	0.8	15
43	Factors associated with health-related quality of life 6 years after ICU discharge in a Finnish paediatric population: a cohort study. <i>Intensive Care Medicine</i> , 2018, 44, 1378-1387.	3.9	16
44	Complications and outcome after free flap surgery for cancer of the head and neck. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2018, 56, 684-691.	0.4	39
45	Evaluating helicopter emergency medical missions: a reliability study of the <sc>HEMS</sc> benefit and <sc>NACA</sc> scores. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 557-565.	0.7	23
46	Has the income of the residential area impact on the use of intensive care?. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 804-812.	0.7	6
47	Retinal arterial blood flow and retinal changes in patients with sepsis: preliminary study using fluorescein angiography. <i>Critical Care</i> , 2017, 21, 86.	2.5	19
48	Do pre-hospital poisoning deaths differ from in-hospital deaths? A retrospective analysis. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 48.	1.1	5
49	Fatal poisonings in Northern Finland: causes, incidence, and rural-urban differences. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 90.	1.1	10
50	Goal-directed fluid management in free flap surgery for cancer of the head and neck. <i>Minerva Anesthesiologica</i> , 2017, 83, 59-68.	0.6	12
51	A retrospective analysis of the impact of toxicological diagnostics on clinical decision making in cases of acute drug poisoning. <i>Emergency Care Journal</i> , 2017, 13, .	0.2	0
52	Fatal injuries in rural and urban areas in northern Finland: a 5-year retrospective study. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 668-676.	0.7	24
53	Identification of tele-ICU system requirements using a content validity assessment. <i>International Journal of Medical Informatics</i> , 2016, 86, 30-36.	1.6	12
54	Vitamin D deficiency at admission is not associated with 90-day mortality in patients with severe sepsis or septic shock: Observational FINNAKI cohort study. <i>Annals of Medicine</i> , 2016, 48, 67-75.	1.5	43

#	ARTICLE	IF	CITATIONS
55	The impact of antemortem computed tomographic scanning on postmortem examination rate and frequency of missed diagnosis. <i>Journal of Critical Care</i> , 2015, 30, 1420.e1-1420.e4.	1.0	4
56	Short-term outcome and differences between rural and urban trauma patients treated by mobile intensive care units in Northern Finland: a retrospective analysis. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 91.	1.1	18
57	Long-term mortality in patients hospitalized due to acute drug poisoning: 14-years follow-up study with controls. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2013, 21, 79-86.	0.8	1
58	Acute poisoning in children under the age of six: a two-decade study of hospital admissions and trends. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, e329-33.	0.7	13
59	Risk factors for prolonged intensive care unit stay and hospital mortality in acute drug-poisoned patients: An evaluation of the physiologic and laboratory parameters on admission. <i>Journal of Critical Care</i> , 2011, 26, 160-165.	1.0	47
60	Contributing Factors in Self-Poisoning Leading to Hospital Admission in Adolescents in Northern Finland. <i>Substance Use and Misuse</i> , 2010, 45, 1340-1350.	0.7	10
61	Aspiration pneumonia following severe self-poisoning. <i>Resuscitation</i> , 2003, 56, 49-53.	1.3	40
62	Outcomes in patients requiring intensive care unit (ICU) admission after emergency laparotomy: A retrospective study. <i>Acta Anaesthesiologica Scandinavica</i> , 0, , .	0.7	1