

Won-Jun Jang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5067676/publications.pdf>

Version: 2024-02-01

64
papers

2,824
citations

147801

31
h-index

175258

52
g-index

64
all docs

64
docs citations

64
times ranked

2468
citing authors

#	ARTICLE	IF	CITATIONS
1	A comparison of Cu/CeO ₂ catalysts prepared via different precipitants/digestion methods for single stage water gas shift reactions. <i>Catalysis Today</i> , 2022, 388-389, 237-246.	4.4	8
2	Deoxygenation of non-edible fatty acid for green diesel production: Effect of metal loading amount over Ni/MgO-Al ₂ O ₃ on the catalytic performance and reaction pathway. <i>Fuel</i> , 2022, 311, 122488.	6.4	19
3	Synthesis gas production from carbon dioxide reforming of methane over Ni-MgO catalyst: Combined effects of titration rate during co-precipitation and CeO ₂ addition. <i>Fuel Processing Technology</i> , 2021, 219, 106877.	7.2	34
4	Thermodynamic Analysis of Alkane Steam Reforming for Hydrogen Production. <i>Journal of Korea Society of Waste Management</i> , 2021, 38, 395-404.	0.2	0
5	Increase in stability of BaCo/CeO ₂ catalyst by optimizing the loading amount of Ba promoter for high-temperature water-gas shift reaction using waste-derived synthesis gas. <i>Renewable Energy</i> , 2020, 145, 2715-2722.	8.9	24
6	The role of additives (Ba, Zr, and Nd) on Ce/Cu/Al ₂ O ₃ catalyst for water-gas shift reaction. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 24726-24737.	7.1	13
7	The optimization of Nb loading amount over Cu-Nb-CeO ₂ catalysts for hydrogen production via the low-temperature water gas shift reaction. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 9648-9657.	7.1	17
8	One-pot sol-gel synthesis of a CoMo catalyst for sustainable biofuel production by solvent- and hydrogen-free deoxygenation: effect of the citric acid ratio. <i>Sustainable Energy and Fuels</i> , 2020, 4, 2841-2849.	4.9	8
9	Reducible oxide (CeO ₂ , ZrO ₂ , and CeO ₂ -ZrO ₂) promoted Ni-MgO catalysts for carbon dioxide reforming of methane reaction. <i>Korean Journal of Chemical Engineering</i> , 2020, 37, 1130-1136.	2.7	8
10	A review on dry reforming of methane in aspect of catalytic properties. <i>Catalysis Today</i> , 2019, 324, 15-26.	4.4	477
11	Effect of calcination temperature on the association between free NiO species and catalytic activity of Ni-Ce _{0.6} Zr _{0.4} O ₂ deoxygenation catalysts for biodiesel production. <i>Renewable Energy</i> , 2019, 131, 144-151.	8.9	24
12	Effect of precipitation on physico-chemical and catalytic properties of Cu-Zn-Al catalyst for water-gas shift reaction. <i>Korean Journal of Chemical Engineering</i> , 2019, 36, 1243-1248.	2.7	12
13	Catalytic deoxygenation of oleic acid over a Ni-CeZrO ₂ catalyst. <i>Fuel</i> , 2019, 258, 116179.	6.4	18
14	An important parameter for synthesis of Al ₂ O ₃ supported Cu-Zn catalysts in low-temperature water-gas shift reaction under practical reaction condition. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 14853-14860.	7.1	21
15	Effect of support materials and Ni loading on catalytic performance for carbon dioxide reforming of coke oven gas. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 8233-8242.	7.1	20
16	Design and scale-up of a Cr-free Fe-Al-Cu catalyst for hydrogen production from waste-derived synthesis gas. <i>Applied Catalysis B: Environmental</i> , 2019, 249, 72-81.	20.2	39
17	Synthesis and characterization of Pt-, Pd-, and Ru-promoted Ni-Ce _{0.6} Zr _{0.4} O ₂ catalysts for efficient biodiesel production by deoxygenation of oleic acid. <i>Fuel</i> , 2019, 236, 928-933.	6.4	45
18	Key properties of Ni-MgO-Ce ₂ , Ni-MgO-Zr ₂ , and Ni-MgO-Ce _(1-x) Zr _(x) O ₂ catalysts for the reforming of methane with carbon dioxide. <i>Green Chemistry</i> , 2018, 20, 1621-1633.	9.0	90

#	ARTICLE	IF	CITATIONS
19	Preparation of a Ni-MgO-Al ₂ O ₃ catalyst with high activity and resistance to potassium poisoning during direct internal reforming of methane in molten carbonate fuel cells. <i>Journal of Power Sources</i> , 2018, 378, 597-602.	7.8	13
20	Low temperature steam reforming of methane using metal oxide promoted Ni-Ce _{0.8} Zr _{0.2} O ₂ catalysts in a compact reformer. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 262-270.	7.1	29
21	The effect of titration time on the catalytic performance of Cu/CeO ₂ catalysts for water-gas shift reaction. <i>Catalysis Today</i> , 2018, 309, 83-88.	4.4	20
22	Effect of alkali and alkaline earth metal on Co/CeO ₂ catalyst for the water-gas shift reaction of waste derived synthesis gas. <i>Applied Catalysis A: General</i> , 2018, 551, 63-70.	4.3	51
23	Facile production of biofuel via solvent-free deoxygenation of oleic acid using a CoMo catalyst. <i>Applied Catalysis B: Environmental</i> , 2018, 239, 644-653.	20.2	38
24	Petroleum like biodiesel production by catalytic decarboxylation of oleic acid over Pd/Ce-ZrO ₂ under solvent-free condition. <i>Applied Catalysis A: General</i> , 2018, 563, 163-169.	4.3	24
25	Effect of precipitation sequence on physicochemical properties of CeO ₂ support for hydrogen production from low-temperature water-gas shift reaction. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 17718-17725.	7.1	26
26	An important factor for the water gas shift reaction activity of Cu-loaded cubic Ce _{0.8} Zr _{0.2} O ₂ catalysts. <i>Environmental Engineering Research</i> , 2018, 23, 339-344.	2.5	9
27	Optimization of Cobalt Loading in Co/CeO ₂ Catalyst for the High Temperature Water-Gas Shift Reaction. <i>Topics in Catalysis</i> , 2017, 60, 721-726.	2.8	32
28	Alkali resistant Ni-loaded yolk-shell catalysts for direct internal reforming in molten carbonate fuel cells. <i>Journal of Power Sources</i> , 2017, 352, 1-8.	7.8	14
29	Effect of the redox properties of support oxide over cobalt-based catalysts in high temperature water-gas shift reaction. <i>Molecular Catalysis</i> , 2017, 433, 145-152.	2.0	33
30	Deactivation of SiO ₂ supported Ni catalysts by structural change in the direct internal reforming reaction of molten carbonate fuel cell. <i>Catalysis Communications</i> , 2017, 101, 44-47.	3.3	7
31	Preferential CO oxidation over supported Pt catalysts. <i>Korean Journal of Chemical Engineering</i> , 2016, 33, 1781-1787.	2.7	9
32	Combined steam and carbon dioxide reforming of methane and side reactions: Thermodynamic equilibrium analysis and experimental application. <i>Applied Energy</i> , 2016, 173, 80-91.	10.1	172
33	Chromium free high temperature water-gas shift catalyst for the production of hydrogen from waste derived synthesis gas. <i>Applied Catalysis A: General</i> , 2016, 522, 21-31.	4.3	43
34	Effect of preparation method on the oxygen vacancy concentration of CeO ₂ -promoted Cu/Al ₂ O ₃ catalysts for HTS reactions. <i>Chemical Engineering Journal</i> , 2016, 306, 908-915.	12.7	86
35	Bio-Diesel Production from Deoxygenation Reaction Over Ce _{0.6} /Zr _{0.4} O ₂ Supported Transition Metal (Ni, Cu, Co, and Mo) Catalysts. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 4587-4592.	0.9	13
36	The investigation of non-noble metal doped mesoporous cobalt oxide catalysts for the water-gas shift reaction. <i>RSC Advances</i> , 2016, 6, 52754-52760.	3.6	14

#	ARTICLE	IF	CITATIONS
37	Highly Active and Stable Pt-Loaded Ce _{0.75} Zr _{0.25} O ₂ Yolk-Shell Catalyst for Water-Gas Shift Reaction. ACS Applied Materials & Interfaces, 2016, 8, 17239-17244.	8.0	36
38	Water gas shift reaction on the Mn-modified ordered mesoporous Co ₃ O ₄ . Microporous and Mesoporous Materials, 2016, 221, 204-211.	4.4	29
39	High temperature water-gas shift without pre-reduction over spinel ferrite catalysts synthesized by glycine assisted sol-gel combustion method. International Journal of Hydrogen Energy, 2016, 41, 3870-3876.	7.1	30
40	A crucial role for the CeO ₂ -ZrO ₂ support for the low temperature water gas shift reaction over Cu-CeO ₂ -ZrO ₂ catalysts. Catalysis Science and Technology, 2015, 5, 3706-3713.	4.1	77
41	Optimization of a highly active nano-sized Pt/CeO ₂ catalyst via Ce(OH)CO ₃ for the water-gas shift reaction. Renewable Energy, 2015, 79, 78-84.	8.9	24
42	The effect of preparation method on Fe/Al/Cu oxide-based catalyst performance for high temperature water gas shift reaction using simulated waste-derived synthesis gas. International Journal of Hydrogen Energy, 2015, 40, 12268-12274.	7.1	40
43	Hydrogen production from water-gas shift reaction over Ni-Cu-CeO ₂ oxide catalyst: The effect of preparation methods. International Journal of Hydrogen Energy, 2015, 40, 9209-9216.	7.1	43
44	Comparative study on cubic and tetragonal Cu-CeO ₂ -ZrO ₂ catalysts for water gas shift reaction. Journal of Industrial and Engineering Chemistry, 2015, 27, 35-39.	5.8	57
45	Optimization of unsupported CoMo catalysts for decarboxylation of oleic acid. Catalysis Communications, 2015, 67, 16-20.	3.3	53
46	Hydrogen production by the water-gas shift reaction using CuNi/Fe ₂ O ₃ catalyst. Catalysis Science and Technology, 2015, 5, 2752-2760.	4.1	83
47	Metal oxide (MgO, CaO, and La ₂ O ₃) promoted Ni-Ce _{0.8} Zr _{0.2} O ₂ catalysts for H ₂ and CO production from two major greenhouse gases. Renewable Energy, 2015, 79, 91-95.	8.9	47
48	Performance of spinel ferrite catalysts integrated with mesoporous Al ₂ O ₃ in the high temperature water-gas shift reaction. Chemical Engineering Journal, 2015, 265, 100-109.	12.7	43
49	Mesoporous NiCu-CeO ₂ oxide catalysts for high-temperature water-gas shift reaction. RSC Advances, 2015, 5, 1430-1437.	3.6	35
50	The Effect of Metal on Catalytic Performance Over MFe ₂ O ₄ ; Catalysts for High Temperature Water-Gas Shift Reaction. Journal of Nanoelectronics and Optoelectronics, 2015, 10, 530-534.	0.5	4
51	Deoxygenation of oleic acid over Ce(1-x)Zr(x)O ₂ catalysts in hydrogen environment. Renewable Energy, 2014, 65, 36-40.	8.9	48
52	Low-temperature water-gas shift reaction over supported Cu catalysts. Renewable Energy, 2014, 65, 102-107.	8.9	119
53	Hydrogen production from low temperature WGS reaction on co-precipitated Cu-CeO ₂ catalysts: An optimization of Cu loading. International Journal of Hydrogen Energy, 2014, 39, 9135-9142.	7.1	68
54	Rapid synthesis of magnetite catalysts incorporated with M (Cu, Ni, Zn, and Co) promoters for high temperature water gas shift reaction. New Journal of Chemistry, 2014, 38, 4872-4878.	2.8	12

#	ARTICLE	IF	CITATIONS
55	Study on coke formation over Ni/ γ -Al ₂ O ₃ , Co-Ni/ γ -Al ₂ O ₃ , and Mg-Co-Ni/ γ -Al ₂ O ₃ catalysts for carbon dioxide reforming of methane. <i>Fuel</i> , 2014, 136, 194-200.	6.4	116
56	A comparison study on high-temperature water-gas shift reaction over Fe/Al/Cu and Fe/Al/Ni catalysts using simulated waste-derived synthesis gas. <i>Journal of Material Cycles and Waste Management</i> , 2014, 16, 650-656.	3.0	28
57	A Study on Cu Based Catalysts for Water Gas Shift Reaction to Produce Hydrogen from Waste-Derived Synthesis Gas. <i>Transactions of the Korean Hydrogen and New Energy Society</i> , 2014, 25, 227-233.	0.6	3
58	The effect of preparation method on the catalytic performance over superior MgO-promoted Ni-Ce _{0.8} Zr _{0.2} O ₂ catalyst for CO ₂ reforming of CH ₄ . <i>International Journal of Hydrogen Energy</i> , 2013, 38, 13649-13654.	7.1	49
59	High-Temperature Water Gas Shift Reaction Over Fe/Al/Cu Oxide Based Catalysts Using Simulated Waste-Derived Synthesis Gas. <i>Catalysis Letters</i> , 2013, 143, 438-444.	2.6	48
60	H ₂ and CO production over a stable Ni-MgO-Ce _{0.8} Zr _{0.2} O ₂ catalyst from CO ₂ reforming of CH ₄ . <i>International Journal of Hydrogen Energy</i> , 2013, 38, 4508-4512.	7.1	59
61	H ₂ production from a single stage water-gas shift reaction over Pt/CeO ₂ , Pt/ZrO ₂ , and Pt/Ce(1-x)Zr(x)O ₂ catalysts. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 4502-4507.	7.1	76
62	H ₂ production from high temperature shift of the simulated waste derived synthesis gas over magnetite catalysts prepared by citric acid assisted direct synthesis method. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 8699-8703.	7.1	25
63	Synthesis of a Novel Nano-Sized Pt/ZnO Catalyst for Water Gas Shift Reaction in Medium Temperature Application. <i>Catalysis Letters</i> , 2012, 142, 1075-1081.	2.6	20
64	Synthesis of highly active nano-sized (1 wt.% Pt/CeO ₂) catalyst for water gas shift reaction in medium temperature application. <i>Catalysis Today</i> , 2012, 185, 113-118.	4.4	42