

Wen-Cheng Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5068091/wen-cheng-chen-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167 papers	2,414 citations	27 h-index	39 g-index
175 ext. papers	2,921 ext. citations	3.8 avg, IF	5.26 L-index

#	Paper	IF	Citations
167	IL-6-stimulated CD11b+ CD14+ HLA-DR- myeloid-derived suppressor cells, are associated with progression and poor prognosis in squamous cell carcinoma of the esophagus. <i>Oncotarget</i> , 2014 , 5, 8716-8	2.3	111
166	The role of PD-L1 in the radiation response and clinical outcome for bladder cancer. <i>Scientific Reports</i> , 2016 , 6, 19740	4.9	108
165	The role of PD-L1 in the radiation response and prognosis for esophageal squamous cell carcinoma related to IL-6 and T-cell immunosuppression. <i>Oncotarget</i> , 2016 , 7, 7913-24	3.3	88
164	Chang Gung Research Database: A multi-institutional database consisting of original medical records. <i>Biomedical Journal</i> , 2017 , 40, 263-269	7.1	75
163	Erratum to Brotein Profiling of Human Nonpigmented Ciliary Epithelium Cell Secretome: The Differentiation Factors Characterization for Retinal Ganglion Cell Line <i>Journal of Biomedicine and Biotechnology</i> , 2011 , 2011, 1-1		73
162	Statin use and the risk of cirrhosis development in patients with hepatitis C virus infection. <i>Journal of Hepatology</i> , 2015 , 63, 1111-7	13.4	67
161	Microstructure and characterization of electrospun poly(vinyl alcohol) nanofiber scaffolds filled with graphene nanosheets. <i>Journal of Applied Polymer Science</i> , 2015 , 132,	2.9	55
160	Induction of radioprotective peroxiredoxin-I by ionizing irradiation. <i>Journal of Neuroscience Research</i> , 2002 , 70, 794-8	4.4	50
159	Transmission electron microscopic study on setting mechanism of tetracalcium phosphate/dicalcium phosphate anhydrous-based calcium phosphate cement. <i>Journal of Biomedical Materials Research Part B</i> , 2003 , 64, 664-71		47
158	1 α ,25-Dihydroxyvitamin D3 Inhibits Esophageal Squamous Cell Carcinoma Progression by Reducing IL6 Signaling. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 1365-75	6.1	42
157	Role of interleukin 1 beta in esophageal squamous cell carcinoma. <i>Journal of Molecular Medicine</i> , 2012 , 90, 89-100	5.5	42
156	DDR1 regulates the stabilization of cell surface E-cadherin and E-cadherin-mediated cell aggregation. <i>Journal of Cellular Physiology</i> , 2010 , 224, 387-97	7	40
155	Concurrent cisplatin, 5-fluorouracil, leucovorin, and radiotherapy for invasive bladder cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 56, 726-33	4	39
154	Properties of osteoconductive biomaterials: calcium phosphate cement with different ratios of platelet-rich plasma as identifiers. <i>Materials Science and Engineering C</i> , 2013 , 33, 3537-44	8.3	38
153	DNMT1-dependent suppression of microRNA424 regulates tumor progression in human bladder cancer. <i>Oncotarget</i> , 2015 , 6, 24119-31	3.3	37
152	Comparison between conventional and intensity-modulated post-operative radiotherapy for stage III and IV oral cavity cancer in terms of treatment results and toxicity. <i>Oral Oncology</i> , 2009 , 45, 505-10	4.4	35
151	Caffeic acid phenethyl ester decreases acute pneumonitis after irradiation in vitro and in vivo. <i>BMC Cancer</i> , 2005 , 5, 158	4.8	35

150	Postradiation trismus and its impact on quality of life in patients with head and neck cancer. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015 , 119, 187-95	2	34
149	Impacted mandibular second molars. <i>Angle Orthodontist</i> , 2012 , 82, 670-5	2.6	32
148	Prediction of poor survival by cyclooxygenase-2 in patients with T4 nasopharyngeal cancer treated by radiation therapy: clinical and in vitro studies. <i>Head and Neck</i> , 2005 , 27, 503-12	4.2	31
147	The prognosis of head and neck squamous cell carcinoma related to immunosuppressive tumor microenvironment regulated by IL-6 signaling. <i>Oral Oncology</i> , 2019 , 91, 47-55	4.4	30
146	Calcium phosphate bone cement with 10 wt% platelet-rich plasma in vitro and in vivo. <i>Journal of Dentistry</i> , 2012 , 40, 114-22	4.8	29
145	Effect of calcination temperature on the crystallite growth of cerium oxide nano-powders prepared by the co-precipitation process. <i>Journal of Alloys and Compounds</i> , 2010 , 496, 364-369	5.7	29
144	Synthesis of calcium phosphates and porous hydroxyapatite beads prepared by emulsion method. <i>Materials Chemistry and Physics</i> , 2009 , 113, 365-371	4.4	29
143	Impact of CD44 expression on radiation response for bladder cancer. <i>Journal of Cancer</i> , 2017 , 8, 1137-1144	4.5	28
142	Preparation of micro-porous bioceramic containing silicon-substituted hydroxyapatite and beta-tricalcium phosphate. <i>Materials Science and Engineering C</i> , 2017 , 75, 798-806	8.3	27
141	Identification of High-Risk Subgroups of Patients With Oral Cavity Cancer in Need of Postoperative Adjuvant Radiotherapy or Chemo-Radiotherapy. <i>Medicine (United States)</i> , 2016 , 95, e3770	1.8	27
140	Scintigraphic assessment of salivary function after intensity-modulated radiotherapy for head and neck cancer: correlations with parotid dose and quality of life. <i>Oral Oncology</i> , 2013 , 49, 42-8	4.4	27
139	Roughened titanium surfaces with silane and further RGD peptide modification in vitro. <i>Materials Science and Engineering C</i> , 2013 , 33, 2713-22	8.3	26
138	A comparison of epithelial cells, fibroblasts, and osteoblasts in dental implant titanium topographies. <i>Bioinorganic Chemistry and Applications</i> , 2012 , 2012, 687291	4.2	26
137	Inflammation-induced myeloid-derived suppressor cells associated with squamous cell carcinoma of the head and neck. <i>Head and Neck</i> , 2017 , 39, 347-355	4.2	25
136	Characterization of ADAM28 as a biomarker of bladder transitional cell carcinomas by urinary proteome analysis. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 411, 714-20	3.4	25
135	Association between the diagnosis-to-treatment interval and overall survival in Taiwanese patients with oral cavity squamous cell carcinoma. <i>European Journal of Cancer</i> , 2017 , 72, 226-234	7.5	24
134	Characterization of genipin-crosslinked gelatin/hyaluronic acid-based hydrogel membranes and loaded with hinokitiol: In vitro evaluation of antibacterial activity and biocompatibility. <i>Materials Science and Engineering C</i> , 2019 , 105, 110074	8.3	24
133	Interaction of progenitor bone cells with different surface modifications of titanium implant. <i>Materials Science and Engineering C</i> , 2014 , 37, 305-13	8.3	24

132	The predictive role of E2-EPF ubiquitin carrier protein in esophageal squamous cell carcinoma. <i>Journal of Molecular Medicine</i> , 2009 , 87, 307-20	5.5	24
131	Osteoregenerative capacities of dicalcium phosphate-rich calcium phosphate bone cement. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 203-10	5.4	23
130	Deriving fast setting properties of tetracalcium phosphate/dicalcium phosphate anhydrous bone cement with nanocrystallites on the reactant surfaces. <i>Journal of Dentistry</i> , 2010 , 38, 158-65	4.8	23
129	Evaluating the accuracy of tooth color measurement by combining the Munsell color system and dental colorimeter. <i>Kaohsiung Journal of Medical Sciences</i> , 2012 , 28, 490-4	2.4	22
128	Brittle and ductile adjustable cement derived from calcium phosphate cement/polyacrylic acid composites. <i>Dental Materials</i> , 2008 , 24, 1616-22	5.7	22
127	Nano-morphology, crystallinity and surface potential of anatase on micro-arc oxidized titanium affect its protein adsorption, cell proliferation and cell differentiation. <i>Materials Science and Engineering C</i> , 2020 , 107, 110204	8.3	21
126	Survival benefit of surgery to patients with esophageal squamous cell carcinoma. <i>Scientific Reports</i> , 2017 , 7, 46139	4.9	20
125	Thrombomodulin expression regulates tumorigenesis in bladder cancer. <i>BMC Cancer</i> , 2014 , 14, 375	4.8	20
124	Characterization of controlled highly porous hyaluronan/gelatin cross-linking sponges for tissue engineering. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012 , 14, 227-38	4.1	20
123	Predictive Value of CD44 in Muscle-Invasive Bladder Cancer and Its Relationship with IL-6 Signaling. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3518-3526	3.1	19
122	Characterization of Ni-Cr alloys using different casting techniques and molds. <i>Materials Science and Engineering C</i> , 2014 , 35, 231-8	8.3	19
121	Effects of bioactive glass with and without mesoporous structures on desensitization in dentinal tubule occlusion. <i>Applied Surface Science</i> , 2013 , 283, 833-842	6.7	19
120	Epigenetic therapy regulates the expression of ALDH1 and immunologic response: Relevance to the prognosis of oral cancer. <i>Oral Oncology</i> , 2017 , 73, 88-96	4.4	19
119	Using a spectrophotometric study of human gingival colour distribution to develop a shade guide. <i>Journal of Dentistry</i> , 2011 , 39 Suppl 3, e11-6	4.8	19
118	Significance of DNMT3b in oral cancer. <i>PLoS ONE</i> , 2014 , 9, e89956	3.7	19
117	Urinary protein profiling by liquid chromatography/tandem mass spectrometry: ADAM28 is overexpressed in bladder transitional cell carcinoma. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 2851-62	2.2	18
116	TGF Beta1 Expression Correlates with Survival and Tumor Aggressiveness of Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S1587-93	3.1	17
115	Characterization of silk fibroin modified surface: a proteomic view of cellular response proteins induced by biomaterials. <i>BioMed Research International</i> , 2014 , 2014, 209469	3	17

114	Biphasic products of dicalcium phosphate-rich cement with injectability and nondispersibility. <i>Materials Science and Engineering C</i> , 2014 , 39, 40-6	8.3	17
113	In vivo testing of nanoparticle-treated TTCP/DCPA-based ceramic surfaces. <i>Acta Biomaterialia</i> , 2009 , 5, 1767-74	10.8	17
112	The Predictive Value of Pretreatment Neutrophil-To-Lymphocyte Ratio in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2019 , 26, 190-199	3.1	17
111	Predictive Value of the Pretreatment Neutrophil-to-Lymphocyte Ratio in Head and Neck Squamous Cell Carcinoma. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	17
110	Evaluation of reinforced strength and remineralized potential of resins with nanocrystallites and silica modified filler surfaces. <i>Materials Science and Engineering C</i> , 2013 , 33, 1143-51	8.3	15
109	Significance of nuclear accumulation of Foxo3a in esophageal squamous cell carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 1220-9	4	15
108	Role of ALDH1 in the prognosis of esophageal cancer and its relationship with tumor microenvironment. <i>Molecular Carcinogenesis</i> , 2018 , 57, 78-88	5	13
107	Mortality in tongue cancer patients treated by curative surgery: a retrospective cohort study from CGRD. <i>PeerJ</i> , 2016 , 4, e2794	3.1	13
106	Clinical Outcomes of Taiwanese Patients with cT4 Oral Cavity Squamous Cell Carcinoma: Toward the Identification of the Optimal Initial Treatment Approach for cT4b Patients. <i>Annals of Surgical Oncology</i> , 2017 , 24, 785-793	3.1	12
105	Effect of Tumor Burden on Tumor Aggressiveness and Immune Modulation in Prostate Cancer: Association with IL-6 Signaling. <i>Cancers</i> , 2019 , 11,	6.6	12
104	Comparison of three calcium phosphate bone graft substitutes from biomechanical, histological, and crystallographic perspectives using a rat posterolateral lumbar fusion model. <i>Materials Science and Engineering C</i> , 2014 , 45, 82-8	8.3	12
103	PLA/ETCP complex tubes: the mechanical properties and applications of artificial bone. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2012 , 23, 1701-12	3.5	12
102	Characterization and enhancement of chondrogenesis in porous hyaluronic acid-modified scaffolds made of PLGA(75/25) blended with PEI-grafted PLGA(50/50). <i>Materials Science and Engineering C</i> , 2011 , 31, 1343-1351	8.3	12
101	Antimicrobial Activity of Electrospun Polyvinyl Alcohol Nanofibers Filled with Poly[2-(tert-butylaminoethyl) Methacrylate]-Grafted Graphene Oxide Nanosheets. <i>Polymers</i> , 2020 , 12,	4.5	12
100	Effects of Osseointegration by Bone Morphogenetic Protein-2 on Titanium Implants In Vitro and In Vivo. <i>Bioinorganic Chemistry and Applications</i> , 2016 , 2016, 3837679	4.2	12
99	The morphological effect of calcium phosphates as reinforcement in methacrylate-based dental composite resins on mechanical strength through thermal cycling. <i>Ceramics International</i> , 2017 , 43, 14389-14394	5.1	11
98	Characterization of the aspects of osteoprogenitor cell interactions with physical tetracalcium phosphate anchorage on titanium implant surfaces. <i>Materials Science and Engineering C</i> , 2015 , 49, 7-13	8.3	11
97	The Response of Prostate Cancer to Androgen Deprivation and Irradiation Due to Immune Modulation. <i>Cancers</i> , 2018 , 11,	6.6	11

96	Porphyromonas gingivalis promotes tumor progression in esophageal squamous cell carcinoma. <i>Cellular Oncology (Dordrecht)</i> , 2021 , 44, 373-384	7.2	11
95	Long-Term Taste Impairment after Intensity-Modulated Radiotherapy to Treat Head-and-Neck Cancer: Correlations with Glossectomy and the Mean Radiation Dose to the Oral Cavity. <i>Chemical Senses</i> , 2019 , 44, 319-326	4.8	9
94	Effect of micro-/nano-hybrid hydroxyapatite rod reinforcement in composite resins on strength through thermal cycling. <i>Polymer Composites</i> , 2019 , 40, 3703-3710	3	9
93	In vivo studies of titanium implant surface treatment by sandblasted, acid-etched and further anchored with ceramic of tetracalcium phosphate on osseointegration. <i>Journal of the Australian Ceramic Society</i> , 2019 , 55, 799-806	1.5	9
92	Rapid nano-scale surface modification on micro-arc oxidation coated titanium by microwave-assisted hydrothermal process. <i>Materials Science and Engineering C</i> , 2019 , 95, 236-247	8.3	9
91	Comparative clinical outcomes of Taiwanese patients with resected buccal and tongue squamous cell carcinomas. <i>Oral Oncology</i> , 2017 , 67, 95-102	4.4	8
90	Statin Use and the Risk of Subsequent Hospitalized Exacerbations in COPD Patients with Frequent Exacerbations. <i>International Journal of COPD</i> , 2020 , 15, 289-299	3	8
89	Calcium Phosphate Cement with Antimicrobial Properties and Radiopacity as an Endodontic Material. <i>Materials</i> , 2017 , 10,	3.5	8
88	. <i>Journal of Medical and Biological Engineering</i> , 2013 , 33, 538	2.2	8
87	Chemical cross-linking on gelatin-hyaluronan loaded with hinokitiol for the preparation of guided tissue regeneration hydrogel membranes with antibacterial and biocompatible properties. <i>Materials Science and Engineering C</i> , 2021 , 119, 111576	8.3	8
86	Effects of Ti surface treatments with silane and arginylglycylaspartic acid peptide on bone cell progenitors. <i>Odontology / the Society of the Nippon Dental University</i> , 2015 , 103, 322-32	3.6	7
85	Treatment patterns and survival outcomes of advanced hypopharyngeal squamous cell carcinoma. <i>World Journal of Surgical Oncology</i> , 2020 , 18, 82	3.4	7
84	Characterizing the differentiation of osteoprogenitor cells on surface modified polyether-ether-ketone. <i>Surface and Coatings Technology</i> , 2018 , 350, 904-912	4.4	7
83	Thermal cycling effects on adhesion of resin-bovine enamel junction among different composite resins. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014 , 38, 105-13	4.1	7
82	Mineralization of Progenitor Cells with Different Implant Topographies. <i>Procedia Engineering</i> , 2012 , 36, 173-178		7
81	Phosphorus Effects of Mesoporous Bioactive Glass on Occlude Exposed Dentin. <i>Materials</i> , 2013 , 6, 5335-5351	5.5	7
80	Mechanical testing and osteointegration of titanium implant with calcium phosphate bone cement and autograft alternatives. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2011 , 4, 1186-95	4.1	7
79	Characterization of surface modification on self-assembled monolayer-based piezoelectric crystal immunosensor for the quantification of serum Httoprotein. <i>Journal of Materials Science: Materials in Medicine</i> , 2011 , 22, 1383-91	4.5	7

78	Color stability of nanocrystallite-treated and silicate-treated fillers of calcium phosphate composite resin: an in vitro study. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 416-24	4	6
77	Immersion-induced changes in structure and properties of a TTCP/DCPA/CSH cement. <i>Materials Chemistry and Physics</i> , 2011 , 130, 303-308	4.4	6
76	A newly developed calcia/titanium modified magnesia-based investment mold for titanium casting. <i>Materials Science and Engineering C</i> , 2011 , 31, 144-150	8.3	6
75	Effects of AgNPs on the structure and anti-methicillin resistant <i>Staphylococcus aureus</i> (MRSA) properties of SiO ₂ -CaO-P ₂ O ₅ bioactive glass. <i>Journal of Non-Crystalline Solids</i> , 2021 , 553, 120492	3.9	6
74	Effects of bioglass powders with and without mesoporous structures on fibroblast and osteoblast responses. <i>Applied Surface Science</i> , 2014 , 314, 967-972	6.7	5
73	Thermal cycling effect of dicalcium phosphate-reinforced composites on auto-mineralized dental resin. <i>Materials Science and Engineering C</i> , 2014 , 45, 359-68	8.3	5
72	Estimation of life expectancy and quality-adjusted life expectancy in non-metastatic nasopharyngeal cancer patients treated by intensity-modulated radiotherapy with or without chemotherapy. <i>Oral Oncology</i> , 2014 , 50, 646-50	4.4	5
71	Preparation and characterization of calcium phosphate deposited on gold nanoparticles. <i>Journal of Non-Crystalline Solids</i> , 2010 , 356, 927-932	3.9	5
70	Protein profiling of human nonpigmented ciliary epithelium cell secretome: the differentiation factors characterization for retinal ganglion cell line. <i>Journal of Biomedicine and Biotechnology</i> , 2011 , 2011, 901329		5
69	In Vitro Evaluation of a Composite Gelatin-Hyaluronic Acid-Alginate Porous Scaffold with Different Pore Distributions for Cartilage Regeneration. <i>Gels</i> , 2021 , 7,	4.2	5
68	Effects of Gamma Radiation on the Sterility Assurance, Antibacterial Ability, and Biocompatibility of Impregnated Hydrogel Macrosphere Protein and Drug Release. <i>Polymers</i> , 2021 , 13,	4.5	5
67	Comparison and preparation of multilayered polylactic acid fabric strengthen calcium phosphate-based bone substitutes for orthopedic applications. <i>Journal of Artificial Organs</i> , 2016 , 19, 70-9	1.8	4
66	Effects of pontic span and fiber reinforcement on fracture strength of multi-unit provisional fixed partial dentures. <i>Journal of Dental Sciences</i> , 2019 , 14, 309-317	2.5	4
65	Incorporation of Collagen in Calcium Phosphate Cements for Controlling Osseointegration. <i>Materials</i> , 2017 , 10,	3.5	4
64	Unilaterally impacted maxillary central incisor and canine with ipsilateral transposed canine-lateral incisor. <i>Angle Orthodontist</i> , 2013 , 83, 920-6	2.6	4
63	Fracture load of provisional fixed partial dentures with long-span fiber-reinforced acrylic resin and thermocycling. <i>Journal of Dental Sciences</i> , 2009 , 4, 25-31	2.5	4
62	. <i>Journal of Medical and Biological Engineering</i> , 2014 , 34, 8	2.2	4
61	Influences of processing and sterilizing strategies on reduced silver nanoparticles in poly(vinyl alcohol) electrospun membranes: Optimization and preservation of antibacterial activity. <i>Materials Chemistry and Physics</i> , 2020 , 254, 123300	4.4	4

60	Heparin as a biomimetic template on nanoapatite rods with tunable aspect ratio: synthesis and biocompatibility. <i>Journal of the Australian Ceramic Society</i> , 2021 , 57, 825	1.5	4
59	Evaluation of the Grafting Efficacy of Active Biomolecules of Phosphatidylcholine and Type I Collagen on Polyether Ether Ketone: In Vitro and In Vivo. <i>Polymers</i> , 2021 , 13,	4.5	4
58	Characterization of hybrid light-cured resin composites reinforced by microspherical silanized DCPA/nanorod HA via thermal fatigue. <i>Journal of the Australian Ceramic Society</i> , 2019 , 55, 235-245	1.5	4
57	Evaluation of the accuracy and limitations of three tooth-color measuring machines. <i>Journal of Dental Sciences</i> , 2015 , 10, 16-20	2.5	3
56	In vitro characterization of porous calcium phosphate scaffolds capped with crosslinked hydrogels to avoid inherent brittleness. <i>Ceramics International</i> , 2018 , 44, 1575-1582	5.1	3
55	Evaluation of gentamicin encapsulated hierarchically meso-macroporous silica-based calcium phosphates glass powders. <i>Ceramics International</i> , 2014 , 40, 15019-15025	5.1	3
54	Modulating the release of proteins from alloated carrier of alginate/gelatin porous spheres immersed in different solutions. <i>Bio-Medical Materials and Engineering</i> , 2017 , 28, 515-529	1	3
53	In Vitro cell attachment and In Vivo tissue infiltration of porous PLLA/βTCP/SA bone scaffolds. <i>Fibers and Polymers</i> , 2015 , 16, 2569-2577	2	3
52	Optimizing anterior esthetics of a single-tooth implant through socket augmentation and immediate provisionalization: a case report with 7-year follow-up. <i>Kaohsiung Journal of Medical Sciences</i> , 2012 , 28, 559-63	2.4	3
51	Thermal behavior and transformation kinetics of titanium dioxide nanocrystallites prepared by coupling agents. <i>Journal of Alloys and Compounds</i> , 2010 , 490, 576-581	5.7	3
50	BIOACTIVE GLASS SHELL GROWTH OF A Si ₃ N ₄ /CaP LAYER ON GOLD NANOPARTICLES FUNCTIONALIZED WITH MERCAPTOPROPYLTRIMETHYLOXYSILANE/SILICATE/TETRAETHYLOTHOSILICATE. <i>Surface Review and Letters</i> , 2009 , 16, 37-42	1.1	3
49	Process Technology and Mechanical Properties of Polylactic Acid Ply Yarns and 316L Stainless Steel Braids. <i>Advanced Materials Research</i> , 2011 , 287-290, 2656-2659	0.5	3
48	Nephroureterectomy increase 5 year survival in patients on dialysis with upper urinary tract urothelial carcinoma. <i>Oncotarget</i> , 2017 , 8, 79876-79883	3.3	3
47	An in vitro assessment and comparative effectiveness of silanized-glutaraldehyde functionalized titanium surfaces with phosphatidylcholine and type I collagen grafts. <i>Dental Materials</i> , 2020 , 36, 320-328	5.7	3
46	Synthesis of nanorod apatites with templates at critical micelle concentrations and in vitro evaluation of cytotoxicity and antimicrobial activity. <i>Journal of Asian Ceramic Societies</i> , 1-12	2.4	3
45	Effects of Hinokitiol and Dicalcium Phosphate on the Osteoconduction and Antibacterial Activity of Gelatin-Hyaluronic Acid Crosslinked Hydrogel Membrane In Vitro. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	3
44	Comparison of optical and crystal properties of three translucent yttria-stabilized tetragonal zirconia polycrystals with those of lithium disilicate glass-ceramic material. <i>Journal of Dental Sciences</i> , 2021 , 16, 1247-1254	2.5	3
43	A comparison of the heat treatment duration and the multilayered effects on the poly(lactic) acid braid reinforced calcium phosphate cements used as bone tissue engineering scaffold. <i>Journal of Industrial Textiles</i> , 2017 , 46, 1668-1683	1.6	2

42	Preparation of electrospun silver/poly(vinyl alcohol) fibrous membranes and characterization of the effect of sterilization processes on the antibacterial activity. <i>Journal of Industrial Textiles</i> , 2020 , 152808372091334	1.6	2
41	Compressive Strength of Porous Bone Cement/Polylactic Acid Composite Bone Scaffolds. <i>Applied Mechanics and Materials</i> , 2013 , 365-366, 1062-1065	0.3	2
40	Immediate provisional restoration of a single-tooth implant in the esthetic zone: a case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2011 , 27, 80-4	2.4	2
39	Immediate implant placement following minimally invasive extraction: a case report with a 6-year follow-up. <i>Kaohsiung Journal of Medical Sciences</i> , 2011 , 27, 353-6	2.4	2
38	Preparation and applications of polyamide 6/IRM tooth root composite filling material. <i>Journal of Composite Materials</i> , 2012 , 46, 391-398	2.7	2
37	Preliminary Studies in Composite Scaffolds of Calcium Phosphate Bone Cement with Polylactide. <i>Applied Mechanics and Materials</i> , 2012 , 184-185, 1098-1101	0.3	2
36	Effect of Heat-Treated Process on Tensile Property of PLA Plied-Yarn. <i>Applied Mechanics and Materials</i> , 2012 , 184-185, 963-966	0.3	2
35	Effect of heat treatment on structure and properties of dispersed-type dental amalgam. <i>Journal of Materials Science: Materials in Medicine</i> , 2008 , 19, 83-93	4.5	2
34	The Significance of Neutrophil-to-Lymphocyte Ratio and Combined Chemoradiotherapy in Patients Undergoing Bladder Preservation Therapy for Muscle-Invasive Bladder Cancer. <i>Cancer Management and Research</i> , 2020 , 12, 13125-13135	3.6	2
33	Prognostic Significance of Neoadjuvant Rectal Scores in Preoperative Short-Course Radiotherapy and Long-Course Concurrent Chemoradiotherapy for Patients with Locally Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2020 , 27, 4309-4318	3.1	2
32	Survival-Weighted Health Profiles in Nasopharyngeal Cancer Patients. <i>Frontiers in Oncology</i> , 2021 , 11, 635667	5.3	2
31	Strength and Biocompatibility of Heparin-Based Calcium Phosphate Cement Grafted with Ferulic Acid. <i>Polymers</i> , 2021 , 13,	4.5	2
30	In Vitro Evaluation of Calcium Phosphate Bone Cement Composite Hydrogel Beads of Cross-Linked Gelatin-Alginate with Gentamicin-Impregnated Porous Scaffold. <i>Pharmaceutics</i> , 2021 , 14,	5.2	2
29	Advances of Hydroxyapatite Hybrid Organic Composite Used as Drug or Protein Carriers for Biomedical Applications: A Review.. <i>Polymers</i> , 2022 , 14,	4.5	2
28	As-casting performance of gold alloys and their de-bonding strengths in metal/ceramic systems. <i>International Journal of Cast Metals Research</i> , 2018 , 31, 153-161	1	1
27	Reply to "Statin use and the risk of cirrhosis development in patients with hepatitis C virus infection". <i>Journal of Hepatology</i> , 2016 , 64, 982-3	13.4	1
26	The possibility of recasting of pure titanium. <i>Journal of Dental Sciences</i> , 2017 , 12, 226-232	2.5	1
25	Activity-dependent neuroprotector homeobox protein level in Alzheimer's disease in Taiwanese. <i>Genomic Medicine, Biomarkers, and Health Sciences</i> , 2012 , 4, 48-50		1

24	Effects of 1-Ethyl-3-(3-Dimethylaminopropyl) Carbodiimide Cross-Linking Duration on the Structure of Chitosan/Gelatin Composite Bone Scaffolds. <i>Applied Mechanics and Materials</i> , 2013 , 457-458, 44-48	0.3	1
23	Morphology of Poly(vinyl alcohol)/Graphene Nanosheets Composite Nanofibers. <i>Applied Mechanics and Materials</i> , 2013 , 365-366, 1025-1029	0.3	1
22	Preparation and Properties Evaluation of Tencel/ PET Low Melting Point Fiber Dressing Fabric Coated by UV Cross-Linked Chitosan. <i>Advanced Materials Research</i> , 2011 , 332-334, 1848-1851	0.5	1
21	Processing Technology and Characteristic Evaluation of Polylactic Acid/316L Stainless Steel Composite Braids with Hydroxylapatite Deposition. <i>Advanced Materials Research</i> , 2011 , 332-334, 1951-1954	0.5	1
20	Preliminary Study of the Application of PET Knitted Fabrics in Artificial Bone Scaffold. <i>Applied Mechanics and Materials</i> , 2012 , 184-185, 1501-1504	0.3	1
19	Three Dimensional Stainless Steel Bone Scaffolds: Using the Electrochemical Technique to Coat Hydroxyapatite on Stainless Steel Braids. <i>Applied Mechanics and Materials</i> , 2012 , 184-185, 1371-1374	0.3	1
18	The Antibacterial and Remineralization Effect of Silver-Containing Mesoporous Bioactive Glass Sealing and Er-YAG Laser on Dentinal Tubules Treated in a Cultivated Environment. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	1
17	The Predictive Role of Prostate-Specific Antigen Changes Following Transurethral Resection of the Prostate for Patients with Localized Prostate Cancer. <i>Cancers</i> , 2020 , 13,	6.6	1
16	Clinical Outcomes of Taiwanese Patients with Resected Oral Cavity Squamous Cell Carcinoma Who Underwent Reconstruction with Free Versus Local Flaps. <i>Annals of Surgical Oncology</i> , 2021 , 29, 1130	3.1	1
15	Effect of 1 α ,25-Dihydroxyvitamin D3 on the Radiation Response in Prostate Cancer: Association With IL-6 Signaling. <i>Frontiers in Oncology</i> , 2021 , 11, 619365	5.3	1
14	Effect of pH on the In Vitro Biocompatibility of Surfactant-Assisted Synthesis and Hydrothermal Precipitation of Rod-Shaped Nano-Hydroxyapatite. <i>Polymers</i> , 2021 , 13,	4.5	1
13	Surgical Management of Severe Peri-Implantitis in the Esthetic Zone: A Case Report With a 6-Year Follow-Up. <i>Journal of Oral Implantology</i> , 2016 , 42, 86-92	1.2	0
12	Survival-Weighted Health Profiles in Patients Treated for Advanced Oral Cavity Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 754412	5.3	0
11	Surface Modified Characteristics of the Tetracalcium Phosphate as Light-Cured Composite Resin Fillers. <i>Journal of Nanomaterials</i> , 2014 , 2014, 1-9	3.2	
10	Effects of Forming Temperature on Structure and Chemical Properties of Calcium Phosphate Cement. <i>Advanced Materials Research</i> , 2014 , 910, 149-152	0.5	
9	Property Evaluation of Polylactic Acid Multilayer Braids Used as Bone Scaffolds. <i>Advanced Materials Research</i> , 2012 , 627, 844-848	0.5	
8	Thermodynamics of Calcium Phosphate Porous Scaffold on Beta Phase Tricalcium Phosphate Effects. <i>Applied Mechanics and Materials</i> , 2013 , 365-366, 983-986	0.3	
7	Response to the Comments on Dosimetric evaluations of the interplay effect in respiratory-gated intensity-modulated radiation therapy[<i>Med. Phys.</i> 36, 2340 (2009)]. <i>Medical Physics</i> , 2009 , 36, 2341-2342	4.4	

6	Preliminary Study of Manufacturing Technique Using Three Dimensions Stain Steel Braid for Bone Scaffold. <i>Applied Mechanics and Materials</i> , 2012 , 184-185, 1424-1427	0.3
5	Manufacturing Technique of the Biocompatible Polymer Nanofiber Membrane by Electrospinning. <i>Applied Mechanics and Materials</i> , 2012 , 184-185, 1404-1407	0.3
4	The Primary Study on PET/Spandex Tubular Braid. <i>Advanced Materials Research</i> , 2012 , 554-556, 214-217	0.5
3	Preliminary Study in Cross-Linked Gelatin/Alginate Sponges. <i>Applied Mechanics and Materials</i> , 2012 , 184-185, 1102-1105	0.3
2	Decreasing recurrence and increasing survival rates in patients of ethmoid or sphenoid intestinal-type adenocarcinomas: Systematic review and meta-analysis with 1126 cases. <i>Medicine (United States)</i> , 2021 , 100, e27341	1.8
1	Effect of different firing atmospheres on debonding strength of dental porcelain fused to commercially pure titanium. <i>Kaohsiung Journal of Medical Sciences</i> , 2020 , 36, 212-219	2.4