

# Axel Muendlein

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5068289/axel-muendlein-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48  
papers

1,023  
citations

20  
h-index

31  
g-index

51  
ext. papers

1,156  
ext. citations

3.6  
avg, IF

3.67  
L-index

#	Paper	IF	Citations
48	Serum glypican-4 is a marker of future vascular risk and mortality in coronary angiography patients.. <i>Atherosclerosis</i> , <b>2022</b> , 345, 33-38	3.1	1
47	Data on the association of serum glypican-4 with future major adverse cardiovascular events and mortality in patients undergoing coronary angiography.. <i>Data in Brief</i> , <b>2022</b> , 42, 108142	1.2	0
46	Elevated levels of apolipoprotein D predict poor outcome in patients with suspected or established coronary artery disease.. <i>Atherosclerosis</i> , <b>2021</b> , 341, 27-33	3.1	0
45	Type 2 diabetes and the risk of cardiovascular events in peripheral artery disease versus coronary artery disease. <i>BMJ Open Diabetes Research and Care</i> , <b>2021</b> , 9,	4.5	1
44	Significant impact of circulating tumour DNA mutations on survival in metastatic breast cancer patients. <i>Scientific Reports</i> , <b>2021</b> , 11, 6761	4.9	4
43	Real-time PCR based HLA-B*27 screening directly in whole blood. <i>Hla</i> , <b>2020</b> , 95, 189-195	1.9	1
42	Evaluation of the associations between circulating microRNAs and kidney function in coronary angiography patients. <i>American Journal of Physiology - Renal Physiology</i> , <b>2020</b> , 318, F315-F321	4.3	5
41	Serum Parathyroid Hormone Predicts Mortality in Coronary Angiography Patients with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	2
40	Serotonin is elevated in risk-genotype carriers of TCF7L2 - rs7903146. <i>Scientific Reports</i> , <b>2019</b> , 9, 12863	4.9	3
39	Are SGLT2 polymorphisms linked to diabetes mellitus and cardiovascular disease? Prospective study and meta-analysis. <i>Bioscience Reports</i> , <b>2019</b> , 39,	4.1	5
38	Data on the association between CTRP1 and future major adverse cardiovascular events in patients undergoing coronary angiography. <i>Data in Brief</i> , <b>2019</b> , 25, 104109	1.2	2
37	Real-time PCR based detection of the lactase non-persistence associated genetic variant LCT-13910C>T directly from whole blood. <i>Molecular Biology Reports</i> , <b>2019</b> , 46, 2379-2385	2.8	1
36	Direct blood PCR: TaqMan-probe based detection of the venous thromboembolism associated mutations factor V Leiden and prothrombin c.20210G>A without DNA extraction. <i>Clinica Chimica Acta</i> , <b>2019</b> , 488, 221-225	6.2	3
35	Quantitation of JAK2 V617F Allele Burden by Using the QuantStudioBD Digital PCR System. <i>Methods in Molecular Biology</i> , <b>2018</b> , 1768, 257-273	1.4	0
34	Serum uromodulin is a predictive biomarker for cardiovascular events and overall mortality in coronary patients. <i>International Journal of Cardiology</i> , <b>2017</b> , 231, 6-12	3.2	28
33	Coronary patients with high plasma omentin are at a higher cardiovascular risk. <i>Data in Brief</i> , <b>2016</b> , 6, 158-61	1.2	13
32	High plasma omentin predicts cardiovascular events independently from the presence and extent of angiographically determined atherosclerosis. <i>Atherosclerosis</i> , <b>2016</b> , 244, 38-43	3.1	31

31	High plasma chemerin is associated with renal dysfunction and predictive for cardiovascular events - Insights from phenotype and genotype characterization. <i>Vascular Pharmacology</i> , <b>2016</b> , 77, 60-8	5.9	29
30	Quercetin Impacts Expression of Metabolism- and Obesity-Associated Genes in SGBS Adipocytes. <i>Nutrients</i> , <b>2016</b> , 8,	6.7	30
29	Prevalence of calreticulin exon 9 indel mutations in vascular risk patients. <i>Thrombosis Research</i> , <b>2016</b> , 144, 215-7	8.2	3
28	Plasma C20-Sphingolipids predict cardiovascular events independently from conventional cardiovascular risk factors in patients undergoing coronary angiography. <i>Atherosclerosis</i> , <b>2015</b> , 240, 216-21	3.1	12
27	Evaluation of BRCA1/2 mutational status among German and Austrian women with triple-negative breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2015</b> , 141, 2005-12	4.9	20
26	Common single nucleotide polymorphisms at the NPC1L1 gene locus significantly predict cardiovascular risk in coronary patients. <i>Atherosclerosis</i> , <b>2015</b> , 242, 340-5	3.1	12
25	Occurrence of the JAK2 V617F mutation in patients with peripheral arterial disease. <i>American Journal of Hematology</i> , <b>2015</b> , 90, E17-21	7.1	10
24	Accurate quantitation of JAK2 V617F allele burden by array-based digital PCR. <i>International Journal of Laboratory Hematology</i> , <b>2015</b> , 37, 217-24	2.5	35
23	Confirmation of Host Genetic Determinants in the CFH Region and Susceptibility to Meningococcal Disease in a Central European Study Sample. <i>Pediatric Infectious Disease Journal</i> , <b>2015</b> , 34, 1115-7	3.4	8
22	Plasma levels of trimethylamine-N-oxide are confounded by impaired kidney function and poor metabolic control. <i>Atherosclerosis</i> , <b>2015</b> , 243, 638-44	3.1	130
21	Hypoxia induces a HIF-1 $\alpha$ -dependent signaling cascade to make a complex metabolic switch in SGBS-adipocytes. <i>Molecular and Cellular Endocrinology</i> , <b>2014</b> , 383, 21-31	4.4	17
20	Angiopietin-like protein 4 significantly predicts future cardiovascular events in coronary patients. <i>Atherosclerosis</i> , <b>2014</b> , 237, 632-8	3.1	33
19	Significant survival impact of MACC1 polymorphisms in HER2 positive breast cancer patients. <i>European Journal of Cancer</i> , <b>2014</b> , 50, 2134-41	7.5	24
18	Evaluation of the prevalence and prospective clinical impact of the JAK2 V617F mutation in coronary patients. <i>American Journal of Hematology</i> , <b>2014</b> , 89, 295-301	7.1	12
17	Genome-wide association study reveals a polymorphism in the podocyte receptor RANK for the decline of renal function in coronary patients. <i>PLoS ONE</i> , <b>2014</b> , 9, e114240	3.7	3
16	Association of a common genetic variant of the IGF-1 gene with event-free survival in patients with HER2-positive breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2013</b> , 139, 491-8	4.9	15
15	Association between the chromosome 9p21 locus and angiographic coronary artery disease burden: a collaborative meta-analysis. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 957-70	15.1	56
14	Are AHSR polymorphisms directly associated with coronary atherosclerosis?. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 287-90	6.2	11

13	A common variant of the MACC1 gene is significantly associated with overall survival in colorectal cancer patients. <i>BMC Cancer</i> , <b>2012</b> , 12, 20	4.8	24
12	Optimized allele-specific real-time PCR assays for the detection of common mutations in KRAS and BRAF. <i>Journal of Molecular Diagnostics</i> , <b>2011</b> , 13, 23-8	5.1	78
11	Single nucleotide polymorphisms of TCF7L2 are linked to diabetic coronary atherosclerosis. <i>PLoS ONE</i> , <b>2011</b> , 6, e17978	3.7	57
10	Identification of hypoxia-induced genes in human SGBS adipocytes by microarray analysis. <i>PLoS ONE</i> , <b>2011</b> , 6, e26465	3.7	45
9	Serial decline of kidney function as a novel biomarker for the progression of atherothrombotic disease. <i>Atherosclerosis</i> , <b>2010</b> , 211, 348-52	3.1	14
8	CD14 C-159T and toll-like receptor 4 Asp299Gly polymorphisms in surviving meningococcal disease patients. <i>PLoS ONE</i> , <b>2009</b> , 4, e7374	3.7	20
7	Evaluation of the association of genetic variants on the chromosomal loci 9p21.3, 6q25.1, and 2q36.3 with angiographically characterized coronary artery disease. <i>Atherosclerosis</i> , <b>2009</b> , 205, 174-80	3.1	30
6	Significant impact of chromosomal locus 1p13.3 on serum LDL cholesterol and on angiographically characterized coronary atherosclerosis. <i>Atherosclerosis</i> , <b>2009</b> , 206, 494-9	3.1	38
5	Type 2 diabetes significantly modulates the cardiovascular risk conferred by the PAI-1 -675 4G/5G polymorphism in angiographed coronary patients. <i>Clinica Chimica Acta</i> , <b>2008</b> , 396, 18-22	6.2	10
4	Low serum adiponectin is independently associated with both the metabolic syndrome and angiographically determined coronary atherosclerosis. <i>Clinica Chimica Acta</i> , <b>2007</b> , 383, 97-102	6.2	18
3	The -11377 C>G promoter variant of the adiponectin gene, prevalence of coronary atherosclerosis, and incidence of vascular events in men. <i>Thrombosis and Haemostasis</i> , <b>2007</b> , 97, 451-457	7	29
2	Estrogen-metabolizing gene polymorphisms in the assessment of breast carcinoma risk and fibroadenoma risk in Caucasian women. <i>Cancer</i> , <b>2004</b> , 101, 264-9	6.4	78
1	DNA microarray-based analysis of single nucleotide polymorphisms may be useful for assessing the risks and benefits of hormone therapy. <i>Fertility and Sterility</i> , <b>2004</b> , 82, 132-7	4.8	22