

Giovanna Sarno

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5068497/publications.pdf>

Version: 2024-02-01

25
papers

924
citations

623734

14
h-index

677142

22
g-index

26
all docs

26
docs citations

26
times ranked

1792
citing authors

#	ARTICLE	IF	CITATIONS
1	Lower risk of stent thrombosis and restenosis with unrestricted use of "new-generation"™ drug-eluting stents: a report from the nationwide Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>European Heart Journal</i> , 2012, 33, 606-613.	2.2	327
2	Stent Thrombosis in New-Generation Drug-Eluting Stents in Patients With STEMI Undergoing Primary PCI. <i>Journal of the American College of Cardiology</i> , 2014, 64, 16-24.	2.8	110
3	Gender Differences in Outcomes and Predictors of All-Cause Mortality After Percutaneous Coronary Intervention (Data from United Kingdom and Sweden). <i>American Journal of Cardiology</i> , 2017, 119, 210-216.	1.6	81
4	Prognosis of elderly patients with ST-elevation myocardial infarction treated with primary percutaneous coronary intervention in 2001 to 2011: A report from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR) registry. <i>American Heart Journal</i> , 2014, 167, 666-673.	2.7	65
5	Novel Indices of Coronary Physiology. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008487.	3.9	44
6	Incidence and outcome of myocardial infarction treated with percutaneous coronary intervention during COVID-19 pandemic. <i>Heart</i> , 2020, 106, 1812-1818.	2.9	40
7	Real-life clinical outcomes with everolimus eluting platinum chromium stent with an abluminal biodegradable polymer in patients from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>Catheterization and Cardiovascular Interventions</i> , 2017, 90, 881-887.	1.7	35
8	Percutaneous Treatment and Outcomes of Small Coronary Vessels. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 793-804.	2.9	30
9	Survival of Patients With Angina Pectoris Undergoing Percutaneous Coronary Intervention With Intracoronary Pressure Wire Guidance. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2785-2799.	2.8	27
10	Initial clinical experience with an everolimus eluting platinum chromium stent (Promus Element) in unselected patients from the Swedish Coronary Angiography and Angioplasty Registry (SCAAR). <i>International Journal of Cardiology</i> , 2013, 167, 146-150.	1.7	24
11	Stent thrombosis rates the first year and beyond with new- and old-generation drug-eluting stents compared to bare metal stents. <i>Clinical Research in Cardiology</i> , 2018, 107, 816-823.	3.3	21
12	Timing of percutaneous coronary intervention in patients with non-ST-elevation myocardial infarction: a SWEDEHEART study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2017, 3, 53-60.	4.0	18
13	Clinical and angiographic outcomes of bioabsorbable vs. permanent polymer drug-eluting stents in Sweden: a report from the Swedish Coronary and Angioplasty Registry (SCAAR). <i>European Heart Journal</i> , 2019, 40, 2607-2615.	2.2	17
14	Assessing the Nationwide Impact of a Registry-Based Randomized Clinical Trial on Cardiovascular Practice. <i>Circulation: Cardiovascular Interventions</i> , 2019, 12, e007381.	3.9	16
15	Radial artery access is associated with lower mortality in patients undergoing primary PCI: a report from the SWEDEHEART registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 323-332.	1.0	16
16	Combined association of key risk factors on ischaemic outcomes and bleeding in patients with myocardial infarction. <i>Heart</i> , 2019, 105, heartjnl-2018-314590.	2.9	12
17	Impact of thrombus aspiration during ST-Elevation Myocardial Infarction: a six month composite endpoint and risk of stroke analyses of the TASTE trial. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 62.	1.7	10
18	Validation of the academic research consortium high bleeding risk criteria in patients undergoing percutaneous coronary intervention: A systematic review and meta-analysis of 10 studies and 67,862 patients. <i>International Journal of Cardiology</i> , 2022, 347, 8-15.	1.7	10

#	ARTICLE	IF	CITATIONS
19	Bivalirudin versus heparin monotherapy in non-ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 492-501.	1.0	8
20	Bivalirudin Versus Heparin Monotherapy in ST-Segmentâ€Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e008969.	3.9	7
21	Radial versus femoral access in patients with acute coronary syndrome undergoing invasive management: A prespecified subgroup analysis from VALIDATE-SWEDEHEART. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 510-519.	1.0	4
22	Reply. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1380-1381.	2.9	2
23	Response to the letter to the editor by Ariza-SolÃ© et al. <i>American Heart Journal</i> , 2014, 168, e5.	2.7	0
24	Will CULPRIT-SHOCK change my practice? The CULPRIT-SHOCK trial: culprit lesion-only PCI vs. multivessel PCI in patients with acute myocardial infarction and cardiogenic shock. <i>EuroIntervention</i> , 2018, 14, 955-958.	3.2	0
25	600â€fValidation of the academic research consortium high bleeding risk criteria in patients undergoing percutaneous coronary intervention: a systematic review and meta-analysis of 10 studies and 67âˆ862 patients. <i>European Heart Journal Supplements</i> , 2021, 23, .	0.1	0