

Maria Svelto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5069466/publications.pdf>

Version: 2024-02-01

185
papers

7,761
citations

34016

52
h-index

74018

75
g-index

188
all docs

188
docs citations

188
times ranked

7182
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of pericytes in bloodâ€‘brain barrier preservation during ischemia through tunneling nanotubes. <i>Cell Death and Disease</i> , 2022, 13, .	2.7	16
2	Orthogonal arrays of particle assembly are essential for normal aquaporinâ€‘4 expression level in the brain. <i>Glia</i> , 2021, 69, 473-488.	2.5	20
3	Regulation of aquaporinâ€‘4 expression in the central nervous system investigated using M23â€‘AQP4 null mouse. <i>Glia</i> , 2021, 69, 2235-2251.	2.5	13
4	Activation of the Thiazide-Sensitive Sodium-Chloride Cotransporter by Beta3-Adrenoreceptor in the Distal Convuluted Tubule. <i>Frontiers in Physiology</i> , 2021, 12, 695824.	1.3	3
5	Proâ€‘inflammatory cytokines as emerging molecular determinants in cardiolaminopathies. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 10902-10915.	1.6	12
6	Aquaporin-1 Facilitates Transmesothelial Water Permeability: In Vitro and Ex Vivo Evidence and Possible Implications in Peritoneal Dialysis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12535.	1.8	5
7	Role of PKC in the Regulation of the Human Kidney Chloride Channel ClC-Ka. <i>Scientific Reports</i> , 2020, 10, 10268.	1.6	3
8	Functional study of a KCNH2 mutant: Novel insights on the pathogenesis of the LQT2 syndrome. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 6331-6342.	1.6	10
9	Transplantation of clinical-grade human neural stem cells reduces neuroinflammation, prolongs survival and delays disease progression in the SOD1 rats. <i>Cell Death and Disease</i> , 2019, 10, 345.	2.7	28
10	AQP4 Aggregation State Is a Determinant for Glioma Cell Fate. <i>Cancer Research</i> , 2019, 79, 2182-2194.	0.4	39
11	AQP1-Containing Exosomes in Peritoneal Dialysis Effluent As Biomarker of Dialysis Efficiency. <i>Cells</i> , 2019, 8, 330.	1.8	23
12	Host-Cell Type Dependent Features of Recombinant Human Aquaporin-4 Orthogonal Arrays of Particlesâ€‘New Insights for Structural and Functional Studies. <i>Cells</i> , 2019, 8, 119.	1.8	3
13	Inhibiting the urokinaseâ€‘type plasminogen activator receptor system recovers <scp>STZ</scp>â€‘induced diabetic nephropathy. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 1034-1049.	1.6	22
14	Aquaporinâ€‘1 inhibition reduces metastatic formation in a mouse model of melanoma. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 904-912.	1.6	21
15	Supramolecular aggregation of aquaporinâ€‘4 is different in muscle and brain: correlation with tissue susceptibility in neuromyelitis optica. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 1236-1246.	1.6	14
16	Potential role of the methylation of VEGF gene promoter in response to hypoxia in oxygenâ€‘induced retinopathy: beneficial effect of the absence of AQP4. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 613-627.	1.6	32
17	Role of Lamin A/C Gene Mutations in the Signaling Defects Leading to Cardiomyopathies. <i>Frontiers in Physiology</i> , 2018, 9, 1356.	1.3	27
18	Dandelion Root Extract Induces Intracellular Ca ²⁺ Increases in HEK293 Cells. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1112.	1.8	11

#	ARTICLE	IF	CITATIONS
19	Human \hat{I}^{23} -Adrenoreceptor is Resistant to Agonist-Induced Desensitization in Renal Epithelial Cells. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 847-862.	1.1	18
20	Orthogonal Arrays of Particles alter cytoskeleton and cell invasion dynamics in GBM and glioma cells. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, OR34-2.	0.0	0
21	Translational readthrough generates new astrocyte AQP4 isoforms that modulate supramolecular clustering, glial endfeet localization, and water transport. <i>Glia</i> , 2017, 65, 790-803.	2.5	70
22	Role of the H-bond between L53 and T56 for Aquaporin-4 epitope in Neuromyelitis Optica. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 368-376.	1.4	2
23	Dynamical modeling of liver Aquaporin-9 expression and glycerol permeability in hepatic glucose metabolism. <i>European Journal of Cell Biology</i> , 2017, 96, 61-69.	1.6	21
24	Massive transcriptome sequencing of human spinal cord tissues provides new insights into motor neuron degeneration in ALS. <i>Scientific Reports</i> , 2017, 7, 10046.	1.6	99
25	Hereditary Nephrogenic Diabetes Insipidus: Pathophysiology and Possible Treatment. An Update. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2385.	1.8	56
26	Urinary Excretion of Kidney Aquaporins as Possible Diagnostic Biomarker of Diabetic Nephropathy. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-13.	1.0	42
27	Spilanthol from <i>Acmella Oleracea</i> Lowers the Intracellular Levels of cAMP Impairing NKCC2 Phosphorylation and Water Channel AQP2 Membrane Expression in Mouse Kidney. <i>PLoS ONE</i> , 2016, 11, e0156021.	1.1	39
28	Hepatocyte and Sertoli Cell Aquaporins, Recent Advances and Research Trends. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1096.	1.8	26
29	\hat{I}^{23} adrenergic receptor in the kidney may be a new player in sympathetic regulation of renal function. <i>Kidney International</i> , 2016, 90, 555-567.	2.6	34
30	Glio-vascular modifications caused by Aquaporin-4 deletion in the mouse retina. <i>Experimental Eye Research</i> , 2016, 146, 259-268.	1.2	42
31	The speed of swelling kinetics modulates cell volume regulation and calcium signaling in astrocytes: A different point of view on the role of aquaporins. <i>Glia</i> , 2016, 64, 139-154.	2.5	91
32	The expression of Lamin A mutant R321X leads to endoplasmic reticulum stress with aberrant Ca^{2+} handling. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 2194-2207.	1.6	15
33	Clinical and Functional Characterization of a Novel Mutation in Lamin A/C Gene in a Multigenerational Family with Arrhythmogenic Cardiac Laminopathy. <i>PLoS ONE</i> , 2015, 10, e0121723.	1.1	43
34	Development of an Aquaporin-4 Orthogonal Array of Particle-Based ELISA for Neuromyelitis Optica Autoantibodies Detection. <i>PLoS ONE</i> , 2015, 10, e0143679.	1.1	7
35	The Authors Reply:. <i>Kidney International</i> , 2015, 87, 862-863.	2.6	0
36	Negative feedback from CaSR signaling to aquaporin-2 sensitizes vasopressin to extracellular Ca^{2+} . <i>Journal of Cell Science</i> , 2015, 128, 2350-2360.	1.2	22

#	ARTICLE	IF	CITATIONS
37	Conditionally immortalized human proximal tubular epithelial cells isolated from the urine of a healthy subject express functional calcium-sensing receptor. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F1200-F1206.	1.3	18
38	A novel therapeutic effect of statins on nephrogenic diabetes insipidus. <i>Journal of Cellular and Molecular Medicine</i> , 2015, 19, 265-282.	1.6	29
39	NKCC2 activity is inhibited by the Bartter's syndrome type 5 gain-of-function Ca ^v 4.3 mutant in renal cells. <i>Biology of the Cell</i> , 2015, 107, 98-110.	0.7	22
40	Rosiglitazone Promotes AQP2 Plasma Membrane Expression In Renal Cells Via a Ca ²⁺ -Dependent/cAMP-Independent Mechanism. <i>Cellular Physiology and Biochemistry</i> , 2015, 35, 1070-1085.	1.1	25
41	Reduced hepatic aquaporin-9 and glycerol permeability are related to insulin resistance in non-alcoholic fatty liver disease. <i>International Journal of Obesity</i> , 2014, 38, 1213-1220.	1.6	71
42	Glutathionylation of the Aquaporin-2 Water Channel. <i>Journal of Biological Chemistry</i> , 2014, 289, 27807-27813.	1.6	32
43	Combination of secretin and fluvastatin ameliorates the polyuria associated with X-linked nephrogenic diabetes insipidus in mice. <i>Kidney International</i> , 2014, 86, 127-138.	2.6	56
44	Biomechanical investigation of colorectal cancer cells. <i>Applied Physics Letters</i> , 2014, 105, 123701.	1.5	34
45	Na ⁺ /K ⁺ -ATPase β 1-subunit is recruited in Na-K-2Cl co-transporter isoform 2 multiprotein complexes in rat kidneys. <i>Journal of Hypertension</i> , 2014, 32, 1842-1853.	0.3	7
46	A Protein Kinase A-independent Pathway Controlling Aquaporin 2 Trafficking as a Possible Cause for the Syndrome of Inappropriate Antidiuresis Associated with Polycystic Kidney Disease 1 Haploinsufficiency. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2241-2253.	3.0	25
47	A novel human aquaporin-4 splice variant exhibits a dominant-negative activity: a new mechanism to regulate water permeability. <i>Molecular Biology of the Cell</i> , 2014, 25, 470-480.	0.9	36
48	Extracellular GTP is a Potent Water-Transport Regulator via Aquaporin 5 Plasma-Membrane Insertion in M1-CCD Epithelial Cortical Collecting Duct Cells. <i>Cellular Physiology and Biochemistry</i> , 2014, 33, 731-746.	1.1	10
49	Identification of a Point Mutation Impairing the Binding between Aquaporin-4 and Neuromyelitis Optica Autoantibodies. <i>Journal of Biological Chemistry</i> , 2014, 289, 30578-30589.	1.6	26
50	Functional reconstitution of a rice aquaporin water channel, PIP1;1, by a micro-batchwise methodology. <i>Plant Physiology and Biochemistry</i> , 2014, 85, 78-84.	2.8	6
51	Role of nuclear Lamin A/C in cardiomyocyte functions. <i>Biology of the Cell</i> , 2014, 106, 346-358.	0.7	35
52	β 3-adrenergic receptor activity modulates melanoma cell proliferation and survival through nitric oxide signaling. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014, 387, 533-543.	1.4	39
53	A decrease in aquaporin 2 excretion is associated with bed rest induced high calciuria. <i>Journal of Translational Medicine</i> , 2014, 12, 133.	1.8	25
54	Functional involvement of β 3-adrenergic receptors in melanoma growth and vascularization. <i>Journal of Molecular Medicine</i> , 2013, 91, 1407-1419.	1.7	78

#	ARTICLE	IF	CITATIONS
55	High-throughput fluorescent-based NKCC functional assay in adherent epithelial cells. <i>BMC Cell Biology</i> , 2013, 14, 16.	3.0	23
56	Aquaporin-4 orthogonal arrays of particles from a physiological and pathophysiological point of view. <i>Environmental Sciences Europe</i> , 2013, 2, 143-154.	2.6	4
57	Inhibition of aquaporin-1 dependent angiogenesis impairs tumour growth in a mouse model of melanoma. <i>Journal of Molecular Medicine</i> , 2013, 91, 613-623.	1.7	53
58	New Insights into the CD133 (Prominin-1) Expression in Mouse and Human Colon Cancer Cells. <i>Advances in Experimental Medicine and Biology</i> , 2013, 777, 145-166.	0.8	5
59	siRNA-Chitosan Complexes in Poly(lactic-co-glycolic acid) Nanoparticles for the Silencing of Aquaporin-1 in Cancer Cells. <i>Molecular Pharmaceutics</i> , 2013, 10, 3186-3194.	2.3	22
60	Preparative scale production and functional reconstitution of a human aquaglyceroporin (AQP3) using a cell free expression system. <i>New Biotechnology</i> , 2013, 30, 545-551.	2.4	22
61	Effect of Roscovitine on Intracellular Calcium Dynamics: Differential Enantioselective Responses. <i>Molecular Pharmaceutics</i> , 2013, 10, 4620-4628.	2.3	6
62	Co-Regulated Pendrin and Aquaporin 5 Expression and Trafficking in Type-B Intercalated Cells under Potassium Depletion. <i>Cellular Physiology and Biochemistry</i> , 2013, 32, 184-199.	1.1	19
63	A FRET-Based Approach for Quantitative Evaluation of Forskolin-Induced Pendrin Trafficking at the Plasma Membrane in Bronchial NCI H292 Cells. <i>Cellular Physiology and Biochemistry</i> , 2013, 32, 200-209.	1.1	13
64	AQP4-Dependent Water Transport Plays a Functional Role in Exercise-Induced Skeletal Muscle Adaptations. <i>PLoS ONE</i> , 2013, 8, e58712.	1.1	32
65	Liver Glycerol Permeability and Aquaporin-9 Are Dysregulated in a Murine Model of Non-Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2013, 8, e78139.	1.1	48
66	Aquaporin-4 Autoantibodies in Neuromyelitis Optica: AQP4 Isoform-Dependent Sensitivity and Specificity. <i>PLoS ONE</i> , 2013, 8, e79185.	1.1	38
67	Excessive Signal Transduction of Gain-of-Function Variants of the Calcium-Sensing Receptor (CaSR) Are Associated with Increased ER to Cytosol Calcium Gradient. <i>PLoS ONE</i> , 2013, 8, e79113.	1.1	28
68	In-vivo administration of CLC-K kidney chloride channels inhibitors increases water diuresis in rats. <i>Journal of Hypertension</i> , 2012, 30, 153-167.	0.3	27
69	Identification of moesin as NKCC2-interacting protein and analysis of its functional role in the NKCC2 apical trafficking. <i>Biology of the Cell</i> , 2012, 104, 658-676.	0.7	10
70	Cell culture models and animal models for studying the patho-physiological role of renal aquaporins. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 1931-1946.	2.4	23
71	Potential benefits of taurine in the prevention of skeletal muscle impairment induced by disuse in the hindlimb-unloaded rat. <i>Amino Acids</i> , 2012, 43, 431-445.	1.2	33
72	Na ⁺ K ⁺ 2Cl ⁻ cotransporter type 2 trafficking and activity: The role of interacting proteins. <i>Biology of the Cell</i> , 2012, 104, 201-212.	0.7	14

#	ARTICLE	IF	CITATIONS
73	Biophysical assessment of aquaporinâ€9 as principal facilitative pathway in mouse liver import of glucogenetic glycerol. <i>Biology of the Cell</i> , 2012, 104, 342-351.	0.7	93
74	Calcium-Sensing Receptor and Aquaporin 2 Interplay in Hypercalciuria-Associated Renal Concentrating Defect in Humans. An In Vivo and In Vitro Study. <i>PLoS ONE</i> , 2012, 7, e33145.	1.1	58
75	Altered Expression of Renal Aquaporins and Â-Adducin Polymorphisms May Contribute to the Establishment of Salt-Sensitive Hypertension. <i>American Journal of Hypertension</i> , 2011, 24, 822-828.	1.0	20
76	D184E mutation in aquaporin-4 gene impairs water permeability and links to deafness. <i>Neuroscience</i> , 2011, 197, 80-88.	1.1	31
77	Absence of Aquaporin-4 in Skeletal Muscle Alters Proteins Involved in Bioenergetic Pathways and Calcium Handling. <i>PLoS ONE</i> , 2011, 6, e19225.	1.1	22
78	Cerebral cortex demyelination and oligodendrocyte precursor response to experimental autoimmune encephalomyelitis. <i>Neurobiology of Disease</i> , 2011, 43, 678-689.	2.1	53
79	NKCC2 is activated in Milan hypertensive rats contributing to the maintenance of salt-sensitive hypertension. <i>Pflugers Archiv European Journal of Physiology</i> , 2011, 462, 281-291.	1.3	27
80	Fluvastatin modulates renal water reabsorption in vivo through increased AQP2 availability at the apical plasma membrane of collecting duct cells. <i>Pflugers Archiv European Journal of Physiology</i> , 2011, 462, 753-766.	1.3	56
81	Aquaporin Membrane Channels: Biophysics, Classification, Functions, and Possible Biotechnological Applications. <i>Food Biophysics</i> , 2011, 6, 241-249.	1.4	30
82	Translational regulation mechanisms of aquaporinâ€4 supramolecular organization in astrocytes. <i>Glia</i> , 2011, 59, 1923-1932.	2.5	27
83	Activation of TYRO3/AXL Tyrosine Kinase Receptors in Thyroid Cancer. <i>Cancer Research</i> , 2011, 71, 1792-1804.	0.4	87
84	EGF Stimulates ICl<sub>swell</sub> by a Redistribution of Proteins Involved in Cell Volume Regulation. <i>Cellular Physiology and Biochemistry</i> , 2011, 28, 1191-1202.	1.1	10
85	Integrin Signaling Modulates AQP2 Trafficking via Arg-Gly-Asp (RGD) Motif. <i>Cellular Physiology and Biochemistry</i> , 2011, 27, 739-748.	1.1	51
86	AQP5 Is Expressed In Type-B Intercalated Cells in the Collecting Duct System of the Rat, Mouse and Human Kidney. <i>Cellular Physiology and Biochemistry</i> , 2011, 28, 683-692.	1.1	48
87	Altered urinary excretion of aquaporin 2 in IgA nephropathy. <i>European Journal of Endocrinology</i> , 2011, 165, 657-664.	1.9	12
88	Identification of Two Major Conformational Aquaporin-4 Epitopes for Neuromyelitis Optica Autoantibody Binding. <i>Journal of Biological Chemistry</i> , 2011, 286, 9216-9224.	1.6	59
89	Analysis by two-dimensional Blue Native/SDS-PAGE of membrane protein alterations in rat soleus muscle after hindlimb unloading. <i>European Journal of Applied Physiology</i> , 2010, 110, 1215-1224.	1.2	29
90	Polarized traffic towards the cell surface: how to find the route. <i>Biology of the Cell</i> , 2010, 102, 75-91.	0.7	28

#	ARTICLE	IF	CITATIONS
91	Aquaporin-2 urinary excretion in preterm infants: relationship to diuresis and vasopressin. <i>Acta Physiologica</i> , 2010, 200, 339-345.	1.8	7
92	The K ⁺ ATP channel is a molecular sensor of atrophy in skeletal muscle. <i>Journal of Physiology</i> , 2010, 588, 773-784.	1.3	44
93	Differential Modulation of Intracellular Ca ²⁺ Responses Associated with Calcium-Sensing Receptor Activation in Renal Collecting Duct Cells. <i>Cellular Physiology and Biochemistry</i> , 2010, 26, 901-912.	1.1	13
94	MAL/VIP17, a New Player in the Regulation of NKCC2 in the Kidney. <i>Molecular Biology of the Cell</i> , 2010, 21, 3985-3997.	0.9	30
95	Evidences for a Leaky Scanning Mechanism for the Synthesis of the Shorter M23 Protein Isoform of Aquaporin-4. <i>Journal of Biological Chemistry</i> , 2010, 285, 4562-4569.	1.6	58
96	Aquaporin-8-facilitated mitochondrial ammonia transport. <i>Biochemical and Biophysical Research Communications</i> , 2010, 393, 217-221.	1.0	91
97	Higher order structure of aquaporin-4. <i>Neuroscience</i> , 2010, 168, 903-914.	1.1	48
98	Biophysical assessment of AQP9 as real membrane pathway in hepatocyte glycerol uptake. <i>FASEB Journal</i> , 2010, 24, 1000.7.	0.2	1
99	Aquaporin-4 orthogonal arrays of particles are the target for neuromyelitis optica autoantibodies. <i>Glia</i> , 2009, 57, 1363-1373.	2.5	143
100	Automated Cell-Based Assay for Screening of Aquaporin Inhibitors. <i>Analytical Chemistry</i> , 2009, 81, 8219-8229.	3.2	62
101	News and views on mitochondrial water transport. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 4189.	3.0	20
102	Aquaporins in the hepatobiliary tract. Which, where and what they do in health and disease. <i>European Journal of Clinical Investigation</i> , 2008, 38, 1-10.	1.7	46
103	Effect of microgravity on gene expression in mouse brain. <i>Experimental Brain Research</i> , 2008, 191, 289-300.	0.7	48
104	Functional involvement of Annexin-2 in cAMP induced AQP2 trafficking. <i>Pflügers Archiv European Journal of Physiology</i> , 2008, 456, 729-736.	1.3	33
105	Dystrophin-dependent and -independent AQP4 pools are expressed in the mouse brain. <i>Glia</i> , 2008, 56, 869-876.	2.5	64
106	Actin cytoskeleton remodeling governs aquaporin-4 localization in astrocytes. <i>Glia</i> , 2008, 56, 1755-1766.	2.5	65
107	Expression of multiple AQP4 pools in the plasma membrane and their association with the dystrophin complex. <i>Journal of Neurochemistry</i> , 2008, 105, 2156-2165.	2.1	60
108	Gentamicin treatment in exercised mdx mice: Identification of dystrophin-sensitive pathways and evaluation of efficacy in work-loaded dystrophic muscle. <i>Neurobiology of Disease</i> , 2008, 32, 243-253.	2.1	44

#	ARTICLE	IF	CITATIONS
109	Aquaporin 2 and Apical Calcium-Sensing Receptor: New Players in Polyuric Disorders Associated With Hypercalciuria. <i>Seminars in Nephrology</i> , 2008, 28, 297-305.	0.6	39
110	Aquaporin-4 expression is severely reduced in human sarcoglycanopathies and dysferlinopathies. <i>Cell Cycle</i> , 2008, 7, 2199-2207.	1.3	20
111	AQP2 exocytosis in the renal collecting duct involves involvement of SNARE isoforms and the regulatory role of Munc18b. <i>Journal of Cell Science</i> , 2008, 121, 2097-2106.	1.2	54
112	Altered expression and distribution of aquaporin-9 in the liver of rat with obstructive extrahepatic cholestasis. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, G682-G690.	1.6	43
113	Aquaporin 2 and Adducin Polymorphism Impact on Essential Hypertension. <i>FASEB Journal</i> , 2008, 22, 934.25.	0.2	0
114	Triiodothyronine modulates the expression of aquaporin-8 in rat liver mitochondria. <i>Journal of Endocrinology</i> , 2007, 192, 111-120.	1.2	30
115	Aquaporins as Targets for Drug Discovery. <i>Current Pharmaceutical Design</i> , 2007, 13, 2421-2427.	0.9	63
116	Hypotonicity Induces Aquaporin-2 Internalization and Cytosol-to-Membrane Translocation of ICln in Renal Cells. <i>Endocrinology</i> , 2007, 148, 1118-1130.	1.4	68
117	Characterization of Two Novel Missense Mutations in the <i>AQP2</i> Gene Causing Nephrogenic Diabetes Insipidus. <i>Nephron Physiology</i> , 2007, 105, p33-p41.	1.5	49
118	Hypotonicity causes actin reorganization and recruitment of the actin-binding ERM protein moesin in membrane protrusions in collecting duct principal cells. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 292, C1476-C1484.	2.1	25
119	Different pattern of aquaporin-4 expression in extensor digitorum longus and soleus during early development. <i>Muscle and Nerve</i> , 2007, 35, 625-631.	1.0	10
120	Functional down-regulation of volume-regulated anion channels in AQP4 knockdown cultured rat cortical astrocytes. <i>Journal of Neurochemistry</i> , 2007, 100, 87-104.	2.1	63
121	Trafficking and phosphorylation dynamics of AQP4 in histamine-treated human gastric cells. <i>Biology of the Cell</i> , 2007, 99, 25-36.	0.7	48
122	Water permeability of rat liver mitochondria: A biophysical study. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2006, 1758, 1018-1024.	1.4	36
123	Effects of chronic treatment with statins and fenofibrate on rat skeletal muscle: a biochemical, histological and electrophysiological study. <i>British Journal of Pharmacology</i> , 2006, 149, 909-919.	2.7	50
124	Adult murine CNS stem cells express aquaporin channels. <i>Biology of the Cell</i> , 2006, 98, 89-94.	0.7	25
125	Gallbladder histopathology during murine gallstone formation: relation to motility and concentrating function. <i>Journal of Lipid Research</i> , 2006, 47, 32-41.	2.0	73
126	Water Transport into Bile and Role in Bile Formation. <i>Current Drug Targets Immune, Endocrine and Metabolic Disorders</i> , 2005, 5, 137-142.	1.8	13

#	ARTICLE	IF	CITATIONS
127	Actin remodeling requires ERM function to facilitate AQP2 apical targeting. <i>Journal of Cell Science</i> , 2005, 118, 3623-3630.	1.2	67
128	Minireview: Aquaporin 2 Trafficking. <i>Endocrinology</i> , 2005, 146, 5063-5070.	1.4	152
129	The Inner Mitochondrial Membrane Has Aquaporin-8 Water Channels and Is Highly Permeable to Water. <i>Journal of Biological Chemistry</i> , 2005, 280, 17149-17153.	1.6	194
130	Bradykinin Signaling Counteracts cAMP-Elicited Aquaporin 2 Translocation in Renal Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2881-2889.	3.0	43
131	Recovery of the soleus muscle after short- and long-term disuse induced by hindlimb unloading: effects on the electrical properties and myosin heavy chain profile. <i>Neurobiology of Disease</i> , 2005, 18, 356-365.	2.1	76
132	A Multidisciplinary Evaluation of the Effectiveness of Cyclosporine A in Dystrophic Mdx Mice. <i>American Journal of Pathology</i> , 2005, 166, 477-489.	1.9	107
133	Expression and subcellular localization of the AQP8 and AQP1 water channels in the mouse gallbladder epithelium. <i>Biology of the Cell</i> , 2005, 97, 415-423.	0.7	43
134	Altered expression of aquaporin 4 and H ⁺ /K ⁺ -ATPase in the stomachs of peptide YY (PYY) transgenic mice. <i>Biology of the Cell</i> , 2005, 97, 735-742.	0.7	11
135	Selective Decrease in Urinary Aquaporin 2 and Increase in Prostaglandin E2 Excretion Is Associated with Postobstructive Polyuria in Human Congenital Hydronephrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2705-2712.	3.0	48
136	Aquaporins in skeletal muscle: reassessment of the functional role of aquaporin 4. <i>FASEB Journal</i> , 2004, 18, 905-907.	0.2	91
137	Role of the p66Shc Isoform in Insulin-like Growth Factor I Receptor Signaling through MEK/Erk and Regulation of Actin Cytoskeleton in Rat Myoblasts. <i>Journal of Biological Chemistry</i> , 2004, 279, 43900-43909.	1.6	41
138	Extracellular calcium antagonizes forskolin-induced aquaporin 2 trafficking in collecting duct cells. <i>Kidney International</i> , 2004, 66, 2245-2255.	2.6	90
139	Stimulation of Xenopus P2Y1 receptor activates CFTR in A6 cells. <i>Pflugers Archiv European Journal of Physiology</i> , 2004, 449, 66-75.	1.3	18
140	DNA adducts, benzo(a)pyrene monooxygenase activity, and lysosomal membrane stability in <i>Mytilus galloprovincialis</i> from different areas in Taranto coastal waters (Italy). <i>Environmental Research</i> , 2004, 96, 163-175.	3.7	46
141	Altered blood-brain barrier development in dystrophic MDX mice. <i>Neuroscience</i> , 2004, 125, 921-935.	1.1	87
142	The role of aquaporin-4 in the blood-brain barrier development and integrity: Studies in animal and cell culture models. <i>Neuroscience</i> , 2004, 129, 935-944.	1.1	191
143	Severe alterations of endothelial and glial cells in the blood-brain barrier of dystrophic mdx mice. <i>Glia</i> , 2003, 42, 235-251.	2.5	156
144	Ontogeny, distribution, and possible functional implications of an unusual aquaporin, AQP8, in mouse liver. <i>Hepatology</i> , 2003, 38, 947-957.	3.6	95

#	ARTICLE	IF	CITATIONS
145	Water handling and aquaporins in bile formation: recent advances and research trends. <i>Journal of Hepatology</i> , 2003, 39, 864-874.	1.8	35
146	cAMP-induced AQP2 translocation is associated with RhoA inhibition through RhoA phosphorylation and interaction with RhoGDI. <i>Journal of Cell Science</i> , 2003, 116, 1519-1525.	1.2	127
147	Serine phosphorylation dynamics of aquaporin 2 during maturation from the endoplasmic reticulum to the vesicular compartment in renal cells. <i>FASEB Journal</i> , 2003, 17, 1-24.	0.2	83
148	Inhibition of AQP4 expression in astrocytes by RNAi determines alterations in cell morphology, growth, and water transport and induces changes in ischemia related genes. <i>FASEB Journal</i> , 2003, 17, 1-21.	0.2	124
149	Ontogeny, distribution, and possible functional implications of an unusual aquaporin, AQP8, in mouse liver. <i>Hepatology</i> , 2003, 38, 947-957.	3.6	24
150	Altered aquaporin-4 expression in human muscular dystrophies: a common feature?. <i>FASEB Journal</i> , 2002, 16, 1120-1122.	0.2	61
151	Functional involvement of VAMP/synaptobrevin-2 in cAMP-stimulated aquaporin 2 translocation in renal collecting duct cells. <i>Journal of Cell Science</i> , 2002, 115, 3667-3674.	1.2	68
152	Change of chloride ion channel conductance is an early event of slow-to-fast fibre type transition during unloading-induced muscle disuse. <i>Brain</i> , 2002, 125, 1510-1521.	3.7	73
153	Low-calcium diet in hypercalciuric enuretic children restores AQP2 excretion and improves clinical symptoms. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 283, F895-F903.	1.3	67
154	Aquaporin-1 expression in the chick embryo chorioallantoic membrane. <i>The Anatomical Record</i> , 2002, 268, 85-89.	2.3	24
155	Aquaporin-4 expression during development of the cerebellum. <i>Cerebellum</i> , 2002, 1, 207-212.	1.4	15
156	Possible Involvement of Aquaporin-7 and -8 in Rat Testis Development and Spermatogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2001, 288, 619-625.	1.0	86
157	Rho inhibits cAMP-induced translocation of aquaporin-2 into the apical membrane of renal cells. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F1092-F1101.	1.3	109
158	Microvessel overexpression of aquaporin 1 parallels bone marrow angiogenesis in patients with active multiple myeloma. <i>British Journal of Haematology</i> , 2001, 113, 415-421.	1.2	97
159	Expression and immunolocalization of the aquaporin-8 water channel in rat gastrointestinal tract. <i>European Journal of Cell Biology</i> , 2001, 80, 711-719.	1.6	118
160	Tissue Distribution and Membrane Localization of Aquaporin-9 Water Channel. <i>Journal of Histochemistry and Cytochemistry</i> , 2001, 49, 1547-1556.	1.3	104
161	Histamine treatment induces rearrangements of orthogonal arrays of particles (OAPs) in human AQP4-expressing gastric cells. <i>Journal of Cell Biology</i> , 2001, 154, 1235-1244.	2.3	38
162	Expression and Localization of the Aquaporin-8 Water Channel in Rat Testis1. <i>Biology of Reproduction</i> , 2001, 64, 1660-1666.	1.2	76

#	ARTICLE	IF	CITATIONS
163	Aquaporin-4 deficiency in skeletal muscle and brain of dystrophic mdx mice. <i>FASEB Journal</i> , 2001, 15, 90-98.	0.2	178
164	Muscle loading modulates aquaporin-4 expression in skeletal muscle. <i>FASEB Journal</i> , 2001, 15, 1282-1284.	0.2	45
165	Aquaporin-4-containing astrocytes sustain a temperature- and mercury-insensitive swelling in vitro. , 2000, 31, 29-38.		78
166	The cultured human gastric cells HGT-1 express the principal transporters involved in acid secretion. <i>Pflugers Archiv European Journal of Physiology</i> , 2000, 440, 871-880.	1.3	30
167	Urinary Aquaporin 2 and Calciuria Correlate with the Severity of Enuresis in Children. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1873-1881.	3.0	96
168	A Heterotrimeric G Protein of the Gi Family Is Required for cAMP-triggered Trafficking of Aquaporin 2 in Kidney Epithelial Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 22627-22634.	1.6	68
169	Expression and Functional Analysis of Water Channels in a Stably AQP2-transfected Human Collecting Duct Cell Line. <i>Journal of Biological Chemistry</i> , 1996, 271, 24365-24370.	1.6	80
170	Aquaporin-CHIP-related protein in frog urinary bladder: Localization by confocal microscopy. <i>Journal of Membrane Biology</i> , 1995, 143, 267-71.	1.0	2
171	Phorbol ester effect on the hydrosmotic response to vasopressin in frog skin. <i>Pflugers Archiv European Journal of Physiology</i> , 1987, 408, 318-320.	1.3	4
172	Evidence for a two-site model of forskolin action in frog urinary bladder. <i>Pflugers Archiv European Journal of Physiology</i> , 1987, 409, 486-491.	1.3	1
173	Evidence for the role of calcium in the hydrosmotic response to antidiuretic hormone in frog skin. <i>Pflugers Archiv European Journal of Physiology</i> , 1984, 402, 166-170.	1.3	1
174	cAMP levels and $\hat{1}\pm$ and $\hat{1}^2$ receptors stimulation by noradrenaline in frog skin. <i>General Pharmacology</i> , 1983, 14, 673-676.	0.7	1
175	Phloretin sensitive active urea absorption in frog skin. <i>Pflugers Archiv European Journal of Physiology</i> , 1982, 394, 226-229.	1.3	6
176	Protective effect of hydrocortisone on vasopressin response in frog skin. <i>Pflugers Archiv European Journal of Physiology</i> , 1981, 392, 152-156.	1.3	0
177	Colchicine effect on the permeability of the whole epithelium and of isolated cells of frog skin. <i>Journal of Bioenergetics and Biomembranes</i> , 1979, 11, 103-112.	1.0	3
178	Double noradrenaline effect on nonelectrolyte permeability explained by $\hat{1}\pm$ and $\hat{1}^2$ receptors stimulation in frog skin. <i>General Pharmacology</i> , 1979, 10, 505-509.	0.7	4
179	Colchicine inhibition of ADH effect on frog skin permeability. <i>Experientia</i> , 1978, 34, 360-361.	1.2	6
180	Noradrenaline induced secretion of nonelectrolytes through frog skin. <i>Journal of Membrane Biology</i> , 1977, 36, 1-11.	1.0	7

#	ARTICLE	IF	CITATIONS
181	Permeability Properties of the Frog Skin at Various Degrees of Edge Damage. Archives Internationales De Physiologie Et De Biochimie, 1975, 83, 837-843.	0.2	2
182	Anomalous effects of Amphotericin B on the non-electrolyte fluxes through the skin of Rana esculenta. General Pharmacology, 1975, 6, 105-108.	0.7	3
183	Transport of some non-electrolytes through amphibian skins. Comparative Biochemistry and Physiology A, Comparative Physiology, 1973, 46, 221-226.	0.7	3
184	Permeability Properties of Epithelia as Compared to Lipid Bdlayer Membranes. Archives Internationales De Physiologie Et De Biochimie, 1973, 81, 283-286.	0.2	0
185	Role of Nuclear Lamin A/C in the Regulation of Nav1.5 Channel and Microtubules: Lesson From the Pathogenic Lamin A/C Variant Q517X. Frontiers in Cell and Developmental Biology, 0, 10, .	1.8	2