## Blas M Benito

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/50696/publications.pdf

Version: 2024-02-01

27 papers 1,186 citations

16 h-index 25 g-index

27 all docs

27 docs citations

times ranked

27

2235 citing authors

| #  | Article  | IF           | CITATIONS |
|----|--|--------------|-----------|
| 1  | Fourteen years of continuous soil moisture records from plant and biocrust-dominated microsites.<br>Scientific Data, 2022, 9, 14.  | 5.3          | 1         |
| 2  | Human practices behind the aquatic and terrestrial ecological decoupling to climate change in the tropical Andes. Science of the Total Environment, 2022, 826, 154115.   | 8.0          | 0         |
| 3  | Explainable artificial intelligence enhances the ecological interpretability of blackâ€box species distribution models. Ecography, 2021, 44, 199-205.  | 4.5          | 64        |
| 4  | Biogeography of global drylands. New Phytologist, 2021, 231, 540-558.  | 7.3          | 145       |
| 5  | Ecological Diversity within Rear-Edge: A Case Study from Mediterranean Quercus pyrenaica Willd<br>Forests, 2021, 12, 10.   | 2.1          | 6         |
| 6  | Compositional turnover and variation in Eemian pollen sequences in Europe. Vegetation History and Archaeobotany, 2020, 29, 101-109.  | 2.1          | 20        |
| 7  | Ecological memory at millennial timeâ€scales: the importance of data constraints, species longevity and niche features. Ecography, 2020, 43, 1-10.   | 4.5          | 68        |
| 8  | Comment on "A global-scale ecological niche model to predict SARS-CoV-2 coronavirus infection rateâ€, author Coro. Ecological Modelling, 2020, 436, 109288.  | 2.5          | 4         |
| 9  | Don't gamble the COVID-19 response on ecological hypotheses. Nature Ecology and Evolution, 2020, 4, 1155-1155.   | 7.8          | 7         |
| 10 | Species distribution models are inappropriate for COVID-19. Nature Ecology and Evolution, 2020, 4, 770-771.  | 7.8          | 41        |
| 11 | Late-spring frost risk between 1959 and 2017 decreased in North America but increased in Europe and Asia. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 12192-12200. | 7.1          | 140       |
| 12 | distantia: an openâ€source toolset to quantify dissimilarity between multivariate ecological timeâ€series.<br>Ecography, 2020, 43, 660-667.  | 4 <b>.</b> 5 | 10        |
| 13 | Long-term fire resilience of the Ericaceous Belt, Bale Mountains, Ethiopia. Biology Letters, 2019, 15, 20190357.   | 2.3          | 26        |
| 14 | Spring predictability explains different leafâ€out strategies in the woody floras of North America, Europe and East Asia. Ecology Letters, 2017, 20, 452-460.  | 6.4          | 66        |
| 15 | Day length unlikely to constrain climate-driven shifts in leaf-out times of northern woody plants.<br>Nature Climate Change, 2016, 6, 1120-1123.   | 18.8         | 180       |
| 16 | Forecasting plant range collapse in a mediterranean hotspot: when dispersal uncertainties matter. Diversity and Distributions, 2014, 20, 72-83.  | 4.1          | 19        |
| 17 | Distribution and conservation of the relict interaction between the butterfly Agriades zullichi and its larval foodplant (Androsace vitaliana nevadensis). Biodiversity and Conservation, 2014, 23, 927-944.       | 2.6          | 6         |
| 18 | Documenting, storing, and executing models in Ecology: A conceptual framework and real implementation in a global change monitoring program. Environmental Modelling and Software, 2014, 52, 192-199.              | <b>4.</b> 5  | 10        |

| #  | Article  | IF        | CITATIONS      |
|----|--|-----------|----------------|
| 19 | The impact of modelling choices in the predictive performance of richness maps derived from speciesâ€distribution models: guidelines to build better diversity models. Methods in Ecology and Evolution, 2013, 4, 327-335. | 5.2       | 58             |
| 20 | Comparing the performance of species distribution models of Zostera marina: Implications for conservation. Journal of Sea Research, 2013, 83, 56-64.   | 1.6       | 35             |
| 21 | European Bird distribution is "well―represented by Special Protected Areas: Mission accomplished?.<br>Biological Conservation, 2013, 159, 45-50.   | 4.1       | 41             |
| 22 | ModeleR: An enviromental model repository as knowledge base for experts. Expert Systems With Applications, 2012, 39, 8396-8411.  | 7.6       | 6              |
| 23 | Simulating potential effects of climatic warming on altitudinal patterns of key species in Mediterranean-alpine ecosystems. Climatic Change, 2011, 108, 471-483.   | 3.6       | 54             |
| 24 | Habitat Fragmentation in Arid Zones: A Case Study of Linaria nigricans Under Land Use Changes (SE) Tj ETQq0 0  | 0 rgBT /C | Overlock 10 Tf |
| 25 | Past and present potential distribution of the Iberian <i>Abies</i> species: a phytogeographic approach using fossil pollen data and species distribution models. Diversity and Distributions, 2010, 16, 214-228.          | 4.1       | 83             |
| 26 | Conservation Status of the First Known Population of <i>Polygala balansae </i> ii> In Europe. Annales Botanici Fennici, 2010, 47, 45-50.   | 0.1       | 9              |
| 27 | Assessing extinction-risk of endangered plants using species distribution models: a case study of habitat depletion caused by the spread of greenhouses. Biodiversity and Conservation, 2009, 18, 2509-2520.               | 2.6       | 67             |