Antonio M LÃ³pez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5071765/publications.pdf Version: 2024-02-01



ANTONIO MIÃ3DEZ

#	Article	IF	CITATIONS
1	Protocol Proposal for the Mechanical Evaluation of a Soft Robotic Exoskeleton Using an Optical Motion Capture System. , 2022, , .		0
2	Metrological Evaluation of Human–Robot Collaborative Environments Based on Optical Motion Capture Systems. Sensors, 2021, 21, 3748.	3.8	6
3	Evaluation of filtering methods for the prediction of human position during walking by means of kinematical models. , 2021, , .		0
4	Evaluation of optical motion capture system performance in humanrobot collaborative cells. , 2020, ,		0
5	Walking Turn Prediction from Upper Body Kinematics: A Systematic Review with Implications for Human-Robot Interaction. Applied Sciences (Switzerland), 2019, 9, 361.	2.5	10
6	Accelerometry-Based Distance Estimation for Ambulatory Human Motion Analysis. Sensors, 2018, 18, 4441.	3.8	8
7	Upper limb joint angle measurement in occupational health. Computer Methods in Biomechanics and Biomedical Engineering, 2016, 19, 159-170.	1.6	35
8	Slope Estimation during Normal Walking Using a Shank-Mounted Inertial Sensor. Sensors, 2012, 12, 11910-11921.	3.8	5
9	Pedestrian Navigation Based on a Waist-Worn Inertial Sensor. Sensors, 2012, 12, 10536-10549.	3.8	73
10	Ambulatory human upper limb joint motion monitoring. , 2012, , .		4
11	Pedestrian dead reckoning with waist-worn inertial sensors. , 2012, , .		13
12	Real-time gait event detection for normal subjects from lower trunk accelerations. Gait and Posture, 2010, 31, 322-325.	1.4	247
13	GESTIÓN EFICIENTE DE LOS CORTES DE ENERGÃA EN LA INDUSTRIA. GEISER. Dyna (Spain), 2010, 85, 644-651.	0.2	0
14	Ambulatory estimation of mean step length during unconstrained walking by means of COG accelerometry. Computer Methods in Biomechanics and Biomedical Engineering, 2009, 12, 721-726.	1.6	17
15	Validity of Four Gait Models to Estimate Walked Distance from Vertical COG Acceleration. Journal of Applied Biomechanics, 2008, 24, 360-367.	0.8	13
16	Validity of four gait models to estimate walked distance from vertical COG acceleration. Journal of Applied Biomechanics, 2008, 24, 360-7.	0.8	4
17	Multisensor Approach to Walking Distance Estimation with Foot Inertial Sensing. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 5720-3.	0.5	54
18	Modified Pendulum Model for Mean Step Length Estimation. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 1371-4.	0.5	32

#	Article	IF	CITATIONS
19	Comparison of Step Length Estimators from Weareable Accelerometer Devices. , 2006, 2006, 5964-7.		103

20 Measurement of centerline segregation in steel slabs. Conference Record - IAS Annual Meeting (IEEE) Tj ETQq0 0 0 gBT /Overlock 10 Tf

21	Application of Self Organizing Maps to predict centerline segregation in steel slabs. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2006, , .	0.0	1	
----	---	-----	---	--