

Dianne J Luning Prak

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5071778/dianne-j-luning-prak-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

1,163
citations

19
h-index

31
g-index

78
ext. papers

1,304
ext. citations

3.5
avg, IF

4.84
L-index

#	Paper	IF	Citations
72	Formulation of 7-Component Surrogate Mixtures for Military Jet Fuel and Testing in Diesel Engine.. <i>ACS Omega</i> , 2022 , 7, 2275-2285	3.9	0
71	Density, viscosity, speed of sound, flash point, bulk modulus, and surface tension of mixtures of military jet fuel JP-5 and biodiesels dataset.. <i>Data in Brief</i> , 2022 , 41, 107849	1.2	0
70	Combustion and physical properties of blends of military jet fuel JP-5 with fifteen different methyl ester biodiesels synthesized from edible and nonedible oils. <i>Fuel</i> , 2021 , 311, 122503	7.1	1
69	Cetane number, derived cetane number, and cetane index: When correlations fail to predict combustibility. <i>Fuel</i> , 2021 , 289, 119963	7.1	4
68	Impact of low flash point compounds (hydrocarbons containing eight carbon atoms) on the flash point of jet fuel and n-dodecane. <i>Fuel</i> , 2021 , 286, 119389	7.1	5
67	Thermophysical Properties of Two-Component Mixtures of n-Nonylbenzene or 1,3,5-Triisopropylbenzene with n-Hexadecane or n-Dodecane at 0.1 MPa: Experimentally Measured Densities, Viscosities, and Speeds of Sound and Molecular Packing Modeled Using Molecular Dynamics Simulations. <i>Journal of Chemical & Engineering Data</i> , 2021 , 66, 1442-1456	2.8	1
66	Properties of Two-Component Mixtures of Isobutylcyclohexane (1) or tert-Butylcyclohexane (1) with n-Dodecane (2) or n-Hexadecane (2): Densities, Surface Tensions, Viscosities, and Speeds of Sound at 0.1 MPa and Various Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2021 , 66, 3165-3177	2.8	0
65	Binary Mixtures of Aromatic Compounds (n-Propylbenzene, 1,3,5-Trimethylbenzene, and 1,2,4-Trimethylbenzene) with 2,2,4,6,6-Pentamethylheptane: Densities, Viscosities, Speeds of Sound, Bulk Moduli, Surface Tensions, and Flash Points at 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 2625-2641	2.8	10
64	Physical Properties of Binary Mixtures of n-Dodecane and Various Ten-Carbon Aromatic Compounds (2-Methyl-1-phenylpropane, 2-Methyl-2-phenylpropane, 2-Phenylbutane, and 1,3-Diethylbenzene): Densities, Viscosities, Speeds of Sound, Bulk Moduli, Surface Tensions, and Flash Points at 0.1 MPa and Various Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 2625-2641	2.8	5
63	Determining the Thermal Properties of Military Jet Fuel JP-5 and Surrogate Mixtures Using Differential Scanning Calorimetry/Thermogravimetric Analysis and Differential Scanning Calorimetry Methods. <i>Energy & Fuels</i> , 2020 , 34, 4046-4054	4.1	
62	Properties of Binary Mixtures of 2,2,4,6,6-Pentamethylheptane (iso-Dodecane) with iso-Butylbenzene, sec-Butylbenzene, tert-Butylbenzene, or 1,3-Diethylbenzene: Densities, Viscosities, Speeds of Sound, and Isentropic Bulk Moduli in the Temperature Range of 288.15-323.15 K, Surface Tensions at 295 K, and Flash Points at 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 2625-2641	2.8	
61	Systematic examination of the links between composition and physical properties in surrogate fuel mixtures using molecular dynamics. <i>Fuel</i> , 2020 , 261, 116247	7.1	9
60	Diesel Engine Acoustic Emission Airflow Clogging Diagnostics With Machine Learning. <i>Journal of Engineering for Gas Turbines and Power</i> , 2019 , 141,	1.7	1
59	Thermophysical Properties of Binary Mixtures of n-Dodecane with n-Alkylcyclohexanes: Experimental Measurements and Molecular Dynamics Simulations. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1550-1568	2.8	11
58	The development and testing of Navy jet fuel (JP-5) surrogates. <i>Fuel</i> , 2019 , 249, 80-88	7.1	11
57	Densities, Viscosities, Speeds of Sound, Bulk Moduli, Surface Tensions, and Flash Points of Quaternary Mixtures of n-Dodecane (1), n-Butylcyclohexane (2), n-Butylbenzene (3), and 2,2,4,4,6,8,8-Heptamethylnonane (4) at 0.1 MPa as Potential Surrogate Mixtures for Military Jet Fuel, JP-5. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1725-1745	2.8	20
56	The capability of organic compounds to swell acrylonitrile butadiene O-rings and their effects on O-ring mechanical properties. <i>Fuel</i> , 2019 , 238, 483-492	7.1	6

55	Densities, Viscosities, Speeds of Sound, Bulk Moduli, Surface Tensions, and Flash Points of Binary Mixtures of Ethylcyclohexane or Methylcyclohexane with n-Dodecane or n-Hexadecane at 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 1642-1656	2.8	13
54	Biobased Diesel Fuel Analysis and Formulation and Testing of Surrogate Fuel Mixtures. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 600-610	3.9	11
53	Partially Premixed Combustion Application for Diesel Power Improvement. <i>Journal of Engineering for Gas Turbines and Power</i> , 2018 , 140,	1.7	1
52	Density, Viscosity, Speed of Sound, Bulk Modulus, Surface Tension, and Flash Point of Binary Mixtures of n-Hexylbenzene (1) or n-Butylbenzene (1) in 2,2,4,6,6-Pentamethylheptane (2) or 2,2,4,4,6,8,8-Heptamethylnonane (2) at 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2018 ,	2.8	13
51	Densities, Speeds of Sound, and Viscosities of Binary Mixtures of an n-Alkylcyclohexane (n-Propyl-, n-Pentyl-, n-Hexyl-, n-Heptyl-, n-Octyl-, n-Nonyl-, n-Decyl-, and n-Dodecyl-) with n-Hexadecane. <i>Journal of Chemical & Engineering Data</i> , 2018 ,	2.8	9
50	Impact of Molecular Structure on Properties of n-Hexadecane and Alkylbenzene Binary Mixtures. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 6595-6603	3.4	16
49	Photolysis of 2,4,6-trinitrotoluene in seawater and estuary water: Impact of pH, temperature, salinity, and dissolved organic matter. <i>Marine Pollution Bulletin</i> , 2017 , 114, 977-986	6.7	12
48	Densities and Viscosities at 293.15-333.15 K, Speeds of Sound and Bulk Moduli at 293.15-333.15 K, Surface Tensions, and Flash Points of Binary Mixtures of n-Hexadecane and Alkylbenzenes at 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 1673-1688	2.8	22
47	Density, Viscosity, Speed of Sound, Bulk Modulus, Surface Tension, and Flash Point of Binary Mixtures of Butylbenzene + Linear Alkanes (n-Decane, n-Dodecane, n-Tetradecane, n-Hexadecane, or n-Heptadecane) at 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 169-187	2.8	44
46	Density, Viscosity, Speed of Sound, Bulk Modulus, Surface Tension, and Flash Point of Selected Ternary Mixtures of n-Butylcyclohexane + a Linear Alkane (n-Hexadecane or n-Dodecane) + an Aromatic Compound (Toluene, n-Butylbenzene, or n-Hexylbenzene). <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 3452-3472	2.8	17
45	Analysis of Catalytic Hydrothermal Conversion Jet Fuel and Surrogate Mixture Formulation: Components, Properties, and Combustion. <i>Energy & Fuels</i> , 2017 , 31, 13802-13814	4.1	28
44	Partially Premixed Combustion Application for Diesel Power Improvement 2017 ,		1
43	Reference and Pure Component Fuel Characterization in an Ignition Quality Tester Derived Cetane Rating Unit. <i>SAE International Journal of Engines</i> , 2017 , 10, 1163-1173	2.4	5
42	Startup and Steady-State Performance of a New Renewable Hydroprocessed Depolymerized Cellulosic Diesel Fuel in Multiple Diesel Engines. <i>Journal of Engineering for Gas Turbines and Power</i> , 2016 , 138,	1.7	6
41	Density, Viscosity, Speed of Sound, Bulk Modulus, Surface Tension, and Flash Point of Binary Mixtures of 1,2,3,4-Tetrahydronaphthalene and Trans-decahydronaphthalene. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 2371-2379	2.8	8
40	Density and Viscosity from 293.15 to 373.15 K, Speed of Sound and Bulk Modulus from 293.15 to 343.15 K, Surface Tension, and Flash Point of Binary Mixtures of Bicyclohexyl and 1,2,3,4-Tetrahydronaphthalene or Trans-decahydronaphthalene at 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 650-661	2.8	18
39	Elucidating the Properties of Surrogate Fuel Mixtures Using Molecular Dynamics. <i>Energy & Fuels</i> , 2016 , 30, 784-795	4.1	15
38	Density, Viscosity, Speed of Sound, Bulk Modulus, Surface Tension, and Flash Point of Binary Mixtures of Butylcyclohexane with Toluene or n-Hexadecane. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 3595-3606	2.8	27

37	Formulation of Surrogate Fuel Mixtures Based on Physical and Chemical Analysis of Hydrodepolymerized Cellulosic Diesel Fuel. <i>Energy & Fuels</i> , 2016 , 30, 7331-7341	4.1	16
36	Physical and Chemical Analysis of Alcohol-to-Jet (ATJ) Fuel and Development of Surrogate Fuel Mixtures. <i>Energy & Fuels</i> , 2015 , 29, 3760-3769	4.1	56
35	Density, Viscosity, Speed of Sound, Bulk Modulus, Surface Tension, and Flash Point of Binary Mixtures of 2,2,4,6,6-Pentamethylheptane and 2,2,4,4,6,8,8-Heptamethylnonane at (293.15 to 373.15) K and 0.1 MPa and Comparisons with Alcohol-to-Jet Fuel. <i>Journal of Chemical & Engineering Data</i> , 2015 , 60, 1157-1165	2.8	16
34	The Effects of Fuel Injection Pressure and Fuel Type on the Combustion Characteristics of a Diesel Engine. <i>Journal of Engineering for Gas Turbines and Power</i> , 2015 , 137,	1.7	16
33	Start-Up and Steady-State Performance of a New Renewable Hydroprocessed Depolymerized Cellulosic Diesel (HDCD) Fuel in Multiple Diesel Engines 2015 ,		3
32	Density, Viscosity, Speed of Sound, Bulk Modulus, Surface Tension, and Flash Point of Binary Mixtures of n-Dodecane with 2,2,4,6,6-Pentamethylheptane or 2,2,4,4,6,8,8-Heptamethylnonane. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 1334-1346	2.8	41
31	Density, Viscosity, Speed of Sound, Bulk Modulus, Surface Tension, and Flash Point of Binary Mixtures of n-Hexadecane + Ethylbenzene or + Toluene at (293.15 to 373.15) K and 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 3571-3585	2.8	48
30	Density, Viscosity, Speed of Sound, Bulk Modulus, and Surface Tension of Binary Mixtures of n-Heptane + 2,2,4-Trimethylpentane at (293.15 to 338.15) K and 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 3842-3851	2.8	31
29	Predicting the Physical and Chemical Ignition Delays in a Military Diesel Engine Running n-Hexadecane Fuel. <i>Journal of Engineering for Gas Turbines and Power</i> , 2014 , 136,	1.7	5
28	An Experimental and Modeling Study Into Using Normal and Isocetane Fuel Blends as a Surrogate for a Hydroprocessed Renewable Diesel Fuel. <i>Journal of Energy Resources Technology, Transactions of the ASME</i> , 2014 , 136,	2.6	13
27	Direct Sugar to Hydrocarbon (DSH) Fuel Performance Evaluation in Multiple Diesel Engines. <i>SAE International Journal of Fuels and Lubricants</i> , 2014 , 7, 270-282	1.8	12
26	Density, Viscosity, Speed of Sound, Bulk Modulus, Surface Tension, and Flash Point of Direct Sugar to Hydrocarbon Diesel (DSH-76) and Binary Mixtures of N-Hexadecane and 2,2,4,6,6-Pentamethylheptane. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 3536-3544	2.8	50
25	Influence of pH, temperature, salinity, and dissolved organic matter on the photolysis of 2,4-dinitrotoluene and 2,6-dinitrotoluene in seawater. <i>Marine Chemistry</i> , 2013 , 157, 233-241	3.7	10
24	Density, Viscosity, Speed of Sound, Surface Tension, and Flash Point of Binary Mixtures of n-Hexadecane and 2,2,4,4,6,8,8-Heptamethylnonane and of Algal-Based Hydrotreated Renewable Diesel. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 920-926	2.8	54
23	Density, Viscosity, Speed of Sound, and Bulk Modulus of Methyl Alkanes, Dimethyl Alkanes, and Hydrotreated Renewable Fuels. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 2065-2075	2.8	14
22	Development of a Surrogate Mixture for Algal-Based Hydrotreated Renewable Diesel. <i>Energy & Fuels</i> , 2013 , 27, 954-961	4.1	43
21	An Experimental and Modeling Study Into Using Normal and ISO Cetane Fuel Blends as a Surrogate for a Hydro-Processed Renewable Diesel (HRD) Fuel 2013 ,		3
20	Predicting the Physical and Chemical Ignition Delays in a Military Diesel Engine Running n-Hexadecane Fuel 2013 ,		2

19	Photolysis of dinitrobenzyl alcohols, dinitrobenzaldehydes, and nitrobenzoic acids in seawater, estuary water, and pure water. <i>Marine Chemistry</i> , 2012 , 145-147, 29-36	3.7	2
18	Photolysis of 2,4,6-Trinitrotoluene in Seawater: Effect of Salinity and Nitrate Concentration. <i>ACS Symposium Series</i> , 2011 , 157-169	0.4	2
17	Assessing the Salting-Out Behavior of 2,4-Dinitrobenzaldehyde and 2,6-Dinitrobenzaldehyde from Solubility Values in Pure Water and Seawater at Temperatures between (280 and 313) K. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 2630-2633	2.8	5
16	An ¹ H NMR investigation into the loci of solubilization of 4-nitrotoluene, 2,6-dinitrotoluene, and 2,4,6-trinitrotoluene in nonionic surfactant micelles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011 , 375, 12-22	5.1	19
15	High Cetane Fuel Combustion Performance in a Conventional Military Diesel Engine. <i>SAE International Journal of Fuels and Lubricants</i> , 2011 , 4, 34-47	1.8	6
14	Solubilization of Nitroaromatic Compounds from Multi-Component Mixtures into Nonionic Surfactant Micellar Solutions. <i>Separation Science and Technology</i> , 2010 , 45, 732-739	2.5	3
13	Binary Mixtures of Branched and Aromatic Pure Component Fuels as Surrogates for Future Diesel Fuels. <i>SAE International Journal of Fuels and Lubricants</i> , 2010 , 3, 794-809	1.8	24
12	Photolysis of 2,4-Dinitrotoluene and 2,6-Dinitrotoluene in Seawater. <i>Aquatic Geochemistry</i> , 2010 , 16, 491-505	1.7	17
11	Assessing the Salting-Out Behavior of Nitrobenzene, 2-Nitrotoluene, and 3-Nitrotoluene from Solubility Values in Pure Water and Seawater at Temperatures between (277 and 314) K. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1231-1235	2.8	9
10	Rate-limited mass transfer of octane, decane, and dodecane into nonionic surfactants solutions under laminar flow conditions. <i>Chemosphere</i> , 2008 , 72, 133-40	8.4	4
9	A Chemistry Minute: Recognizing Chemistry in Our Daily Lives. <i>Journal of Chemical Education</i> , 2008 , 85, 1368	2.4	3
8	Solubility of 3,4-Dinitrotoluene in Pure Water and Seawater. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 586-587	2.8	4
7	Solubilization of nitrotoluenes in micellar nonionic surfactant solutions. <i>Chemosphere</i> , 2007 , 68, 1961-7	8.4	27
6	Solubility of 4-Nitrotoluene, 2,6-Dinitrotoluene, 2,3-Dinitrotoluene, and 1,3,5-Trinitrobenzene in Pure Water and Seawater. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 2446-2450	2.8	28
5	Solubility of 2,4-Dinitrotoluene and 2,4,6-Trinitrotoluene in Seawater. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 448-450	2.8	37
4	Degradation of polycyclic aromatic hydrocarbons dissolved in Tween 80 surfactant solutions by <i>Sphingomonas paucimobilis</i> EPA 505. <i>Canadian Journal of Microbiology</i> , 2002 , 48, 151-8	3.2	30
3	Solubilization of polycyclic aromatic hydrocarbon mixtures in micellar nonionic surfactant solutions. <i>Water Research</i> , 2002 , 36, 3463-72	12.5	104
2	Solubilization Rates of n-Alkanes in Micellar Solutions of Nonionic Surfactants. <i>Environmental Science & Technology</i> , 2000 , 34, 476-482	10.3	47

- 1 Swelling behavior and tensile strength of additively manufactured and commercial O-rings in the presence of linear, branched, cyclic, and aromatic compounds and alcohols. *Journal of Elastomers and Plastics*,009524432211041 1.6 0