

Eric Hug

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5072059/eric-hug-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

1,375
citations

21
h-index

35
g-index

82
ext. papers

1,596
ext. citations

3.3
avg, IF

4.83
L-index

#	Paper	IF	Citations
80	Microstructural size effects on mechanical properties of high purity nickel. <i>International Journal of Plasticity</i> , 2011 , 27, 635-654	7.6	102
79	. <i>IEEE Transactions on Magnetics</i> , 2000 , 36, 3137-3140	2	98
78	Brittleness study of intermetallic (Cu, Al) layers in copper-clad aluminium thin wires. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 7103-7106	5.3	83
77	On the origin of the stress decrease for nickel polycrystals with few grains across the thickness. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 500, 207-215	5.3	76
76	HallPetch behaviour of Ni polycrystals with a few grains per thickness. <i>Materials Letters</i> , 2008 , 62, 1718-1720	5.2	76
75	TEM study of dislocation patterns in near-surface and core regions of deformed nickel polycrystals with few grains across the cross section. <i>Mechanics of Materials</i> , 2010 , 42, 44-54	3.3	74
74	Study of the intermetallic growth in copper-clad aluminum wires after thermal aging. <i>Intermetallics</i> , 2014 , 50, 34-42	3.5	57
73	Magnetic behaviour versus tensile deformation mechanisms in a non-oriented Fe(3 wt.%)Si steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 359, 62-74	5.3	56
72	Finite element analysis of the free surface effects on the mechanical behavior of thin nickel polycrystals. <i>International Journal of Plasticity</i> , 2012 , 29, 155-172	7.6	45
71	Functional properties of a spark plasma sintered ultrafine-grained 316L steel. <i>Materials & Design</i> , 2014 , 63, 633-640		43
70	Kocks-Mecking analysis of the size effects on the mechanical behavior of nickel polycrystals. <i>International Journal of Plasticity</i> , 2017 , 98, 106-122	7.6	40
69	Influence of spark plasma sintering conditions on the sintering and functional properties of an ultra-fine grained 316L stainless steel obtained from ball-milled powder. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 665, 125-134	5.3	35
68	Intrinsic Effects due to the Reduction of Thickness on the Mechanical Behavior of Nickel Polycrystals. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010 , 41, 2498-2506	2.3	33
67	Structural analysis and thermoelectric properties of mechanically alloyed colusites. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 7455-7463	7.1	33
66	Impact of the nanostructuration on the corrosion resistance and hardness of irradiated 316 austenitic stainless steels. <i>Applied Surface Science</i> , 2017 , 392, 1026-1035	6.7	29
65	Temperature dependence and size effects on strain hardening mechanisms in copper polycrystals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 574, 253-261	5.3	26
64	Size effects and temperature dependence on strain-hardening mechanisms in some face centered cubic materials. <i>Mechanics of Materials</i> , 2015 , 91, 136-151	3.3	22

63	Influence of plastic strain on magnetic behaviour of non-oriented Fe ₃ Si and application to manufacturing test by punching. <i>Materials Science and Technology</i> , 1995 , 11, 482-487	1.5	22
62	Up-scaled synthesis process of sulphur-based thermoelectric materials. <i>RSC Advances</i> , 2016 , 6, 10044-10053	5.3	21
61	Tensile properties of spark plasma sintered AISI 316L stainless steel with unimodal and bimodal grain size distributions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 729, 249-256	5.3	21
60	Effect of internal stresses on the magnetic properties of non-oriented Fe ₃ Si and (Fe,Co) ₂ wt.% V alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 332, 193-202	5.3	21
59	Temperature and stress state influence on void evolution in a high-strength dual-phase steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 626, 286-295	5.3	20
58	Application of the Monkman-Grant law to the creep fracture of nodular cast irons with various matrix compositions and structures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 518, 65-75	5.3	20
57	Influence of intermetallic compounds on the electrical resistivity of architected copper clad aluminum composites elaborated by a restacking drawing method. <i>Materials and Design</i> , 2018 , 155, 366-374	8.1	18
56	Rate-dependent constitutive model for sheet metal blanking investigation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 487, 162-170	5.3	18
55	Graphite nodule morphology as an indicator of the local complex strain state in ductile cast iron. <i>Materials & Design</i> , 2013 , 52, 524-532		17
54	Nitriding aluminum alloys by N-multicharged ions implantation: Correlation between surface strengthening and microstructure modifications. <i>Surface and Coatings Technology</i> , 2012 , 206, 5028-5035	4.4	16
53	Size effects and Hall-Petch relation in polycrystalline cobalt. <i>Philosophical Magazine Letters</i> , 2015 , 95, 122-130	1	15
52	Size Effects in Thin Face-Centered Cubic Metals for Different Complex Forming Loadings. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2013 , 44, 5478-5487	7.3	15
51	Growth and texture of spark plasma sintered Al ₂ O ₃ ceramics: A combined analysis of X-rays and electron back scatter diffraction. <i>Journal of Applied Physics</i> , 2013 , 113, 153510	2.5	15
50	Some aspects of the magnetomechanical coupling in the strengthening of nonoriented and grain-oriented 3% SiFe alloys. <i>IEEE Transactions on Magnetics</i> , 1997 , 33, 763-771	2	15
49	TEM analysis of the deformation microstructure of polycrystalline cobalt plastically strained in tension. <i>Materials Characterization</i> , 2017 , 134, 76-83	3.9	14
48	Effect of stress path on the miniaturization size effect for nickel polycrystals. <i>International Journal of Plasticity</i> , 2015 , 64, 26-39	7.6	12
47	Evolution of damage and fracture in two families of Ni ₃ TiMo sinter-hardened steels with various initial porosities. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 654, 85-93	5.3	12
46	A Correlation between the Ultimate Shear Stress and the Thickness Affected by Intermetallic Compounds in Friction Stir Welding of Dissimilar Aluminum Alloy-Stainless Steel Joints. <i>Metals</i> , 2018 , 8, 179	2.3	12

45	Influence of the plastic anisotropy on the magnetic properties of a nonoriented 3% silicon iron. <i>Journal of Applied Physics</i> , 1996 , 79, 4571	2.5	12
44	Damage Analysis of a Ferritic SiMo Ductile Cast Iron Submitted to Tension and Compression Loadings in Temperature. <i>Metals</i> , 2015 , 5, 2351-2369	2.3	10
43	Corrosion and wear mechanisms of aluminum alloys surface reinforced by multicharged N-implantation. <i>Applied Surface Science</i> , 2014 , 310, 311-316	6.7	10
42	On the effects of a pressure induced amorphous silicon layer on consecutive spreading resistance microscopy scans of doped silicon. <i>Journal of Applied Physics</i> , 2015 , 117, 244306	2.5	9
41	Investigation of the early stage of reactive interdiffusion in the Cu-Al system by in-situ transmission electron microscopy. <i>Materialia</i> , 2020 , 9, 100633	3.2	8
40	Secondary creep stage behavior of copper-clad aluminum thin wires submitted to a moderate temperature level. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 709, 134-138	5.3	8
39	Material characterization of blanked parts in the vicinity of the cut edge using nanoindentation technique and inverse analysis. <i>International Journal of Mechanical Sciences</i> , 2009 , 51, 899-906	5.5	8
38	Influence of the size effect on work hardening behaviour in stage II of Ni20wt.%Cr. <i>Materials Letters</i> , 2008 , 62, 3591-3593	3.3	8
37	Damage mechanisms evolution of ductile cast irons under thermomechanical loadings. <i>International Journal of Materials and Product Technology</i> , 2013 , 47, 23	1	6
36	Analysis of Nuclei in a Heavy-Section Nodular Iron Casting. <i>Materials Science Forum</i> , 2018 , 925, 173-180	0.4	6
35	Strain path influence on size effects during thin sheet copper microforming. <i>International Journal of Materials and Product Technology</i> , 2013 , 47, 3	1	5
34	Achieving good tensile properties in ultrafine grained nickel by spark plasma sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 772, 138770	5.3	5
33	Size effects and magnetoelastic couplings: a link between Hall-Petch behaviour and coercive field in soft ferromagnetic metals. <i>Philosophical Magazine</i> , 2019 , 99, 1297-1326	1.6	5
32	Characterization of deformation twinning in polycrystalline cobalt: A quantitative analysis. <i>Materialia</i> , 2019 , 7, 100420	3.2	4
31	Damage mechanisms in multiphased steels with a bainitic matrix under various mechanical loading paths. <i>Procedia Manufacturing</i> , 2018 , 15, 1557-1564	1.5	4
30	Nanostructuring of metals via spark plasma sintering using activated powder obtained by ball-milling: Impact on the strain-hardening mechanisms 2017 ,		3
29	An Experimental Investigation of the Size Effects in Forming Processes of High-Purity Thin Metallic Sheets. <i>Materials Science Forum</i> , 2016 , 879, 459-464	0.4	3
28	Direct correlation between strengthening mechanisms and electrical noise in strained copper wires. <i>Physical Review B</i> , 2011 , 83,	3.3	3

27	Influence de l'écrouissage sur les propriétés magnétiques d'alliages Fe-3 %Si non orientés. <i>Journal De Physique III</i> , 1994 , 4, 1267-1284		3
26	Elaboration of Architected Copper Clad Aluminium Composites by a Multi-Step Drawing Process. <i>Materials Science Forum</i> , 2018 , 941, 1914-1919	0.4	3
25	Numerical Prediction Model of Temperature Effect on DP1000 Steel Damage during Warm Formability. <i>Key Engineering Materials</i> , 2015 , 651-653, 77-82	0.4	2
24	Ultrafast Atomic Diffusion Paths in Fine-Grained Nickel Obtained by Spark Plasma Sintering. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020 , 51, 3425-3434 ^{2,3}	2.3	2
23	Influence of friction stir welding parameters on titanium-aluminum heterogeneous lap joining configuration 2017 ,		2
22	Thermokinetic analysis of intermetallic growth in copper clad aluminium wires. <i>Materials Research Innovations</i> , 2013 , 17, s124-s128	1.9	2
21	The Effect of Different Thermal Treatment on the Allotropic fcc-\rightarrowbcc Transformation and Compression Behavior of Polycrystalline Cobalt. <i>Materials</i> , 2020 , 13,	3.5	2
20	Size effects in cobalt plastically strained in tension: impact on gliding and twinning work hardening mechanisms. <i>Journal of Materials Research and Technology</i> , 2021 , 11, 1362-1377	5.5	2
19	Plasticity and Size Effects in High Purity Cobalt: An Experimental Study. <i>Materials Science Forum</i> , 2016 , 879, 560-565	0.4	1
18	Statistical investigations of an ENIG Nickel film morphology by Atomic Force Microscopy. <i>E3S Web of Conferences</i> , 2016 , 12, 04003	0.5	1
17	Experimental investigations and FEM simulations of parameters influencing the Fe-(wt.3%)Si shearing process. <i>Mechanics and Industry</i> , 2012 , 13, 271-278	0.8	1
16	New perspectives for magnetomechanical coupling in high-purity nickel. <i>IEEE Transactions on Magnetics</i> , 2002 , 38, 2820-2822	2	1
15	Additive manufacturing of a Ni-20 wt%Cr binary alloy by laser powder bed fusion: Impact of the microstructure on the mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 834, 142625	5.3	1
14	Exploring the Strain Hardening Mechanisms of Ultrafine Grained Nickel Processed by Spark Plasma Sintering. <i>Metals</i> , 2021 , 11, 65	2.3	1
13	Experimental Investigation of Allotropic Transformation of Cobalt: Influence of Temperature Cycle, Mechanical Loading and Starting Microstructure. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2021 , 52, 1477-1491	2.3	1
12	Tunable surface boundary conditions in strain gradient crystal plasticity model. <i>Mechanics of Materials</i> , 2020 , 145, 103393	3.3	0
11	Thermomechanical properties of high martensitic Dual-phase steels related to dislocation structures and void damage evolution. <i>Advances in Materials and Processing Technologies</i> , 2016 , 2, 339-347 ^{0,8}	0.8	0
10	Mechanical response of nickel multicrystals for shear and tensile conditions at room temperature and 573 K. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 809, 140987	5.3	0

9	Failure of a brittle layer on a ductile substrate: Nanoindentation experiments and FEM simulations. <i>Journal of the Mechanics and Physics of Solids</i> , 2022 , 163, 104859	5	0
8	Creep Tendencies of Cu-Al Thin Wires Submitted to Moderate Temperature Conditions: Influence of Intermetallic Compounds. <i>Materials Science Forum</i> , 2016 , 879, 631-636	0.4	
7	Temperature and Stress State Influence on Mechanical Properties and Damage Evolution of Dual-Phase Steels. <i>Materials Science Forum</i> , 2014 , 783-786, 886-891	0.4	
6	Impact of Metallurgical Size Effects on Plasticity of Thin Metallic Materials. <i>Materials Science Forum</i> , 2014 , 783-786, 2290-2295	0.4	
5	Thermomechanical Ageing of Copper-Clad Aluminum Wires Submitted to Creep Test Conditions. <i>Advanced Materials Research</i> , 2014 , 922, 207-212	0.5	
4	Nanoindentation du Si ₃ N ₄ pour la microelectronique : influence de la sous-couche. <i>Materiaux Et Techniques</i> , 2015 , 103, 606	0.6	
3	Caractérisation par nanoindentation du GaN irradié par des ions uranium de grande énergie. <i>Materiaux Et Techniques</i> , 2017 , 105, 108	0.6	
2	Analysis of the twin variant selection in polycrystalline cobalt. <i>Journal of Materials Science</i> , 2021 , 56, 7740-7752	4.3	
1	Study by nanoindentation of the influence of the manufacturing process on the mechanical properties of Copper-Clad Aluminum wires. <i>Materiaux Et Techniques</i> , 2022 , 110, 204	0.6	