
Jannike Ã~yen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5072142/publications.pdf Version: 2024-02-01



ΙλΝΝΙΚΕ Δ~νεν

#	Article	IF	CITATIONS
1	Results at 10 to 14years after osteochondral autografting (mosaicplasty) in articular cartilage defects in the knee. Knee, 2013, 20, 287-290.	1.6	115
2	Results at 10–14Âyears after microfracture treatment of articular cartilage defects in the knee. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1587-1593.	4.2	100
3	Arthroscopic Versus Open Tennis Elbow Release: 3- to 6-Year Results of a Case-Control Series of 305 Elbows. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2013, 29, 854-859.	2.7	95
4	Osteoporosis as a Risk Factor for Distal Radial Fractures. Journal of Bone and Joint Surgery - Series A, 2011, 93, 348-356.	3.0	83
5	The nutritional strategy: Four questions predict morbidity, mortality and health care costs. Clinical Nutrition, 2014, 33, 634-641.	5.0	76
6	Osteochondral autografting (mosaicplasty) in articular cartilage defects in the knee: Results at 5 to 9Âyears. Knee, 2010, 17, 84-87.	1.6	74
7	lodine content of six fish species, Norwegian dairy products and hen's egg. Food and Nutrition Research, 2018, 62, .	2.6	65
8	Low-energy distal radius fractures in middle-aged and elderly men and women—the burden of osteoporosis and fracture risk. Osteoporosis International, 2010, 21, 1257-1267.	3.1	63
9	Maternal lodine Status is Associated with Offspring Language Skills in Infancy and Toddlerhood. Nutrients, 2018, 10, 1270.	4.1	58
10	Microfracture treatment of single or multiple articular cartilage defects of the knee: a 5-year median follow-up of 110 patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2010, 18, 504-508.	4.2	54
11	Vitamin D inadequacy is associated with low-energy distal radius fractures: A case–control study. Bone, 2011, 48, 1140-1145.	2.9	49
12	Low-energy distal radius fractures in middle-aged and elderly women—seasonal variations, prevalence of osteoporosis, and associates with fractures. Osteoporosis International, 2010, 21, 1247-1255.	3.1	46
13	Extensor tendon release in tennis elbow: results and prognostic factors in 80 elbows. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 1023-1027.	4.2	43
14	Fatty fish intake and cognitive function: FINS-KIDS, a randomized controlled trial in preschool children. BMC Medicine, 2018, 16, 41.	5.5	42
15	Seafood intake and the development of obesity, insulin resistance and type 2 diabetes. Nutrition Research Reviews, 2019, 32, 146-167.	4.1	40
16	Elevated plasma dimethylglycine is a risk marker of mortality in patients with coronary heart disease. European Journal of Preventive Cardiology, 2015, 22, 743-752.	1.8	35
17	A Diet Score Assessing Norwegian Adolescents' Adherence to Dietary Recommendations—Development and Test-Retest Reproducibility of the Score. Nutrients, 2016, 8, 467.	4.1	32
18	Dietary Intake of Saturated Fat Is Not Associated with Risk of Coronary Events or Mortality in Patients with Established Coronary Artery Disease. Journal of Nutrition, 2015, 145, 299-305.	2.9	29

Jannike Ã~yen

#	Article	IF	CITATIONS
19	Arthroscopic Treatment of Lateral Epicondylitis: Tenotomy Versus Debridement. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 578-585.	2.7	28
20	Low bone mineral density is a significant risk factor for low-energy distal radius fractures in middle-aged and elderly men: A case-control study. BMC Musculoskeletal Disorders, 2011, 12, 67.	1.9	27
21	Smoking and Body Fat Mass in Relation to Bone Mineral Density and Hip Fracture: The Hordaland Health Study. PLoS ONE, 2014, 9, e92882.	2.5	27
22	Mortality after Distal Radius Fracture in Men and Women Aged 50 Years and Older in Southern Norway. PLoS ONE, 2014, 9, e112098.	2.5	24
23	Associations between intake of fish and n-3 long-chain polyunsaturated fatty acids and plasma metabolites related to the kynurenine pathway in patients with coronary artery disease. European Journal of Nutrition, 2017, 56, 261-272.	4.6	22
24	Fatty Fish Intake and the Effect on Mental Health and Sleep in Preschool Children in FINS-KIDS, a Randomized Controlled Trial. Nutrients, 2018, 10, 1478.	4.1	21
25	Interferon gamma (IFN-γ)-mediated inflammation and the kynurenine pathway in relation to risk of hip fractures: the Hordaland Health Study. Osteoporosis International, 2014, 25, 2067-2075.	3.1	20
26	Reduced bone resorption by intake of dietary vitamin D and K from tailor-made Atlantic salmon: a randomized intervention trial. Oncotarget, 2016, 7, 69200-69215.	1.8	19
27	Fatty fish intake and attention performance in 14–15Âyear old adolescents: FINS-TEENS - a randomized controlled trial. Nutrition Journal, 2017, 16, 64.	3.4	18
28	The effects of fatty fish intake on adolescents' nutritional status and associations with attention performance: results from the FINS-TEENS randomized controlled trial. Nutrition Journal, 2018, 17, 30.	3.4	16
29	Plasma dimethylglycine, nicotine exposure and risk of low bone mineral density and hip fracture: the Hordaland Health Study. Osteoporosis International, 2015, 26, 1573-1583.	3.1	15
30	The Impact of Different Animal-Derived Protein Sources on Adiposity and Glucose Homeostasis during Ad Libitum Feeding and Energy Restriction in Already Obese Mice. Nutrients, 2019, 11, 1153.	4.1	14
31	The effect of Atlantic salmon consumption on the cognitive performance of preschool children – A randomized controlled trial. Clinical Nutrition, 2019, 38, 2558-2568.	5.0	14
32	Dietary Choline Intake Is Directly Associated with Bone Mineral Density in the Hordaland Health Study. Journal of Nutrition, 2017, 147, 572-578.	2.9	13
33	lodine status in Norwegian preschool children and associations with dietary iodine sources: the FINS-KIDS study. European Journal of Nutrition, 2019, 58, 2219-2227.	3.9	13
34	Dietary Proteins, Brown Fat, and Adiposity. Frontiers in Physiology, 2018, 9, 1792.	2.8	11
35	Dietary choline is related to increased risk of acute myocardial infarction in patients with stable angina pectoris. Biochimie, 2020, 173, 68-75.	2.6	11
36	Dietary Intake and Biomarkers of Folate and Cobalamin Status in Norwegian Preschool Children: The FINS-KIDS Study. Journal of Nutrition, 2020, 150, 1852-1858.	2.9	11

Jannike Ã~yen

#	Article	IF	CITATIONS
37	The effect of school meals with fatty fish on adolescents' self-reported symptoms for mental health: FINS-TEENS - a randomized controlled intervention trial. Food and Nutrition Research, 2017, 61, 1383818.	2.6	9
38	Food Sources Contributing to Intake of Choline and Individual Choline Forms in a Norwegian Cohort of Patients With Stable Angina Pectoris. Frontiers in Nutrition, 2021, 8, 676026.	3.7	9
39	Fatty fish, hair mercury and cognitive function in Norwegian preschool children: Results from the randomized controlled trial FINS-KIDS. Environment International, 2018, 121, 1098-1105.	10.0	8
40	Vitamin D status in preschool children and its relations to vitamin D sources and body mass index—Fish Intervention Studies-KIDS (FINS-KIDS). Nutrition, 2020, 70, 110595.	2.4	8
41	Assessment of Dietary Choline Intake, Contributing Food Items, and Associations with One-Carbon and Lipid Metabolites in Middle-Aged and Elderly Adults: The Hordaland Health Study. Journal of Nutrition, 2022, 152, 513-524.	2.9	8
42	Biomarkers and Fatty Fish Intake: A Randomized Controlled Trial in Norwegian Preschool Children. Journal of Nutrition, 2021, 151, 2134-2141.	2.9	7
43	Lean-seafood intake increases urinary iodine concentrations and plasma selenium levels: a randomized controlled trial with crossover design. European Journal of Nutrition, 2021, 60, 1679-1689.	3.9	6
44	Bodyweight Changes Are Associated with Reduced Health Related Quality of Life: The Hordaland Health Study. PLoS ONE, 2014, 9, e110173.	2.5	5
45	Plasma Choline, Nicotine Exposure, and Risk of Low Bone Mineral Density and Hip Fracture: The Hordaland Health Study. Journal of Bone and Mineral Research, 2014, 29, 242-250.	2.8	5
46	Design of the FINS-TEENS study: A randomized controlled trial assessing the impact of fatty fish on cognitive performance in adolescents. Scandinavian Journal of Public Health, 2017, 45, 621-629.	2.3	5
47	Intakes of Fish and Long-Chain n-3 Polyunsaturated Fatty Acid Supplements During Pregnancy and Subsequent Risk of Type 2 Diabetes in a Large Prospective Cohort Study of Norwegian Women. Diabetes Care, 2021, 44, 2337-2345.	8.6	4
48	"Evidence-based―or "logic-based―medicine?: response to Blank et al Osteoporosis International, 2010 21, 1685-1686.	, 3.1	0

4